

8 LITERATUR

- ABDELLA, M. (1996): Bacterial causes of bovine mastitis in Wondogenet, Ethiopia. *J. Vet. Med.*, 43 (6), 379-384.
- ADDU, P.B. (1974): Treatment of mastitis. *Vet. Clin. N. Am. Large Anim. Pract.*, 6 (2), 323.
- BAKKEN, G., M. THORBURN (1987): Environmental influences on bovine mastitis. *Bulletin of the International Dairy Federation*, 217, 273.
- BARNES-PELLESEN, F.D., P. BLACKMER, R.B. BUSHNELL, D.M. VAN DAMME, F. WELCOME (1985): Laboratory and Field Handbook on Bovine Mastitis. Quality Milk Promotion Services, NYS Mastitis Control Program.
- BARNUM, D.A., A.H. MEEK (1982): Somatic cell counts, mastitis and milk production in selected Ontario dairy herds. *Can. J. Comp. Med.*, 46, 12-16.
- BARTLETT, P.C., G.Y. MILLER, C.R. ANDERSON, J.H. KIRK (1990): Milk production and somatic cell counts in Michigan dairy herds. *J. Dairy Sci.*, 73, 2794-2800.
- BARTLETT, P.C., G.Y. MILLER, S.E. LANCE, L.E. HEIDER (1992): Environmental and managerial determinants of somatic cell counts and clinical mastitis incidence in Ohio dairy herds. *Prev. Vet. Med.*, 14 (3-4), 195-207.
- BARTLETT, P.C., J.F. AGGER, H. HOUE, L.G. LAWSON (2000): Incidence of clinical mastitis in Danish dairy cattle and screening for non reporting in a passively collected national surveillance system. *Prev. Vet. Med.*, 48, 73-83.
- BENDIXEN, P.H. (1988): Risk indicators of disease occurrence in dairy cows in Sweden. Uppsala: Swedish University of Agricultural Science, Ph.D. Thesis.
- BIRU, G. (1989): Major bacteria causing bovine mastitis and their sensitivity to

- common antibiotics. *Ethiopian J. Agr. Sci.*, 11, 47-54.
- BISHI, A.S. (1998): Cross-sectional and longitudinal prospective study of bovine clinical and subclinical mastitis in periurban and urban dairy production systems in the Addis Ababa region, Ethiopia. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Weiterbildende Studien Tropenveterinärmedizin, Master Thesis.
- BLOOD, D.C. (1985): Veterinary hygiene. In: RADOSTITS, O.M., BLOOD, D.C. (eds.): *Herd Health: A Textbook of Health and Production Management of Agricultural Animals*. Philadelphia: W.B. Saunders Company, pp. 92-102.
- BLOSSER, T.H. (1997): Economic losses from the national research program on mastitis in the USA. *J. Dairy Sci.*, 62, 119-127.
- BRAND, A. (1996): *Herd Health and Production Management*. Wageningen, Wageningen Press, pp. 31-47.
- BREED, R.S., S.C. PRESCOTT (1910): The determination of the number of body cells in milk by a direct method. *J. Inf. Dis.*, 7:632.
- BRITTS, J.S. (1977): Mastitis problem herds. *J. Am. Vet. Med. Assoc.*, 170, 1239-1243.
- BROOKS, B.W., D.A. BARNUM, A.H. MEEK (1983): An observational study of *Corynebacterium bovis* in selected Ontario dairy herds. *Can. J. Comp. Med.*, 47, 73-78.
- CIFRIAN, E., A.J. GUIDRY, W.W. MARQUARD (1996): Role of milk fractions, serum and divalent cations in protection of mammary epithelial cells of cows against damage by *Staphylococcus aureus* toxins. *Am. J. Vet. Res.*, 57 (3), 308-312.
- DE GRAAF, T., R.H. DWINGER (1996): Estimation of milk production losses due to

- subclinical mastitis in dairy cattle in Costa Rica. *Prev. Vet. Med.*, 26 (3-4), 215-222.
- DEUTZ, A., W. OBRITZHAUSER (1996): Beitrag zur Streptokokkenmastitis des Rindes. *Praktischer Tierarzt*, 77 (5), 406-413.
- DEVENDRA, C. (1993): Sustainable animal production from small farm systems in South East Asia. Rome: FAO Animal Production and Health Paper, pp. 106-110.
- DOBBINS, C.N. (1977): Mastitis. *J. Am. Vet. Med. Assoc.*, 170, 1129.
- DOHOO, I.R., S.W. MARTIN, W.C.D. SANDALS (1983): Disease production and culling in Holstein-Friesian cows. I. The data. *Prev. Vet. Med.*, 1, 321-334.
- DULIN, A.M., M.J. PAAPE, S.C. NICKERSON (1988): Comparison of phagocytosis and chemiluminescence by blood and mammary gland neutrophils from multiparous and nulliparous cows. *Am. J. Vet. Res.*, 49, 172-177.
- DU PREEZ, J.H. (1991): The role of the milking machine in bovine udder health. Part I, *South African Veterinary Medicine*, 4, 86-90.
- EBERHARDT, R.J., R.P. NATZKE, F.H.S. NEWBOULD, B. NONNECKE, P. THOMPSON (1979): Coliform Mastitis: A review. *J. Dairy Sci.*, 62, 1-22.
- EMANUELSON, U., H. FUNKE (1990): Effect of milk yield on relationship between bulk milk somatic cell count and prevalence of mastitis. *J. Dairy Sci.* 74, 2479-2483.
- ERB, H.N. (1984): Rates of diagnosis of six diseases of Holstein cows during 15 day, 21 day and 30 day intervals. *Am. J. Vet. Res.*, 45, 333-335.
- ERSKINE, R.J. (1986): Making further progress in low somatic cell count herds. *Bovine Proc.*, 18, 78-81.

- ERSKINE, R.J., R.J. EBERHART, L.J. HUTCHINSON, S.B. SPENCER, M.A.
CAMPBELL (1988): Incidence and types of clinical mastitis in dairy herds with high and low somatic cell counts. *Am. J. Vet. Res.*, 192, 761-762.
- FAO (1993): Ethiopia livestock development project, preparation report. Vol. I of II. Report No: 4/ 93 CP-ETH 45 SR. Food and Agricultural Organisation of the United Nations, Rome.
- FAULL, W.B. (1983): Economics of mastitis and mastitis control. *Vet. Rec.*, 113, 415.
- FRANCIS, P.G., J.W. WILESMITH, C.D. WILSON (1986): Observations on the incidence of clinical bovine mastitis in non-lactating cows in England and Wales. *Vet. Rec.*, 126, 573-576.
- FRESE, M. (1998): Cross-site and cross-location on-farm investigation on the epidemiology of mastitis in market oriented urban/periurban production systems in the regions of Addis Ababa and Debre Zeit, Ethiopia. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Weiterbildende Studien Tropenveterinärmedizin, Diploma Thesis.
- FUNKE, U. (1993): Genetische Aspekte von Eutererkrankungen. Die Rindermastitis als Herdenproblem. Leipzig: DVG-Tagung. Fachgruppe Milchhygiene, 90 (5), 94-106.
- GEER, D. VAN DE, Y.H. SCHUKKEN, F.J. GROMMERS, A. BRAND (1988): A matched case-control study on clinical mastitis in Holstein-Friesian dairy cows. Proceedings of the International Congress on Animal Hygiene. Skara, Sweden, pp.60-64.
- GODKIN, M.A. (1989): The relationship between bulk tank milk culture, management factors used in mastitis control and herd prevalence of mastitis. University of Guelph, D.V.Sc. Thesis, pp. 87-130.

- GROOTHUIS, G. (1981): Genetic variations and the susceptibility towards mastitis. Tijdschr. Diergeneeskd., 101, 779.
- GRYSEELS, G. (1988): Role of livestock on mixed smallholder farms in the Ethiopian highlands. Wageningen, Ph.D. Thesis, pp. 249-258.
- HAMANN, J. (1993): On the influence of stress situations on the number of somatic cell counts in milk. Praktischer Tierarzt, 74, Sondernummer, pp. 38-41.
- HARMON, R.J., B.E. LANGLOIS (1986): Prevalence of minor mastitis pathogens and associated somatic cell counts. Arlington, Va.: Proc. 25th Annual Meeting of National Mastitis Council, Inc., pp. 11.
- HEESCHEN, W. (1993): Auswirkungen der EG-Normen für den Milchviehbetrieb und die tierärztliche Überwachung und Betreuung. Leipzig: DVG-Tagung. Fachgruppe Milchhygiene, 90 (5), 1-24.
- HEIDER, L.E., H.L. BARR (1977): Bovine Mastitis. J. Am. Vet. Med. Assoc., 170, 1199.
- HIBBIT, K.G. (1983): Mastitis Control. Vet. Ann., 23, 65.
- HIRSCH, H.P. (1984): Mastitiskontrolle. Monatshefte VetMed., 39, 579.
- HOARE, R.J.T., P.J. NICHOLLS, R.F. SHELDRAKE (1982): Investigations into falsely elevated somatic cell counts of bulked whole milk. J. Dairy Res., 49, 559-565.
- HOFFMANN, A. (1999): Cross-site and cross-location on-farm investigations on the reproductive disorders of dairy cows in market oriented urban/periurban production systems in the Addis Ababa region, Ethiopia. Berlin: Freie Universität, Fachbereich Veterinärmedizin, Weiterbildende Studien Tropenveterinärmedizin, Diploma Thesis.

-
- HOGAN, J.S., K.L. SMITH, K.H. HOBLET (1989): Bacterial counts in bedding materials used on nine commercial dairies. *J. Dairy Sci.*, 72, 250-256.
- IDA (1997): Annual Population Report on Sub Saharan Africa. International Development Association of the World Bank, New York, USA.
- IFAR, S. (1996): Relevance of ruminants in upland mixed farming systems in East Java, Indonesia. Wageningen, Ph.D. Thesis, pp. 129.
- ILCA (1993): ILCA 1992: Annual Report and Programme Highlights. International Livestock Center for Africa, Addis Ababa, Ethiopia.
- ILCA (1995): Dairy Industry Development Scope in Ethiopia, Synopsis. International Livestock Center for Africa, Addis Ababa, Ethiopia.
- JACKSON, E.R. (1980): The control of bovine mastitis. *Vet. Rec.*, 107, 37-40.
- JONES, T.O. (1986): A review of teat factors in bovine *E. coli* mastitis. *Vet Rec.*, 118, 507-512.
- JONG, R. DE (1996): Dairy stock development and milk production with smallholders. University of Wageningen, Ph.D. Thesis.
- KAASSCHIETER, G.A., R. DE JONG, J.B. SCHIERE, D. ZWART (1992): Towards a sustainable livestock production in developing countries and the importance of animal health strategy therein. *Vet. Q.*, 14, 66-75.
- KEHRLI, M.E., B.J. NONNECKE, J.A. ROTH (1989): Alterations in bovine lymphocyte function during the periparturient period. *Am. J. Vet. Res.*, 50, 215-220.
- KINABO, L.D.B., R.J. ASSEY (1982): Bovine mastitis in selected dairy farms in Morogoro District, Tanzania. *Beiträge zur tropischen Landwirtschaft und*

Veterinärmedizin, 21, 65-71.

KLAPSTRUP, N.O., R.W. HALLIWELL (1977): Prevalence of bovine subclinical mastitis in Malawi. *J. Dairy Res.*, 29, 331-336.

KRUTZ, J., J. BRAMLEY (1982): Sources of *Streptococcus uberis* in the dairy herd. II. Evidence of colonization of the bovine intestine by *Str. uberis*. *J. Dairy Res.*, 49, 375-379.

LAM, T.J.G.M., M.C.M. DE JONG, Y.H. SCHUKKEN, A. BRAND (1996): Mathematical modeling to estimate efficacy of postmilking teat disinfection in split udder trials of dairy cows. *J. Dairy Sci.*, 79, 62-70.

LAM, T.J.G.M., Y.H. SCHUKKEN, J.H. VAN VLIET, F.J. GROMMERS, M.J.M. TIELEN, A. BRAND (1997): Effect of natural infection with minor pathogens on susceptibility to natural infection with minor pathogens in the bovine mammary gland. *Am. J. Vet. Res.*, 58, 17-22.

LELE, U., S.W. STONE (1989): Population pressure, the environment and agricultural intensification. Variations on the Boeserup hypothesis. MADIA Discussion Paper 4, World Bank, Washington DC, USA.

LESLIE, K.E. (1984): Somatic cell counts: Interpretation for individual cows. Div. of Guelph, Ontario, Canada, 410/662 ord., 84-012, pp. 8-15.

LEWIN, H.A. (1989): Disease resistance and immune response genes in cattle: strategies for their detection and evidence of their existence. *J. Dairy Sci.*, 72, 1334-1338.

LINDE, C. (1982): The effect of coagulase negative staphylococci in the cow's udder on experimental induction of mastitis and milk production. Uppsala: University of Agricultural Sciences, Ph.D. Thesis.

- MARR, A. (1978): Bovine Mastitis Control (Corresp.). Vet. Rec., 102, 132-134.
- MATOS, J.S., D.G. WHITE, S. HARMON, B.E. LANGLOIS (1991): Isolation of *Staphylococcus aureus* from sites other than the lactating mammary gland. J. Dairy. Sci., 74, 1544.
- MCDERMOTT, J.J., G.K. GITAU, C.Y. O'CALLAHAN, A.O. OMORE, P.A. ODIMA, M.N. KYULE, J.K. KILUNGO (1993): Field research project to assess health and production indices on Kenyan smallholder dairy farms. In: DANIELS (ed.): Livestock Services for Smallholders: A certain evaluation. Proceedings of a seminar held in Yogyakarta, Indonesia, pp. 77-82.
- MCDONALD, J.S., A.J. ANDERSON (1981): Symposium: Bovine mastitis. Am. J. Vet. Res., 42, 1360-1366.
- MERCK, C.C. (1993): Bestandsorientierte Mastitisprophylaxe. Leipzig: DVG-Tagung. Fachgruppe Milchhygiene. 90 (5), 25-29.
- METZEL-POESCHEL, K. (1990): Landesbericht Äthiopien 1990. Statistisches Bundesamt Wiesbaden, pp. 14-17.
- MOL, R.M. DE, V. OUWELTJES (2000): Detection model for mastitis in cows milked in an automatic milking system. Prev. Vet. Med., 49, 71-82.
- MOORE, G.A., L.E. HEIDER (1984): Treatment of Mastitis. Vet. Clin. N. Am. Large Animal Pract., 6 (2), 247-255.
- MYLLYS, V., T. HONKANEN-BUZALSKI, H. VIRTANEN, S. PYÖRÄLÄ, H.P. MÜLLER (1994): Effect of abrasion of teat orifice epithelium on development of bovine staphylococcal mastitis. J. Dairy Sci., 77, 446-452.
- NATIONAL MASTITIS COUNCIL (1987): Laboratory handbook on bovine mastitis. Madison, WI, National Mastitis Council, Inc. pp. 1-32.

- NATZKE, R.P., R.W. EVERETT, D.R. BRAY (1982): Effect of overmilking on udder health. *J. Dairy Sci.*, 65, 117-125.
- NESRU, H. (1999): Cross sectional and longitudinal study of bovine mastitis in urban and periurban dairy systems in the Addis Ababa region, Ethiopia. Berlin, Freie Universität, Fachbereich Veterinärmedizin, Weiterbildende Studien Tropen-veterinärmedizin, Master Thesis.
- NEWBOULD, F.H.S., R.S. BUTLER, S.D. ACRES (1982): Mastitis of dairy cows. Saskatoon. *Vet. Inf. Dis. Org.*, Fact Sheet 7, pp. 1-7.
- NJAU, B.C., D.J. KUNDY (1985): Aetiology of bovine mastitis in Tanzania. *Bull. Anim. Hlth. Prod. Afr.*, 33, 35-38.
- OMORE, A.O., J.J. MCDERMOTT, S.M. ARIMI, M.N. KYULE, D. OUMA (1996): A longitudinal study of milk somatic cell counts and bacterial culture from cows on smallholder dairy farms in Kiambu District, Kenya. *Prev. Vet. Med.*, 29, 77-89.
- PANKEY, J.W., R.L. NICKERSON, A. BODDIE, J.S. HOGAN (1985): Effects of *Corynebacterium bovis* infection on susceptibility to major mastitis pathogens. *J. Dairy Sci.*, 68, 2684.
- PHILPOT, W.N. (1967): Influence of subclinical mastitis on milk production and milk composition. *J. Dairy Sci.*, 50, 978.
- PHILPOT, W.N., S.C. NICKERSON (1991): In: PHILPOT, W.N. (ed.): *Mastitis Counter Attack*. Naperville, Illinois, Babson Bros. Co., pp. 1-150.
- PÖSÖ, J., E.A. MÄNTYSAARI (1996): Genetic relationships between reproductive disorders, operational days open and milk yield. *Livestock Prod. Sci.*, 46, 41-48.
- PROVOST, A. (1991): Classification of bovine diseases in Eastern Africa. *Rev.*

Sci. Tech. Int. Epiz., 6 (3), 625-679.

- PULLAN, N.B. (1980): Productivity of white Fulan cattle on the Yos Plateau, Nigeria. III. Disease and management factors. Trop. Anim. Hlth. Prod., 12, 77-84.
- QUIGLEY, J.D., C.S.T. NYABADZA, G. BENEDICTUS, A. BRAND (1996): Monitoring replacement rearing: objectives and materials and methods. In: BRAND, A. (ed.): Herd Health and Production Management, Wageningen, Wageningen Press, pp.75-94.
- QUINN, P.J., G.R. CARTER, B. MARKEY (1994): Mastitis. In: QUINN, P.J. (ed.): Clinical Veterinary Microbiology. Wolfe, Baltimore, pp. 327-344.
- RADOSTITS, O.M., D.C. BLOOD, C.C. GAY (1994a): Bovine mastitis. In: RADOSTITS, O.M., BLOOD, D.C. (eds.): Veterinary Medicine: A textbook of the diseases of cattle, sheep, pigs, goats and horses. 8th edition, Bailliere Tindal, London, pp. 563-614.
- RADOSTITS, O.M., K.E. LESLIE, J. FETROW (1994b): Herd Health: Food Animal Production Medicine. 2nd edition, W.B. Saunders Company, Philadelphia. pp. 229-276.
- RADOSTITS, O.M., K.E. LESLIE, J. FETROW (1996): Mastitis control in dairy herds. In: RADOSTITS, O.M., BLOOD, D.C. (eds.): Herd Health: Food Animal Production Medicine, 2nd edition, Philadelphia: W. B. Saunders Company, pp. 229-276.
- RAINARD, P., B. POUTREL (1988): Effects of naturally occurring intramammary infections by minor pathogens on new infections by major pathogens in cattle. Am. J. Vet. Res., 49, 327.
- RAUBERTAS, R.P., G.E. SHOOK (1982): Relationship between lactation measures of somatic cell concentration and milk yields. J. Dairy Sci., 65, 419-425.

- ROBINSON, T.C. (1985): Dairy Microbiology. Br. Vet. J., 141, 635.
- ROSENBERGER, G. (1994): In: ROSENBERGER, G. (Hrsg.): Krankheiten des Rindes, 3. Auflage, Berlin-Hamburg: Parey, pp. 350-363.
- RUPP, R.F., F. BEAUDEAU, D. BOICHARD (2000a): Relationship between milk somatic cell counts in the first lactation and clinical mastitis occurrence in the second lactation of French Holstein cows. Prev. Vet. Med., 46, 99-111.
- RUPP, R.F., D. BOICHARD (2000b): Relationship of early first lactation somatic cell count with risk of subsequent first clinical mastitis. Livest. Prod. Sci., 62, 169-180.
- SCHALM, O.W., E.J. CARROL, N.C. JAIN (1971): Bovine Mastitis. Lea & Febiger, Philadelphia, pp. 182-282.
- SCHRODER, R.J., R.W. MCINTYRE, C.A. DELLI QUADRI (1968): How a large milkproducing country met the mastitis control challenge. J. Am. Vet. Med. Ass., 153, 1676-1687.
- SCHUKKEN, Y.H., H.N. ERB, P.M. SEARS, R.D. SMITH (1988): Ecologic study of the risk factors for environmental mastitis in cows. Am. J. Vet. Res., 49, 766-770.
- SCHUKKEN, Y.H., F.J. GROMMERS, D. VAN DE GEER, A. BRAND (1989): Incidence of clinical mastitis on farms with low somatic cell counts in bulk milk. Vet. Rec., 125, 60-64.
- SCHUKKEN, Y.H., J.H. VAN VLIET, D. VAN DE GEER, F.J. GROMMERS (1993): A randomized blind trial on dry cow antibiotic infusion in a low somatic cell count herd. J. Dairy Sci., 76, 2925-2930.
- SEARS, P.M., R.N. GONZALEZ, D.J. WILSON, H.R. HAN (1993): Procedures for mastitis diagnosis and control. Vet. Clinics of North Am. Food Animal Practice, 9 (3), 445-468.

- SEIFERT, H.S.H. (1992a): Milchbetrieb. In: SEIFERT, H.S.H. (Hrsg.): Tropentierhygiene. Jena-Stuttgart, Gustav Fischer Verlag, pp. 454-457.
- SEIFERT, H.S.H. (1992b): Kontaktseuchen. In: SEIFERT, H.S.H. (Hrsg.): Tropentierhygiene. Jena-Stuttgart, Gustav Fischer Verlag, pp. 285-288.
- SEYKORA, A.J., B.T. MCDANIEL (1985): Udder and teat morphology related to mastitis resistance. *J. Dairy Sci.*, 68, 2807-2093.
- SHOOK, G.E. (1989): Selection for disease resistance. *J. Dairy Sci.*, 72, 1349-1362.
- SISHO, W.N., L.E. HEIDER, G.Y. MILLER, D.A. MOORE (1993): Prevalence of contagious pathogens of bovine mastitis and use of mastitis control practices. *J. Am. Vet. Med. Assoc.*, 202 (4), 595-600.
- SMITH, R.D., T. MORROW (1993): *Veterinary clinical epidemiology*. Boston: Butterworth-Heinemann, 148-153.
- SMITH, K.L., D.A. TODTHUNTER, P.S. SCHOENEBERGER (1985): Environmental mastitis cause, prevalence and prevention. *J. Dairy Sci.*, 68, 1531-1553.
- SOL, J. (1984): Control methods in summer mastitis: the importance of fly control. Durban, South Africa: Proceedings of the 13th World Congress. Dis. Cattle, Vol. 11, pp. 236-242.
- STEVENSON, M.A. (2000): Disease incidence in dairy herds in southern highlands district of New South Wales, Australia. *Prev. Vet. Med.*, 43, 1-11.
- STYLES, R., P. RODENBURG (1984): OMAFRA, Milk quality and safety. Factsheet 410/662, ord. 84-031, pp. 1-4.
- TEGEGNE, A., G. ALEMU (1998): Prospects for periurban dairy development in Ethiopia. Addis Ababa: Proceedings of a seminar. 5th Conference of Ethiopian

Society of Animal Production (ESAP), pp. 28-39.

THRUSFIELD, M. (1995): *Veterinary Epidemiology*, 2nd edition, Blackwell Science Ltd., Oxford, pp. 37-49.

UILENBERG, G., D.A.E. DOBBELAERE, A.L.W. DE GEE, H.T. KOCH (1993): Progress in research on tick-borne diseases: Theileriosis and Heartwater. *Vet. Quart.*, 15, 48-54.

VARNER, M., A. BRAND (1996): Monitoring reproductive performance: Decision making and follow-up. In: BRAND, A. (ed.) *Herd Health and Production Management*, Wageningen, Wageningen Press, pp. 313-332.

WALSHE, M.J. (1994): Dairy development, issues and options. In: MANN, E., BROOKS, B. (eds.): *Dairy Development and Implementation. Sharing of experiences between Africa and Asia*. Food and Agriculture Organisation of the United Nations, Rome, pp. 155.

WATTS, J.L. (1988): Etiologic agents of bovine mastitis. *Vet. Microbiol.*, 16, 41-66.

WEIGT, U., E. GRUNERT (1984): Euterkrankheiten. In: GRUNERT, E. (Hrsg.): *Buiatrik*, Bd. 1, Verl. M.& H. Schaper, Hannover, pp. 19-64.

WILESMITH, J.W., P.G. FRANCES, C.D. WILSON (1986): Incidence of clinical mastitis in a cohort of British dairy herds. *Vet. Rec.*, 118, 199-204.

WILLIAMS, C.R. (1995): *Diseases of dairy cattle*. 1st ed. Lea & Febiger, Philadelphia, pp. 287.

WILSON, C.D., M.S. RICHARDS (1980): Diagnosis of mastitis. *Vet. Rec.*, 106, 431.

WILTON, J.W., L.D. VAN VLECK, R.W. EVERETT, R.S. GUTHRIE, S.J. ROBERTS (1972): Genetic and environmental aspects of udder infections. *J. of*

Dairy Sci., 55, 183-189.

WINROCK INTERNATIONAL (1992): Assessment of animal agriculture in Sub Saharan Africa. Morrilton, AR, Winrock International.

WORLD BANK (1992): World development report. Development and the environment. New York, Oxford University Press for the World Bank, Washington D.C., pp. 308.

YEOMAN, G.H., B.C. WARREN (1984): Summer mastitis. Br. Vet. J., 140, 232-243.

YOMAGATA, M., W.N. GOODGER, L. WEAVER, C. FRANTI (1987): The economic benefits of treating subclinical *Streptococcus agalactiae* mastitis in lactating cows. J. Am. Vet. Med. Assoc., 191 (12), 1556-1561.

ZARKOWER, A., W.J. SCHEUCHENBERGER (1978): Symposium. Bovine Mastitis. Cornell Vet., 68, 40.

ZERBINI, E., T. GEMEDA, A. TEGEGNE, A. GEBRE WOLDE, R. FRANCESCHINI (1993): Effects of work and diet on progesterone secretion, short luteal phases and ovulations without estrus in postpartum F1 crossbred dairy cows. Theriogenology, 40, 571-584.

ZERIHUN, A. (1998): Epidemiology of bovine mastitis in urban/periurban and smallholder dairy production systems in Ethiopia. Berlin: Study proposal (nicht veröffentlicht).

ZERIHUN, T. (1996): Occurrence of mastitis in urban dairy farms around Addis Ababa, Ethiopia, DVM Thesis, Faculty of Veterinary Medicine, Addis Ababa University.

ZWART, D. (1994): Problems for livestock smallholders in the tropics. In: Application of Biotechnology. Utrecht: 5th Symposium on Tropical Animal Health and Production, pp. 7-9.

Die Zeitschriften wurden abgekürzt nach:

List of journals indexed in Index Medicus 1990, National Library of Medicine, U.S.
Department of Health and Human Services, Bethesda, Maryland

Die dort nicht aufgeführten Zeitschriften wurden abgekürzt nach:
BIOSIS* Serial Sources, Volume 1995. BIOSIS, Philadelphia