

## Literaturverzeichnis

- 1 Adelman AG et al: A comparison of directional atherectomy with ballon angioplasty for lesions of the left anterior descending coronary artery. *N Engl J Med* 1993;329:228-233
- 2 Alm SE, Hutchinson III JE, Schwartz MJ: Replacing the aortic valve during the ninth decade of life. *Geriatrics* 32 (1), 1977.
- 3 Al-Bassam MD, Dawson JT, Garcia E et al: Evaluation of risk factors and follow-up in women following coronary artery bypass. *Cardiovasc. Dis.* 1975;4:391.
- 4 Aldermann EL, Bourassa MG, Cohen IS et al: Ten-year follow-up of survival and myocardial infarction in the randomized coronary artery surgery study. *Circulation* 1990, 82:1629.
- 5 Alfieri O, Van Swieten H, Ascoop C et al: Technique and operative results of extensive myocardial revascularisation. *Coronary Disease today, Excerpta Medica* 1981:279-284.
- 6 Angehrn W, Lichtlen P, Gattiker K, Schönbeck M, Senning A : Die intra- und postoperative Infarkthäufigkeit bei der aorto-koronaren Bypassoperation, beurteilt anhand des EKG. *Schweiz. Med. Wschr.* 1974;104:1581-1584.
- 7 Ashor GW, Meyer BW, Lindesmith GG, Stiles QR, Walker GH, Tucker BL : Coronary artery disease. Surgery in 100 patients 65 years of age and older. *Arch. Surg.* 1973;107:30-33.
- 8 Assmann G, Carmena R, Cullen P, Fruchart JC, Jossa F, Lewis B, Mancini M, Paoletti R. Coronary heart disease: reducing the risk. A worldwide view. International Task Force for the Prevention of Coronary Heart Disease. *Circulation* 1999;100:1930-1938.
- 9 Assmann G, Cullen P, Jossa F, Lewis B, Mancini M. Coronary heart disease: reducing the risk. The scientific background to primary and secondary prevention of coronary heart disease. A worldwide view. International Task Force for the Prevention of Coronary Heart Disease. *Arterioscler Thromb Vasc Biol* 1999;19:1819-1824.
- 10 Baraki H, Karck M, Haverich A: Herzchirurgie im Alter. *Chirurg* 2005 Feb;76(2):131-8
- 11 Barnhorst DA, Giuliani ER, Pluth JR, Danielson GK, Wallace RB, McGoon DC : Open-heart surgery in patients more than 65 years old. *Ann. Thorac. Surg.* 1974;18:81-90
- 12 Barra JA, Volant, Leroy JP, Braesco J, Airiau J, Boschat J, Blanc JJ, Penther P. Constrictive perivenous mesh prosthesis for preservation of vein integrity. *J Thorac Cardiovasc Surg* 1986;92:330-336.

- 13 Barzilay JI, Kronmal RA, Bittner V, Eaker E, Evans C, Foster ED : Coronary artery disease and coronary artery bypass grafting in diabetic patients aged >65 years (report from the coronary artery surgery study (CASS) registry). *Am J Cardiol* 1994;74:334-339.
- 14 Benetti FJ, Mariani MA, Sani G, Boonstra P, Grandjean J, Biomarelli P, Toscano M : Video-assisted minimally invasive coronary operations without cardiopulmonary bypass: a multicenter study. *J Thorac Cardiovasc Surg* 1995;112:1478-1484.
- 15 Bergsma TM, Grandjean JG, Voors AA, Boonstra PW, den Heyer P, Ebels T : Low recurrence of angina pectoris after coronary artery bypass graft surgery with bilateral internal thoracic and right gastroepiploic arteries. *Circulation* 1998;97:2402-2405.
- 16 Berry BE, Acree PW, Davis DJ, Sheely II CH, Cavin S : Coronary artery bypass operation in Septuagenarians. *Ann. Thorac. Surg.* 1981;31:310-313.
- 17 Blankenhorn DH, Nessim SA, Johnson RL, Sanmarco ME, Azen SP, Cashin-Hemphill L : Beneficial effect of combined colestipol-niacin therapy on coronary vein bypass grafts. *JAMA* 1987;257:3233-3249.
- 18 Bolli R : Myocardial "stunning" in man. *Circulation* 1992;86:1671-1691.
- 19 Borst C, Gründeman PF : Minimally invasive coronary artery bypass grafting. An experimental perspective. *Circulation* 1999;99:1400-1403.
- 20 Borst C, Jansen EW, Gründeman PF : Less invasive coronary artery bypass grafting: without cardiopulmonary bypass and via reduced surgical access. *Heart* 1997;77:302-303.
- 21 Brener SJ, Loop FD, Lytle BW, Ellis SG, Cosgrove DM, Topol EJ : A profile of candidates for repeat myocardial revascularization: implications for selection of treatment. *J Thorac Cardiovasc Surg* 1997;114:153-161
- 22 Bruschke AVG, Proudfit WL, Sones FM : Clinical course of patients with normal, and slightly or moderately abnormal coronary arteriograms: a follow up study on 500 patients. *Circulation* 1973;47:936.
- 23 Bruschke AVG, Proudfit WL, Sones FM : Progress study of 590 consecutive nonsurgical cases of coronary diseases followed 5-9 years: I. Arteriographic correlations. *Circulation* 1973;47:1147-1153.
- 24 Buffolo E, Andrade JC, Branco JN, Aguiar LF, Ribeiro EE, Jatene AD : Myocardial revascularization without extracorporeal circulation. *Eur J Cardiothorac Surg* 1990;4:504-508.
- 25 Buffolo E, Andrade JC, Branco JN, Teles CA, Aguiar LF, Gomes WJ : Coronary artery bypass grafting without cardiopulmonary bypass. *Ann Thorac Surg* 1996;61:63-66.

- 26 Bussmann WD et al: Influence of ergonovine on coronary artery diameter and regional ventricular function in coronary heart disease. In: Klatenbach M et al. (Hrsg.) Coronary heart disease. Thieme, Stuttgart / New York 1978
- 27 Burggraf GW, Parker JO : Prognosis in coronary artery disease: angiographic, hemodynamic, and clinical factors. *Circulation* 1975;51:146.
- 28 Calafiore AM, Teodori G, Di Giammarco, G, D'Annunzio E, Angelini R, Vitolla G, Maddestra N : Coronary revascularization with the radial artery: new interest for an old conduit. *J Card Surg* 1995;10:140-146.
- 29 Cameron AA, Davis KB, Rogers WJ : Recurrence of angina after coronary artery bypass surgery: predictors and prognosis (CASS registry). *J Am Coll Cardiol* 1995;26:895-899.
- 30 Carrascal Y, di Stefano S, Fulquet E, Echevarria JR, Florez S, Fis L: Cirugia cardiaca en octogenarios: situacion actual y perspectivas de futuro. *Med Clin (Barc)* Feb 11;126(5) :170-2
- 31 Carrel T, Laske A, Bauer E et al: Langzeitverlauf koronarchirurgischer Eingriffe bei Patienten mit eingeschränkter linksventrikulärer Funktion. *Schweiz med Wschr* 1990;120:1175-1179.
- 32 Carrozza JP Jr, Kuntz RE, Levine MJ, Pomerantz RM, Fishman RF, Mansour M, Gibson CM, Senerchia CC, Diver DJ, Safian RD, Baim DS : Angiographic and clinical outcome of intracoronary stenting: immediate and long-term results from a large single-center experience. *J Am Coll Cardiol* 1992;20:328-37.
- 33 CASS Principal Investigators and their Associates: Myocardial infarction and mortality in the Coronary Artery Surgery Study (CASS) randomized trial. *N Engl J Med* 1984;310:750
- 34 CASS Principle Investigators and their Associates : Myocardial infarction and mortality in the Coronary Artery Surgery Study (CASS) randomized trial. *N Engl J Med* 1984;310:750-758.
- 35 Chaitman BR, Fisher LD, Bourassa MG et al: Effect of coronary bypass surgery on survival patterns in subsets of patients with left main coronary artery disease. *Am. J. Cardiol.* 1981;48:765-777.
- 36 Christenson JT, Maurice J, Simonet F et al: Effect of low left ventricular ejection fractions on the outcome of primary coronary bypass grafting in end-stage coronary artery disease. *J Cardiovasc Surg* 1995;36:45-51.
- 37 Chukwuemeka A, BorgerMA, Ivanov J, Armstrong S, Feindel CM, David TE: Valve surgery in octogenarians: a safe option with good medium-term results. *J Heart Valve Dis* 2006 Mar;15(2):191-6; discussion 196
- 38 Cohn PF: Silent myocardial ischemia and myocardial infarction. Marcel Dekker, New York / Basel 1986

- 39 Dahl vom J, Althoefer C, Sheehan FH et al: Recovery of regional left ventricular dysfunction after coronary revascularization. *J Am Coll Cardiol* 1996; 28:948-958.
- 40 Dahl PE, Andreassen L: Hjertekirurgi hos pasienter over 80 ar. *Tidsskr Nor Laeforen* 2003 Jun 12;123(12):1671-3
- 41 Department of Health and Human Services. Reducing the health consequences of smoking: 25 years of progress: a report of the Surgeon General, 1989.
- 42 Detre K, Peduzzi P, Murphy ML et al: Effect of bypass surgery on survival in patients with low- and high-risk groups delineated by the use of simple clinical variables. *Circulation* 1981;63:1329.
- 43 Dilsizian V, Bonow RO : Current diagnostic techniques of assessing myocardial viability in patients with hibernating and stunned myocardium. *Circulation* 1993; 87:1-19.
- 44 Eagle KA, Guyton RA, Davidoff R, Ewy GA, Fonger J, Gardner TJ, Gott JP, Herrmann HC, Marlow RA, Nugent W, O'Conner GT, Orszulak TA, Rieselbach RE, Winters WL, Yusuf S, Gibbons RJ, Alpert JS, Garson A, Gregorators G, Russel RO, Ryan TJ, Smith SC jr : ACC/AHA guidelines for coronary artery bypass graft surgery:executive summary and recommendation. A report of the America College of Cardiology / American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1991 Guidelines for Coronary Artery Bypass Graft Surgery). *Circulation* 1999;100:1464-1480
- 45 Edwards FH, Clark RE, Schwartz M : Coronary artery bypass grafting: the society of thoracic surgeons national database experience. *Ann Thorac Surg* 1994;57:12-19.
- 46 Elefteriades JA, Tolis G, Levis E et al: Coronary artery bypass grafting in severe left ventricular dysfunction: excellent survival with improved ejection fraction and functional state. *J Am Coll Cardiol* 1993;22:1411-1417.
- 47 Engoren M, Arslanian-Engoren C, Steckel D, Neihardt J, Fenn-Buderer N: Cost, outcome, and functional status in octogenarians and septuagenarians after cardiac surgery. *Chest* 2002 Oct;122(4):1309-15
- 48 Erdmann E, Riecke G et al: *Klinische Kardiologie*. Berlin-Heidelberg-New York, Springer-Verlag, 1996
- 49 Estafanous FG, Loop FD, Higgins TL, Tekyi-Mensah S, Lytle BW, Cosgrove DM 3rd, Robert-Browns M, Starr NJ : Increased risk and decreased morbidity of coronary artery bypass grafting between 1986 and 1994. *Ann Thorac Surg* 1998;65:383-389.
- 50 European Academy of Sciences and Arts (EASA), World Health Organisation (WHO), International Society of Cardio-Thoracic Surgeons (ISCTS), International Society and Federation of Cardiology (ISFC), Task Force. Standards and concepts in cardiac interventions. I. Coronary artery disease revascularisation. Salzburg: European Academy of Sciences and Arts (EASA), World Health Organisation (WHO), International Society of Cardio-Thoracic Surgeons (ISCTS), International Society and Federation of Cardiology (ISFC), Task Force,; 1995 6-7 October, 1995.

- 51 Farinha JB, Kaplan MA, Harris CN et al: Disease of the left main coronary artery. Surgical treatment and long-term follow-up in 267 patients. *Am. J. Cardiol.* 1978;42:124-128.
- 52 Favalaro RG : Saphenous vein autograft replacement of severe segmental coronary artery occlusion: operative technique. *Ann Thorac Surg* 1968;5:334-339.
- 53 Friesinger GC, Page EE, Ross RS : Prognostic significance of coronary arteriography. *Trans. Assoc. Am. Physicians* 1970;83,78.
- 54 Fuster V, Chesebro JH, Frye RL, Elveback LR : Platelet survival and the development of coronary artery disease in the young adult: effects of cigarette smoking, strong family history and medical therapy. *Circulation* 1981;63:546-551.
- 55 Garret HE, Dennis WE, Bakey ME : Aortocoronary bypass with saphenous vein graft. *J Amer Ass* 1973;223:792.
- 56 Gatti G, Cardu G, Lusa AM, Pugliese P: Predictors of postoperative complication in high-risk octogenarians undergoing cardiac operation. *Ann Thorac Surg* 2002 Sep;74(3):671-7
- 57 Gersh BJ, Kronmal RA, Schaff HV, Frye RL, Ryan TJ, Myers WO, Athearn MW, Gosselin AJ, Kaiser GC : Long-term (5 years) results of coronary bypass surgery in patients 65 years old or older: a report from the Coronary Artery Surgery Study (CASS). *Circulation* 1983;68 (Suppl. II):190-199.
- 58 Goyal S, Henry M, Mohajeri M: Outcome and quality of life after cardiac surgery in octogenarians. *ANZ J Surg* 2005 Jun;75(6):429-35
- 59 Hammermeister KE, de Rouen TA, Dodge HT : Variables predictive of survival in patients with coronary disease: selection by univariate and multivariate analyses from clinical, electrocardiographic, exercise, arteriographic, and quantitative angiographic evaluations. *Circulation* 1979;59:421.
- 60 Harlan BJ, Starr A, Harwin FM : *Manual der Herzchirurgie*. Springer Verlag, Berlin/Heidelberg/New York 1983
- 61 Hasdai D, Bell MR, Grill D et al: Outcome > 10 years after successful per- cutaneous transluminal coronary angioplasty. *Am J Cardiol* 1997;79:1005-1011.
- 62 Hennekens CH : Increasing burden of cardiovascular disease: current knowledge and future directions for research on risk factors. *Circulation* 1998;97:1095-1102.
- 63 Higgins TL, Estafanous FG, Loop FD, Beck GJ, Blum JM, Paranandi L : Stratification of morbidity and mortality outcome by preoperative risk factors in coronary artery bypass patients. *JAMA* 1992;267:2344-2348.
- 64 Higgins TL, Estafanous FG, Loop FD, Beck GJ, Lee JC, Starr NJ, Knaus WA : Cosgrove DM. ICU admission score for predicting morbidity and mortality risk after coronary artery bypass grafting. *Ann Thorac Surg* 1997;64:1050-1058.

- 65 Hochberg MS, Levine FH, Daggett WM, Akins CW, Austen WG, Buckley MJ : Isolated coronary artery bypass grafting in patients seventy years of age and older. *J. Thorac. Cardiovasc. Surg.* 1982;84:219-233.
- 66 Holms DR Jr, Vlietstra RE, Smith HC, Vetrovec GW, Kent KM, Cowley MJ, et al: Restenosis after percutaneous transluminal coronary angioplasty (PTCA): a report from the PTCA Registry of the National Heart, Lung, and Blood Institute. *Am J. Cardiol* 1984;53(12):77C-81C
- 67 Humphries JO, Kuller L, Ross R, Friesinger GC, Page EE : Natural history of ischemic heart disease in relation to arteriographic findings. *Circulation* 1979;49: 489.
- 68 Ivanov J, Weisel RD, David TE, Naylor CD : Fifteen-year trends in risk severity and operative mortality in elderly patients undergoing coronary artery bypass graft surgery. *Circulation* 1998;97:673-680.
- 69 Jeffery DL, Vijayanagar RR, Bognolo DA, Eckstein PF, Kerpchar JB, Natarajan P, Willard III EH : Coronary bypass for left main disease in patients over 70 years of age. *J. Cardiovasc. Surg.* 1985;25:212-216.
- 70 Johnson WM, Smith JM, Woods SE, Hendy MP, Hiratzka LF: Cardiac Surgery in Octogenarians: does Age Alone Influence Outcome? *Arch Surg* Nov 2005;140:1089-1093
- 71 Jones RH, Kesler K, Phillips HR 3rd, Mark DB, Smith PK, Nelson CL, Newman MF, Reves JG, Anderson RW, Califf RM : Long-term survival benefits of coronary artery bypass grafting and percutaneous transluminal angioplasty in patients with coronary artery disease. *J Thorac Cardiovasc Surg* 1996;111:1013-1025.
- 72 Kaltenbach M : *Kardiologie-Information*. Darmstadt, Steinkopff-Verlag, 1988
- 73 Kannel WB : Range of serum cholesterol values in the population developing coronary heart disease. *Am J Cardiol* 1995;76:69C-77C.
- 74 Kannel WB : Castelli WP, Gordon T. Cholesterol in the prediction of atherosclerotic disease: new perspectives based on the Framingham Study. *Ann Intern Med* 1979;90:85-91.
- 75 Kastrati A, Schomig A, Elezi S, Schuhlen H, Dischinger J, Hadamitzky M, et al: Predictive factors of restenosis after coronary stent placement. *J Am Coll Cardiol* 1997;30(6):1428-1436.
- 76 Kaul TK, Fields BL, Wyatt DA, Jones CR, Kahn DR : Reoperative coronary artery bypass surgery: early and late results and management in 1300 patients. *J Cardiovasc Surg* 1995;36:303-312.
- 77 King SB 3rd, Lembo NJ, Weintraub WS, Kosinski AS, Barnhart HX, Kutner MH, Alazraki NP, Guyton RA, Zhao XQ : A randomized trial comparing angioplasty with coronary bypass surgery. *Emory Angioplasty versus Surgery Trial*. *N Engl J Med* 1994;331:1044-1050.

- 78 Killen DA, Reed WA, Kindred L, McConahay DR, Arnold M : Surgical therapy for left main coronary artery disease. *J. Thorac. Cardiovasc. Surg.* 1980;80:255-261.
- 79 Kirklin JW, Kouchoukos NT, Blackstone EG, Obermann A : Research related to surgical treatment of coronary artery disease. *Circulation* 1979;60:1613.
- 80 Kirklin JW, Naftel DC, Blackstone EH et al: Summary of a consensus concerning death and ischemic events after coronary artery bypass grafting. *Circulation* 1989;79 (Suppl I):81.
- 81 King SB, Lembo NJ, Weintraub WS et al for the Emory Angioplasty versus Surgery Trial (EAST): A randomized trial comparing coronary angioplasty with coronary bypass surgery. *N Engl J Med* 1994;331:1044-1050.
- 82 Knapp WS, Douglas Jr JS, Craver JM, Jones EL, King III SB, Bone DK, Bradford JM, Hatcher CR : Efficacy of coronary artery bypass grafting in elderly patients with coronary artery disease. *Am. J. Cardiol.* 1981;47:923-930.
- 83 Kolessov VI : Mammary artery-coronary artery anastomosis as a method of treatment for angina pectoris. *J Thorac Cardiovasc Surg* 1967;54:535-544.
- 84 Lawri GM, Morris GC, Howell JF, Hines M, Chapman DW : Improved survival beyond 5 years after coronary bypass surgery in patients with left main coronary artery disease. *Am. J. Cardiol.* 1979;44:612-615.
- 85 Lawri GM, Morris Jr GC, Silvers A, Wagner WF, Baron AE, Beltangady SS, Glaeser DH, Chapman DW : The influence of residual disease after coronary bypass on the 5-year survival rate of 1274 men with coronary artery disease. *Circulation* 1982;66:717.
- 86 Lev M, McMillan JB : In : *Aspects of the biology of ageing*, 325. London, 1961
- 87 Liebermann EH, Gerhard MD, Uehata A, Walsh BW, Selwyn AP, Ganz P, Yeung AC, Creager MA : Estrogen improves endothelium-dependent, flow-mediated vasodilation in post-menopausal women. *Ann Intern Med* 1994;121:936-941
- 88 Lytle BW, Loop FD, Cosgrove DM, Taylor PC, Goormastic M, Peper W, Gill CC, Golding LA, Stewart RW : Fifteen hundred coronary reoperations. Results and determinants of early and late survival. *J Thorac Cardiovasc Surg* 1987;93:847-859.
- 89 MacElayda AA, Hall RJ, Gray AG, Mathur VS, Cooley DA : Coronary revascularization in the edery patient. *Am J. Cardiol* 1984;3:1398-1402
- 90 Magovern JA, Magovern GJ, Maher TD et al: Operation of congestive heart failure: Transplantation, coronary artery bypass and cardiomyoplasty. *Ann Thorac Surg* 1993;56:418-425.
- 91 Marwick TH, Nemec JJ, Pashkow FJ et al: Accuracy and limitations of exercise echokardiography in a routine clinical setting. *Am J Cardiol* 1992;32:1-7.
- 92 McCormick LS, Black DM, Waters D, Brown WV, Pitt B : Rationale, design, and baseline characteristics of aggressive lipid lowering with Atorvastatin Versus Revascularization Treatments (AVERT). *Am J Cardiol* 1997;80:1130-1133.

- 93 Mickleborough LL, Maruyama H, Takagi Y et al: Results of revascularization in patients with severe left ventricular dysfunction. *Circulation* 1995;92(Suppl II): II 73-II 79.
- 94 Milano CA, White WD, Smith LR et al: Coronary artery bypass in patients with severely depressed ventricular function. *Ann Thorac Surg* 1993;56:487-493.
- 95 Mills NL, Everson CT : Right gastroepiploic artery: a third arterial conduit for coronary artery bypass. *Ann Thorac Surg* 1989;47:706.
- 96 Muller-Lissner S: TREND-ACE-Hemmung verbessert koronare Dysfunktion. Symposium im Rahmen des Kongresses der American Heart Association, Anaheim, November 1995. *Internist (Berl)* 1996;37:328-329.
- 97 Myers WO, Schaff HV, Fisher LD et al: Time to first new myocardial infarction in patients with severe angina and three-vessel disease comparing medical and early surgical therapy: a CASS registry study of survival. *J Thorac Cardiovasc Surg* 1988;95:382.
- 98 Nissen SE et al: Coronary intravascular ultrasound: diagnostic and interventional applications. *Coronary Artery Disease* 1995;6:255-267
- 99 O'Connor GT, Plume SK et al for the Northern New England Cardiovascular Disease Study Group: Multivariate prediction of in-hospital mortality associated with coronary artery bypass graft surgery. *Circulation* 1992;85:2110-2118.
- 100 Pederzoli N, Fiorani V, Maizza A, Tappainer E, Zogno M: La cardiocirurgia nell'ultraottantenne: cinque anni di esperienza. *Ital Heart J Suppl* 2005 Nov;6(11):710-5
- 101 Peduzzi P, Detre K, Murphy ML : Ten-year incidence of myocardial infarction and prognosis after infarction: department of Veterans Affairs Cooperative study of coronary artery bypass surgery. *Circulation* 1991;83:747.
- 102 Peterson ED, Cowper PA, Jollis JG, Bebhuk JD, DeLong ER, Muhlbaier LH, Mark DB, Pryor DB : Outcomes of coronary artery bypass surgery in 24,461 patients aged 80 years and older. *Circulation* 1995;92:II85-II91.
- 103 Pinna-Pintor P, Bobbio M, Sandrelli L, Giammaria M, Patané F, Bartolozzi S, Bergandi G, Alfieri O : Risk stratification for open heart operations: comparison of centers regardless of the influence of the surgical team. *Ann Thorac Surg* 1997;64:410-413.
- 104 Quigley PJ, Hlatky MA, Hinohara T, Rendall DS, Kopelman PG, Perez JA, Phillips HR et al: Repeat percutaneous transluminal coronary angioplasty and predictors of recurrent restenosis. *Am J Cardiol* 1989;63(7):409-413.
- 105 Rady MY, Johnson DJ: Cardiac surgery for octogenarians: is it an informed decision? *Am Heart J* 2004 Feb;147(2):347-53



- 106 Rogers WJ, Coggin CJ, Gersh BJ, Fisher LD, Myers WO, Oberman A, Sheffield T : Ten-year follow-up of quality of life in patients randomized to receive medical therapy or coronary artery bypass graft surgery. The Coronary Artery Surgery Study. *Circulation* 1990;82:1647-1658.
- 107 Ross R : The pathogenesis of atherosclerosis -an update. *N Engl J Med* 1986;314:488-500.
- 108 Rossmann J : *Clinical geriatrics*, 149. Lippincott, Philadelphia/Toronto, 1971
- 109 Ryan TJ, Anderson JL, Antman EM, Braniff BA, Brooks NH, Califf RM, Hillis LD, Hiratzka LF, Rapaport E, Riegel BJ, Russell RO, Smith EE Jr, Weaver WD : ACC/AHA guidelines for the management of patients with acute myocardial infarction. A report of the American College of Cardiology / American Heart Association Task Force on Practice Guidelines (Committee on Management of Acute Myocardial Infarction). *J Am Coll Cardiol* 1996;28:1328-1428.
- 110 Sammeck I, Roskamm H: Belastungs-EKG. In: Roskamm H, Reindell H (Hrsg.) *Herzkrankheiten*. Springer Berlin / Heidelberg / New York 1989
- 111 Sauvage LR, Wood StJ, Eyer KM et al: Experimental coronary artery surgery: preliminary observations of bypass venous graft, longitudinal arteriotomies and end-to-end Anastomosis. *J thorac cardiovasc Surg* 1963;46:826.
- 112 Scandinavian Simvastatin Survival Study Group. Randomized trial of cholesterol lowering in 4444 patients with coronary heart disease: the Scandinavian Simvastatin Survival Study (4S). *Lancet* 1994;344:1383-1389.
- 113 Schettler G : *Innere Medizin*. Stuttgart-New York, Georg Thieme Verlag, 1998
- 114 Scott SM, Luchi RJ, Deupree RH et al: Veteran Administration Cooperative study for treatment of patients with unstable angina: Results in patients with abnormal left ventricular function. *Circulation* 1988;78(Suppl I):113-121.
- 115 Scott BH, Seifert FC, Grimson R, Glass PS: Octogenarians undergoing coronary artery bypass graft surgery: resurce utilization, postoperative mortality, and morbidity. *J Cardiothorac Vasc Anesth* 2005 Oct;19(5):583-8
- 116 Shapira I, Isakov A, Yakirevich V et al: Long-term results of coronary artery bypass surgery in patients with severely depressed left ventricular function. *Chest* 1995;108(6):1546-1550.
- 117 Shearn DL, Brent BN : Coronary artery bypass surgery in patients with left ventricular dysfunction. *Am J Med* 1986;80(3):405-411.
- 118 Siegel JH, Chodoff P : *The aged and high risk surgical patient: medical, surgical and anaesthetic management*. Grune and Stratton Inc., New York / San Francisco / London, 1976

- 119 Sim I, Gupta M, McDonald K, Bourassa MG, Hlatky MA : A meta-analysis of randomized trials comparing coronary artery bypass grafting with percutaneous transluminal coronary angioplasty in multivessel coronary artery disease. *Am J Cardiol* 1995;76:1025-1029.
- 120 Sjogren J, Thulin LI: Quality of life in the very elderly after cardiac surgery: a comparison of SF-36 between long-term and an age-matched population. *Gerontology* 2004 Nov-Dec;50(6):407-10
- 121 Society of Thoracic Surgeons. STS National Database. 1997 CAB only patients. Univariate analysis: preoperative risk variables. <http://www.ctsnet.org/doc/303> 1999.
- 122 Sones FM, Shirey EK : Cine coronary arteriography. *Modern Concept of cardiovascular Disease* 1962;31:735.
- 123 Speziale G, Bonifazi R, Cavagnaro P, Di Gregorio O, Pasque A, Zanardi S, Ravera G, Marini M, Coppola R: Vantaggi di un approccio multidimensionale personalizzato al paziente anziano sottoposto a chirurgia cardiaca: risultati a breve e lungo termine su 193 pazienti. *Ital Heart J Suppl* 2005 Oct;6(10):674-81
- 124 Statistisches Bundesamt. Sterbefälle nach Todesursachen. In: *Statistisches Jahrbuch 1999 für die Bundesrepublik Deutschland*. Metzler-Poeschel Verlag, Wiesbaden 1999: 424-425.
- 125 Stein B, Weintraub WS, Gebhart SP, Cohen-Bernstein CL, Grosswald R, Liberman HA et al: Influence of diabetes mellitus on early and late outcome after percutaneous transluminal coronary angioplasty. *Circulation* 1995;91(4):979-989
- 126 Stoica SC, Cafferty K, Kitcat J, Baskett RJ, Goddard M, Sharples LD, Wells FC: Octogenarians undergoing cardiac surgery outlive their peers: a case for early referral. *Heart* 2006 Apr;92(4):503-6
- 127 Strong JP : The natural history of atherosclerosis in childhood. *Ann N Y Acad Sci* 1991;623:9.
- 128 Strong JP : Atherosclerotic lesions: natural history, risk factors, and topography. *Arch Pathol Lab Med* 1992;116:1268-1275.
- 129 Strehler BL, Mark DD, Mildvan AS, Gee MV : Rate and magnitude of age pigment accumulation in the human myocardium. *J. Gerontol.* 1959;14:430.
- 130 Suojaranta-Ylinen RT; Kuitunen AH; Kukkonen SI; Vento AE; Salminen US : Risk evaluation of cardiac surgery in octogenarians. *J Cardiothorac Vasc Anesth* 2006 Aug;20(4):526-30
- 131 Takaro T, Hultgren HN, Lipton MJ, Detre KM : The VA kooperative randomized study of surgery for coronary arterial occlusive disease. II. Subgroup with significant left main lesions. *Circulation* 1976;54 (Suppl. I:III):107-117.
- 132 Takaro T, Peduzzi P, Detre K et al: Survival in subgroups of patients with left main coronary artery disease. *Circulation* 1982;66:14-22.

- 133 Talano JV, Scanlon PJ, Meadows WR, Kahn M, Pifarre R, Gunnar RM : Influence of surgery on survival in 145 patients with left main coronary artery disease. *Circulation* 1975;51/52 (Supl. I):1105-1111.
- 134 Tezcaner T, Catav Z, Yorgancioglu C, Moldibi O, Süzer K, Zorlutuna IY : Coronary artery bypass surgery without cardiopulmonary bypass. *Cardiovasc Surg* 1998;6:139-144.
- 135 The Bypass Angioplasty Revascularization Investigation (BARI) Investigators. Comparison of coronary artery bypass surgery with angioplasty in patients with multivessel disease. *N Engl J Med* 1996;335:217-225.
- 136 The VA Coronary Artery Bypass Surgery Cooperative Study Group. Eighteen-year follow-up in the veterans affairs. Cooperative study of coronary artery bypass surgery for stable angina. *Circulation* 1992;86:121-130.
- 137 Theimer W : Altern und Altern. Stand der experimentellen Gerontologie. G.Thieme Verlag, Stuttgart 1973
- 138 Tomasco B, Cappiello A, Fiorilli R, Leccese A, Lupino R, Romiti A, Tesler UF : Surgical revascularization for acute coronary insufficiency: analysis of risk factors for hospital mortality. *Ann Thorac Surg* 1997;64:678-683.
- 139 Toepfer KH : Cytologie und Histologie. Berlin-Dahlem 1993;19, 25, 87
- 140 Topol EJ et al: A comparison of directional atherectomy with coronary angioplasty in patients with coronary artery disease. *N Engl J Med* 1993;329:221-227
- 141 Ullmann R, Schulz J, Berliner M. et al: Abstimmung mit dem therapeutischen Team verbessern. *Geriatric Journal* Mar 2006;38-43
- 142 Unger F :. Open heart surgery in Europe 1993. *Eur J Cardiothorac Surg* 1996;10:120-128.
- 143 Unger F : Worldwide survey on cardiac interventions 1995. Report of the European Heart Institute of the European Academy of Sciences and arts. *Cor Europaeum* 1999;7:128-146.
- 144 van Brussel BL, Plokker T, Ernst SM, Ernst NM, Knaepen PJ, Koomen EM, Tijssen JG, Vermeulen FE, Voors AA : Venous coronary artery bypass surgery. A 15-year follow-up study. *Circulation* 1993;88:II87-II92.
- 145 Varnauskas E. Twelve-year follow-up of survival in the randomized European Coronary Surgery Study. *N Engl J Med* 1988;319:332-337.
- 146 Vogt A, Bonzel T, Harmjanz D et al: PTCA registry of German community hospitals. *Eur Heart J* 1997;18:1110-1114.
- 147 Weintraub WS, Jones El, Craver JM, Grosswald R, Goyton RA: In-hospital and long-term outcome after reoperative coronary artery bypass graft surgery. *Circulation* 1995;92(9 Suppl):II50-57

- 148 Werner GS et al: Contrast echocardiography during coronary arteriography in humans. *J Am Coll Cardiol.* 1988;11:59-69
- 149 White CW : Benefit of aggressive lipid-lowering therapy: insights from the post coronary artery bypass graft study and other trials. *Am J Med* 1998;105:63S-68S.
- 150 Yusuf S, Zucker D, Peduzzi P, Fisher LD, Takaro T, Kennedy JW, Davis K, Killip T, Passamani E, Norris R, Morris C, Mathur V, Varnauskas E, Chalmers TC : Effect of coronary artery bypass graft surgery on survival: overview of 10-year results from randomised trials by the coronary artery bypass graft surgery trialists collaboration. *Lancet* 1994;344:563-570.