

## 9 Literatur

1. Amsterdam M, Purdum LC, Purdum KL, *The occlusalgraph: a graphic representation of photocclusion data*. J Prosthet Dent, 1987. **57**(1): p. 94-8.
2. Amsterdam M, Purdum LC, Purdum KL, *Use of the occlusalgraph in patients with parafunctional habits*. J Prosthet Dent, 1992. **67**(2): p. 252-8.
3. Anderson DJ, *A method of recording masticatory loads*. J Dent Res, 1953. **32**(6): p. 785-9.
4. Anderson DJ, *Measurement of stress in mastication. I*. J Dent Res, 1956. **35**(5): p. 664-70.
5. Anderson DJ, *Measurement of stress in mastication. II*. J Dent Res, 1956. **35**(5): p. 671-3.
6. Aritomi H, Morita M, Yonemoto K, *A simple method of measuring the footsole pressure of normal subjects using prescale pressure-detecting sheets*. J Biomech, 1983. **16**(2): p. 157-65.
7. Ash MM, Schmideder J, *Schiennentherapie*. 2. ed. 1999, München: Urban und Fischer. 15-44.
8. Bachus KN, Demarco AL, Judd KT, Horwitz DS, Brodke DS, *Measuring contact area, force, and pressure for bioengineering applications: Using Fuji Film and TekScan systems*. Med Eng Phys, 2005.
9. Baltsavias EP, Institut fèur Geodèsie und Photogrammetrie (Zèurich), International Society for Photogrammetry and Remote Sensing Commission I Sensors Platforms and Imagery, *Photogrammetric scanners survey, technological developments and requirements*. 1998, Zurich: Institute of Geodesy and Photogrammetry ETH Zurich. Online Datei.
10. Baltsavias EP, Waegli B, Institut fèur Geodèsie und Photogrammetrie (Zèurich), *Quality analysis and calibration of DTP Scanners*. 1996, Zurich: Swiss Federal Institute of Technology Institute of Geodesy and Photogrammetry. Online Datei.
11. Bottger H, Borgstedt T, *[Computer-supported analysis of occlusion using T-Scan system. First report]*. Zwr, 1989. **98**(7): p. 584-5.
12. Brockhaus, *ABC Der Naturwissenschaft und Technik*. 2. ed. 1952, Leipzig: F.A. Brockhaus. 473.
13. Brudevold F, *A basic study of the chewing forces of a denture wearer*. J Am Dent Assoc, 1951. **43**(1): p. 45-51.

14. Calderale PM, *The use of strain gauges for biometrics in Europe*. Eng Med, 1983. **12**(3): p. 117-33.
15. Conant JR, *Sound transmission used for studying masticatory force distribution patterns*. J Periodontol, 1962. **33**: p. 322-327.
16. Dawson PE, Arcan M, *Attaining harmonic occlusion through visualized strain analysis*. J Prosthet Dent, 1981. **46**(6): p. 615-22.
17. De Boever JA, McCall WD, Jr., Holden S, Ash MM, Jr., *Functional occlusal forces: an investigation by telemetry*. J Prosthet Dent, 1978. **40**(3): p. 326-33.
18. Diedrich F, *Die Kaudruckmessung und Ihre Notwendigkeit in der zahnärztlichen Praxis*. Zahnärztliche Rundschau, 1928(13/14): p. 506-512, 540-546.
19. Eichner K, *Messung der Kräfte bei Kauvorgängen*. Dtsch zahnärztl Z, 1963. **18**(17): p. 415-426.
20. Eichner K, *Aufschlüsse über den Kauvorgang durch elektronische Kaukraftmessung*. DZZ, 1964. **19**(5): p. 415-426.
21. Fernandes CP, Glantz PO, Svensson SA, Bergmark A, *A novel sensor for bite force determinations*. Dent Mater, 2003. **19**(2): p. 118-26.
22. Ferrario VF, Sforza C, Serrao G, Dellavia C, Tartaglia GM, *Single tooth bite forces in healthy young adults*. J Oral Rehabil, 2004. **31**(1): p. 18-22.
23. Floystrand F, Kleven E, Oilo G, *A novel miniature bite force recorder and its clinical application*. Acta Odontol Scand, 1982. **40**(4): p. 209-14.
24. Fontijn-Tekamp FA, Slagter AP, Van Der Bilt A, et al., *Biting and chewing in overdentures, full dentures, and natural dentitions*. J Dent Res, 2000. **79**(7): p. 1519-24.
25. Fontijn-Tekamp FA, Slagter AP, van't Hof MA, Geertman ME, Kalk W, *Bite forces with mandibular implant-retained overdentures*. J Dent Res, 1998. **77**(10): p. 1832-9.
26. Fujifilm, *Fuji Prescale Film: Instruction manual*. 2003, FUJIFILM.
27. Fukuda M, [A new system for measuring occlusal force. New Prescale and its measuring device (author's transl)]. Nippon Shishubyo Gakkai Kaishi, 1981. **23**(3): p. 397-414.
28. Gerlach KL, Nußbaum P, *Elektrisches Meßverfahren zur Bestimmung der Belastbarkeit des Unterkiefers bei Patienten mit vollbezahltem Gebiß*. Dtsch zahnärztl Z, 1984(39): p. 146-149.

29. Gibbs CH, Anusavice KJ, Young HM, Jones JS, Esquivel-Upshaw JF, *Maximum clenching force of patients with moderate loss of posterior tooth support: a pilot study*. J Prosthet Dent, 2002. **88**(5): p. 498-502.
30. Gibbs CH, Mahan PE, Lundein HC, Brehnan K, Walsh EK, Holbrook WB, *Occlusal forces during chewing and swallowing as measured by sound transmission*. J Prosthet Dent, 1981. **46**(4): p. 443-9.
31. Gibbs CH, Mahan PE, Lundein HC, Walsh EK, Holbrook WB, Lipscomb AM, *Measuring masticatory force by sound transmission*. J Dent Res, 1977. **56** (Special Issue A): p. 165.
32. Gibbs CH, Mahan PE, Mauderli A, Lundein HC, Walsh EK, *Limits of human bite strength*. J Prosthet Dent, 1986. **56**(2): p. 226-9.
33. Gonzalez Novoa GA, Heinamaki J, Mirza S, et al., *Physical solid-state properties and dissolution of sustained-release matrices of polyvinylacetate*. Eur J Pharm Biopharm, 2005. **59**(2): p. 343-50.
34. Griffin CJ, Malor R, *An analysis of mandibular movement*. Front Oral Physiol, 1974. **1**(0): p. 159-98.
35. Harada K, Kikuchi T, Morishima S, Sato M, Ohkura K, Omura K, *Changes in bite force and dentoskeletal morphology in prognathic patients after orthognathic surgery*. Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 2003. **95**(6): p. 649-54.
36. Harada K, Watanabe M, Ohkura K, Enomoto S, *Measure of bite force and occlusal contact area before and after bilateral sagittal split ramus osteotomy of the mandible using a new pressure-sensitive device: a preliminary report*. J Oral Maxillofac Surg, 2000. **58**(4): p. 370-3; discussion 373-4.
37. Hattori Y, Satoh C, Seki S, Watanabe Y, Ogino Y, Watanabe M, *Occlusal and TMJ loads in subjects with experimentally shortened dental arches*. J Dent Res, 2003. **82**(7): p. 532-6.
38. Herms G, *Fehlerrechnung*. 1974: Rostock, Sektion Physik der Uni Rostock. p. 1-12.
39. Hidaka O, Iwasaki M, Saito M, Morimoto T, *Influence of clenching intensity on bite force balance, occlusal contact area, and average bite pressure*. J Dent Res, 1999. **78**(7): p. 1336-44.

40. Hirasawa T, Hirano S, Sugita H, Jibiki H, Mori R, [Dental application of pressure measuring sheet (author's transl)]. Shika Rikogaku Zasshi, 1978. **19**(48): p. 298-300.
41. Howell AH, Brudevold F, Vertical forces used during chewing of food. J Dent Res, 1950. **29**(2): p. 133-6.
42. Ingervall B, Minder C, Correlation between maximum bite force and facial morphology in children. Angle Orthod, 1997. **67**(6): p. 415-22; discussion 423-4.
43. Jaworski BM, Detlaf AA, Physik griffbereit. 1 ed. 1973, Berlin: Akademie-Verlag.
44. Jemt T, Carlsson L, Boss A, Jorneus L, In vivo load measurements on osseointegrated implants supporting fixed or removable prostheses: a comparative pilot study. Int J Oral Maxillofac Implants, 1991. **6**(4): p. 413-7.
45. Karibe H, Ogata K, Hasegawa Y, Ogihara K, Relation between clenching strength and occlusal force distribution in primary dentition. J Oral Rehabil, 2003. **30**(3): p. 307-11.
46. Kawamura Y, Neurogenesis of mastication. Front Oral Physiol, 1974. **1**(0): p. 77-120.
47. Kikuchi M, Korioth TW, Hannam AG, The association among occlusal contacts, clenching effort, and bite force distribution in man. J Dent Res, 1997. **76**(6): p. 1316-25.
48. Kleinfelder JW, Ludwig K, Lange DE, Parodontaler Stützgewebeverlust als Einflußgröße für die Dimensionierung zahntechnischer Konstruktionen. Dtsch zahnärztl Z, 1992. **47**(6): p. 385-387.
49. Klemm D, Heublein B, Fink H-P, Bohn A, Cellulose: faszinierendes Biopolymer und nachhaltiger Rohstoff. Angewandte Chemie, 2005. **117**(22): p. 3422-3458.
50. Koolstra JH, Number crunching with the human masticatory system. J Dent Res, 2003. **82**(9): p. 672-6.
51. Koolstra JH, van Eijden TM, Weijs WA, Naeije M, A three-dimensional mathematical model of the human masticatory system predicting maximum possible bite forces. J Biomech, 1988. **21**(7): p. 563-76.
52. Körber KH, Zahnärztliche Prothetik. 4. ed. 1995, Stuttgart: Thieme.
53. Körber KH, Ludwig K, Maximale Kaukraft als Berechnungsfaktor zahntechnischer Konstruktionen. dental-lab, 1983. **XXXI**(1): p. 55-60.

54. Korioth TW, Johann AR, *Influence of mandibular superstructure shape on implant stresses during simulated posterior biting*. J Prosthet Dent, 1999. **82**(1): p. 67-72.
55. Korioth TW, Waldron TW, Versluis A, Schulte JK, *Forces and moments generated at the dental incisors during forceful biting in humans*. J Biomech, 1997. **30**(6): p. 631-3.
56. Kumagai H, Suzuki T, Hamada T, Sondang P, Fujitani M, Nikawa H, *Occlusal force distribution on the dental arch during various levels of clenching*. J Oral Rehabil, 1999. **26**(12): p. 932-5.
57. Kurita H, Ikeda K, Kurashina K, *Evaluation of the effect of a stabilization splint on occlusal force in patients with masticatory muscle disorders*. J Oral Rehabil, 2000. **27**(1): p. 79-82.
58. Lassila V, Holmlund I, Koivumaa KK, *Bite force and its correlations in different denture types*. Acta Odontol Scand, 1985. **43**(3): p. 127-32.
59. Lauer H-C, Ottl P, Ficker E, Weigl P, *Kaukraftmessung an unterschiedlich verankerten Teilprothesen*. Dtsch zahnärztl Z, 1992. **47**(8): p. 482-485.
60. L'Estrange PR, Rowell J, Stokes MJ, *Acoustic myography in the assessment of human masseter muscle*. J Oral Rehabil, 1993. **20**(4): p. 353-62.
61. Liggins AB, Hardie WR, Finlay JB, *Sterilization of Fuji pressure-sensitive film*. Med Eng Phys, 1994. **16**(6): p. 496-500.
62. Ludwig K, *Die Kraftentwicklung der Kaumuskulatur und Ihre sensorische Steuerung*. Dtsch zahnärztl Z, 1975. **30**: p. 797-802.
63. Lundgren D, Laurell L, *Occlusal forces in prosthetically restored dentitions: a methodological study*. J Oral Rehabil, 1984. **11**(1): p. 29-37.
64. Maness WL, Benjamin M, Podoloff R, Bobick A, Golden RF, *Computerized occlusal analysis: a new technology*. Quintessence Int, 1987. **18**(4): p. 287-92.
65. Maness WL, Golden RF, Benjamin MH, Podoloff RM, *Contact sensor for measuring dental occlusion*. 1988, Sentek, Inc., Cambridge, Mass.: USA.
66. Maness WL, Podoloff R, *Distribution of occlusal contacts in maximum intercuspatation*. J Prosthet Dent, 1989. **62**(2): p. 238-42.
67. Manns A, Miralles R, Palazzi C, *EMG, bite force, and elongation of the masseter muscle under isometric voluntary contractions and variations of vertical dimension*. J Prosthet Dent, 1979. **42**(6): p. 674-82.

68. Matsui Y, Neukam FW, Schmelzeisen R, Ohno K, *Masticatory function of postoperative tumor patients rehabilitated with osseointegrated implants*. J Oral Maxillofac Surg, 1996. **54**(4): p. 441-7.
69. Matsui Y, Neukam FW, Wichmann M, Ohno K, *A computerized method for evaluating distribution of occlusal load on implant-supported fixed cantilever prostheses*. Int J Oral Maxillofac Implants, 1996. **11**(1): p. 67-72.
70. Matsui Y, Ohno K, Michi K, Suzuki Y, Yamagata K, *A computerized method for evaluating balance of occlusal load*. J Oral Rehabil, 1996. **23**(8): p. 530-5.
71. Mericske-Stern R, Zarb GA, *In vivo measurements of some functional aspects with mandibular fixed prostheses supported by implants*. Clin Oral Implants Res, 1996. **7**(2): p. 153-61.
72. Mioche L, Peyron MA, *Bite force displayed during assessment of hardness in various texture contexts*. Arch Oral Biol, 1995. **40**(5): p. 415-23.
73. Miura H, Watanabe S, Isogai E, Miura K, *Comparison of maximum bite force and dentate status between healthy and frail elderly persons*. J Oral Rehabil, 2001. **28**(6): p. 592-5.
74. Miyaura K, Matsuka Y, Morita M, Yamashita A, Watanabe T, *Comparison of biting forces in different age and sex groups: a study of biting efficiency with mobile and non-mobile teeth*. J Oral Rehabil, 1999. **26**(3): p. 223-7.
75. Miyaura K, Morita M, Matsuka Y, Yamashita A, Watanabe T, *Rehabilitation of biting abilities in patients with different types of dental prostheses*. J Oral Rehabil, 2000. **27**(12): p. 1073-6.
76. Morita M, Nishi K, Kimura T, et al., *Correlation between periodontal status and biting ability in Chinese adult population*. J Oral Rehabil, 2003. **30**(3): p. 260-4.
77. Morneburg TR, Proschel PA, *Measurement of masticatory forces and implant loads: a methodologic clinical study*. Int J Prosthodont, 2002. **15**(1): p. 20-7.
78. Müller W-D, Fink T, Feiks F, *Messungs-Set für die Okklusions-, Kaukraft- und Kaudruckbestimmung und Meßverfahren*. 2004: Deutschland. p. 9.
79. Mutter E, *Kompendium der Photographie I. Band: Grundlagen der Photographie*. 2 ed. 1958, Berlin: Verlag für Radio-Foto-Kinotechnik GmbH.
80. Ng TW, Yeong WK, *Inexpensive color evaluation of dye-based pressure-sensitive films for plantar studies*. J Biomech, 2005. **38**(10): p. 2130-3.
81. Nishigawa K, Bando E, Nakano M, *Quantitative study of bite force during sleep associated bruxism*. J Oral Rehabil, 2001. **28**(5): p. 485-91.

82. Ogata Y, Matsukawa H, Fujimiya S, *Druckmeßbogen und Verfahren seiner Anwendung (Patentschrift)*. 1974, Fuji Photo Film Co., Ltd, Ashigara, Kanagawa (Japan): Germany.
83. Ohkura K, Harada K, Morishima S, Enomoto S, *Changes in bite force and occlusal contact area after orthognathic surgery for correction of mandibular prognathism*. Oral Surg Oral Med Oral Pathol Oral Radiol Endod, 2001. **91**(2): p. 141-5.
84. Okiyama S, Ikebe K, Nokubi T, *Association between masticatory performance and maximal occlusal force in young men*. J Oral Rehabil, 2003. **30**(3): p. 278-82.
85. Ott RW, Proschel P, Ohkawa S, Hardtmann G, Hofmann M, [Electronic measurements of the masticatory muscles. 1: Methods of recording]. Dtsch Zahnärztl Z, 1990. **45**(9): p. 587-90.
86. Ottl P, Lauer H-C, Mairgünther R, et al., *Messung der Kaukraft durch Druckmeßfolie und digitale Bildverarbeitung*. Dtsch zahnärztl Z, 1992. **47**(4): p. 266-268.
87. Palla S, Bailey JO, Jr., Grassl H, Ash MM, Jr., *The effect of bite force on the duration and latency of the menton tap silent period*. J Oral Rehabil, 1981. **8**(3): p. 243-53.
88. Paphangkorakit J, Osborn JW, *The effect of pressure on a maximum incisal bite force in man*. Arch Oral Biol, 1997. **42**(1): p. 11-7.
89. Paphangkorakit J, Osborn JW, *Effects on human maximum bite force of biting on a softer or harder object*. Arch Oral Biol, 1998. **43**(11): p. 833-9.
90. Patyk A, Lotzmann U, Paula JM, Kobes LW, [Is the T-scan system a relevant diagnostic method for occlusal control?]. Zwr, 1989. **98**(8): p. 686, 688, 693-4.
91. Patyk A, Lotzmann U, Scherer C, Kobes LW, [Comparative analytic occlusal study of clinical use of T-scan systems]. Zwr, 1989. **98**(9): p. 752-5.
92. Petitjean M, Maton B, Cnockaert JC, *Evaluation of human dynamic contraction by phonometry*. J Appl Physiol, 1992. **73**(6): p. 2567-73.
93. Pistner H, Kukiz P, *Kieferschließkräfte nach kieferorthopädischer Vorbehandlung, Umstellungsosteotomien und Unterkieferfrakturen*. Dtsch zahnärztl Z, 1998. **53**(8): p. 528-534.
94. Pröschel P, Ohkawa S, Hardtmann G, Ott RW, *Zur Möglichkeit der Kaukraftabschätzung aus dem Elektromyogramm der Elevatoren*. Dtsch zahnärztl Z, 1994. **49**(1): p. 37-40.

95. Raadsheer MC, Van Eijden TM, Van Ginkel FC, Prahl-Andersen B, *Human jaw muscle strength and size in relation to limb muscle strength and size*. Eur J Oral Sci, 2004. **112**(5): p. 398-405.
96. Redtenbach K, *Über die Grenzwerte der physiologischen Kaukraft und deren Wirkung auf Kronen und Brücken nach dem Assemblingverfahren (ATR-System)*. Quintessenz zahnärztl. Lit., 1964. **15**: p. 77-82 (Ref. 2456).
97. Reines HD, Seifert PC, *Patient safety: latex allergy*. Surg Clin North Am, 2005. **85**(6): p. 1329-40, xiv.
98. Rohrbach C, Eichner K, *Messung der Kräfte beim Kauvorgang mit Widerstandsmeßdosen von Molarengröße ohne Behinderung der Okklusion und Artikulation*. Dtsch zahnärztl Z, 1958. **13**(3): p. 146-155.
99. Saracoglu A, Ozpinar B, *In vivo and in vitro evaluation of occlusal indicator sensitivity*. J Prosthet Dent, 2002. **88**(5): p. 522-6.
100. Schabel W, Scharfer P, Müller M, Ludwig I, Kind M, *Messung und Simulation von Konzentrationsprofilen bei der Trocknung binärer Polymerlösungen*. Chemie Ingenieur Technik, 2003. **75**(9): p. 1336-1344.
101. Schmelzeisen R, Neukam FW, Shirota T, Specht B, Wichmann M, *Postoperative function after implant insertion in vascularized bone grafts in maxilla and mandible*. Plast Reconstr Surg, 1996. **97**(4): p. 719-25.
102. Schrüfer E, *Elektrische Messtechnik : Messung elektrischer und nichtelektrischer Größen*. 6 ed. 1995, Wien: Hanser. 268-273.
103. Seong WJ, Korioth TW, Hodges JS, *Experimentally induced abutment strains in three types of single-molar implant restorations*. J Prosthet Dent, 2000. **84**(3): p. 318-26.
104. Setz J, Geis-Gerstorfer J, [Properties of a measuring system for digital occlusion diagnosis]. Dtsch Zahnärztl Z, 1990. **45**(7 Spec No): p. S65-6.
105. Shiau YY, Peng CC, Hsu CW, *Evaluation of biting performance with standardized test-foods*. J Oral Rehabil, 1999. **26**(5): p. 447-52.
106. Shiau YY, Peng CC, Wen SC, Lin LD, Wang JS, Lou KL, *The effects of masseter muscle pain on biting performance*. J Oral Rehabil, 2003. **30**(10): p. 978-84.
107. Shinogaya T, Bakke M, Thomsen CE, Vilmann A, Matsumoto M, *Bite force and occlusal load in healthy young subjects--a methodological study*. Eur J Prosthodont Restor Dent, 2000. **8**(1): p. 11-5.

- 108.Shinogaya T, Bakke M, Thomsen CE, Vilmann A, Sodeyama A, Matsumoto M, *Effects of ethnicity, gender and age on clenching force and load distribution.* Clin Oral Investig, 2001. **5**(1): p. 63-8.
- 109.Shinogaya T, Tanaka Y, Toda S, Hayakawa I, *A new approach to evaluating occlusal support by analyzing the center of the bite force.* Clin Oral Investig, 2002. **6**(4): p. 249-56.
- 110.Sondang P, Kumagai H, Tanaka E, et al., *Correlation between maximum bite force and craniofacial morphology of young adults in Indonesia.* J Oral Rehabil, 2003. **30**(11): p. 1109-17.
- 111.Suzuki T, Kumagai H, Watanabe T, Uchida T, Nagao M, *Evaluation of complete denture occlusal contacts using pressure-sensitive sheets.* Int J Prosthodont, 1997. **10**(4): p. 386-91.
- 112.Suzuki T, Kumagai H, Yoshitomi N, McGlumphy EA, *Occlusal contacts of edentulous patients with mandibular hybrid dentures opposing maxillary complete dentures.* Int J Oral Maxillofac Implants, 1999. **14**(4): p. 504-9.
- 113.Suzuki T, Kumagai H, Yoshitomi N, et al., *[Clinical evaluation of measuring system of occlusal force].* Kokubyo Gakkai Zasshi, 1994. **61**(3): p. 437-45.
- 114.Takata Y, Nakajima T, Yamada Y, *Quantitative evaluation of the tonic vibration reflex (TVR) in the masseter muscle.* J Oral Maxillofac Surg, 1996. **54**(11): p. 1307-13.
- 115.Takeuchi H, Ikeda T, Clark GT, *A piezoelectric film-based intrasplint detection method for bruxism.* J Prosthet Dent, 2001. **86**(2): p. 195-202.
- 116.Tanaka M, Ogimoto T, Koyano K, Ogawa T, *Denture wearing and strong bite force reduce pressure pain threshold of edentulous oral mucosa.* J Oral Rehabil, 2004. **31**(9): p. 873-8.
- 117.Tate GS, Throckmorton GS, Ellis E, 3rd, Sinn DP, *Masticatory performance, muscle activity, and occlusal force in preorthognathic surgery patients.* J Oral Maxillofac Surg, 1994. **52**(5): p. 476-81; discussion 482.
- 118.Tate GS, Throckmorton GS, Ellis E, 3rd, Sinn DP, Blackwood DJ, *Estimated masticatory forces in patients before orthognathic surgery.* J Oral Maxillofac Surg, 1994. **52**(2): p. 130-6; discussion 136-7.
- 119.Teicher G, *Handbuch der Fototechnik.* 8 ed. 1983, Leipzig: VEB Fotokinoverlag. 30.

- 120.Tekscan-Inc., *Tekscan Technology*. <http://www.tekscan.com/technology.html>, 2005: p. 1.
- 121.Tekscan-Inc., *T-Scan® II: Dental Occlusal Analysis System*. <http://www.tekscan.com/dental.html>, 2005: p. 1.
- 122.Tortopidis D, Lyons MF, Baxendale RH, *Acoustic myography, electromyography and bite force in the masseter muscle*. J Oral Rehabil, 1998. **25**(12): p. 940-5.
- 123.Tortopidis D, Lyons MF, Baxendale RH, Gilmour WH, *The variability of bite force measurement between sessions, in different positions within the dental arch*. J Oral Rehabil, 1998. **25**(9): p. 681-6.
- 124.Tschernitschek H, Handel G, Gunay H, [T-scan--possibilities and limits of new occlusal diagnostic procedure]. Zahnärztl Prax, 1990. **41**(2): p. 54-6.
- 125.Tutsch D, Boss N, Wangerin G, et al., *Lexikon Medizin*, München: Urban & Schwarzenberg. 472,473.
- 126.Uhlig H, *Über die Kaukraft*. Dtsch zahnärztl Z, 1953. **8**(1): p. 30-45.
- 127.van der Glas HW, Lobbezoo F, van der Bilt A, Bosman F, *Influence of the thickness of soft tissues overlying human masseter and temporalis muscles on the electromyographic maximal voluntary contraction level*. Eur J Oral Sci, 1996. **104**(2 ( Pt 1)): p. 87-95.
- 128.van Willigen JD, Otten E, Slager GF, Broekhuijsen MI, *Contribution of the digastric muscles to the control of bite force in man*. Arch Oral Biol, 1997. **42**(1): p. 45-56.
- 129.Walter M, Tomomatsu M, [Computer assisted occlusal diagnosis in complete dentures]. Zwr, 1990. **99**(12): p. 966-8.
- 130.Waltimo A, Kononen M, *A novel bite force recorder and maximal isometric bite force values for healthy young adults*. Scand J Dent Res, 1993. **101**(3): p. 171-5.
- 131.Yamada K, Hanada K, Sultana MH, Kohno S, Yamada Y, *The relationship between frontal facial morphology and occlusal force in orthodontic patients with temporomandibular disorder*. J Oral Rehabil, 2000. **27**(5): p. 413-21.