

Table of Illustrations

| | | |
|-----------------|---|----|
| Fig. 1. | Location of visited sections | 19 |
| Fig. 2. | Previous paleoenvironmental reconstruction | 19 |
| Fig. 3. | General stratigraphic columns..... | 20 |
| Fig. 4. | Stratigraphic column of the studied area..... | 21 |
| Fig. 5. | Tectonic blocks of present-day eastern China | 23 |
| Fig. 6. | Geological map of Hunan, Hubei and Guizhou provinces | 24 |
| Fig. 7. | Location of the South China block in Rodinia | 25 |
| Fig. 8. | The Cambrian bioradiation | 25 |
| Fig. 9. | The agronomic revolution..... | 26 |
| Fig. 10. | Five phases of the “Snowball Earth” theory | 28 |
| Fig. 11. | Location of study area | 36 |
| Fig. 12. | Formation correlation diagram | 36 |
| Fig. 13. | Map of dominant lithologies..... | 38 |
| Fig. 14. | Thickness isopachs map | 39 |
| Fig. 15. | Stratigraphic columns of Maoping, Neo-Tianjiayuanzi, and Wuhe | 42 |
| Fig. 16. | Outcrop photographs of Dengying Formation | 43 |
| Fig. 17. | Stereogram of eight measured folds in Maoping section | 44 |
| Fig. 18. | Tectonic map | 44 |
| Fig. 19. | Outcrop photographs of high-energy facies | 46 |
| Fig. 20. | Photographs of debrites in Yangjiaping section | 47 |
| Fig. 21. | Olistostromes of Xikou section | 49 |
| Fig. 22. | Proposed paleoenvironmental reconstruction..... | 51 |
| Fig. 23. | Location of the study area | 55 |
| Fig. 24. | Previous paleoenvironmental reconstruction | 55 |
| Fig. 25. | Blocks forming present-day eastern China | 56 |
| Fig. 26. | Schematic stratigraphic column and correlation diagram | 57 |
| Fig. 27. | Photographs of peritidal and shoal facies | 60 |
| Fig. 28. | Photographs of selected shelf facies..... | 62 |
| Fig. 29. | Progradational environment during parasequence I | 64 |
| Fig. 30. | Progradational environment during parasequences II and III | 65 |
| Fig. 31. | Shallowing-upward sequences of-parasequence I..... | 66 |
| Fig. 32. | Shallowing-upward sequences of parasequences II and III..... | 67 |
| Fig. 33. | Depositional environment models | 68 |
| Fig. 34. | Correlation of seven stratigraphic sections on the shelf..... | 70 |
| Fig. 35. | Chronostratigram from the shelf sections | 72 |
| Fig. 36. | Evolution of the Yangtze platform shelf..... | 74 |
| Fig. 37. | Geographic and tectonic location of the study area | 77 |
| Fig. 38. | Paleoenvironmental reconstruction | 78 |
| Fig. 39. | Schematic stratigraphic column | 78 |

| | | |
|-----------------|---|-----|
| Fig. 40. | Stratigraphic correlation between key sections in Hunan province..... | 80 |
| Fig. 41. | Sediment transport direction. | 81 |
| Fig. 42. | Evidence of mass wasting | 83 |
| Fig. 43. | Schematic ideal sequence of gravity-induced facies | 84 |
| Fig. 44. | Proposed sedimentary evolution for the allochthonous deposits | 86 |
| Fig. 45. | Geographic and tectonic location of the study area | 89 |
| Fig. 46. | Paleoenvironmental reconstruction..... | 90 |
| Fig. 47. | Schematic stratigraphic column | 90 |
| Fig. 48. | Correlation diagram between slope sections. | 93 |
| Fig. 49. | Photographs illustrating Facies 1 | 94 |
| Fig. 50. | Photographs illustrating Facies 2 | 96 |
| Fig. 51. | Evidence in thin sections of evaporite presence..... | 98 |
| Fig. 52. | Outcrop photographs of Facies 3..... | 99 |
| Fig. 53. | Stratigraphic columns of Wuhe and Xikou sections..... | 101 |
| Fig. 54. | Outcrop photographs of olistoliths at Xikou section | 102 |
| Fig. 55. | Relative dating of sliding | 104 |
| Fig. 56. | Evaporite-mediated brecciation..... | 105 |
| Fig. 57. | Possible mechanism and sequence of slide initiation | 106 |
| Fig. 58. | Synthesis of the sedimentary evolution of the Yangtze platform | 109 |
| Table 1. | Summarizing table of Ediacaran Yangtze platform facies..... | 32 |
| Table 2. | Database for drawing maps of Figs. 13 and 14 | 40 |
| Table 3. | Summary table of the shelf facies. | 58 |
| Table 4. | Summary table of slope facies | 82 |

Index of authors and sections

Standard: Author names

Numbers refer to the page number.

Italics: Section names

A

- Alfaro · 39
 - Allen · 21, 27, 29, 57, 63
 - Altermann · 26
 - Alvarenga · 29
 - Amthor · 24
-

B

- Babcock · 27, 34, 54, 88
 - Bahlburg · 21, 37, 56, 90
 - Bartley · 29, 168
 - Baturin · 100, 167
 - Bengtson · 26
 - Bergstrom · 34, 54, 88
 - Beutner · 85
 - Blatt · 61, 103
 - Boer · 38, 168
 - Bohannon · 85
 - Bosellini · 85
 - Bosence · 50
 - Bottjer · 24, 26
 - Brasier · 20, 21, 23
 - Braun · 27
 - Briggs · 27
 - Buatois · 26
 - Bureau of Geology and Mineral Resources · 18, 35, 36, 37, 38, 40, 50, 85, 135
-

C

- Calvet · 71
- Cervelli · 84
- Chang · 136, 167
- Chen · 22, 24, 27, 30, 34, 37, 54, 56, 69, 77, 88, 90
- Cheng · 35, 55, 89
- Chough · 84
- Christie-Blick · 24
- Clapham · 24
- Clifton · 46
- Coffey · 46
- Cojan · 103
- Condé · 23, 25, 35, 77, 89
- Condon · 20, 21, 30, 37, 41, 76, 78, 90, 91, 108
- Coniglio · 45, 63, 84, 85
- Cook · 30, 135, 136, 167
- Corsetti · 29, 37, 57, 78, 91
- Craven · 85
- Crimes · 24

D

- Dabard · 168
 - Desrochers · 38, 68
 - Dix · 45, 63, 84, 85
 - Dobrzinski · 21, 37, 56, 90
 - Donnadieu · 56
 - Donnelly · 167
 - Dornbos · 26
 - Droser · 26
-

E

- Einsele · 31, 71
 - Erdtmann · 19, 20, 21, 22, 27, 35, 56, 90
 - Eriksson · 68
 - Evans · 23, 37, 56, 90
 - Eyles · 21, 29, 37, 56, 90
-

F

- Fairchild · 35
 - Fedonkin · 24, 26
 - Föllmi · 95, 100, 167
 - Frimmel · 27, 37, 56, 90
-

G

- Gardner · 85
 - Gehling · 24, 25
 - Germs · 24, 26, 27, 37, 57, 78, 91
 - Goldberg · 20, 29, 30, 111
 - Greensmith · 48, 63
 - Grey · 24
 - Gubanov · 30, 136, 167
 - Guo · 29, 91, 111
-

H

- Hagadorn · 37, 57, 78, 91
- Halverson · 29
- Hambrey · 27
- Harland · 26, 27
- Hartz · 23, 25
- Heubeck · 42, 71, 85
- Hidalgo · 71
- Hill · 81
- Hoffman · 21, 26, 27, 28, 29, 37, 56, 57, 78, 90

Hou · 34, 54, 88
Hsü · 77
Hürlimann · 84, 85
Huvenne · 85
Hyde · 29, 37, 56, 90

I

Irwin · 68

J

James · 21, 59, 68
Januszczak · 21, 29, 37, 56, 90
Jenkins · 24
Jensen · 24
Jiang · 20, 21, 29, 35, 37, 56, 73, 90, 112
Jinjiadong · 79, 81, 83, 84, 85
Jones · 38, 68

K

Kaufman · 29
Kear · 27
Kendall · 103
Kennedy · 29
Kenneth · 22, 35, 55, 89
Kilner · 27, 29
Kirschvink · 21, 27
Knoll · 29, 30, 37, 56, 57, 78, 90, 112, 167

L

Landing · 26
Leather · 29
Lee · 84, 85
Li · 21, 23, 25, 26, 27, 30, 35, 37, 43, 50, 56,
71, 77, 89, 90, 105
Liang · 136, 167
Liuchapo · 79
Liujiata · 79, 84
Liuping · 37, 110
Longbizui · 79
Luoyixi · 48, 50, 79, 81, 83, 84, 85, 92, 94,
97, 98, 99, 103, 104, 109
Lykousis · 85

M

Ma · 22, 23, 24, 43, 44, 50
Maas · 26, 27
Macouin · 23, 25, 35, 77, 89
Maliva · 167
Mangano · 26
Maoping · 22, 23, 34, 37, 39, 40, 41, 42, 43,
44, 45, 50, 52, 63, 65, 68, 69, 71
Martel · 85
Martin · 18, 24, 25, 27

McIlroy · 24
Meng · 69
Miall · 31, 71
Mo · 22, 23, 24, 56
Moczydowska · 24, 112
Moore · 84
Mueller · 62
Myrow · 24, 29

N

Narbonne · 24, 25, 26
Neo-Tianjiayuanzi · 39, 41, 42, 45
Nogueira · 21, 27, 37, 57, 78, 91

O

Oertel · 98
Overman · 98

P

Peng · 39
Pisarevsky · 23, 35, 56, 77, 89
Podkopyrov · 167
Potter · 38
Powell · 23, 25, 35, 56, 77, 89
Pratt · 68

R

Read · 46
Reitner · 27
Renard · 103
Rey · 71
Reynaud · 63, 69, 98
Riding · 167
Runnegar · 24, 37, 56, 90

S

Sageman · 38
Sami · 59
Sangshuping · 83
Santantonio · 50
Saylor · 24
Schrag · 21, 26, 27, 29, 37, 56, 90
Schwennicke · 100
Scoffin · 48, 63
Seilacher · 26
Shanker · 24, 112
Shergold · 30, 136, 167
Shu · 34, 54, 88
Siever · 168
Silva · 85
Sochava · 167
Songlin · 22, 37, 52, 143
Spence · 85

Steiner · 19, 20, 21, 22, 26, 27, 31, 35, 38,
55, 56, 78, 90, 110
Stewart · 84, 85
Stow · 45, 84, 85
Sugitami · 168
Sumner · 37, 57, 91

T

Tabakh · 103
Torsvik · 23, 25
Trappe · 95, 100, 135, 167
Trentesaux · 63, 69, 98
Tucker · 48, 63, 67, 85

V

Valentine · 25
Vernhet · 42, 48, 68, 69, 71, 73, 91, 103, 105
Vidal · 24, 112

W

Walter · 24
Wang · 21, 22, 23, 24, 31, 35, 37, 43, 50, 56,
71, 77, 90, 105, 110, 143
Ward · 84
Watts · 85
Weaver · 38
Weber · 26, 27, 112
Weng'an · 18, 24, 27, 34, 45, 52, 110, 136
Wetzel · 38, 168
Whitham · 84
Wood · 24
Wright · 48, 63, 67

Wuhe · 22, 34, 37, 39, 40, 41, 42, 43, 45, 48,
64, 69, 71, 73, 89, 100, 101

X

Xiao · 18, 27, 30, 34, 37, 54, 56, 88, 90, 168
Xiaofenghe · 59, 63, 65, 70, 108, 109
Xiaoyuanxi · 79, 84
Xikou · 48, 49, 50, 89, 101, 102
Xixi · 48, 50, 79, 81, 83, 84, 93, 96, 97, 98,
103, 104, 105, 109, 111

Y

Yamazaki · 73
Yangjiaping · 34, 39, 45, 46, 47, 48, 59, 62,
71, 108, 109, 136
Yanwutan · 48, 50, 79, 84, 91, 92, 97, 99,
103, 104, 108, 109
Yin · 20, 24, 27, 34, 54, 88
Yiqing · 136, 167
Yueyan · 136, 167
Yunmaxi · 79

Z

Zhancumping · 45, 59, 60, 62, 63, 65, 69, 71,
73, 103, 104, 107, 108, 109
Zhang · 12, 16, 20, 21, 27, 30, 34, 54, 56, 88
Zhao · 26
Zhongling · 34, 39, 45, 46, 59, 60, 62, 71,
108, 109, 136
Zhou · 27, 37, 56, 78, 90, 168
Zhu · 16, 20, 22, 25, 27, 30, 90, 110

References

- Alfaro, P., Delgado, J., Estevez, A., and Lopez-Casado, C.**, 2001, Paleoliquefaction in the Bajo Segura basin (Eastern Betic Cordillera). *Acta Geologica Hispanica*, **36**, 233-244
- Allen, P.A. and Hoffman, P.F.**, 2005, Extreme winds and waves in the aftermath of a Neoproterozoic glaciation, *Nature*, **433**, 123-127
- Altermann, W.**, 2002, The evolution of life and its impact on sedimentation, *Int. Ass. Sed. Spec. Publ.*, **33**, 15-32
- Alvarenga de, C.J.S., Santos, R.V., and Dantas, E.L.**, 2004, C-O-Sr isotopic stratigraphy of "Cap Carbonate" overlying Marinoan-age glacial diamictites in the Paraguay Belt, Brazil, *Precambrian Research*, **131**, 1-21
- Amthor, J.E., Grotzinger, J.P., Schröder, S., Bowring, S.A., Ramezani, J., Martin, M.W., and Matter, A.**, 2003, Extinction of *Cloudina* and *Namacalathus* at the Precambrian-Cambrian boundary in Oman, *Geology*, **31**, 431-434
- Babcock, L.E. and Zhang, W.**, 2001, Stratigraphy, paleontology, and depositional setting of the Chengjiang lagerstätte (lower Cambrian), Yunnan, China. In: Peng, S.-C., Babcock, L.E., Zhu, M-Y. (Eds), Cambrian system of South China, *Palaeoworld*, **13**, 66-86
- Babcock, L.E., Zhang, W., and Leslie, S.A.**, 2001, The Chengjiang Biota: Record of the early Cambrian diversification of life and clues to exceptional preservation of fossils, *Geol. Soc. Am. Today*, **11**, 4-9
- Bahlburg, H.**, 2004, A review of the snowball Earth hypothesis in light of recent scientific progress, Sino-German symposium "Environmental and biological processes of the Cambrian explosion", Nanjing (China), 25-28 September 2004, Abstract volume, 12-13
- Bartley, J.K., Pope, M., Knoll, A.H., Semikhatov, M.A., and Petrov, P.Y.U.**, 1998, A Vendian-Cambrian boundary succession from the northwestern margin of the Siberian platform: stratigraphy, palaeontology, chemostratigraphy and correlation, *Geological Magazine*, **135**, 473-494
- Bartley J.K., Knoll, A.H., Grotzinger, J.P., and Sergeev, V.**, 2000, Lithification and fabric genesis in precipitated stromatolites and associated peritidal carbonates, Mesoproterozoic Billyakh Group, Siberia. In: Grotzinger, J.P. and James, N.P., Carbonate sedimentation and diagenesis in the involving Precambrian world, *SEPM Spec. Pub.*, **67**, 59-73
- Baturin, G.N.**, 1982, Phosphorites on the sea floor, Elsevier, Amsterdam, 343 p.
- Bengtson, S.**, 1994, Life on Earth, Nobel Symposium, 84, Columbia University Press, New York, 656 pp.
- Bengtson, S. and Zhao, Y.**, 1992, Predatorial borings in Late Precambrian mineralised exoskeletons, *Science*, **257**, 367-369
- Beutner, E.C. and Craven, A.E.**, 1996, Volcanic fluidization and the Heart Mountain detachment, Wyoming, *Geology*, **24**, 595-598
- Blatt, H.**, 1992, Sedimentary petrology, W.H. Freeman and Company, New York, 514 p.

- Boer, P.L.d.**, 1991, Pelagic black shale-carbonate rhythms: orbital forcing and oceanographic response. In: Einsele, G., Ricken, W., and Seilacher, A. (Eds), Cycles and events in stratigraphy, Springer-Verlag, Berlin, 65-78
- Bohannon, R.G.** and **Gardner, J.**, 2004, Submarine landslides of San Pedro escarpment, southwest of Long Beach, California, *Marine Geology*, **203**, 261-268
- Bosellini, A., Neri, C., and Luciani, V.**, 1993, Platform margin collapses and sequence stratigraphic organization of carbonate slopes: Cretaceous-Eocene, Gargano Promontory, southern Italy, *Terra Nova*, **5**, 282-297
- Bosence, D., Cross, N., and Hardy, S.**, 1998, Architecture and depositional sequences of Tertiary fault-block carbonate platforms; an analysis from outcrop (Miocene, Gulf of Suez) and computer modelling. *Marine-and-Petroleum-Geology*, **15**, 203-221
- Bottjer, D.J., Hagadorn, J.W., and Dornbos, S.Q.**, 2000, The Cambrian substrate revolution. *Geol. Soc. Am. Today*, **10**, 1-7
- Brasier, M.D.**, 1996, The basal Cambrian transition and Cambrian bio-events. In: Walliser, O.H. (Ed), Global events and event stratigraphy, Springer, Berlin, 113-138
- Brasier, M., Cowie, J., and Taylor, M.**, 1994. Decision on the Precambrian-Cambrian boundary stratotype. *Episodes*, **17**, 95-100.
- Braun, A., Chen, J., Maas, A., and Waloszek, D.**, 2003, Plankton from the early Cambrian black shales series on the Yangtze platform, and its influences on lithologies, *Prog. Nat. Sci.*, **13**, 777-782
- Briggs, D.E.G. and Kear, A.J.**, 1993, Fossilization of soft-tissue in the laboratory, *Science*, **259**, 1439-1442
- Buatois, L.A. and Mangano, M.G.**, 2003, Early colonization of the deep sea: Ichnologic evidence of deep-marine benthic ecology from the Early Cambrian of northwest Argentina, *Palaios*, **18**, 572-581
- Bureau of Geology and Mineral Resources of Guizhou province**, 1987, Regional geology of Guizhou province, Geological memoirs Serie 1 Number **7**, Geological publishing house, Beijing, 698 pp.
- Bureau of Geology and Mineral Resources of Hunan province**, 1988, Regional geology of Hunan province, Geological memoirs Serie 1 Number **8**, Geological publishing house, Beijing, 719 pp.
- Bureau of Geology and Mineral Resources of Hubei province**, 1990, Regional geology of Hubei province, Geological memoirs Serie 1 Number **20**, Geological publishing house, Beijing, 705 pp.
- Calvet, F., Tucker, M.E., and Henton, J.M.**, 1990, Middle Triassic carbonate ramp system in the Catalan basin, northeast Spain: facies, system tracts, sequences and controls, *Int. Assoc. Sed. Spec. Publ.* **9**, 79-108
- Cervelli, P., Segall, P., Johnson, K., Lisowski, M., and Miklius, A.**, 2002, Sudden aseismic fault slip on the south flank of Kilauea volcano, *Nature*, **415**, 1014-1018

- Chen, D-F., Dong, W.Q., Zhu, B-Q., and Chen, X-P.**, 2004, Pb-Pb ages of Neoproterozoic Doushantuo phosphorites in South China: constraints on early metazoan evolution and glaciation events, *Precambrian Research*, **132**, 123-132
- Chen, D-Z., Tucker, M.E., Zhu, J-Q., and Jiang, M-S.**, 2002, Carbonate platform evolution: from a bioconstructed platform margin to a sand shoal system (Devonian, Guilin, South China), *Sedimentology*, **49**, 737-764
- Chen, J-Y., Bergstrom, J., Lindstrom, M., and Hou, X-G.**, 1991, Fossilized soft-body fauna, *Research and Exploration*, **7**, 8-19
- Chen, J-Y., Huang D-Y., and Li C-W.**, 1999, An early Cambrian Craniate-like chordate, *Nature*, **402**, 518-522
- Christie-Blick, N., Dyson, I.A., and Borch, C.C.**, 1995, Sequence stratigraphy and the interpretation of Neoproterozoic earth history, *Precambrian Research*, **73**, 3-26
- Clapham, M.E. and Narbonne, G.M.**, 2002, Ediacaran epifaunal tiering, *Geology*, **30**, 627-630
- Clifton, H.E.**, 2003, Supply, segregation, successions and significance of shallow marine conglomeratic deposits. *Bul. of Can. Petrol. Geol.*, **51**, 370-388
- Coffey, B.P. and Read, J.F.**, 2004, Mixed carbonate-siliciclastic sequence stratigraphy of a Paleogene transition zone continental shelf, southeastern USA. *Sedimentary Geology*, **166**, 21-57
- Cojan, I. and Renard, M.**, 1997, *Sedimentologie*, Dunod, Paris, 418 p. (in French)
- Condie, K.C.**, 2003, Supercontinents, superplumes and continental growth: the Neoproterozoic record. In: Windley, Y.M., Dasgupta, S., and Yoshida, M. (Eds), *Proterozoic East Gondwana: Supercontinent assembly and breakup*, Geol. Soc. Publ. House, London, 1-21
- Condon, D., Zhu, M-Y., Bowring, S., Yang, A., and Jin, Y-G.**, 2005, U-Pb ages from the Neoproterozoic Doushantuo Formation, China, *Science*, **308** (5718), 95-98
- Coniglio, M. and Dix, G.R.**, 1992, Carbonate slopes. In: Walker, R.G., and James, N.P., (Eds), *Facies models. Response to sea level change*, Geol. Soc. Can., 349-373
- Cook, P.J. and Shergold, J.H.**, 1986, *Phosphate deposits of the world. Vol.1: Proterozoic and Cambrian phosphorites*, Cambridge University Press, Cambridge, 386 p.
- Corsetti, F.A. and Hagadorn, J.W.**, 2000, The Precambrian-Cambrian transition, Death Valley, USA, *Geology*, **28**, 299-302
- Corsetti, F.A. and Kaufman, A.J.**, 2003, Stratigraphic investigations of carbon isotope anomalies and Neoproterozoic ice ages in Death Valley, California, *Geol. Soc. Am. Bull.*, **115**, 916-932
- Crimes, T.P. and McIlroy, D.**, 1999, A biota of Ediacaran aspect from the lower Cambrian strata on the Digermul Peninsula, Arctic Norway, *Geol. Mag.*, **136**, 633-642
- Dabard, M.P.**, 2000, Petrogenesis of graphitic cherts in the Armorican segment of the Cadomian orogenic belt (NW France), *Sedimentology*, **47**, 787-800
- Dobrzinski, N. and Bahlburg, H.**, (submitted), Sedimentology and environmental significance of the Cryogenian successions of the Yangtze platform, South China block. *Palaeogeography, Palaeoclimatology, Palaeoecology Spec. Publ.*
- Dobrzinski, N., Bahlburg, H., Strauss, H., and Zhang, Q.**, 2004, Geochemical climate proxies applied to the Neoproterozoic glacial succession on the Yangtze Platform, South China. In:

- Jenkins, G.S., McMenamin, M.A.S., McKay, C.P., Sohl, L. (Eds), The extreme Proterozoic: Geology, Geochemistry and Climate. *AGU monograph series*, **146**, 13-32
- Donnadieu, Y., Godderis, Y., Ramstein, G., Nedelec, A., and Meert, J.**, 2004, A "snowball Earth" climate triggered by continental break-up through changes in runoff, *Nature*, **428**, 303-306
- Donnelly T.H., Shergold, J.H., Southgate, P.N., and Barnes, C.J.**, 1990, Events leading to global phosphogenesis around the Proterozoic/Cambrian boundary. In: Notholt, A.J., and Jarvis, I. (Eds), Phosphorite research and development, *Geol. Soc. London Spec. Publ.*, **52**, 273-287
- Dornbos, S.Q., Bottjer, D.J., and Chen, J.Y.**, 2004, Evidence for Sea floor microbial mats and associated metazoan lifestyles in Lower Cambrian phosphorites of Southwest China, *Lethaia*, **37**, 127-137
- Droser M.L. and Li, X.**, 2001, The Cambrian radiation and the diversification of sedimentary fabrics. In: Zhuravlev, A.Y. and Riding, R. (Eds), The ecology of the Cambrian radiation, Columbia University Press, New York, 576 p.
- Einsele, G.**, 2000, Sedimentary basins. Springer, Berlin, 792 p.
- Erdtmann, B.D. and Steiner, M.**, 2001, Special observations concerning the Sinian-Cambrian transition and its stratigraphic implications on the central and SW Yangtze platform, China. In: Peng, S-C., Babcock, L.E., and Zhu, M-Y. (Eds), Cambrian system of South China, *Palaeoworld*, **13**, 52-65
- Erdtmann, B.D., Steiner, M., Zhu M-Y., and Walde, D.**, 2005, The "Arms Race" of Early Metazoan Life After the Terminal Proterozoic Global Ice Age, *Zeitschrift für Geologische Wissenschaften*, **33**, 1-26
- Eriksson, P.G., Altermann, W., Eberhardt, L., Arend-Heidbrinck, S., and Bumby, A.J.**, 2002, Palaeoproterozoic epeiric sea palaeoenvironments: the Silverton Formation (Pretoria Group, Transvaal Supergroup), South Africa. In: Altermann, W. and Corcoran, P.L. (Eds), Precambrian sedimentary environments: A modern approach to ancient depositional systems, *Int. Assoc. Sed. Spec. Publ.*, **33**, 351-367
- Evans, D.A.D., Li, Z.X., Kirschvink, J.L., and Wingate, M.T.D.**, 2000, A high-quality mid-Neoproterozoic paleomagnetic pole from South China, with implications for ice ages and the breakup configuration of Rodinia, *Precambrian Research*, **100**, 313-334
- Eyles, N. and Januszczak, N.**, 2004, "Zipper-rift": a tectonic model for Neoproterozoic glaciations during the breakup of Rodinia after 750 Ma, *Earth Science Reviews*, **65**, 1-73
- Fairchild, I.J., Spiro, B., Herrington, P.M., and Song, T.**, 2000, Controls on Sr and C isotope compositions of Neoproterozoic Sr-rich limestones of East Greenland and North China. In: Grotzinger, J.P., and James, N.P. (Eds), Carbonate sedimentation and diagenesis in the evolving Precambrian world, *SEPM Spec. Publ.*, **67**, 297-313
- Fedonkin, M.A.**, 1990, Systematic Descriptions of Vendian Metazoa. In: Sokolov, B.S., and Iwanowski, A.B. (Eds), The Vendian System. Vol. 1, *Paleontology*, Springer, Berlin, 71-120
- Fedonkin, M.A.**, 1994, Vendian body fossils and trace fossils. In: Bengtson, S. (Ed.), Life on earth, Nobel Symposium, 84, Columbia University Press, New York, 370-388

- Föllmi, K.B., Garrison, R.E., and Grimm, K.A.**, 1991, Stratification in phosphatic sediments: illustrations from the Neogene of California. In: Einsele, Ricken, W., and Seilacher, A. (Eds), Cycles and events in stratigraphy, Springer Verlag, Berlin, pp. 492-507.
- Frimmel, H.E., Folling, P.G., and Eriksson, P.G.**, 2002, Neoproterozoic tectonic and climatic evolution recorded in the Gariep belt, Namibia and South Africa, *Basin Research*, **14**, 55-67
- Gehling, J.G.**, 2000, Environmental interpretation and a sequence stratigraphic framework for the terminal Proterozoic Ediacara Member within the Rawnsley Quartzite, South Australia, *Precambrian Research*, **100**, 65-95
- Germs, G.J.B.**, 1995, The Neoproterozoic of southwestern Africa, with emphasis on platform stratigraphy and paleontology, *Precambrian Research*, **73**, 137-151
- Goldberg, T., Strauss, H., Guo, Q-J., and Liu C-Q.**, 2003, Late Neoproterozoic to Early Cambrian sulphur cycle – An isotopic investigation of sedimentary rocks from the Yangtze platform, *Progress in Natural Science*, **13**, 946-950
- Goldberg, T., Poulton, S.W., and Strauss, H.**, 2005, Sulphur and oxygen isotope signatures of late Neoproterozoic to early Cambrian sulfate, Yangtze Platform, China: diagenetic constraints and seawater evolution. *Precambrian Research*, **137**, 233-241
- Greensmith, J.T.**, 1989, Petrology of sedimentary rocks (7th edition), University Printing House, Oxford, 262 p
- Grey, K., Walter, M.R., and Calver, C.R.**, 2003, Neoproterozoic biotic diversification: Snowball Earth or aftermath of the Acraman impact?, *Geology*, **31**, 459-462
- Gubanov, A.P.**, 2002, Early Cambrian palaeogeography and the probable Iberia-Siberia connection, *Tectonophysics*, **352**, 153-168
- Guo, Q-J., Strauss, H., Liu, C-Q., Goldberg, T., Zhu, M-Y., and Pi, D-H.**, (submitted), Carbon isotopic evolution of the terminal Neoproterozoic and Early Cambrian: evidence from the Yangtze platform, South China. *Palaeogeography, Palaeoclimatology, Palaeoecology Spec. Publ.*
- Halverson, G.P., Maloof, A.C., and Hoffman, P.F.**, 2004, The Marinoan glaciation (Neoproterozoic) in northeast Svalbard, *Basin Research*, **16**, 297-324
- Hambrey, M.J. and Harland, W.B.**, 1985, The late Proterozoic glacial era, *Palaeogeography, Palaeoclimatology, Palaeoecology*, **51**, 255-272
- Harland, W.B.**, 1989, Paleoclimatology. In: Cowie, J.W. and Brasier, M.D. (Eds), The Precambrian-Cambrian boundary, Clarendon Press, Oxford, 199-203
- Hartz, E.H., and Torsvik, T.H.**, 2002, Baltica upside down: a new plate tectonic model for Rodinia and Iapetus ocean. *Geology*, **30**, 255-258
- Heubeck, C.**, 1992, Sedimentology of large olistoliths, southern Cordillera Central, Hispaniola, *J. of Sed. Petrology*, **62**, 474-482
- Heubeck, C.E., Vernhet, E., Zhu, M-Y., and Zhang, J-M.**, 2004, Large-scale Neoproterozoic slope instability due to lack of bioturbation? A case from the Yangtze Platform (Hunan Province, Central China) *Eos Trans. AGU*, 85(47), Fall Meet. Suppl., Abstract No PP41A-0577

- Hill, C.**, 1995, Sulfur redox reactions: hydrocarbons, native sulfur, Mississippi Valley-type deposits, and sulfuric acid karst in the Delaware Basin, New Mexico and Texas, *Environmental Geology*, **25**, 16-23
- Hoffman, P.F.** and **Schrag, D.P.**, 2000, Snowball Earth, *Scientific American*, **282**, 68-76
- Hoffman, P.F.** and **Schrag, D.P.**, 2002, The Snowball Earth hypothesis: testing the limits of global change, *Terra Nova*, **14**, 129-155
- Hoffman, P.F., Kaufman, A.J., Halverson, G.P., and Schrag, D.P.**, 1998, A Neoproterozoic Snowball Earth, *Science*, **281**, 1342-1346
- Hou, X-G.** and **Bergstrom, J.**, 2003, The Chengjiang fauna-The oldest preserved animal community, *Paleontological Research*, **7**, 55-70
- Hou, X-G., Bergstrom, J., and Xu, G-H.**, 2004, The lower Cambrian crustacean *Pectocaris* from the Chengjiang biota, Yunnan, China, *Journal of Paleontology*, **78**, 700-708
- Hürlimann, M., Ledesma, A., and Martí, J.**, 2001, Characterisation of a volcanic residual soil and its implications for large landslide phenomena: application to Tenerife, Canary Islands, *Engineering Geology*, **59**, 115-132
- Huvenne, V.A.I., Crocker, P.F., and Henriet, J-P.**, 2002, A refreshing 3D view of an ancient sediment collapse and slope failure, *Terra Nova*, **14**, 33-40
- Hyde, W.T., Crowley, T.J., Baum, S.K., and Peltier, W.R.**, 2000, Neoproterozoic "Snowball earth" simulation with coupled climate/ice-sheet model, *Nature*, **405**, 425-429
- Irwin, M.L.**, 1965, General theory of epeiric clear water sedimentation, Am. Assoc. Petrol. Geol. Bull., **49**, 445-459
- James, N.P., Narbonne, G.M., and Kyser, T.K.**, 2001, Late Neoproterozoic Cap Carbonates: Mackenzie Mountains, northwestern Canada: precipitation and global glacial meltdown, *Can. J. Earth Sc.*, **38**, 1229-1262
- Jenkins, R.J.F.**, 1995, The problems and potential of using animal fossils and trace fossils in terminal Proterozoic biostratigraphy, *Precambrian Research*, **73**, 51-69
- Jensen, S., Gehling, J.G., and Droser, M.L.**, 1998, Ediacara-fossils in Cambrian sediments, *Nature*, **393**, 567-569
- Jiang, G-Q., Christie-Blick, N., Kaufman, A.J., Banerjee, D.M., and Rai, V.**, 2003a, Carbonate platform growth and cyclicity of a terminal Proterozoic passive margin, Infra Krol Formation and Krol Group, Lesser Himalaya, India, *Sedimentology*, **50**, 921-952
- Jiang, G-Q., Kennedy, M.J., and Christie-Blick, N.**, 2003b, Stable isotopic evidence for methane seeps in Neoproterozoic postglacial cap carbonates. *Nature*, **426**, 822-826
- Jiang, G-Q., Sohl, L.E., and Christie-Blick, N.**, 2003c, Neoproterozoic stratigraphic comparison of the Lesser Himalaya (India) and Yangtze block (south China): Paleogeographic implications, *Geology*, **31**, 917-920
- Jones, B. and Desrochers, A.**, 1992, Shallow platform carbonates. In: Walker, R.G., and James, N.P. (Eds), Facies models: response to sea level changes, Geol. Ass. Canada Spec. Publ., St. John's, Newfoundland, 277-301.

- Kendall, A.C.** and **Plint, A.G.**, 1992, Evaporites. In: Walker, R.G., and James, N.P. (Eds), Facies models. Response to sea level change, Geol. Ass. Canada publ., St. John's, Newfoundland, 375-409.
- Kennedy, M.J.**, **Runnegar, B.**, **Prave, A.R.**, **Hoffmann, K.H.**, and **Arthur, M.A.**, 1998, Two or four Neoproterozoic glaciations? *Geology*, **26**, 1059-1063
- Kennedy, M.J.**, **Christie-Blick, N.**, and **Prave, A.R.**, 2001a, Carbon isotopic composition of Neoproterozoic glacial carbonates as a test of paleoceanographic models for snowball Earth phenomena, *Geology*, **29**, 1135-1138
- Kennedy, M.J.**, **Christie-Blick, N.**, and **Sohl, L.E.**, 2001b, Are Proterozoic cap carbonates and isotopic excursions a record of gas hydrate destabilization following Earth's coldest intervals? *Geology*, **29**, 443-446
- Kenneth, J.H.** and **Chen, H-H.**, 1999, Geologic atlas of China, Elsevier, Amsterdam, 320 p.
- Kilner, B.**, **MacNiocaill, C.**, and **Brasier, M.**, 2005, Low-latitude glaciation in the Neoproterozoic of Oman, *Geology*, **33**, 413-416
- Kirschvink, J.L.**, 1992, Late Proterozoic, low-latitude global glaciation: The Snowball Earth. In: Schopf, J.W. and Klein, C., The Proterozoic biosphere: A multidisciplinary study. Cambridge University Press, Cambridge, 51-52
- Knoll, A.H.** and **Xiao, S-H.**, 1999, On the age of the Doushantuo Formation, *Acta Micropaleontologica Sinica*, **16**, 225-236
- Knoll, A.**, **Fairchild, I.J.**, and **Swett, K.**, 1993, Calcified microbes in Neoproterozoic carbonates: implications for our understanding of the Proterozoic / Cambrian transition, *Palaios*, **8**, 512-525
- Knoll, A.H.**, **Grotzinger, J.P.**, **Kaufman, A.J.**, and **Kolosov, P.**, 1995, Integrated approaches to terminal Proterozoic stratigraphy. An Example from the Olenek Uplift, Northeastern Siberia. *Precambrian Research*, **73**, 251-270
- Landing, E.**, 1994, Precambrian-Cambrian boundary global stratotype ratified and a new perspective of Cambrian time, *Geology*, **22**, 179-182
- Leather J., Allen, P.A., Brasier, M.D., and Cozzi, A.**, 2002, Neoproterozoic snowball earth under scrutiny: Evidence from the Fiq glaciation of Oman, *Geology*, **30**, 891-894
- Lee, S.H.** and **Chough, S.K.**, 2001, High-resolution (2-7 kHz) acoustic and geometric characters of submarine creep deposits in the South Korea Plateau, East Sea, *Sedimentology*, **48**, 629-644
- Lee, H.J.**, **Chough, S.K.**, and **Yoon, S.H.**, 1996, Slope-stability change from late Pleistocene to Holocene in the Ulleung Basin, East Sea (Japan), *Sedimentary Geology*, **104**, 39-51
- Li, G-X.**, **Zhu, M-Y.**, **Steiner, M.**, and **Qian Y.**, 2004, Skeletal faunas from the Qiongzhusian of southern Shaanxi: biodiversity and lithofacies-biofacies links in the Lower Cambrian carbonate settings, *Progress in Natural Science, Special Issue*, **14**, 91-96
- Li, R.**, **Chen, J.**, **Zhang, S.**, **Lei, S.**, **Shen, Y.**, and **Chen, X.**, 1999, Spatial and temporal variations in carbon and sulfur isotopic compositions of Sinian sedimentary rocks in the Yangtze platform, south China, *Precambrian Research*, **97**, 59-75

- Li, Z-X., Zhang, L., and McA-Powell, C.**, 1995, South China in Rodinia: part of the missing link between Australia - East Antarctica and Laurentia?, *Geology*, **23**, 407-410
- Liang, T.Y. and Chang, A.C.**, 1984, On the characteristics and genesis of late Precambrian phosphorites associated with Gondwana plate, *Geol. Surv. India, Spec. Publ.*, **17**, 42-62
- Lykousis, V., Roussaki, G., Alexandri, M., Pavlaki, P., and Papoulias, I.**, 2002, Sliding and regional slope stability in active margins: North Aegean Trough (Mediterranean), *Marine Geology*, **186**, 281-298
- Ma, X-Y., Zhang, J-S., Bai, J., and Suo, S-T.**, 1984, Variation in tectonic style through the Precambrian history of China, *Journal of Geodynamics*, **1**, 221-249
- Maas, A., Waloszek, D., Chen, J-Y., Braun, A., Wang, X-Q., and Huang D-Y.**, 2004, Phylogeny and life habits of early Arthropods – Predation in the Early Cambrian Sea, *Progress in Natural Science*, **14**, 158-166
- Macouin, M., Besse, J., Ader, M., Gilder, S., Yang, Z., Sun, Z., and Agrinier, P.**, 2004, Combined paleomagnetic and isotopic data from the Doushantuo carbonates, South China: implications for the „snowball Earth“ hypothesis. *Earth Planet. Sci. Lett.*, **224**, 387-398
- Maliva, R.G.**, 2001, Silicification in the Belt Supergroup (Mesoproterozoic), Glacier National Park, Montana, USA, *Sedimentology*, **48**, 887-896
- Martel, S.J.**, 2004, Mechanics of landslide initiation as a shear fracture phenomenon, *Marine Geology*, **203**, 319-339
- Martin, D., Briggs, D.E.G., and Parkes, R.J.**, 2003, Experimental mineralization of invertebrate eggs and the preservation of Neoproterozoic embryos, *Geology*, **31**, 39-42
- Martin, M.W., Grazhdankin, D.V., Bowring, S.A., Evans, D.A.D., Fedonkin, M.A., and Kirschvink, J.L.**, 2000, Age of Neoproterozoic bilatarian body and trace fossils, White Sea, Russia: Implications for metazoan evolution. *Science*, **288**, 841-845
- Meng, X-G., Ge, M., and Tucker, M.E.**, 1997, Sequence stratigraphy, sea-level changes and depositional systems in the Cambro-Ordovician of the North China carbonate platform, *Sed. Geol.*, **114**, 189-222
- Miall, A.D.**, 1997, The geology of stratigraphic sequences, Springer, Berlin, 433 pp
- Moore, J.G., Bryan, W.B., Beeson, M.H., and Normark, W.R.**, 1995, Giant blocks in the South Kona landslide, Hawaii, *Geology*, **23**, 125-128
- Mueller, W.U., Corcoran, P.L., and Donaldson, J.A.**, 2002, Sedimentology of a tide- and wave-influenced high-energy Archaean coastline: the Jackson Lake Formation, Slave province, Canada. In: Altermann, W. and Corcoran, P.L. (Eds), Precambrian sedimentary environments: A modern approach to ancient depositional systems, *Int. Assoc. Sed. Spec. Publ.*, **33**, 153-182
- Myrow, P.M.**, 1995, Neoproterozoic rocks of the Newfoundland Avalon Zone, *Precambrian Research*, **73**, 123-136
- Myrow, P.M. and Kaufman, A.J.**, 1999, A newly discovered Cap Carbonate above Varanger-age glacial deposits in Newfoundland, Canada, *J. Sed. Res.*, **69**, 784-793
- Narbonne, G.M.**, 2005, The Ediacara Biota: Neoproterozoic origin of animals and their ecosystems, *Annu. Rev. Earth Planet. Sci.*, **33**, 421-442

- Narbonne, G.M.** and **Gehling, J.G.**, 2003, Life after snowball: the oldest complex Ediacaran fossils, *Geology*, **31**, 27-30
- Nogueira, A.C.R., Riccomini, C., Nóbrega Sial, A., Veloso Moura, C.A., and Fairchild, T.R.**, 2003, Soft-sediment deformation at the base of the Neoproterozoic Puga cap carbonate (SW Amazon craton, Brazil): Confirmation of rapid icehouse to greenhouse transition in snowball Earth, *Geology*, **31**, 613-616
- Oertel, G.F.** and **Overman, K.**, 2004, Sequence morphodynamics at an emergent barrier island, middle Atlantic coast of North America, *Geomorphology*, **58**, 67-83
- Peng, Y., Yang, T., Qiao, X., Li, D., Yang, Z., and Yang, X.**, 2001, A study of seismic events in the late Sinian carbonates of Dalian. *Acta Geologica Sinica*, **75**, 225-227
- Pisarevsky, S.A., Wingate, M.T.D., McA. Powell, C., Johnson, S., and Evans, D.D.**, 2003, Models of Rodinia assembly and fragmentation. In: Windley, Y.M., Dasgupta, S., and Yoshida, M. (Eds), *Proterozoic East Gondwana: Supercontinent assembly and breakup*. Geological Society Publication House, London, 35-55
- Potter, P.E., Maynard, J.B., and Pryor, W.A.**, 1980, *Sedimentolgy of shale: study guide and reference source*, Springer-Verlag, Berlin, 303 p
- Powell, C.M.** and **Pisarevsky, S.A.**, 2002, Late Neoproterozoic assembly of East Gondwana, *Geology*, **30**, 3-6
- Pratt, B.R.** and **James, N.P.**, 1986, The St George Group (Lower Ordovician) of western Newfoundland: tidal flat island model for carbonate sedimentation in shallow epeiric seas, *Sedimentology*, **33**, 313-343
- Rey, J.** and **Hidalgo, M.C.**, 2004, Siliciclastic sedimentation and sequence stratigraphic evolution on a storm-dominated shelf: the Lower Ordovician of the Central Iberian Zone (NE Jaén, Spain), *Sedimentary geology*, **164**, 89-104
- Reynaud, J.Y., Tessier, B., Proust, J.N., Dalrymple, R., Marssets, T., De-Batist, M., Bourillet, J.F., and Lericolais, G.**, 1999, Eustatic and hydrodynamic controls on the architecture of a deep shelf sand bank (Celtic Sea), *Sedimentology*, **46**, 703-721
- Riding, R.**, 2000, Microbial carbonates: the geological record of calcified bacterial-algal mats and biofilms, *Sedimentology*, **47** (Suppl. 1), 179-214
- Riding, R.**, 2003, Bacterial carbonates: process and product in time and space, British Sedimentological Research Group Annual General Meeting, 20th-22nd December, Leeds, Abstract volume.
- Runnegar, B.**, 2000, Loophole for snowball Earth, *Nature*, **405**, 403-404
- Sageman, B.B., Wignall, P.B., and Kauffman, E.G.**, 1991, Biofacies model for oxygen-deficient facies in epicontinental seas: tool for paleoenvironmental analysis. In: Einsele, G., Ricken, W., and Seilacher, A., (Eds), *Cycles and events in stratigraphy*. Springer-Verlag, Berlin, 542-564
- Sami, T.T.** and **James, N.P.**, 1994, Peritidal carbonate platform growth and cyclicity in an early Proterozoic foreland basin, upper Pethei group, Northwest Canada. *J. of Sed. Res., Serie B*, **64**, 111-131

- Santantonio, M.**, 1994, Pelagic carbonate platforms in the geologic record: their classification and sedimentary and paleotectonic evolution, *Assoc. Am.Petrol.Geo. Bull.*, **78**, 122-141
- Saylor, B.Z., Grotzinger, J.P., and Germs, G.J.B.**, 1995, Sequence stratigraphy and sedimentology of the Neoproterozoic Kuibis and Schwarzrand subgroups (Nama Group), southwestern Namibia, *Precambrian Research*, **73**, 153-171
- Schwennicke, T., Siegmund, H., and Jehl, C.**, 2000, Marine phosphogenesis in shallow-water environments: Cambrian, Tertiary, and recent examples. In: Glenn, C.R., Prevost-Lucas, L., and Lucas, J. (Eds), *Marine authigenesis: from global to microbial*, *SEPM Spec. Publ.*, 481-498.
- Scoffin, T.P.**, 1987, An introduction to carbonate sediments and rocks, Blackie, Glasgow, 274 p.
- Seilacher, A.**, 1999, Biomat-related lifestyles in the Precambrian, *Palaios*, **14**, 86-93
- Shanker, R.**, Bhattacharya, D.D., Pande A.C., and Mathur, V.K., 2004, Ediacara biota from the Jarashi (Middle Krol) and Mahl (Lower Krol) Formations, Krol Group, Lesser Himalaya, India. *J. Geol. Soc. India*, **63**, 649-654
- Shu, D-G., Morris, S-C., Han, J., Zhang, Z-F., and Liu, J-N.**, 2004, Ancestral echinoderms from the Chengjiang deposits of China, *Nature*, **430**, 422-428
- Siever, R.**, 1992, The silica cycle in the Precambrian, *Geochimica et Cosmochimica Acta*, **56**, 3265-3272
- Silva, A.J., Baxter, C.D.P., LaRosa, P.T., and Bryant, W.R.**, 2004, Investigation of mass wasting on the continental slope and rise, *Marine Geology*, **203**, 355-366
- Sochava, A.V. and Podkorytov, V.N.**, 1995, The compositional evolution of Meso- and Neoproterozoic carbonate rocks, *Precambrian Research*, **73**, 283-289
- Spence, G.H. and Tucker, M.E.**, 1997, Genesis of limestone megabreccias and their significance in carbonate sequence stratigraphic models: a review, *Sedimentary Geology*, **112**, 163-193
- Steiner, M.**, 1994, Die neoproterozoischen Megaalgen Südchinas, *PhD Thesis, Reihe E, Band 15, Berliner geowissenschaftliche Abhandlungen*, Berlin, 146 pp. (in German)
- Steiner, M.**, 2001, Die fazielle Entwicklung und Fossilverbreitung auf der Yangtze Plattform (Südchina) im Neoproterozoikum / frühesten Kambrium, *Freiberger Forschungshefte*, **492**, 1-26 (in German)
- Steiner, M. and Reitner, J.**, 2001, Evidence of organic structures in Ediacara-type fossils and associated microbial mats, *Geology*, **29**, 1119-1122
- Steiner, M., Li, G-X., Qiang, Y., Zhu, M-Y., and Erdtmann, B-D.**, 2003, Lower Cambrian small shelly faunas from Zhejiang (China) and their biostratigraphical implications, *Progress in Natural Science, Special Issue*, **13**, 852-860
- Stewart, W.D., Dixon, O.A., and Rust, B.R.**, 1993, Middle Cambrian carbonate-platform collapse, southeastern Canadian Rocky Mountains, *Geology*, **21**, 687-690
- Stow, D.A.V., Reading H.G., and Collinson J.D.**, 1998, Deep seas. In: Reading, H.G. (Ed), *Sedimentary environments: processes, facies and stratigraphy*, Oxford, Blackwell, 395-453
- Sugitani, K.**, 1992, Geochemical characteristics of Archean cherts and other sedimentary rocks in the Pilbara Block, Western Australia: evidence for Archean seawater enriched in hydrothermally-derived iron and silica, *Precambrian Research*, **57**, 21-47

- Sugitami, K., Yamamoto, K., Adachi, M., Kawabe, I., and Sugisaki, R.**, 1998, Archean cherts derived from chemical, biogenic and clastic sedimentation in a shallow restricted basin: examples from the Gorge Creek Group in the Pilbara Block, *Sedimentology*, **45**, 1045-1062
- Sumner, D.Y.**, 2002, Decimetre-thick encrustations of calcite and aragonite on the sea floor and implications for Neoarchaean and Neoproterozoic ocean chemistry. *Int. Ass. Sed. Spec. Publ.*, **33**, 107-120
- Tabakh, M.E., Grey, K., Pirajno, P., and Schreiber, B.C.**, 1999, Pseudomorphs after evaporitic minerals interbedded with 2.2 Ga stromatolites of the Yerrida basin, Western Australia: Origin and significance, *Geology*, **27**, 871-874
- Trappe, J.**, 1998, Phanerozoic phosphorite depositional systems. A dynamic model for a sedimentary resource system, *Lecture notes in Earth science*, **76**, Springer-Verlag, Berlin, 316 pp.
- Trappe, J.**, 2001, A nomenclature system for granular phosphate rocks according to depositional texture, *Sedimentary Geology*, **145**, 135-150
- Trentesaux, A., Stolk, A., and Berne, S.**, 1999, Sedimentology and stratigraphy of a tidal sand bank in the southern North Sea, *Marine Geology*, **159**, 253-272
- Tucker, M.E., Wright, V.P., and Dickson, J.A.D.**, 1990, Carbonate sedimentology, Blackwell, Oxford, 482 p.
- Valentine J.W.**, 1995, Why no new phyla after the Cambrian? Genome and ecospace hypotheses revisited. *Palaios*, **10**, 190-194
- Vernhet, E. and Heubeck, C.**, 2004, Sedimentary environments of Doushantuo Fm. in Hubei province (Neoproterozoic, Yangtze platform, central China), 23rd IAS meeting, Coimbra (Portugal), 15-17 September 2004, Abstract volume, p. 279
- Vernhet, E., Heubeck, C., and Zhang, J-M.**, 2004a, Neoproterozoic Yangtze platform edge reconstructed from lithofacies in slope deposits of Xixi section (Hunan province, central China), in Abstract book of Sino-German symposium "Environmental and biological processes of the Cambrian explosion", 25-28 September 2004, Nanjing (China), Abstract volume, 65-66
- Vernhet, E., Zhu, M-Y., Heubeck, C., and Zhang, J-M.**, 2004b, Large-scale slope instability at the southern margin of the Neoproterozoic Yangtze platform (Hunan province, central China), Sino-German symposium: "Environmental and biological processes of the Cambrian explosion", , 25-28 September 2004, Nanjing (China) Abstract volume, 63-64
- Vidal, G. and Moczydlowska, M.**, 1995, The Neoproterozoic of Baltica: stratigraphy, paleobiology and general geological evolution. *Precambrian Research*, **73**, 167-216
- Walter, M.R., Veevers, J.J., Calver, C.R., and Grey, K.**, 1995, Neoproterozoic stratigraphy of the Centralian Superbasin, Australia, *Precambrian Research*, **73**, 173-195
- Wang, H-Z. and Mo, X-X.**, 1995, An outline of the tectonic evolution of China. *Episodes*, **18**, 6-16
- Wang, J. and Li, Z-X.**, 2003, History of Neoproterozoic rift basins in South China: implications for Rodinia break-up, *Precambrian Research*, **122**, 141-158

- Wang, X-F., Erdtmann, B.-D., Chen, X-H., and Mao, X-D.,** 1998, Integrated sequence-, bio- and chemo-stratigraphy of the termonel Proterozoic to Lowermost Cambrian "black rock series" from central South China., *Episodes*, **21**, 178-189
- Ward, S.N.,** 2002, Slip-sliding away, *Nature*, **415**, 973-974
- Watts, P.,** 2004, Probabilistic predictions of landslide tsunamis off Southern California, *Marine Geology*, **203**, 281-301
- Weaver, C.E.,** 1989, Clays, muds, and shales, Elsevier, Amsterdam, 820 p.
- Weber, B. and Zhu, M-Y.,** 2003, Arthropod trace fossils from the Zhujiaqing Formation (Meishucunian, Yunnan) and their palaeobiological implications, *Progress in Natural Science*, **13**, 795-800
- Wetzel, A.,** 1991, Stratification in Black Shales: Depositional models and timing - an Overview. In: Einsele, G., Ricken, W., and Seilacher, A., (Eds), *Cycles and events in stratigraphy*. Springer-Verlag, Berlin, 509-523
- Whitham, A.G.,** 1993, Facies and depositional processes in an Upper Jurassic to Lower Cretaceous pelagic sedimentary sequence, Antarctica, *Sedimentology*, **40**, 331-349
- Wood, R.A., Grotzinger, J.P., and Dickson, J.A.D.,** 2002, Proterozoic modular biomimeticized metazoan from the Nama Group, Namibia, *Science*, **296**, 2383-2386
- Xiao, S., Yuan, X., Steiner, M., and Knoll, A.H.,** 2002, Macroscopic carbonaceous compressions in a terminal Proterozoic shale: a systematic reassessment of the Miaohe Biota, South China, *Journal of Paleontology*, **76**, 347-376
- Xiao, S., Zhang, Y., and Knoll, A.H.,** 1998, Three-dimensional preservation of algae and animal embryos in a Neoproterozoic phosphorite, *Nature*, **391**, 553-558
- Yamazaki, A., Matsumoto, R., Yue, L., and Gharaie, H.,** 2004, Microscopic textures and chemical and isotopic signatures for microbial, deep-water origin of "Cap carbonate" in Yangtze Gorges area, South China", 23rd IAS meeting, Coimbra (Portugal), 15-17 September 2004, Abstract volume, p. 290
- Yin, C-Y., Bengtson, S., and Yue, Z.,** 2004, Silicified and phosphatized *Tianzhushania*, spheroidal microfossils of possible animal origin from the Neoproterozoic of South China, *Acta Palaeontologica Polonica*, **49**, 1-12
- Yin, C-Y., Gao, L., and Xing, Y.,** 2001, New observations on phosphatized spheroidal fossils in Sinian Doushantuoan phosphorites in Weng'an, Guizhou province, *Acta Geologica Sinica*, **75**, 1-149
- Yin, C-Y., Liu, D-Y., Gao, L-Z., Xing, Y-S., Jian, P., and Shi, Y-R.,** 2003, Lower boundary age of the Nanhua System and the Gusheng glacial stage: evidence from SHRIMP II dating, *Chinese Sc. Bull.*, **48**, 1657-1662
- Yiqing, L.,** 1984, The Proterozoic-Cambrian phosphorite of China, *Geological Survey of India, Spec. Publ.* , **17**, 207-210.
- Yueyan, L.,** 1986, Proterozoic and Cambrian phosphorites, regional review: China. In: Cook, P.J. and Shergold, J.H. (Eds), *Phosphate deposits of the world. Vol.1: Proterozoic and Cambrian phosphorites*, Cambridge University Press, Cambridge, 386 p.

- Zhang, J-M., Zhu, M-Y., Yang, A-H., Li, G-X., Yang, J-H., and Heubeck, C.**, 2004, Stratigraphic implications of Sinian-Early Cambrian volcanic ash beds on the Yangtze Platform, *Progress in Natural Science, Special Issue*, **14**, 71-76
- Zhang, Q-R., Chu, X-L., Bahlburg, H., Feng, L-J., Dobrzinski, N., and Zhang, T-G.**, 2003, Stratigraphic architecture of the Neoproterozoic glacial rocks in the “Xiang-Qian-Gui” region of the central Yangtze block, South China. *Progress in Natural Science, Special Issue*, **13**, 783-787
- Zhang, S-H., Jiang, G-Q., Zhang, J-M., Song, B., Kennedy, M.J., and Christie-Blick, N.**, 2005, U-Pb sensitive high-resolution ion microprobe ages from the Doushantuo Formation in south China: constraints on late Neoproterozoic glaciations. *Geology*, **33**, 473-476
- Zhang, T-G., Chu, X-L., Zhang, Q-R., Feng, L-J., and Huo, W-G.**, 2004, The sulfur and carbon isotopic records in carbonates of the Dengying Formation in the Yangtze Platform, China, *Acta Petrologica Sinica*, **20**, 717-724 (in Chinese)
- Zhou, C., Tucker, M., Xiao, S., Peng, Z., Yuan X., and Chen Z.**, 2004, New constraints on the ages of Neoproterozoic glaciations in south China, *Geology*, **32**, 437-440.
- Zhou, Y-Z., Chown, E. H., Guha, J., Lu, H-Z., and Tu, G-Z.**, 1994, Hydrothermal origin of late Proterozoic bedded chert at Gusui, Guangdong, China: petrological and geochemical evidence, *Sedimentology*, **41**, 605-619
- Zhu, M-Y., Zhang, J-M., Steiner M., Yang, A-H., Li, G-X., and Erdtmann B.D.**, 2003, Sinian-Cambrian stratigraphic framework for shallow- to deep-water environments of the Yangtze platform: integrated approach, *Progress in Natural Science, Special Issue*, **13**, 951-960

