

7 Literaturverzeichnis

- Alvarez-Ossorio L, Kirchner H, Klüter H, Schlenke P. Low ferritin levels indicate the need for iron supplementation: strategy to minimize iron-depletion in regular blood donors. *Transfusion Med* 2000;10:107-112
- Alvarez-Ossorio L, Schlenke P. Correspondence to „Low ferritin levels indicate the need for iron supplementation: Strategy to minimize iron-depletion in regular blood donors“. *Transfusion Med* 2001;11:59-60
- Ascherio A, Rimm EB, Giovannucci E, Willett WC, Stampfer MJ. Blood donations and risk of coronary heart disease in men. *Circulation* 2001;103:52-57
- Baynes RD. Assessment of Iron Status. *Clin Biochem* 1996;29:209-215
- Bianco C, Brittenham G, Gilcher RO, Gordeuk VR, Kushner JP, Sayers M, Chambers L, Counts RB, Aylesworth C, Nemo G, Alving B. Maintaining iron balance in women blood donors of childbearing age: summary of a workshop. *Transfusion* 2002;42:798-805
- Bier-Ulrich AM, Haubelt H, Anders C, Nagel D, Schneider S, Siegler KE, Seiler D, Hellstern P. The impact of intensive serial plasmapheresis and iron supplementation on iron metabolism and Hb concentration in menstruating women: A prospective randomized placebo-controlled double-blind study. *Transfusion* 2003;43:405-410
- Birgegard G, Höglund C, Johansson A, Killander A, Simonsson B, Wide L. Serum ferritin in the regulation of iron therapy in blood donors. *Vox Sang* 1980;38:29-35
- Birgegard G, Höglund C, Killander A, Wide L. Serum ferritin levels in male blood donors. *Vox Sang* 1978;34:65-70
- Boulton F, Collis D, Inskip H, Paes H, Garlick M. A study of the iron and HFE status of blood donors, including a group who failed the initial screen for anaemia. *Br J Haematol* 2000;108:434-439
- Boulton F. Managing donors and iron deficiency. *Vox Sang* 2004; 87 Suppl 2:22-24
- Brise H, Hallberg L. Iron absorption studies II. Effect of ascorbic acid on iron absorption. *Acta Med Scand* 1962;171 Suppl 376:51-58
- Brittenham GM, Klein HG, Kushner JP, Ajioka RS. Preserving the national blood supply. *Hematology* (Am Soc Hematol Educ Program). 2001;:422-32
- Brugnara C. Iron deficiency and erythropoiesis: new diagnostic approaches. *Clinical chemistry* 2003;49:1573-1578

- Cable RG, Morse EE, Keltonic J, Kakaiya R, Kiraly T. Iron supplementation in female blood donors deferred by copper sulfate screening. *Transfusion* 1988; **28**:422-426
- Cook JD, Flowers CH, Skikne BS. The quantitative assessment of body iron. *Blood* 2003; **101**:3359-3364
- Cook JD, Flowers CH, Skikne BS. The quantitative assessment of body iron. *Blood* 2003; **101**:3359-3364
- Conrad ME, Umbreit JN. Pathways of iron absorption. *Blood Cells Molecules and Diseases* 2002; **29**:336-355
- Devasthali SD, Gordeuk VR, Brittenham GM, Bravo JR, Hughes MA, Keating LJ. Bioavailability of carbonyl iron: A randomized, double-blind study. *Eur J Haematol* 1991; **46**:272-278
- Fidler MC, Davidsson L, Zeder C, Walczyk T, Hurell RF. Iron absorption from ferrous fumarate in adult women is influenced by ascorbic acid but not by Na₂EDTA. *Br J Nutr* 2003; **90**:1081-1085
- Finch CA, Cook JD, Labbe RF, Culala M. Effect of blood donation on iron stores as evaluated by serum ferritin. *Blood* 1977; **50**:441-447
- Finch CA. Regulators of iron balance in humans. *Blood* 1994; **84**:1697-1702
- Garry PJ, VanderJagt DJ, Wayne SJ, Koehler KH, Rhyne RL, Simon TL. A prospective study of blood donations in healthy elderly persons. *Transfusion* 1991; **31**:686-692
- Gillon J, Wye A, Walker B, Phillips P. Natural history of haemoglobin levels in female blood donors with haemoglobin levels of 120-124 g/l at presentation. *Vox Sang* 2000; **78**:225-230
- Gordeuk VR, Brittenham GM, Bravo J, Hughes MA, Keating LJ. Prevention of iron deficiency with carbonyl iron in female blood donors. *Transfusion* 1990; **30**:239-245
- Gordeuk VR, Brittenham GM, Hughes MA, Keating LJ. Carbonyl iron for short-term supplementation in female blood donors. *Transfusion* 1987; **27**:80-85
- Hallberg L. Perspectives on nutritional iron deficiency. *Annu Rev Nutr* 2001; **21**:1-21
- Harju E. Clinical pharmacokinetics of iron preparations. *Clin Pharmacokinet* 1989; **17**:69-89
- Hausmann K, Kuse R, Meinecke KH, Bartels H, Heinrich HC. Diagnostische Kriterien des prälatenten, latenten und manifesten Eisenmangels. *Klin Wschr* 1971; **49**:1164-1174
- Hayedah JS, Mahdi A, Taher YM. A study of the prevalence of iron deficiency and its related factors in blood donors of Yazd, Iran 2003. *Transfusion Today* 2005, **63**: 23-25
- Heinrich HC. Bioverfügbarkeit und therapeutische Wirksamkeit oraler Eisen(II)- und -(III)präparate. Schweiz. Apotheker-Zeitung 1986; **124**:1231-1256

Heinrich HC, Oppitz KH, Busch K. Eisenmangel und Eisenprophylaxe bei Blutspendern. *Klin Wschr* 1973;51:101-107

Jaime JC, Cazarez R, Mares MA, Marfil LJ, Harrison CR. Iron stores in remunerated blood donors as evaluated by plasma ferritin levels. *Transfusion* 1988;28:62-65

Kaltwasser JP, Braner A, Eisenmangel und andere hypoproliferative Anämien In: Dietel M, Dudenhausen J, Suttrop N (f. die deutsche Ausgabe). *Harrisons Innere Medizin*. 15. Ed. Berlin, Deutschland: ABW Wissenschaftsverlag, 2003:732-738

Kaltwasser JP, Eisenstoffwechsel In: Mueller-Eckhardt Ch, Kiefel V. *Transfusionsmedizin*. 3. Ed. Berlin Heidelberg, Deutschland: Springer- Verlag, 2004:119-131

Labbe RF, Dewanji A. Iron assessment tests: transferrin receptor vis-a-vis zinc protoporphyrin. *Clin Biochem* 2004;37:165-74

Lieden G. Iron state in regular blood donors. *Scand J Haemat* 1973;11:342-349

Lieden G. Iron supplement to blood donors. I. Trials with intermittent iron supply. *Acta Med Scand* 1975;197:31-36

Lieden G, Höglund, S, Ehn L. Iron supplement to blood donors. II. Effect of continuous iron supply. *Acta Med Scand* 1975;197:37-41

Mackintosh W, Jacobs P. Response in serum ferritin and haemoglobin to iron therapy in blood donors. *Am J Hematol* 1988;27:17-19

Magnusson B, Björn-Rasmussen E, Hallberg L, Rossander L. Iron Absorption in relation to iron status. *Scand J Haematol* 1981;27:201-208

Magnusson B, Sölvell L, Arvidsson B, Siösteen C. Iron absorption during iron supplementation in blood donors. *Scand J Haematol* 1975;14:337-346

Merk K, Mattsson B, Mattsson A, Holm G, Gullbring B, Bjorkholm M. The incidence of cancer among blood donors. *Int J Epidemiol* 1990;19:505-509

Meyers DG, Jensen KC, Menitove JE. A historical cohort study of the effect of lowering body iron through blood donation on incident cardiac events. *Transfusion* 2002;42:1135-1139

Meyers DG, Strickland D, Maloley PA, Seburg JJ, Wilson JE, McManus BF. Possible association of a reduction in cardiovascular events with blood donation. *Heart* 1997;78:188-193

Milman N, Kirchhoff M. Influence of blood donation on iron stores assessed by serum ferritin and haemoglobin in a population survey of 1433 Danish males. *Eur J Haematol* 1991;47:134-139

- Milman N, Kirchhoff M. The influence of blood donation on iron stores assessed by serum ferritin and hemoglobin in a population survey of 1359 Danish women. *Ann Hematol* [1991;63:27-32](#)
- Milman N, Sondergaard M. Iron stores in male blood donors evaluated by serum ferritin. *Transfusion* [1984;24:464-468](#)
- Milman N, Sondergaard M, Mygind Sorensen C. Iron stores in female blood donors evaluated by serum ferritin. *Blut* [1985;51:337-345](#)
- Monsen ER, Critchlow CW, Finch CA, Donohue DM. Iron balance in superdonors. *Transfusion* [1983;23:221-225](#)
- Pietrangelo A. Hereditary hemochromatosis-a new look at an old disease. *N Engl J Med* [2004;350:2383-2397](#)
- Punnonen K, Rajamäki A. Evaluation of iron status of Finnish blood donors using serum transferrin receptor. *Transfus Med* [1999;9:131-134](#)
- Punnonen K, Irjala K, Rajamäki A. Serum transferrin receptor and its ratio to serum ferritin in the diagnosis of iron deficiency. *Blood* [1997;89:1052-1057](#)
- Radtke H, Tegtmeier J, Röcker L, Salama A, Kiesewetter H. Daily doses of 20 mg of elemental iron compensate for iron loss in regular blood donors: A randomized, double-blind, placebo-controlled study. *Transfusion* [2004;44:1427-1432](#)
- Rougghead ZK, Hunt JR. Adaptation in iron absorption: iron supplementation reduces nonheme-iron but not heme-iron absorption from food. *Am J of clin Nutr* [2000;72:982-989](#)
- Salonen JT, Tuomainen TP, Salonen R, Lakka TA, Nyyssönen K. Donation of blood is associated with reduced risk of myocardial infarction. *Am J Epidemiol* [1998;148:445-451](#)
- Schümann K. Safety aspects of iron in food. *Ann Nutr Metab* [2001;45:91-1001](#)
- Sempos CT. Do body iron stores increase the risk of developing coronary heart disease? *Am J Clin Nutr* [2002;76:501-503](#)
- Simon TL, Garry PJ, Hooper EM. Iron stores in blood donors. *JAMA* [1981;245:2038-2043](#)
- Simon TL, Hunt WC, Garry PJ. Iron supplementation for menstruating female blood donors. *Transfusion* [1984;24:469-472](#)
- Simon TL. Iron, iron everywhere but not enough to donate. *Transfusion* [2002;42:664-665](#)
- Skikne B, Lynch S, Borek D, Cook J. Iron and blood donation. *Clin Haematol* [1984;13:271-287](#)

Skikne BS, Flowers CH, Cook JD. Serum transferrin receptor: a quantitative measure of tissue iron deficiency. *Blood* 1990;75:1870-1876

Stevens RG, Jones DY, Micozzi MS, Taylor PR. Body iron stores and the risk of cancer. *N Eng J Med* 1988;319:1047-1052

Stevens RG, Graubard BI, Micozzi MS, Neriishi K, Blumberg BS. Moderate elevation of body iron level and increased risk of cancer occurrence and death. *Int J Cancer* 1994;56:364-369

Suominen P, Punnonen K, Rajamäki A, Ijrjala K. Serum transferrin receptor and transferrin receptor-ferritin index identify healthy subjects with subclinical iron deficits. *Blood* 1998;92:2934-2939

Suominen P, Punnonen K, Rajamaki A, Ijrjala K. Evaluation of new immunoenzymometric assay for measuring soluble transferrin receptor to detect iron deficiency in anemic patients. *Clin Chem* 1997;43:1641-1646

Thomas Ch, Thomas L. Biochemical markers and hematologic indices in the diagnosis of functional iron deficiency. *Clinical Chemistry* 2002;48: 1066-1076

Thomas L, Thomas Ch, Heimpel H. Neue Parameter zur Diagnostik von Eisenmangelzuständen. *Deutsches Ärzteblatt* 2005;9: 488-493

Tuomainen TP, Punnonen K, Nyysönen K, Salonen JT. Association between body iron stores and the risk of acute myocardial infarction in men. *Circulation* 1998;97:1461-1466

Twisk JWR. Applied longitudinal data analysis for epidemiology. Cambridge University Press, Cambridge 2003

Weiss G. Iron and immunity: a double-edged sword. *Eur J Clin Invest* 2002;32 Suppl 1,70-78

Wick M. Eisenstoffwechsel und – störungen. In: Thomas L. Labor und Diagnose. 5. Ed. Frankfurt/Main, Deutschland: TH-Books Verlagsgesellschaft, 2000:275-291

Wissenschaftlicher Beirat der Bundesärztekammer und Paul-Ehrlich-Institut: Richtlinien zur Gewinnung von Blut und Blutbestandteilen und zur Anwendung von Blutprodukten (Hämatherapie). *Bundesgesundheitsbl. Gesundheitsforsch. Gesundheitsschutz* 43, 555-589 (2000)