

Literaturverzeichnis

- [1] O. Minet, J. Beuthan, K. Licha, and C. Mahnke. The medical use of rescaling procedures in optical biopsy and optical molecular imaging. *Journal of Fluorescence*, 12(2):201–204, 2002.
- [2] O. S. Wolfbeis. Materials for fluorescence-based optical chemical sensors. *Journal of Material Chemistry*, 15:2657–2669, 2005.
- [3] I. J. MacDonald and T. J. Dougherty. Basic principles of photodynamic therapy. *Journal of Porphyrins and Phthalocyanines*, 5:105–129, 2001.
- [4] B. W. Pogue, R. D. Braun, J. L. Lanzen, C. Erickson, and M. W. Dewhirst. Analysis of the heterogeneity of po₂ dynamics during photodynamic therapy with vertebroporfin. *Photochemistry and Photobiology*, 74(5):700–706, 2001.
- [5] T. Hasan, B. Ortel, A. C. E. Morr, and B. W. Pogue. *Cancer Medicine*, chapter Photodynamic Therapy of Cancer, pages 605–622. BC Decker, 6. edition, 2003.
- [6] H. M. Swartz. Measuring real levels of oxygen in vivo. opportunities and challenges. *Biochemical Society Transactions*, 30(2):248–252, 2002.
- [7] J. R. Lakowicz. *Principles of Fluorescence Spectroscopy*. Kluwer Academic / Plenum Publishers, second edition, 1999.
- [8] L. I. Grossweiner. Singlet oxygen: Generation and properties. Technical report, Wenske Laser Center, Advocate/Ravenswood Hospital Medical Center, Chicago, Illinois 60640 USA, 28. Mai 2004.
- [9] H. G. O. Becker, H. Böttcher, F. Dietz, D. Rehorek, G. Roewer, K. Schiller, and H.-J. Timpe. *Einführung in die Photochemie*. Deutscher Verlag der Wissenschaften, 1991. 3. Auflage.
- [10] H. Vogel. *Gerthsen Physik*. Springer-Verlag, Berlin, 18. auflage edition, 1995.
- [11] H. Szmacinski and J. R. Lakowicz. Lifetime-based sensing. In J. R. Lakowicz, editor, *Topics in Fluorescence Spectroscopy: Probe Design and Chemical Sensing*, volume 4, pages 295–334. Plenum Press, New York, 1994.
- [12] D. J. S. Birch and R. E. Imhof. Time-domain fluorescence spectroscopy using time correlated single-photon counting. In J. R. Lakowicz, editor, *Topics in Fluorescence Spectroscopy: Techniques*, volume 1, pages 1–95. Plenum Press, New York, 1991.
- [13] B. B. Das, F. Liu, and R. R. Alfano. Time-resolved fluorescence and photon migration studies in biomedical and model random media. *Rep. PRog. Phys.*, 60:227–292, 1997.
- [14] G. von Bünau and T. Wolff. *Photochemie - Grundlagen, Methoden, Anwendungen*. VCH, 1987.
- [15] M. R. Eftink. Fluorescence quenching: Theory and applications. In J. R. Lakowicz, editor, *Topics in Fluorescence Spectroscopy: Principles*, volume 2, pages 53–126. Plenum Press, New York, 1991.
- [16] J. N. Demas and B. A. DeGraff. Design and applications of highly luminescent transition metal complexes. In J. R. Lakowicz, editor, *Topics in Fluorescence Spectroscopy: Probe Design and Chemical Sensing*, volume 4, pages 71–107. Plenum Press, New York, 1994.
- [17] D. J. Wagenaar, R. Weissleder, and A. Hengerer. Glossary of Molecular Imaging Terminology. *Academic Radiology*, 8:409–420, 2001.

- [18] R. Weissleder and U. Mahmood. Molecular Imaging. *Radiology*, 219(2):316–333, 2001. Special Review.
- [19] J. Beuthan, C. Mahnke, U. Netz, O. Minet, and G. Müller. Optical Molecular Imaging: Overview and Technological Aspects. *Medical Laser Application*, 17:25–30, 2002.
- [20] O. Minet, J. Beuthan, K. Licha, and C. Mahnke. The biomedical use of rescaling procedures in optical biopsy and optical molecular imaging. In R. Kraayenhof, A. J. W. G. Visser, and H. C. Gerritsen, editors, *Fluorescence Spectroscopy, Imaging and Probes*, pages 349–360. Springer-Verlag, Berlin Heidelberg New York, 2002.
- [21] R. Weissleder. Molecular Imaging: Exploring the Next Frontier. *Radiology*, 212(3):609–614, 1999.
- [22] R. Weissleder, C. H. Tung, U. Mahmood, and A. Bogdanov. In vivo imaging of tumors with protease-activated near-infrared fluorescent probes. *Nature Biotechnology*, 17:375–378, 1999.
- [23] R. J. Callahan, A. Bogdanov, A. J. Fischman, T. J. Brady, and R. Weissleder. Preclinical evaluation and phase I clinical trial of a 99mTc-labeled synthetic polymer used in blood pool imaging. *American Journal of Roentgenology*, 171:137–143, 1998.
- [24] S. G. Sakka, K. Reinhart, and A. Meier-Hellmann. Comparison of invasive and noninvasive measurements of indocyanine green plasma disappearance rate in critically ill patients with mechanical ventilation and stable hemodynamics. *Intensive Care Medicine*, 26:1553–1556, 2000.
- [25] A. Roggan. *Dosimetrie thermischer Laseranwendungen in der Medizin*. PhD thesis, Technische Universität Berlin, 1997.
- [26] H.-P. Berlien and G. Müller. *Applied Laser Medicine*. Springer-Verlag, 2003.
- [27] A. Roggan, J. Beuthan, S. Schröder, and G. Müller. Diagnostik und Therapie mit dem Laser. *Physikalische Blätter*, 55(3):25–30, 1999.
- [28] M. Friebel and M. Meinke. Determination of the complex refractive index of highly concentrated hemoglobin solutions using transmittance and reflectance measurements. *Journal of Biomedical Optics*, 10(6), Dez 2005.
- [29] J. Beuthan, O. Minet, and G. Müller. Quantitative Optical Biopsy of Liver Tissue *ex vivo*. *IEEE Journal of selected topics in quantum electronics*, 2(4):906–913, 1996.
- [30] J. Beuthan, O. Minet, and U. Sukowski. Meßmethoden zur Bestimmung optischer Parameter von biotechnologischen Reaktorgut. *Technisches Messen*, 66(6):238–243, 1999.
- [31] J. Beuthan, O. Minet, J. Helfmann, M. Herrig, and G. Müller. The spatial variation of the refractive index in biological cells. *Phys. Med. Biol.*, 41:369–382, 1996.
- [32] W. Schmidt. *Optische Spektroskopie*. VCH, 1994.
- [33] D. J. Bornhop, C. H. Contag, K. Licha, and C. J. Murphy. Advances in contrast agents, reporters, and detection. *Journal of Biomedical Optics*, 6(2):106–110, 2001.
- [34] O. Goedje, T. Seebauer, M. Peyerl, U. J. Pfeiffer, and B. Reichart. Hemodynamic monitoring by double-indicator dilution technique in patients after orthotopic heart transplantation. *Chest*, 118(3):775–781, 2000.
- [35] T. Jochum, J. Beuthan, A. Hengerer, K. Licha, and T. Mertelmeier. A near infrared fluorescence mouse model imager for in vivo visualization of enzyme activity and tissue characteristics. *LaserOpto*, 33(3):57, 2001.
- [36] K. Licha, B. Riefke, V. Ntziachristos, A. Becker, B. Chance, and W. Semmler. Hydophilic cyanine dyes as contrast agents for near-infrared tumor imaging: Synthesis, photophysical properties and spectroscopy in vivo characterization. *Photochemistry and Photobiology*, 72(3):392–398, 2000.
- [37] C. Bremer, V. Ntziachristos, and R. Weissleder. Optical-based molecular imaging: contrast agents and potential medical applications. *European Radiology*, 13:231–243, 2002.

- [38] R. Weissleder and V. Ntziachristos. Shedding light onto live molecular targets. *Nature Medicine*, 9(1):123–128, 2003.
- [39] F. Wilkinson, W. P. Helman, and A. B. Ross. Rate constants for the decay and reaction of the lowest electronically excited singlet state of molecular oxygen in solution. an expanded and revised compilation. *J. Phys. Chem. Ref. Data*, 24:663–1021, 1995.
- [40] L. Zhao. Singlet oxygen. Technical report, Free Radical and Radiation Biology Graduate Program, University of Iowa, Iowa city, 2001.
- [41] R. Engl. *Die Erzeugung und Relaxation von Singulett-Sauerstoff in homogenen Lösungen sowie Lipid- und Zellsuspensionen*. PhD thesis, Naturwissenschaftliche Fakultät II, Universität Regensburg, 2003.
- [42] S. Oelckers. *Singulett-Sauerstoff im Modellsystem photosensibilisierter Erythrozyten-Ghost-Suspensionen*. PhD thesis, Mathematisch-Naturwissenschaftliche Fakultät I der Humboldt-Universität zu Berlin, 1999.
- [43] A. Paul. *Spektroskopische Untersuchungen zur Bildung von Radikalionen über Anregung höherer Elektronenzustände von tertiar-butyl-substituiertem Magnesiumphthalocyanin in Lösung und in Liposomen sowie Phototoxizitätsuntersuchungen an Zellen in vitro*. PhD thesis, Mathematisch-Naturwissenschaftliche Fakultät I der Humboldt-Universität zu Berlin, 2000.
- [44] A. Hirth, U. Michelsen, and D. Whörle. Photodynamic Tumortherapie. *Chemie in unserer Zeit*, 33. Jahrgang(2), 1999.
- [45] M. C. DeRosa and R. J. Crutchley. Photosensitized singlet oxygen and its applications. *Coordination Chemistry Reviews*, 233-234:351–371, 2002.
- [46] B. Jamil. *Elektronenspinresonanz-Untersuchungen zur Singulett-sauerstoff-Generierung verschiedener Photosensibilisatoren für die Photodynamische Therapie*. PhD thesis, Charité - Universitätsmedizin Berlin, 2004.
- [47] G. Jeschke. Einführung in die ESR-Spektroskopie. Skript zur Vorlesung von H.W. Spieß, Sommersemester, Johannes-Gutenberg-Universität Mainz, 1998.
- [48] K. J. Liu, M. W. Grinstaff, J. Jiang, K. S. Suslick, H. M. Swartz, and W. Wang. In vivo measurement of oxygen concentration using sonochemically synthesized microspheres. *Biophysical Journal*, 67:896–901, 1994.
- [49] J. W. Snyder, I. Zebger, Z. Gao, L. Poulsen, P. K. Frederikson, E. Skovsen, S. P. McIlroy, M. Klinger, L. K. Andersen, and P. R. OGilby. Singlet oxygen microscope: From phase-separated polymers to single biological cells. *Acc. Chem. Res.*, 37:894–901, 2004.
- [50] I. Klimant, F. Ruckruh, G. Liebsch, A. Stangelmayer, and O. S. Wolfbeis. Fast response oxygen micro-optodes based on novel soluble ormosil glasses. *Mikrochimica Acta*, 131:35–46, 1999.
- [51] S. Draxler, M. E. Lippitsch, I. Klimant, H. Kraus, and O. S. Wolfbeis. Effects of polymer matrices on the time-resolved luminescence of a ruthenium complex quenched by oxygen. *Journal of Physical Chemistry*, 99(10):3162–3167, 1995.
- [52] O. S. Wolfbeis. *Optical Sensors - Industrial, Environmental and Diagnostic Applications*, volume 1 of *Springer Series on Chemical Sensors and Biosensors*. R. Narayanaswamy and O. S. Wolfbeis, Springer, Berlin, 2003.
- [53] J. W. Dobrucki. Interaction of oxygen-sensitive luminescent probes $\text{Ru}(\text{phen})_3^{2+}$ and $\text{Ru}(\text{bipy})_3^{2+}$ with animal and plant cells in vitro. Mechanism of Phototoxicity and conditions for non-invasive oxygen measurements. *Journal of Photochemistry and Photobiology B: Biology*, 65:136–144, 2001.
- [54] A. Juris, V. Balzani, F. Barigelletti, S. Campagna, P. Belser, and A. von Zelewsky. Ru(II) polypyridine complexes: photophysics, photochemistry, electrochemistry, and chemiluminescence. *Coordination Chemistry Reviews*, 84:85–277, 1988.
- [55] G. Liebsch, I. Klimant, B. Frank, G. Holst, and O. S. Wolfbeis. Luminescence lifetime imaging of oxygen, pH, and carbon dioxide distribution using optical sensors. *Applied Spectroscopy*, 54(4):548–559, 2000.

- [56] G. Liebsch, I. Klimant, and O. S. Wolfbeis. Luminescence lifetime temperature sensing based on sol-gels and poly(acrylonitrile)s dyes with ruthenium metal-ligand complexes. *Advanced Materials*, 11(15):1296–1299, 1999.
- [57] G. Holst, O. Kohls, I. Klimant, B. König, M. Kühl, and T. Richter. A modular luminescence lifetime imaging system for mapping oxygen distribution in biological samples. *Sensors and Actuators B: Chemical*, 51:163–170, 1998.
- [58] W. Zhong, P. Urayama, and M.-A. Mycek. Imaging fluorescence lifetime modulation of a ruthenium-based dye in living cells: the potential for oxygen sensing. *J. Phys. D: Appl. Phys.*, 36:1689–1695, 2003.
- [59] M. P. Copper, I. Bing Tan, H. Oppelaar, M. Ruevekamp, and F. Stewart. Meta-tetra(hydroxyl)chlorin Photodynamic Therapy in Early-Stage Squamous Cell Carcinoma of the Head and Neck. *Archives of Otolaryngology Head and Neck Surgery (reprinted)*, 129:709–711, 2003.
- [60] L. Grossner, A. May, H. T. Schneider, E. G. Hahn, M. Stolte, R. Sroka, and C. Ell. Photodynamische Therapie des Magenfrühkarzinoms mittels mTHPC: Erste klinische Erfahrungen. *Praxis und Klinik, Leber Magen Darm*, 28:209–215, 1998.
- [61] B. Javaid, P. Watt, and N. Krasner. Photodynamic Therapy (PDT) for Oesophageal Dysplasia and Early Carcinoma with m-THPC (m-Tetrahydroxyphenyl Chlorin): A Preliminary study. *Lasers in Medical Science*, 17:51–56, 2002.
- [62] C. H. Sibata, N. L. Oleinick, and T. J. Kinsella. Photodynamic therapy: a new concept in medical treatment. *Brazilian Journal of Medical and Biological Research*, 33:869–880, 2000.
- [63] Q. Chen and F. W. Hetzel. Laser dosimetry studies in the prostate. *Journal of Clinical Laser Medicine Surgery*, 16(1):9–12, 1998.
- [64] H.-W. Wang, M. E. Putt, M. J. Emanuele, D. B. Shin, E. Glatstein, A. G. Yodh, and T. M. Busch. Treatment-induces changes in tumor oxygenation predict photodynamic therapy outcome. *Cancer Research*, 64:7553–7561, 2004.
- [65] W. Bäumler, C. Abels, and R. M. Szeimies. Fluorescence Diagnosis and Photodynamic Therapy in Dermatology. *Medical Laser Applications*, 18:47–56, 2003.
- [66] A. Ehrhardt, H. Stepp, K.-M. Irion, W. Stummer, D. Zaak, R. Baumgartner, and A. Hofstetter. Fluorescence Detection of Human Malignancies Using Incoherent Light Systems. *Medical Laser Applications*, 18:27–35, 2003.
- [67] B. Röder. Photobiophysical parameters. In J. G. Moser, editor, *Photodynamic Tumor Therapy. 2nd and 3rd Generation Photosensitizers*, pages 9–19. harvard academic publishers, 1998.
- [68] C. M. Philipp und H.-P. Berlien. Physikalisch-medizinische Grundlagen. *Laryngo-Rhino-Otol*, 82:S1–S20, 2003.
- [69] A. M. Ronn. Pharmacokinetics in photodynamic therapy. *Rev. Contemp. Pharmcother.*, 10:39–46, 1999.
- [70] C. Sheng, B. W. Pogue, E. Wang, J. E. Hutchins, and P. J. Hoopes. Assessment of photosensitizer dosimetry and tissue damage assay for photodynamic therapy in advanced-stage tumors. *Photochemistry and Photobiology*, 79(6):520–525, 2004.
- [71] T. Glanzmann, C. Hadjur, M. Zellweger, P. Grosjean, M. Forrer, J.-P. Ballini, P. Monnier, H. van den Bergh, C. K. Lim, and G. Wagnières. pharmakokinetics of tetra(m-hydroxyphenyl)chlorin in human plasma and individualized light dosimetry in photodynamic therapy. *Photochemistry and Photobiology*, 67(5):596–602, 1998.
- [72] T. Bocher, M. Scheller, J. Hopf, M. Linnarz, R. Naber, O. Minet, W. Becker, and G. Müller. Combined quantitative and qualitative 2-channel optical biopsy technique for discrimination of tumor borders. *SPIE*, 2627:118–124, 1995.
- [73] T. Bocher, J. Beuthan, O. Minet, I. Schmitt, B. Fuchs, and G. Müller. Fiberoptical sampling of NADH-concentration in guinea-pig hearts during ischemia. *SPIE*, 2324:166–176, 1995.

- [74] T. J. Vogl, K. Eichler, M. G. Mack, S. Zangos, C. Herzog, A. Thalhammer, and K. Engelmann. Interstitial photodynamic laser therapy in interventional oncology. *European Radiology*, 14:1063–1073, 2004.
- [75] C. Hopper. Photodynamic therapy: a clinical reality in the treatment of cancer. *The Lancet Oncology*, 1:212–219, 2000.
- [76] J. S. Dysart, G. Singh, and M. S. Patterson. Calculation of Singlet Oxygen Dose from Photosensitizer Fluorescence and Photobleaching During mTHPC Photodynamic Therapy of MLL Cells. *Photochemistry and Photobiology*, 81:196–205, 2005.
- [77] D. Nowis, M. Makowski, T. Stoklosa, M. Legat, T. Issat, and J. Golab. Direct tumor damage mechanisms of photodynamic therapy. *Acta Biochimica Polonica*, 52(2):339–352, 2005.
- [78] H. I. Pass. Photodynamic Therapy in Oncology: Mechanism and Clinical Use. *Journal of the National Cancer Institute*, 85(6):444–453, 1993.
- [79] B. W. Henderson, T. M. Busch, L. A. Vaughan, N. P. Frawley, D. Babich, T. A. Sosa, J. D. Zollo, A. S. Dee, M. T. Cooper, D. A. Bellnier, W. R. Greco, and A. R. Oseroff. Photofrin photodynamic therapy can significantly deplete or preserve oxygenation in human basal cell carcinomas during treatment, depending on fluence rate. *Cancer Research*, 60:525–529, 2000.
- [80] S. Coutier, L. N. Bezdetnaya, T. H. Foster, R.-M. Parache, and F. Guillemin. Effect of irradiation fluence rate on the efficacy of photodynamic therapy and tumor oxygenation in meta-Tetra (Hydroxyphe-nyl)chlorin (mTHPC)-sensitized HT29 xenografts in nude mice. *Radiation Research*, 158:339–345, 2002.
- [81] Q. Chen, Z. Huang, H. Chen, H. Shapiro, J. Beckers, and F. W. Hetzel. Improvement of tumor response by manipulation of tumor oxygenation during photodynamic therapy. *Photochemistry and Photobiology*, 76(2):197–203, 2002.
- [82] J. S. Dysart and M. S. Patterson. Characterization of Photofrin photobleaching for singlet oxygen dose estimation during photodynamic therapy of MLL cells in vitro. *Physics in Medicine and Biology*, 50:2597–2616, 2005.
- [83] I. Georgakoudi, M. G. Nichols, and T. H. Foster. The mechanism of photofrin photobleaching and its consequences for photodynamic dosimetry. *Photochemistry and Photobiology*, 65(1):135–144, 1997.
- [84] I. Georgakoudi and T. H. Foster. Singlet oxygen- versus nonsinglet oxygen-mediated mechanisms of sensitizer photobleaching and their effects on photodynamic dosimetry. *Photochemistry and Photobiology*, 67(2):612–625, 1998.
- [85] C. Fabris, G. Valduga, G. Miotto, L. Borsetto, G. Jori, S. Garbisa, and E. Reddi. Photosensitization with zinc (II) phthalocyanine as a switch in the decision between apoptosis and necrosis. *Cancer Research*, 61:7495–7500, 2001.
- [86] K. Plaetzer, T. Kiesslich, T. Verwanger, and B. Krammer. The Modes of Cell Death Induced by PDT: An Overview. *Medical Laser Application*, 18:7–19, 2003.
- [87] A. P. Castano, T. N. Demidova, and M. R. Hamblin. Mechanisms in photodynamic therapy: part two - cellular signaling, cell metabolism and modes of cell death. *Photodiagnosis and Photodynamic Therapy*, 2:1–23, 2005.
- [88] M. Solonenko, R. Cheung, T. M. Busch, A. Kachur, G. M. Griffin, T. Vulcan, T. C. Zhu, H.-W. Wang, S. M. Hahn, and A. G. Yodh. In vivo reflectance measurements of optical properties, blood oxygenation and motexafin lutetium uptake in canine bowels, kidneys and prostates. *Physics in Medicine and Biology*, 47:857–873, 2002.
- [89] O. Barajas, A. M. Ballangrud, G. G. Miller, R. B. Moore, and J. Tulip. Monte Carlo modelling of angular radiance in tissue phantoms and human prostate: PDT light dosimetry. *Physics in Medicine and Biology*, 42:1675–1687, 1997.
- [90] T. C. Zhu, J. C. Finlay, and S. M. Hahn. Determination of the distribution of light, optical properties, drug concentration, and tissue oxygenation in-vivo in human prostate during motexafin lutetium-mediated photodynamic therapy. *Journal of Photochemistry and Photobiology B: Biology*, 79:231–241, 2005.

- [91] Q. Chen, B. C. Wilson, S. D. Shetty, M. S. Patterson, J. C. Cerny, and F. W. Hetzel. Changes in in vivo optical properties and light distributions in normal canine prostate during photodynamic therapy. *Radiation Research*, 147:86–91, 1997.
- [92] P. G. Maxim, J. J. L. Carson, D. A. Benaron, B. W. Loo, L. Xing, A. L. Boyer, and S. Friedland. Optical detection of tumors in vivo by visible light tissue oximetry. *Technology in Cancer Research and Treatment*, 4(3):227–234, 2005.
- [93] H. Matz, C. Hornberger, J. Otten, F. Dörries, H. Gehring, and E. Konecny. Validierung einer neuen in-vitro Kalibrationsmethode für Pulsoximeter. *Biomed Tech*, 46:342–343, 2001.
- [94] B. W. Pogue and T. Hasan. Targeting in Photodynamic Therapy and Photo-Imaging. *Optics and Photonics News*, pages 36–43, August 2003.
- [95] H. Xu, J. W. Aylott, R. Kopelman, T. J. Miller, and M. A. Philbert. A real-time ratiometric method for the determination of molecular oxygen inside living cells using sol-gel-based spherical optical nanosensors with applications to rat c6 glioma. *Analytical Chemistry*, 73(17):4124–4133, 2001.
- [96] S. P. Chan, Z. J. Fuller, J. N. Demas, and B. A. DeGraff. Optimized gating scheme for rapid lifetime determinations of single-exponential luminescence lifetimes. *Analytical Chemistry*, 73(18):4486–4490, 2001.
- [97] P. D. Waters and D. H. Burns. Optimized gated detection for lifetime measurements over a wide range of single exponential decays. *Applied Spectroscopy*, 47(1), 1993.
- [98] R. M. McAllen, M. Farrell, J. M. Johnson, D. Trevaks, L. Cole, M. J. McKinley, G. Jackson, D. A. Denton, and G. F. Egan. Human medullary responses to cooling and rewarming the skin: A functional MRI study. *PNAS*, 103(3):809–813, 2006.
- [99] D. I. Sessler. Perioperative heat balance. *Anaesthesiology*, 92:578–596, 2000.
- [100] B. Algermissen, D. Osterloh, C. M. Philipp, and H.-P. Berlien. Management of ALA-PDT Induced Pain Sensations. *Medical Laser Applications*, 18:57–64, 2003.
- [101] S. Hammes, M. Fuchs, and C. Raulin. Kaltluft in der Lasertherapie: Erste Erfahrungen mit einem neuen Kühlungssystem. *Dermatologie*, 5:338–342, 1999.
- [102] J. L. Parra and M. Paye. EEMCO Guidance for the in vivo Assessment of Skin Surface pH. *Skin Pharmacol Appl Skin Physiol*, 16:188–202, 2003.
- [103] *Pschyrembel Klinisches Wörterbuch*. de Gruyter, 1990.
- [104] *Roche Lexikon Medizin*. Urban und Schwarzenberg, 1987. 2. Auflage.
- [105] O. Braun-Falco and H. C. Korting. Normal pH value of human skin. *Hautarzt*, 37(3):126–129, 1986.
- [106] G. A. Simon and H. I. Maibach. The pig as an experimental animal model of percutaneous permeation in man: Qualitative and quantitative observations - an overview. *Skin Pharmacology and Applied Skin Physiology*, 13:229–234, 2000.
- [107] M. Stuecker, C. Moll, and P. Altmeyer. Sauerstoffversorgung der Haut. *Hautarzt*, 55:273–279, 2004.
- [108] M. Stuecker, A. Struk, P. Altmeyer, M. Herde, H. Baumgärtl, and D. W. Lüppers. The cutaneous uptake of atmospheric oxygen contributes significantly to the oxygen supply of human dermis and epidermis. *Journal of Physiology*, 538.3:985–994, 2002.
- [109] C.-T. Lin and N. Sutin. Quenching of the luminescence of the tris(2,2'-bipyridine) complexes of ruthenium(II) and osmium(II). Kinetic considerations and photogalvanic effects. *Journal of Physical Chemistry*, 80(2):97–105, 1976.
- [110] P. M. Ennis, J. M. Kella, and C. M. O'Connell. Preparation and Photochemical Properties of Water-soluble Polymers with Pendant Tris(2,2'-bipyridyl)ruthenium(II) Groups. N-Ethylated Copolymers of Vinylpyridine and cis-Bis(2,2'-bipyridyl)(4-methyl-4'-vinyl-2,2'-bipyridyl)-ruthenium(II). *J. Chem. Soc. Dalton Trans.*, pages 2485–2491, 1986.
- [111] U. Lindemann, K. Wilken, H.-J. Weigmann, H. Schäfer, W. Sterry, and J. Lademann. Quantification of the horny layer using tape stripping and microscopic techniques. *Journal of Biomedical Optics*, 8(4):601–607, 2003.