

10 REFERENCES*

- Abdel Gadir, F., Osman, O.M., Abdella, H.S., Abdel Razig, M.T. 1981. Ethidium bromide-resistant trypanosomes in southern Darfur. Sudan J. Vet. Res. 3, 63-65.
- Afework, Y., Clausen, P.-H., Abebe, G., Tilahun, G., Mehlitz, D. 2000. Multiple-drug resistant *Trypanosoma congolense* populations in village cattle of Metekel district, north-west Ethiopia. Acta Trop. 76, 231-238.
- Artama, W.T., Agey, M.W., Donelson, J.E. 1992. DNA comparisons of *Trypanosoma evansi* (Indonesia) and *Trypanosoma brucei* spp. Parasitology 104, 67-74.
- Assefa, E., Abebe, G. 2001. Drug-resistant *Trypanosoma congolense* in naturally infected donkeys in north Omo Zone, southern Ethiopia. Vet. Parasitol. 99, 261-271.
- Ainanshe, O.A., Jennings, F.W., Holmes, P.H. 1992. Isolation of drug resistant strains of *Trypanosoma congolense* from the lower Shambelle region of southern Somalia. Trop. Anim. Health Prod. 24, 65-73.
- Aliu, Y. O., Odegaard, S., Sognen, E. 1984. Diminazene/Berenil: bioavailability and disposition in dairy goats. Acta Vet. Scand. 25, 593-596.
- Aymerich, S., Goldenberg, S. 1989. The karyotype of *Trypanosoma cruzi* Dm 28c: Comparisons with other *T. cruzi* strains and Trypanosomatids. Exp. Parasitol. 69, 107-115.
- Barrett, M.P., Coombs, G.H., Mottram, J.C. 2004. Future Prospects in Chemotherapy for Trypanosomiasis. In: Ian Maudlin, Peter H. Holmes, Michael A. Miles (Eds.). The Trypanosomiasis, CAB International. Wallingford, UK. pp. 445-460.
- Barry, J.D., Le Ray, D., Herbert, W.J. 1979. Infectivity and virulence of *Trypanosoma (Trypanozoon) brucei* for mice. IV. Dissociation of virulence and variable antigen type in relation to pleomorphism. J. Comp. Pathol. 89, 465-470.
- Berg, S.S., Brown, K.N., Hill, J., Wragg, W.R. 1961. A new prophylactic trypanocidal drug, 2,7-di-(m-amidinophenylazoamino)-10-ethyl-9-phenyl-phenanthridinium chloride dihydrochloride (M & B 4596). Nature. 192, 367-368.
- Bifani, P., Mathema, B., Campo, M., Moghazeh, S., Nivin, B., Shashkina, E., Driscoll, J., Munsiff, S.S., Frothingham, R., Kreiswirth, B.N. 2001. Molecular identification of streptomycin monoresistant *Mycobacterium tuberculosis* related to multidrug-resistant W strain. Emerg. Infect. Dis. 7, 842-848.
- Blood, D.C., Radostits, O.M., Henderson, J.A. 1989. Diseases caused by protozoa. A textbook of the diseases of cattle, pigs, goats and horses. ELBS edition (7th ed.), Oxford. pp. 1012-1015.

- Borst, P., Fase-Fowler., Hoeijmakers, J.H.J., Frasch A.C. 1980. Variations in maxi-circle and mini-circle sequences in kinetoplast DNAs from different *Trypanosoma brucei* strains. *Biochim. Biophys. Acta.* 610, 197-210.
- Borst, P., Fase-Fowler, F., Gibson, W.C. 1981. Quantitation of genetic differences between *Trypanosoma brucei gambiense*, *rhodesiense* and *brucei* by restriction enzyme analysis of kinetoplast DNA. *Mol. Biochem. Parasitol.* 3, 117-131.
- Bossche V. H. 1997. Mechanisms of antifungal resistance. *Rev. Iberoam. Micol.* 14, 44-49.
- Botstein, D., White, R.L., Skolnick, M., Davis, R.W. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphisms. *Am. J. Hum. Genet.* 32, 314-331.
- Brack, C., Delain, E. 1975. Electron-microscopic mapping of AT-rich regions and of *E. coli* RNA polymerase-binding sites on the circular kinetoplast DNA of *Trypanosoma cruzi*. *J. Cell Sci.* 17, 287-306.
- Brightwell, R., Dransfield, R.D., Kyorku, C.A. 1991. Development of a low-cost tsetse trap and odour baits for *Glossina pallidipes* and *G. longipennis* in Kenya. *Med. Vet. Entomol.* 5, 153-64.
- Browning, C.H., Morgan, G.T., Robb, J.U.M., Walls L.P. 1938. The trypanocidal action of certain phenanthridium compounds. *J. Path. Bact.* 46, 203-204.
- Burudi, E.M.E., Peregrine A.S., Majiwa, P.A.O., Mbiuki, S.M., Murphy, N.B. 1994. Response of diminazene-resistant and diminazene-susceptible *Trypanosoma congolense* to treatment with diminazene when occurring as a mixed infection in goats. *Ann. Trop. Med. Parasitol.* 88, 595-606.
- Brun, R., Jenni, L., Tanner, M., Schonenberger, M., Schell, K.F. 1979. Cultivation of vertebrate infective forms derived from metacyclic forms of pleomorphic *Trypanosoma brucei* stocks. Short communication. *Acta Trop.* 36, 387-390.
- Brun, R., Kunz, C. 1989. *In Vitro* drug sensitivity test for *Trypanosoma brucei* subgroup bloodstream trypomastigotes. *Acta Trop.* 46, 361-369.
- Brun, R., Lun, Z.R. 1994. Drug sensitivity of Chinese *Trypanosoma evansi* and *T. equiperdum* isolates. *Vet. Parasitol.* 52, 37-46.
- Budd, T. 1999. DFID funded tsetse fly and trypanosomosis research and investment since 1980. An economic analysis. DFID Livestock Production Program, Natural Resources International Ltd., Catham Maritime, Kent, Mea 4pu.
- Carter, N.S., Fairlamb, A.H. 1993. Arsenical-resistant trypanosomes lack an unusual adenosine transporter. *Nature (Lond.)* 361, 173-176. Erratum in: *Nature* 1993, 361-374.
- Carter, N.S., Berger, B.J., Fairlamb, A.H. 1995. Uptake of diamidine drugs by the P2 nucleoside transporter in melarsen-sensitive and -resistant *Trypanosoma brucei brucei*. *J. Biol. Chem.* 270, 28153-28157.

- Casero, R.A.Jr., Porter,C.W., Bernacki, R.J. 1982. Activity of tunicamycin against *Trypanosoma brucei* in vitro and in vivo. *Antimicrob. Agents Chemother.* 22, 1008-1011.
- Chitambo, H., Arakawa, A. 1991. Therapeutic effect of Berenil and Samorin in mice infected with four trypanosome populations isolated from Zambian cattle. *Vet. Parasitol.* 39, 43-52.
- Chitambo, H., Arakawa, A. 1992. *Trypanosoma congolense*: manifestation of resistance to Berenil and Samorin in cloned trypanosomes isolated from Zambia cattle. *Zentralbl. Bakteriol.* 277, 371-381.
- Clausen, P.-H., Sidibe, I., Kabore, I., Bauer, B. 1992. Development of multiple drug resistance of *Trypanosoma congolense* in Zebu cattle under high natural tsetse fly challenge in the pastoral zone of Samorogouan, Burkina Faso. *Acta Trop.* 51, 229-236.
- Clausen, P.-H., Waiswa, C., Katunguka-Rwakishaya, E., Schares, G., Steuber, S., Mehlitz, D. 1999. Polymerase chain reaction and DNA probe hybridisation to assess the efficacy of diminazene treatment in *Trypanosoma brucei*-infected cattle. *Parasitol. Res.* 85, 206-211.
- Clausen, P.H., Wiemann, A., Patzelt, R., Kakaire, D., Poetzsch, C., Peregrine, A., Mehlitz, D. 1998. Use of a PCR assay for the specific and sensitive detection of *Trypanosoma* spp. in naturally infected dairy cattle in peri-urban Kampala, Uganda. *Ann. N. Y. Acad. Sci.* 849, 21-31.
- Codjia, V., Mulatu, W., Majiwa, P.A., Leak, S.G., Rowlands, G.J., Authie, E., d'Ieteren, G.D., Peregrine, A.S. 1993. Epidemiology of bovine trypanosomiasis in the Ghibe valley, southwest Ethiopia. 3. Occurrence of populations of *Trypanosoma congolense* resistant to diminazene, isometamidium and homidium. *Acta Trop.* 53, 151-163.
- De Deken, R., Geerts, S., Kageruka, P., Ceulemans, F., Brant, J., Schact, E., Pascucci, C., Lootens, C. 1989. Chemoprophylaxis of trypanosomiasis, due to *Trypanosoma (Nannomonas) congolense*, in rabbits using a slow release device containing homidium bromide. *Ann. Soc. Belg. Med. Trop.* 69, 291-296.
- De Gee, A.L.W., McCann, P.P., Mansfield, J.M. 1983. Role of antibody in the elimination of trypanosomes after DL- α -difluoromethylornithine chemotherapy. *J. Parasitol.* 69, 818-822.
- De Haan, C., Bekure, S. 1991. Animal health services in sub-Saharan Africa: initial experiences with new approaches. Washington, D.C. World Bank
- De Haen, H. 1996. World food security: Challenge to FAO . In: perspective for world food security-challenges for agricultural research. Bericht über das 2. Forum der Allianz der international ausgerichteten Deutschen Agrarforschung (AIDA), 12-13 February 1996, pp.28-42.
- De Koning, H.P. 2001. Uptake of pentamidine in *Trypanosoma brucei brucei* is mediated by three distinct transporters: implications for cross-resistance with arsenicals. *Mol. Pharmacol.* 59, 586-592.

- De Koning, H.P. 2001. Transporters in African trypanosomes: role in drug action and resistance. *Int. J. Parasitol.* 31, 512-522.
- De Koning, H.P., Anderson, L.F., Stewart, M., Burchmore, R.J., Wallace, L.J., Barrett, M.P. 2004. The trypanocide diminazene aceturate is accumulated predominantly through the TbAT1 purine transporter: additional insight on diamidine resistance in African trypanosomes. *Antimicrob. Agents Chemother.* 48, 1515-1519.
- Delespaux, V., Ayral, F., Geysen, D., Geerts, S. 2003. PCR-RFLP using Ssu-rDNA amplification: applicability for the diagnosis of mixed infections with different trypanosome species in cattle. *Vet. Parasitol.* 117, 185-193.
- Delespaux, V., Geysen, D., Majiwa, P.A., Geerts, S. 2005. Identification of a genetic marker for isometamidium chloride resistance in *Trypanosoma congolense*. *Int. J. Parasitol.* 35, 235-243.
- Dero, B., Zampetti-Bosseler, F., Pays, E., Steinert, M. 1987. The genome and the antigen gene repertoire of *Trypanosoma brucei gambiense* are smaller than those of *T. b. brucei*. *Mol. Biochem. Parasitol.* 26, 247-256.
- De Souza, M.S. 2000. Analysis of two putative candidate genes for isometamidium resistance in *Trypanosoma congolense*. A thesis submitted in part fulfilment for the degree of Master of Science in Biochemistry at the University of Nairobi. pp. 152.
- Desquesnes, M., Dàvila, A. M. R. 2002. Applications of PCR-based tools for detection and identification of animal trypanosomes: a review and perspectives. *Vet. Parasitol.* 109, 213-231.
- Diarra, B., Sidibé, I., Vincent, M., McDermott, J., Eisler, M.C., Ouédraogo, D., Kamuanga, J.B.M., Bauer, B., Clausen, P.-H., Peregrine, A., Woitag, T. 2001. Contribution of isometamidium-ELISA in the estimation of drug usage in Kénédougou province, Burkina Faso. International Scientific Council for Trypanosomosis Research and Control (ISCTR). 26th Meeting. Ouagadougou, Burkina Faso. 2001. Publication No. 121. pp. 418-420.
- Diatchenko, L., Lukyanov, S., Lau, Y.F., Siebert, P.D. 1999. Suppression subtractive hybridization: a versatile method for identifying differentially expressed genes. *Methods Enzymol.* 303, 349-380.
- Dickin, S.K., Gibson, W.C. 1989. Hybridization with repetitive DNA probe reveals the presence of small chromosomes in *Trypanosoma vivax*. *Mol. Biochem. Parasitol.* 33, 135-142.
- Dixon, H., Ginger, C.D., Williamson, J. 1971. The lipid metabolism of blood and culture forms of *Trypanosoma lewisi* and *Trypanosoma rhodesiense*. *Comp. Biochem. Physiol. B.* 39, 247-266.

- Dobschütz, S. von. 2002. Molekularbiologische Untersuchungen zur Identifizierung potentiell humaninfektiöser *Trypanosoma (Trypanozoon) brucei*-Isolate aus süd-ost Uganda. Veterinärmedizin-Dissertation. Freie Universität Berlin. Journal No. 2577.
- Dolan, R.B., Okech, G., Alushula, H., Mutugi, M., Stevenson, P., Sayer, P.D. and Njogu, A.R. 1990. Homidium bromide as a chemoprophylactic for cattle trypanosomiasis in Kenya. *Acta Trop.* 47, 137-144.
- Donald, A.D. 1994. Parasite, animal production and sustainable development. *Vet. Parasitol.* 54, 27-47. Review.
- Donelson, J.E. 2003. Antigenic variation and the African trypanosome genome. *Acta Trop.* 85, 391-404. Review.
- Douthwaite, R.J. 1986. Effect of drift sprays of endosulfan applied for tsetse-fly control on breeding of Little Bee -eaters in Somalia. *Environmental Pollution (Series A)*, 41, 11-22.
- Dvorak, J. A., Hall, T. E., Crane, M. S. J., Engel, J. C., McDaniel, J. P., Uriegas, R. 1982. *Trypanosoma cruzi*: Flow cytometry analysis. I. Analysis of total DNA/organisms by means of mithramycin-induced fluorescence. *J. Protozool.* 29, 430-437.
- Eisler, M.C., Arowolo, R.O., Gault, E.A., Moloo, S.K., Holmes, P.H., Peregrine, A.S. 1994. Isometamidium concentrations in the sera of Boran cattle : correlation with prophylaxis against tsetse-transmitted *Trypanosoma congolense*. *Acta Trop.* 56, 39-50.
- Eisler, M.C., Brandt, J., Bauer, B., Clausen, P.-H., Delespaux, V., Holmes, P.H., Ilemobade, A., Machila, N., Mbawambo, H., McDermott, J., Mehlitz, D., Murilla, G., Ndung'u, J.M., Peregrine, A.S., Sidibe, I., Sinyangwe, L., and Geerts, S. 2001. Standardised tests in mice and cattle for the detection of drug resistance in tsetse-transmitted trypanosomes of African domestic cattle. *Vet. Parasitol.* 97, 171-182.
- Eisler, M.C., Elliott, C.T., Holmes, P.H. 1996. A simple competitive enzyme immunoassay for the detection of the trypanocidal drug isometamidium. *Ther. Drug Monit.* 18, 73-79.
- Eisler, M.C., Gault, E.A., Moloo, S.K., Holmes, P.H., Peregrine, A.S. 1997. Concentrations of isometamidium in the sera of cattle challenged with drug-resistant *Trypanosoma congolense*. *Acta Trop.* 63, 89-100.
- Eisler, M.C., Gault, E.A., Smith, H.V., Peregrine, A.S., Holmes, P.H. 1993. Evaluation and improvement of an enzyme-linked immunosorbent assay for the detection of isometamidium in bovine serum. *Ther. Drug Monit.* 15, 236-242.
- Eisler, M.C., McDermott, J.J., Mdachi, R., Murilla, G.A., Sinyangwe, L., Mubanga, J., Machila,N., Mbody Weightambo, H., Coleman, P.G., Clausen, P.-H., Bauer, B., Sidibe, I., Geerts, S., Holmes, P.H., Peregrine, A.S. 2000. Rapid method for the assessment of trypanocidal drug resistance in the field. In: Proceedings of the 9th Symposium of the International Society for Veterinary Epidemiology and Economics (ISVEE 9), Breckenridge, Colorado, 6-11 August.

- Elrayah, I.E., Kaminisky, R. 1991. The effect of diminazene aceturate and isometamidium chloride on cultured procyclic forms of susceptible and drug resistant *Trypanosoma congolense*. *Acta Trop.* 49, 201-213.
- Engman, D.M., Reddy, L.V., Donelson, J.E., Kirchhoff, L.V. 1987. *Trypanosoma cruzi* exhibits inter- and intra-strain heterogeneity in molecular karyotype and chromosomal gene location. *Mol. Biochem. Parasitol.* 22, 115-123.
- EPA. 2002. Health Effects Test Guidelines. OPPTS 870.1100. Acute Oral Toxicity. United States Environmental Protection Agency. Prevention, Pesticides and Toxic Substances (7101). EPA 712-C-02-190.
- Fairclough, R. 1962. A summary of the use of Berenil in Kenya. In: Proceedings, 9th Meeting, International Scientific Council for Trypanosomiasis Research, Conakry, Guinea. CCTA Publication 88, pp. 81-86.
- FAO. 1991. Program for the control of African Animal Trypanosomiasis and related development. Second meeting of the Inter-secretariat Coordinating Group. Rome: Food and Agricultural Organization of the United Nations.
- Fang, Y., Ye, W.X., Nei, H.Y., Wang, Y.L. 1994. *In vitro* development of suramine-resistant clones of *Trypanosoma evansi*. *Acta Trop.* 58, 79 -83.
- Feldmann, U., Hendrichs, J. 1998. Integrating the Sterile Insect Technique as a key component of area-wide tsetse and trypanosomosis intervention. PAAT position paper No. 6, FAO, Rome.
- Ferenc, S.A., Stopinski, V., Courtney, C.H. 1990. The development of an enzyme-linked immunosorbent assay for *Trypanosoma vivax* and its use in a seroepidemiological survey of the Eastern Caribbean Basin. *Int. J. Parasitol.* 20, 51 -56.
- Fiennes, R.N.T.W. 1953. The therapeutic and prophylactic properties of antrycide in trypanosomiasis of cattle. *Br. Vet. J.* 109, 280-295.
- Frommel, T.O., Balber, A.E. 1987. Flow cytofluorimetric analysis of drug accumulation by multidrug-resistant *Trypanosoma brucei brucei* and *T.b. rhodesiense*. *Mol. Biochem. Parasitol.* 26, 183-191.
- Fussgänger, R. and Bauer, F. 1958. Berenil: ein neues Chemotherapeuticum in der Veterinärmedizin. *Med. u. Chem.* 6, 504-531.
- Gardiner, P.R., Wilson, A.J. 1987. *Trypanosoma (Duttonella) vivax*. *Parasitol. Today* 3, 49-52.
- Gaud, A., Carrington, M., Deshusses, J., Schaller, D.R. 1997. Polymerase chain reaction-based gene disruption in *Trypanosoma brucei*. *Mol. Biochem. Parasitol.* 87, 113-115.
- Geerts, S., Holmes, P.H. 1998. Drug management and parasite resistance in bovine trypanosomiasis in Africa. PAAT technical and scientific series 1. Food and Agriculture Organization of the United Nations, Rome, 1998.

- Geerts, S., Holmes, P.H., Eisler, M.C., Diall, O. 2001. African bovine trypanosomiasis: the problem of drug resistance. *Trends Parasitol.* 17, 25-28.
- Geigy, R., Kauffmann, M. 1973. Sleeping sickness survey in the Serengeti area (Tanzania), 1971. I. Examination of large mammals for trypanosomes. *Acta Trop.* 30, 12-23.
- Geysen, D., Delespaux, V., Geerts, S. 2003. PCR-RFLP using Ssu-rDNA amplification as an easy method for species-specific diagnosis of *Trypanosoma* species in cattle. *Vet. Parasitol.* 110, 171-180.
- Gibson, W.C., Borst, P. 1986. Size-fractionation of the small chromosomes of *Trypanozoon* and *Nannomonas* trypanosomes by pulsed field gradient gel electrophoresis. *Mol. Biochem. Parasitol.* 18, 127-140.
- Gibson, W.C., Dukes, P., Gashumba, J.K. 1988. Species-specific DNA probes for the identification of African trypanosomes in tsetse flies. *Parasitology* 97, 63-73.
- Gibson, W., Garside, L. 1991. Genetic exchange in *Trypanosoma brucei brucei*: Variable chromosomal location of housekeeping genes in different trypanosome stocks. *Mol. Biochem. Parasitol.* 45, 77-89.
- Gibson, W.C., Miles, M.A. 1986. The karyotype and ploidy of *Trypanosoma cruzi*. *EMBO J.* 5, 1299-1305.
- Girgis-Takla, P., James, D.M. 1974. *In vitro* uptake of isometamidium and diminazene by *Trypanosoma brucei*. *Antimicrob. Agents Chemother.* 6, 372-374.
- Gitatha, S.K. 1979. *T. congolense* (Shimba Hills) resistant to various trypanocidal drugs. In: Proceedings of the 16th meeting of International Scientific Research Council for trypanosomiasis Research and Control ISCTRC. Yaounde, Cameroun. No. 111. pp. 257-263.
- Godfrey, D.G. 1982. Diversity within *Trypanosoma congolense*. In: (ed. Baker, J. R.). Perspectives in Trypanosomiasis Research. London; John Wiley. pp. 37-46.
- Gottesdiener, K., Garcíá-Anoveros, J., Lee, M. G.-S., Van der Ploeg, L.H.T. 1990. Chromosome organization of the protozoan *Trypanosoma brucei*. *Mol. Cell. Biol.* 10, 6079-6083.
- Goodwin, L.G. 1970. The pathology of African trypanosomiasis. *Trans. R. Soc. Trop. Med. Hyg.* 64, 797-817.
- Graber M. 1968. Note on the resistance to berenil of a Chad strain of *Trypanosoma vivax*. *Rev. Elev. Med. Vet. Pays.* 21, 463-466.
- Gray, A.R., Roberts, C.J. 1971. The cyclical transmission of strains of *Trypanosoma congolense* and *T. vivax* resistant to normal therapeutic doses of trypanocidal drugs. *Parasitology* 63, 67-89

- Gutteridge, W.E. 1985. Existing chemotherapy and its limitations. Br. Med. Bull. 41, 162-168.
- Hajduk, S., Adler, B., Bertrand, K., Fearon, K., Hager, K., Hancock, K., Harris, M., Le Blanc, A., Moore, R., Pollard, V., Priest, J., Wood, Z. 1992: Molecular biology of African trypanosomes: Development of new strategies to combat an old disease. Am. J. Med. Sci. 303, 258-270.
- Hassan, H.F., Coombs, G.H. 1988. Purine and pyrimidine metabolism in parasitic protozoa. FEMS Microbiol. Rev. 4, 47-83. Review.
- Hawking, F. 1963. Drug-resistance of *Trypanosoma congolense* and other trypanosomes to Quinapyramine, Phenanthridines, Berenil and other compounds in mice. Ann. Trop. Med. Parasitol. 57, 262-282.
- Hawking, F. 1976a. The resistance to human plasma of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*. I. Analysis of composition of trypanosome strains. Trans. R. Soc. Trop. Med. Hyg. 70, 504-512.
- Hawking, F. 1976b. The resistance to human plasma of *Trypanosoma brucei*, *T. rhodesiense* and *T. gambiense*. II. Survey of strains from East Africa and Nigeria. Trans. R. Soc. Trop. Med. Hyg. 70, 513-520.
- Hayes, J.D., Wolf, C.R. 1990. Molecular mechanisms of drug resistance. Biochem. J. 272, 281-295.
- Hide, G., Tait, A. 1991. The molecular epidemiology of parasites. Experientia 47, 128-142.
- Hide, G., Tilley, A., Welburn, S.C., Maudlin, I., Tait, A. 2000. *Trypanosoma brucei*: Identification of trypanosomes with genotypic similarity to human infective isolates in tsetse isolated from a region free of human sleeping sickness. Exp. Parasitol. 96, 67-74.
- Hoare, C. 1972. The Salivaria. In: The trypanosomes of mammals. A zoological monograph. Blackwell Scientific Publications. Oxford and Edinburgh. pp. 401-609.
- Holmes, P.H., Eisler, M.C., Geerts, S. 2004. Current Chemotherapy of Animal Trypanosomiasis. In: Ian Maudlin, Peter H. Holmes and Michael A. Miles (eds.). The Trypanosomiasis. CABI International. Wallingford, UK. pp. 431-444.
- Holmes, P.H., Scott, J.M. 1982. Chemotherapy against animal trypanosomiasis. In: Baker, J.R. (Eds.), Perspectives in Trypanosomiasis Research. Research studies Press, New York, pp. 59-69.
- Hu, S., Weisz, K., James, T.L., Shafer, R.H. 1992. ^1H -NMR studies on d(GCTTAAGC)₂ and its complex with berenil. Eur. J. Biochem. 204, 31-38.

- Ilemobade, A.A. 1979. Drug sensitivity of mouse infective *Trypanosoma vivax* isolates in cattle and sheep. In: Proceedings of the 16th meeting of International Scientific Research Council for Trypanosomiasis Research and Control ISCTRC. Yaounde, Cameroun. No. 111. pp. 251-253.
- ILRAD. 1990. Chemotherapy of trypanosomiasis. International Laboratory for Research on Animal Diseases Reports. Nairobi, pp. 8-17.
- ILRAD. 1994. Trypanosomiasis. International Laboratory for Research on Animal Diseases Reports, Nairobi, pp. 21-29.
- ILRI. 1996. Working draft for the International LivestockResearch Institute (ILRI). Medium term strategy: 1998-2002.
- ILRI. 2002. Improving the management of trypanocide resistance in the cotton zone of West Africa: a coordinated regional study. 2002 annual report, Submitted February 28th 2003, to the BMZ/GTZ.
- Iten, M., Matovu, E., Brun, R., Kaminsky, R. 1995. Innate lack of susceptibility of Ugandan *Trypanosoma brucei rhodesiense* to DL-alpha-difluoromethylornithine (DFMO). *Trop. Med. Parasitol.* 46, 190-194.
- Jasmer, D.P., Feagin, J.E., Payne, M., Stuart, K. 1987. Variation of G-rich mitochondrial transcripts among stocks of *Trypanosoma brucei*. *Mol. Biochem. Parasitol.* 22, 259-272.
- Jensch, H. 1955. 4,4'-Diamidino-diazoaminobenzol, ein neues Mittel gegen Trypanosomen- und Babesien-Infectionen. *Arzneimittelforschung* 5, 634-635.
- Jensch, H. 1958. Über neue Typen von Guanylverbindungen. *Med. u. Chem.* 6, 134-169.
- Jones-Davies, W.J. 1967. The protection of a small group of Nigerian trade cattle from trypanosomiasis using Samorin. *Bull. Epizoot. Dis. Afr.* 15, 323-325.
- Jones-Davies, W.J. 1968. Diminazine aceturate and homidium chloride. Resistance in tsetse fly-transmitted trypanosomes of cattle in Northern Nigeria. *Vet. Rec.* 83, 433-437.
- Jones-Davies, W.J., Folker, C. 1966. The prevalence of homidium-resistant strains of trypanosomes in cattle in northern Nigeria. *Bull. Epizoot. Dis. Afr.* 14, 65-72.
- Joshua, R.A. 1988. Drug resistance in recent isolates of *Trypanosoma brucei* and *Trypanosoma congolense*. *Rev. Elev. Med. Vet. Pays. Trop.* 41, 359-364.
- Kalu, A.U. 1995. Sensitivity of animal-derived Trypanozoon stocks from sleeping sickness endemic foci of Nigeria to trypanocides and human plasma. *Rev. Élev. Méd. Vét. Pays Trop.* 48, 139-144.
- Kaminsky, R., Zweygarth, E. 1989a. Effect of in vitro cultivation on the stability of resistance of *Trypanosoma brucei brucei* to diminazene, isometamidium, quinapyramine, and Mel. *B. J. Parasitol.* 75, 42-45.

- Kaminisky, R., Chuma, F., Zweygarth, E. 1989. *Trypanosoma brucei brucei*: expression of drug resistance in vitro. *Exp. Parasitol.* 69, 281-289.
- Kaminisky, R., Zweygarth, E. 1991. The effect of verapamil alone and in combination with trypanocides on multidrug-resistant *Trypanosoma brucei brucei*. *Acta Trop.* 49, 215-225.
- Karanja, W.M., Mdachi, R.E., Murilla, G.A. 2002. A competitive enzyme-linked immunosorbent assay for diminazene. *Acta Trop.* 84, 75 – 81.
- Kimmel, B.E., ole-Moi Yoi, O.K., Young, J.R. 1987. *Ingi*, a 5.2 kb dispersed sequence element from *Trypanosoma brucei* that carries half of a smaller mobile element at either end and has homology with mammalian lines. *Mol. Cell. Biol.* 7, 1465-1475.
- Kinabo, L.D., Bogan, J.A. 1988. The pharmacology of isometamidium. *J. Vet. Pharmacol. Ther.* 11, 233-245. Review.
- Kirkby, W.W. 1964. Prophylaxis and therapy under continuous exposure to the risk of natural infection with trypanosomiasis by tsetse flies. *Bull. Epizoot. Dis. Afr.* 12, 321- 329.
- Konde, V. 1997. Molecular genetic aspects of isometamidium resistance in *Trypanosoma (Nannomonas) congolense*. PhD Thesis. Brunel University. pp.193.
- Konde, V., Majiwa, P.A.O. 2000. Alterations in gene transcription patterns associated with the development of isometamidium resistance in *Trypanosoma congolense*. Proceedings of the workshop on drug delivery and resistance in the context of integrated disease management, 31 May – 4 June 1999, Nairobi, Kenya. In: Newsletter on Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV), No.2, pp. 15-16.
- Kone, P. 1999. Comparaison des tests *in vivo*. test sur souris et test sur bovines pour la détection de la résistance vis-à-vis de l'isometamidium chez *T. congolense*. MSc thesis, No. 48. Institute of Tropical Medicine, Antwerp. p.46.
- Knipling, E.F. 1959. Sterile-male method of population control. *Science*. 130, 902-904.
- Knoppe, T.N. 2002. Untersuchungen zur Medikamentenempfindlichkeit von *Trypanosoma congolense* (BRODEN, 1904) Stämmen aus Rindern in Burkina Faso, Westafrika. Veterinärmedizin-Dissertation. Freie Universität Berlin. Journal No. 2595.
- Knowles, G., Betschart, B., Kukla, B.A., Scott, J.R., Majiwa, P.A.O. 1988. Genetically discrete populations of *Trypanosoma congolense* from livestock on the Kenya Coast. *Parasitology* 96, 461-474.
- Lambert, M.R. 1993. Effects of DDT ground-spraying against tsetse flies on lizards in NW Zimbabwe. *Environ. Pollut.* 82, 231-237.
- Lane, A.N., Jenkins, T.C., Brown, T., Neidle, S. 1991. Interaction of Berenil with the *EcoRI* dodecamer d (CGCGAATTCGCG)₂ in solution studied by NMR. *Biochemistry*. 30, 1372-1385.

- Lanham, S.M., Godfrey, D.G. 1970. Isolation of salivarian trypanosomes from man and other mammals using DEAE-cellulose. *Exp. Parasitol.* 28, 521-534.
- Lantz, C., Van Dyke, K. 1972. *Plasmodium perghei*: Inhibited incorporation of AMP-8-³H into nucleic acids of erythrocyte free malarial parasites by acridines, phenanthridines, and 8-aminoquinolines. *Exp. Parasitol.* 31, 255-261.
- Leach, T.M. 1961. Observations on the treatment of *Trypanosoma evansi* infection in camels. *J. Comp. Pathol.* 71, 109-117.
- Leach, T.M., Karib, A.A., Ford, E.J., Wilmshurst, E.C. 1955. Studies on ethidium bromide. VI. The prophylactic properties of the drug. *J. Comp. Pathol.* 65, 130-142.
- Leach, T.M., Roberts, C.J., 1981. Present status of chemotherapy and chemoprophylaxis of animal trypanosomiasis in the Eastern hemisphere. *Pharmacol. Ther.* 13, 91-147.
- Leak, S.G.A. 1996. A contribution to the epidemiology and understanding of tsetse-transmitted trypanosomiasis. PhD Thesis. Universiteit Utrecht, The Netherlands.
- Lewis, A.R., Thomson, J.W. 1974. Observations on an isometamidium resistant strain of *Trypanosoma congolense* in Rhodesia. *Rhodesian Vet. J.* 4, 62-67.
- Liang, P., Pardee, AB. 1992. Differential display of eukaryots messenger RNA by means of the polymerase chain reaction. *Science* 257, 967-971.
- Linear, M. 1985. The tsetse war. *The Ecologist* 15, 27 – 35.
- Lisitsyn, N.A., Segre, J.A., Kusumi, K., Lisitsyn, N.M., Nadeau, J.H., Frankel, W.N., Wigler, M.H., Lander, E.S. 1994. Direct isolation of polymorphic markers linked to a trait by genetically directed representational difference analysis. *Nat. Genet.* 6, 57-63.
- Losos, G.J., Crockett, E. 1969. Toxicity of Berenil in the dog. *Vet. Rec.* 85, 196.
- Lumsden W.H.R., Herbert, W.J., McNeillage, G.J.C. 1973. Techniques with Trypanosomes. Longman Group Ltd. Great Britain. pp. 183.
- Lumsden, W.H.R., Kimber, C.D., Evans, D.A., Doig, S.J. 1979. *Trypanosoma brucei*: Miniature-Anion Exchange Centrifugation Technique for detection of low parasitaemias: Adaptation for field use. *Trans. R. Soc. Trop. Med. Hyg.* 73, 312-317.
- Macadam, R.F., Williamson, J. 1972. Drug effects on the fine structure of *Trypanosoma rhodesiense*: diamidines. *Trans. R. Soc. Trop. Med. Hyg.* 66, 897-904.
- MacLennan J.K., Jones-Davies, W.J. 1967. The occurrence of a berenil-resistant *Trypanosoma congolense* strain in Northern Nigeria. *Vet. Rec.* 80, 389-390
- MacLeod, A., Turner, C.M.R., Tait, A. 1997. Detection of single copy gene sequences from single trypanosomes. *Mol. Biochem. Parasitol.* 84, 267-270.

- MacLeod, A., Tweedie, A., Welburn, S.C., Maudlin, I., Turner, C.M.R., Tait, A. 2000. Minisatellite marker analysis of *Trypanosoma brucei*: reconciliation of clonal, panmictic, and epidemic population genetic structures. Proc. Natl. Acad. Sci. U S A. 97, 13442-13447.
- Majiwa, P.A.O., Hamers, R., Van Meirvenne, N., Matthysseens, G. 1986. Evidence for genetic diversity in *Trypanosoma (Nannomonas) congolense*. Parasitology 93, 291-304.
- Majiwa, P.A.O., Konde, V., de Sauza, M., Peregrine, A., Maina, M. 2000. Molecular approaches to the identification of DNA markers for drug resistance in *Trypanosoma congolense*. Proceedings of the workshop on drug delivery and resistance in the context of integrated disease management, 31 May–4 June 1999, Nairobi, Kenya. In: Newsletter on Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV), No.2, pp. 14 – 15.
- Majiwa, P.A.O., Maina, M., Waitumbi, J.N., Mihok, S., Zweygarth, E. 1993. *Trypanosoma (Nannomonas) congolense*: molecular characterization of a new genotype from Tsavo, Kenya. Parasitology 106, 151-162.
- Majiwa, P.A.O., Masake, R.A., Nantulya, V.M., Hamers, R., Matthysseens, G. 1985. *Trypanosoma (Nannomonas) congolense*: Identification of two karyotypic groups. EMBO J. 4, 3307-3313.
- Marcus, S.L., Kopelman, R., Koll, B., Bacchi, C.J. 1982. Effects of exogenous polyamine and trypanocides on the DNA polymerase activities from *Trypanosoma brucei brucei*, mouse thymus and murine Leukemia Virus. Mol. Biochem. Parasitol. 5, 231-243.
- Masake, R.A., Majiwa, P.A.O., Moloo, S.K., Makau, J.M., Njuguna, J.T., Maina, M., Kabata, J., Ole Loi Yoi, O.K., Nantulya, V.M. 1997. Sensitive and specific detection of *Trypanosoma vivax* using the polymerase chain reaction. Exp. Parasitol. 85, 193-205.
- Mäser, P., Sütterlin, C., Kralli, A., Kaminsky, R. 1999. A nucleoside transporter from *Trypanosoma brucei* involved in drug resistance. Science 285(5425), 242-244.
- Masiga, D.K., Gibson, W.C. 1990. Specific probes for *Trypanosoma (Trypanozoon) evansi* based on kinetoplast DNA minicircles. Mol. Biochem. Parasitol. 40, 279-284.
- Masiga, D.K., Smyth, A.J., Hayes, P., Bromidge, T.J., Gibson, W.C. 1992. Sensitive detection of trypanosomes in tsetse flies by DNA amplification. Int. J. Parasitol. 22, 909-918.
- Matovu, E., Iten, M., Enyaru, J.C., Schmid, C., Lubega, G.W., Brun, R., Kaminsky, R. 1997. Susceptibility of Ugandan *Trypanosoma brucei rhodesiense* isolated from man and animal reservoirs to diminazene, isometamidium and melarsoprol. Trop. Med. Int. Health. 2, 13-18.
- Matovu, E., Geiser, F., Schneider, V., Mäser, P., Enyaru, J. C. K., Kaminsky, R., Gallati, S., Sebeck, T. 2001a. Genetic variants of the *TbAT1* adenosine transporter from African trypanosomes in relapse infections following melarsoprol therapy. Mol. Biochem. Parasitol. 117, 73-81.

- Matovu, E., Seebeck, T., Enyaru, J. C., Kaminsky, R. 2001b. Drug resistance in *Trypanosoma brucei* spp., the causative agents of sleeping sickness in man and nagana in cattle. *Microbes Infect.* 3, 763-770.
- Matovu, E., Stewart, M. L., Geiser, F., Brun, R., Mäser, P., Wallace, L. J. M., Burchmore, R. J., Enyaru, J. C. K., Barrett, M. P., Kaminsky, R., Seebeck, T., de Koning, H. P. 2003. Mechanisms of arsenical and Diamidine uptake and resistance in *Trypanosoma brucei*. *Eukaryot. Cell* 2, 1003-1008.
- Mbwambo, H.A., Mella, P.N., Lekaki, K.A. 1988. Berenil (diminazene aceturate)-resistant *Trypanosoma congolense* in cattle under natural tsetse challenge at Kibaha, Tanzania. *Acta Trop.* 45, 239-244.
- McDermott, J., Sidibè, I., Bauer, B., Diarra, B., Clausen, P.-H., Woitag, T., Ouedraogo, D., Kamuanga, M., Peregrine, A.S., Eisler, M.C., Mehlitz, D. 2000. Field studies on the development and impact of drug resistant animal trypanosomes in market-oriented production systems in the southern Guinean Zone of West Africa. Proceedings of the workshop on drug delivery and resistance in the context of integrated disease management, 31 May–4 June 1999, Nairobi, Kenya. In: Newsletter on Integrated Control of Pathogenic Trypanosomes and their Vectors (ICPTV), No.2, pp. 18-21.
- McDermott, J., Woitag, T., Sidibè, I., Bauer, B., Diarra, B., Ouèdraogo, D., Kamuanga, M., Peregrine, A., Eisler, M., Zessin, K.-H., Mehlitz, D., Clausen, P.-H. 2003. Field studies of drug-resistant cattle trypanosomes in Kénédougou province, Burkina Faso. *Acta Trop.* 86, 93-103.
- McNamara, J.J., Bailey, J.W., Smith, D.H., Wakhooli, S., Godfrey, D.G. 1995. Isolation of *Trypanosoma brucei gambiense* from northern Uganda : evaluation of the kit for *in vitro* isolation (KIVI) in an epidemic focus. *Trans. R. Soc. Trop. Med. Hyg.* 89, 388-389.
- McNeillage, G.J., Herbert, W.J. 1968. Infectivity and virulence of *Trypanosoma (trypanozoon) brucei* for mice. II. Comparison of closely related trypanosome antigenic types. *J. Comp. Pathol.* 78, 345-349.
- Mehlitz, D., Zillmann, U., Scott, C.M., Godfrey, D.G. 1982. Epidemiological studies on the animal reservoir of Gambiense sleeping sickness. Part III. Characterisation of Trypanozoon stocks by isoenzymes and sensitivity to human serum. *Tropenmed. Parasitol.* 33, 113-118.
- Miller, E.N., Turner, M.J. 1981. Analysis of antigenic types appearing in first relapse populations of clones of *Trypanosoma brucei*. *Parasitology* 82, 63-80.
- MINITABTM statistical software. 2000. MINITAB Release 13-20. Minitab. Inc.
- Mohamed-Ahmed, M.M., Rahman, A.H., Abdel Karim, E.I. 1992. Multiple drug-resistant bovine trypanosomes in South Darfur Province, Sudan. *Trop. Anim. Health Prod.* 24, 179-181.

- Moloo, S.K., Chema, S., Connor, R., Durkin, J., Kimotho, P., Maehl. Mukendi, F., Murray, M., Rarieya, M. and Trail, J. 1987. Efficacy of chemoprophylaxis for East African Zebu cattle exposed to trypanosomiasis in village herds in Kenya. In: Proc. 19th Meeting of the International Scientific Council for Trypanosomiasis Research and Control. Lome, Togo, 1987, O.A.U./S.T.R.C., Nairobi, Publ. No. 114, pp. 282-287.
- Moloo, S.K., Kutuza, S.B. 1990. Expression of resistance to isometamidium and diminazene in *Trypanosoma congolense* in Boran cattle infected by *Glossina morsitans centralis*. Acta Trop. 47, 79-89.
- Molyneux, D.H., Ashford, R.W. 1983. African Animal Trypanosomiasis. In : The Biology of *Trypanosoma* and *Leishmania*, Parasites of Man and Domestic Animals. Taylor and Francis Ltd., London. pp. 129 – 151.
- Morel, C., Chiari, E., Camargo, E.P., Mattei, D.M., Romanha, A.J., Simpson, L. 1980. Strains and clones of *Trypanosoma cruzi* can be characterized by patterns of restriction endonuclease products of kinetoplast DNA minicircles. Proc. Natl. Acad. Sci. USA 77, 6810-6814.
- Morel, C., Simpson, L. 1980. Characterization of pathogenic *Trypanosomatidae* by restriction endonuclease fingerprinting of kinetoplast DNA minicircles. Am. J. trop. Med. Hyg. 29, 1070-1074.
- Morlais, I., Ravel, S., Grebaut, P., Dumas, V., Cuny, G. 2001. New molecular marker for *Trypanosoma (Duttonella) vivax* identification. Acta Trop. 80, 207-213.
- Morrison, W.I., Roelants, G.E., Mayor-Withey, K.S., Murray, M. 1978. Susceptibility of inbred strains of mice to *Trypanosoma congolense*: correlation with changes in spleen lymphocyte populations. Clin. Exp. Immunol. 32, 25-40.
- Moser D.R., Cook, G.A., Ochs, D.E., Bailey, C.P., McKane, M.R., Donelson, J.E. 1989a. Detection of *Trypanosoma congolense* and *Trypanosoma brucei* subspecies by DNA amplification using the polymerase chain reaction. Parasitology 99, 57-66.
- Moser, D.R., Kirchhoff, L.V., Donelson, J.E. 1989b. Detection of *Trypanosoma cruzi* by DNA amplification using the polymerase chain reaction. J. Clin. Microbiol. 27, 1477-1482.
- Moulton, J.E., Sollod, A.E. 1976. Clinical, serologic and pathologic changes in calves with experimentally induced *Typanosoma brucei* infection. Am. J. Vet. Res. 37, 791-802.
- Mullis, K., Falloona. F., Scharf, S., Saiki, R., Horn, G., Erlich, H. 1986. Specific enzymatic amplification of DNA *in vitro*: the polymerase chain reaction. Cold Spring Harb. Symp. Quant. Biol. 51 Pt 1, 263-273.
- Mulligan, H.W. 1970. The African Trypanosomiasis. George Allen and Unwin Ltd. London, Great Britain.

- Mulugeta, W., Wilkes, J., Mulatu, W., Majiwa, P.A., Masake, R., Peregrine, A.S. 1997. Long-term occurrence of *Trypanosoma congolense* resistant to diminazene, isometamidium and homidium in cattle at Ghibe, Ethiopia. *Acta Trop.* 64, 205-217.
- Murphy, N.B., Pelle, R. 1994. The use of arbitrary primers and the RADES method for the rapid identification of developmentally regulated genes in trypanosomes. *Gene* 141, 53-61.
- Murray, M., Barry, J.D., Morrisson, W.I., Williams, R.O., Hirumi, H., Rovis, L. 1979. A review of the prospects for vaccination in African trypanosomiasis. *World Animal Review* 32, 913.
- Murray, M., Murray, P.K., McIntyre, W.I.M. 1977. An improved parasitological technique for the diagnosis of African trypanosomiasis. *Trans. R. Soc. Trop. Med. Hyg.* 71, 325-326.
- Murray, M., Trail, J.C.M., Davis, C.E., Black, S.J. 1984. Genetic resistance to African trypanosomiasis. *J. Infect. Dis.* 149, 311-319. Review.
- Mutugi, M.W., Boid, R., Luckins, A.G. 1994. Experimental induction of suramin-resistance in cloned and uncloned stocks of *Trypanosoma evansi* using immunosuppressed and immunocompetent mice. *Trop. Med. Parasitol.* 45, 232-236.
- Mutugi, M.W., Boid, R., Luckins, A.G. 1995. Differences in cloning and sub-cloning success rates in four stocks of *Trypanosoma evansi* and variation in suramin resistance of the clones. *Vet. Parasitol.* 60, 213-220.
- Mwambo, H.A., Mella, P.N., Lekaki, K.A. 1988. Berenil (diminazene aceturate)-resistant *Trypanosoma congolense* in cattle under natural tsetse challenge at Kibaha, Tanzania. *Acta Trop.* 45, 239-244
- Mwambu, P.M., Mayende, J.S.P. 1971. Occurrence of berenil resistant strains of *T. vivax*. *Trans. R. Soc. Trop. Med. Hyg.* 65, 254 – 255.
- Myler, P. J. 1993. Molecular variation in trypanosomes. *Acta Trop.* 53, 205-225.
- Na'Isa, B.K. 1967. Follow-up of a survey on the prevalence of homidium-resistant strains of trypanosomes in cattle in Northern Nigeria and drug cross-resistance tests on the strains with Samorin and Berenil. *Bull. Epizoot. Dis. Afr.* 15, 231-241.
- Nantulya, V.M., Musoke, A.J., Rurangirwa, F.R., Moloo, S.K. 1984. Resistance of cattle to tsetse-transmitted challenge with *Trypanosoma brucei* or *Trypanosoma congolense* after spontaneous recovery from syringe-passaged infections. *Infect. Immun.* 43, 735-738.
- Ndoutamia, G., Moloo, S.K., Murphy, N.B., Peregrine, AS. 1993. Derivation and characterization of a Quinapyramine-resistant clone of *Trypanosoma congolense*. *Antimicrob. Agents and Chemother.* 37, 1163-1166.

- Neal, R.A., van Beuren, J., Mccoy, N.G., Iwobi, M. 1989. Reversal of drug resistance in *Trypanosoma cruzi* and *Leishmania donovani* by verapamil. Trans. R. Soc. Trop. Med. Hyg. 83, 197-198.
- Newton, B.A. 1964. Mechanisms of action of phenanthridines and aminoquinidine trypanocides. Adv. Chemother. 1, 35-83.
- Newton, B.A. 1972. Recent studies on the mechanism of action of Berenil (diminazene) and related compounds. In: Van den Bossche, H. (eds.). Comparative Biochemistry of Parasites. New York Academic Press. pp. 127-133.
- Newton, C.R., Graham, A. 1997. PCR. Introduction to biotechniques. In: D. Billington (eds.). Second edition. Bios Scientific publishers Ltd. Oxford, UK.
- Nicholas, K.B., Nicholas, H.B.Jr. 1997. GeneDoc: a tool for editing and annotating multiple sequence alignments. Multiple Sequence Alignment Editor and Shading Utility Version 2.6.002. Copyright[©] 2000.
- Nyeko, J.H.P., Ole-Moiyoi, O.K., Majiwa, P.A.O., Otieno, L.H., and Ociba, P.M. 1990. Characterization of trypanosome isolates from cattle in Uganda using species-specific DNA probes reveals predominance of mixed infections. Insect Sci. Applic. 11, 271-280.
- Opperdoes, F.R. 1985. Biochemical peculiarities of trypanosomes, African and South American. Br. Med. Bull. 41, 130-136.
- Osman, A.S., Jennings, F.W., Holmes, P.H. 1992. The rapid development of drug resistance by *Trypanosoma evansi* in immunosuppressed mice. Acta Trop. 50, 249-257.
- Paindavoine, P., Zampetti-Bosseler, F., Coquelet, H., Pays, E., Steinert, M. 1989. Different allele frequencies in *Trypanosoma brucei brucei* and *Trypanosoma gambiense* populations. Mol. Biochem. Parasitol. 32, 61-71.
- Paris, J., Murray, M., McOdimba, F. 1982. A comparative evaluation of the parasitological techniques currently available for the diagnosis of African trypanosomiasis in cattle. Acta Trop. 39, 307-316.
- Peregrine, A.S., 1994. Chemotherapy and delivery systems: Haemoparasites. Vet. Parasitol. 54, 223-248. Review.
- Peregrine, A.S., Gray, M.A., Moloo, S.K. 1997. Cross-resistance associated with development of resistance to isometamidium in a clone of *Trypanosoma congolense*. Antimicrob. Agents Chemother. 41, 1604-1606.
- Peregrine, A.S., Knowles, G., Ibitayo, A.I., Scott, J.R., Moloo, S.K., Murphy, N.B. 1991. Variation in resistance to isometamidium chloride and diminazene aceturate by clones derived from a stock of *Trypanosoma congolense*. Parasitology 102, 93-100.
- Peregrine, A.S., Mamman, M. 1993. Pharmacology of diminazene: a review. Acta Trop. 54, 185-203.

- Peregrine, A.S., Moloo, S.K., Whitelaw, D.D. 1991. Differences in sensitivity of Kenyan *Trypanosoma vivax* populations to the prophylactic and therapeutic actions of isometamidium chloride in Boran cattle. *Trop. Anim. Health Prod.* 23, 29-38.
- Peregrine, A.S., Ogunyemi, O., Whitelaw, D.D., Holmes, P.H., Moloo, S.K., Hirumi, H., Urquhart, G.M. and Murray, M. 1988. Factors influencing the duration of isometamidium chloride (Samorin) prophylaxis against experimental challenge with metacyclic forms of *Trypanosoma congolense*. *Vet. Parasitol.* 28, 53-64.
- Pettersson, U., Hyppia, T. 1985. Nucleic acid hybridisation: an alternative tool in diagnostic microbiology. *Immunology Today* 6, 268-272.
- Pinder, M., Authie E., 1984. The appearance of isometamidium resistant *Trypanosoma congolense* in West Africa. *Acta Trop.* 41, 247-252.
- Pospichal, H., Brun, R., Kaminsky, R., Jenni, L. 1994. Induction of resistance to melarsenoxide cysteamine (Mel Cy) in *Trypanosoma brucei brucei*. *Acta Trop.* 58, 187-197.
- Pötzsch, C.J. 1999. Krankheits- und Produktionsfaktoren in periurbanen Milchrinderherden Ugandas. Veterinärmedizin-Dissertation. Freie Universität Berlin. Journal No. 2300.
- Radwanska, M., Chamekh, M., Vanhamme, L., Claes, F., Magez, S., Magnus, E., de Baetselier, P., Buscher, P., Pays, E. 2002. The serum resistance-associated gene as a diagnostic tool for the detection of *Trypanosoma brucei rhodesiense*. *Am. J. Trop. Med. Hyg.* 67, 684-690.
- Richardson, J.P. 1973. Mechanism of ethidium bromide inhibition of RNA polymerase. *J. Mol. Biol.* 78, 703-714.
- Rompf, R., Kahl, G., 1997. mRNA differential display in agarose gels. *Biotechniques* 23, 28.
- Ross, C.A., Barns A.M. 1996. Alteration to one of three adenosine transporters is associated with resistance to Cymelarsan in *Trypanosoma evansi*. *Parasitol. Res.* 82, 183-188.
- Ross, C.A., Sutherland, D.V. 1997. Trypanosomiasis and Leishmaniasis: Biology and Control. In: G.Hide, J.C. Mottram, G.H. Coombs and P.H. Holmes (Eds). pp. 259-269. CABI and BSP Publishing.
- Röttcher, D., Schillinger, D. 1985. Multiple drug resistance in *Trypanosoma vivax* in the Tana River District of Kenya. *Vet. Rec.* 117, 557-558.
- Rowlands, G.J., Mulatu, W., Authie, E., D'Ieteren, G.D.M., Leak, S.G.A., Nagda, S.M., Peregrine, A.S., 1993. Epidemiology of bovine trypanosomiasis in the Ghibe valley, southwest Ethiopia. 2. Factors associated with variations in trypanosome prevalence, incidence of new infections and prevalence of recurrent infections. *Acta Trop.* 53, 135-150.
- Rozen, S., Skaletsky, H.J. 2000. Primer3 on the WWW for general users and for biologist programmers. *Methods Mol. Biol.* 132, 365-386.

- Rushigajiki, P.K.B., Mayende, J.S.B., Guloba, A., Wilson, A.J. 1986. Maintenance of a herd of breeding cattle in an area of trypanosome challenge. Bull. Anim. Health. Prod. Afr. 34, 149-155.
- Saiki, R.K., Bugawan, T.L., Horn, G.T., Mullis, K.B., Erlich, H.A. 1986. Analysis of enzymatically amplified beta-globin and HLA-DQ alpha DNA with allele-specific oligonucleotide probes. Nature. 324, 163-166.
- Sanchez M.A., Ullman, B., Landfear, S.M., Carter, N.S. 1999. Cloning and functional expression of a gene encoding a P1 type Nucleoside Transporter from *Trypanosoma brucei*. J. Biol. Chem. 274, 30244-30249.
- Sanger, F., Nicklen, A.R., Coulson, A.R. 1977. DNA sequencing with chain terminating inhibitors. Proceedings of the National Academy of Sciences U.S.A. 74, 5463-5467.
- Scheer, A. 2001. *In vitro*-Untersuchungen zur Medikamenten-Empfindlichkeit (Isometamidiumchloride) von Trypanosomen (*Trypanosoma brucei*) aus Milchviehherden Ugandas. Veterinärmedizin-Dissertation. Freie Universität Berlin. Journal No. 2506, pp. 132.
- Schönefeld, A., Röttcher, D., Moloo, S.K. 1987. The sensitivity to trypanocidal drugs of *Trypanosoma vivax* isolated in Kenya and Somalia. Trop. Med. Parasitol. 38, 177-180.
- Schwartz, D. C., Cantor, C. R. 1984. Separation of yeast chromosome-sized DNAs by pulsed field gradient electrophoresis. Cell 37, 67-75.
- Scott, J.M., Pegram, R.G. 1974. A high incidence of *Trypanosoma congolense* strains resistant to homidium bromide in Ethiopia. Trop. Anim. Health Prod. 6., 215-221.
- Shahi, S. K., Krauth-Siegel R. L., Clayton, C. E. 2002. Overexpression of the putative thiol conjugate transporter TbMRPA causes melarsoprol resistance in *Trypanosoma brucei*. Mol. Microbiol. 43, 1129-1138.
- Shapiro, TA., Englund, P. 1990. Selective cleavage of kinetoplast DNA minicircles promoted by antitrypanosomal drugs. Proc. Natl. Acad. Sci. U.S.A. 87, 950-954.
- Silvestre, A., Humbert, J. F. 2000. A molecular tool for species identification and benzimidazole resistance diagnosis in larval communities of small ruminant parasites. Exp. Parasitol. 95, 271-276.
- Sinyangwe L, Delespaux V, Brandt J, Geerts S, Mubanga J, Machila N, Holmes PH, Eisler MC. 2004. Trypanocidal drug resistance in eastern province of Zambia. Vet Parasitol. 119, 125-35.
- Sones, K.R., Njogu, A.R., Holmes, P.H. 1988. Assessment of sensitivity of *Trypanosoma congolense* to isometamidium chloride: a comparison of tests using cattle and mice. Acta Trop. 45, 153-164.
- Sones, K.R., Holmes, P.H., Urquhart, G.M. 1989. Interference between drug-resistant and drug-sensitive stocks of *Trypanosoma congolense* in goats. Res. Vet. Sci. 47, 75-77.

- Stuart, K. 1983. Kinetoplast DNA, mitochondrial DNA with a difference. Mol. Biochem. Parasitol. 9, 93-104.
- Stuart, K., Corell, R., Göringer, U., Koslowsky, D., Myler, P., Read, L., Riley, G., Shu, H.H., Souza, A. 1992. RNA editing in *Trypanosome brucei*: gRNA diversity and redundancy. In: Sturm, A. and Kück, U. (eds.): Plant Mitochondria. Berlin: VCH Verlagsgesellschaft/VCH. pp. 356-361.
- Sutherland I.A., Mounsey, A., Eisler, M., Holmes, P.H. 1992. Kinetic modelling of isometamidium chloride (Samorin) uptake by *Trypanosoma congolense*. Parasitology 105, 91-95.
- Sutherland I.A., Mounsey, A., Holmes, P.H. 1992a. Transport of isometamidium (Samorin) by drug-resistant and drug-sensitive *Trypanosoma congolense*. Parasitology 104, 461-467.
- Sutherland I.A., Peregrine, A.S., Lonsdale-Eccles, J.D., Holmes, P.H. 1991. Reduced accumulation of isometamidium by drug-resistant *Trypanosoma congolense*. Parasitology 103, 245-251.
- Sutherland I.A., Holmes, P.H. 1993. Alterations in drug transport in resistant *Trypanosoma congolense*. Acta Trop. 54, 271-278.
- Taylor, K., Authie, E. M.-L. 2004. Pathogenesis of Animal Trypanosomiasis. In: Maudlin, I., Holmes, P. H. and Miles, M. A. (eds.). The Trypanosomiasis. CABI Publishing, Wallingford, Oxfordshire OX10 8DE, UK.
- Ten Asbroek, A.L.M.A., Ouellette, M., Borst, P. 1990. Targeted insertion of the neomycin phosphotransferase gene into the tubulin gene cluster of *Trypanosoma brucei*. Nature 348, 174-175.
- Tewelde, N., Abebe, G., Eisler, M., McDermott, J., Greiner, M., Afework, Y., Kyule M., Münstermann, S., Zessin, K.-H., Clausen, P.-H. 2004. Application of field methods to assess isometamidium resistance of trypanosomes in cattle in western Ethiopia. Acta Trop. 90, 163-170.
- Trail, J.C.M., Murray, M., Sones, K., Jibbo, J.M.C., Durkin, J., Light, D. 1985. Boran cattle maintained by chemoprophylaxis under trypanosomiasis risk. J. Agric. Sci. 105, 147-166.
- Uilenberg, G. 1998. A field guide for the diagnosis, treatment and prevention of African animal trypanosomosis. Food and Agriculture Organisation of the United Nations, Rome. Adapted from the original edition by W:P: Boyt. pp. 175.
- Unsworth, K. 1954. Observations on antrycide, fast strains of *Trypanosoma congolense* and *T. vivax*. Ann. Trop. Med. Parasitol. 48, 178-182.
- Urquhart, G.M., Armour, J., Duncan, J.L., Dunn, A.M., Jennings, F.W. 1987. Veterinary Parasitology. Longman Scientific and Technical, Longman Group UK limited. pp. 203 - 212.

- Vale, G.A., Lovemore, D.F., Flint, S., Cockbill, G.F. 1988a. Odour-baited targets to control tsetse flies, *Glossina spp.* (Diptera: Glossinidae), in Zimbabwe. Bull. Entomol. Res. 78, 31-49.
- Vale G.A., Hall, D.R., Gough, A.J.E. 1988b. The olfactory responses of tsetse flies, *Glossina spp.* (Diptera: Glossinidae), to phenols and urine in the field. Bull. Entomol. Res. 78, 293-300.
- Van der Ploeg, L. H. T., Cornelissen, A. W. C. A., Michels, P. A. M., Borst, P. 1984a. Chromosome rearrangements in *Trypanosoma brucei*. Cell 39, 213-221.
- Van der Ploeg, L. H. T., Schwartz, D.C., Cantor, C. R., Borst, P. 1984b. Antigenic variation in *Trypanosoma brucei* analysed by electrophoretic separation of chromosome sized DNA molecules. Cell 37, 77-84.
- Van der Ploeg, L.H., Valerio, D., De Lange, T., Bernards, A., Borst, P., Grosveld, F.G. 1982. An analysis of cosmid clones of nuclear DNA from *Trypanosoma brucei* shows that the genes for variant surface glycoproteins are clustered in the genome. Nucleic Acids Res. 10, 5905-5923.
- Viscindi, R.P. and Yolken, R.H. 1987. Molecular diagnosis of infectious diseases by nucleic acid hybridisation. Molecular and Cellular Probes 1, 3-14.
- von Samson-Himmelstjerna G., Harder, A., Pape, M., Schneider, T. 2001. Novel small strongyle (Cyathostominae) beta-tubulin sequences. Parasitol. Res. 87, 122-125.
- von Samson-Himmelstjerna G., Harder, A., Schneider, T. 2002. Quantitative analysis of ITS2 sequences in trichostrongyle parasites. Int. J. Parasitol. 32, 1529-1535.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., Kuiper, M., Zebeau, M. 1995. AFLP: a new technique for DNA fingerprinting. Nucleic Acids Res. 23, 4407-4414.
- Wagner, T.E. 1971. Physical studies on the interaction of lysergic acid diethylamide and trypanocidal dyes with DNA and DNA-containing genetic material. Progr. Mol. Subcell. Biol. 2, 152-162.
- Watkins, T.I., Woolfe, G. 1952. Effect of changing the quaternizing group on the trypanocidal activity of dimidium bromide. Nature 169, 506-507.
- Wellde, B.T., Reardon, M.J., Chumo, D.A., Kovatch, R.M., Waema, D., Wykoff, D.E., Mwangi, J., Boyce, W.L., Williams, J.S. 1989. Cerebral trypanosomiasis in naturally-infected cattle in the Lambwe valley, south Nyanza, Kenya. Ann. Trop. Med. Parasitol. 83, 151-160.

- Whitelaw, D.D., Bell, I.R., Holmes, P.H., Moloo, S.K., Hirumi, H., Urquhart, G.M., Murray, 1986. Isometamidium chloride prophylaxis against *Trypanosoma congolense* challenge and the development of immune response in Boran cattle. *Vet. Rec.* 118, 722-726.
- Whitelaw, D.D., Gault, E.A., Holmes, P.H., Sutherland, I.A., Rowell, F.J., Phillips, A., Urquhart, G.M. 1991. Development of an enzyme-linked immunosorbent assay for the detection and measurement of the trypanocidal drug isometamidium chloride in cattle. *Res Vet Sci.* 50, 185-189.
- Whiteside, E.F. 1960. Recent work in Kenya on the control of drug-resistant cattle trypanosomiasis. In: Proceedings of the Eighth Meeting of the International scientific Council for Trypanosomiasis Research. CCTA publication No. 62, Jos, Nigeria, pp. 141-153.
- WHO, 1998. Control and surveillance of African trypanosomiasis. Report of a WHO expert committee. Technical report series 881. World Health Organization, Geneva. pp. 113.
- Wilkes, J.M., Mulugeta, W., Wells, C., Peregrine, A.S. 1997. Modulation of mitochondrial electrical potential: a candidate mechanism for drug resistance in African trypanosomes. *Biochem. J.* 326, 755-761.
- Williamson, J. 1970. Review of chemotherapeutic and chemoprophylactic agents. In: Mulligan, H.W., Potts, W.H. (eds.), *The African Trypanosomiases*. Allen and Unwin, Ltd., London, pp. 116-141.
- Williamson, J., Stephen, L.E. 1960. A test for drug-resistant trypanosomes in experimental tsetse-fly challenge of cattle. *Ann. Trop. Med. Parasitol.* 54, 366-370.
- Wilson, S.G. 1949. Drug-resistance shown by trypanosomes following Antrycide treatment. *Nature (London)* 163, 872 – 874.
- Woo, P.T.K. 1970. The Haematocrit Centrifugation Technique for the diagnosis of African trypanosomiasis. *Acta Trop.* 27, 384-386.
- Wragg, W.R., Washbourn, K., Brown, K.N., Hill, J. 1958. Metamidium: a new trypanocidal drug. *Nature* 182, 1005-1006.
- Young, C.J., Godfrey, D.G. 1983. Enzyme polymorphism and the distribution of *Trypanosoma congolense* isolates. *Ann. Trop. Med. Parasitol.* 77, 467-481.
- Zerba, E. 1988. Insecticidal activity of pyrethroids on insects of medical importance. *Parasitol. Today* 4, 3-7.
- Zhang, Z.Q., Giroud, C., Baltz, T. 1991. *In vivo* and *in vitro* sensitivity of *Trypanosoma evansi* and *T. equiperdum* to diminazene, suramin, Mel Cy, quinapyramine and isometamidium. *Acta Trop.* 50, 101-110.

Zweygarth, E., Kaminsky, R. 1991. Evaluation of D-alpha-difluoromethylornithin against susceptible and drug-resistant *Trypanosoma brucei brucei*. *Acta Trop.* 48, 223-232.

Zweygarth, E., Röttcher, D. 1989. Efficacy of experimental trypanocidal compounds against a multiple drug-resistant *Trypanosoma brucei brucei* stock in mice. *Parasitol. Res.* 75, 178-182.

* The journals were shortened after a list of journals indexed in Index Medicus 2002, National Library of Medicine, U.S. Department of Health and Human Services, Bethesda, Maryland, 2002.