

7 Literaturverzeichnis

- Alvinerie, M., J.-F. Sutra, C. Lanusse, P. Galtier (1998)
Plasma profile study of moxidectin in a cow and its suckling calf
Vet Res, 27, 545-549
- Alvinerie, M., J.F. Sutra, P. Galtier, C. Mage (1999)
Pharmacokinetics of eprinomectin in plasma and milk following topical administration to lactating dairy cattle
Res Vet Sci, 67, 229-232
- Anderson, J.R., R.W. Merritt, E.C. Loomis (1984)
The insect-free cattle dropping and its relationship to increased dung fouling of rangeland pastures
J Econ Entomol, 77, 133-141, 1984
- Andrassy, I. (1984)
Klasse Nematoda
Gustav Fischer Verlag, Stuttgart, 509 S.
- Baggott, J.D., Q.A. Mc Kellar (1994)
The absorption, distribution and elimination of anthelmintic drugs: The role of pharmacokinetics
J Vet Pharmacol Ther, 17, 409-419
- Barley, K.P. (1964)
earthworms and the decay of plant litter and dung – a review
Proceedings of the Australian Society of Animal Production, 5, 236-240
- Barth, D. (1993)
Importance of methodology in the interpretation of factors affecting degradation of dung
Vet Parasitol, 48, 99-108
- Barth D., E.M. Heinze-Mutz., R.A. Roncalli, D. Schlüter, S.J Gross (1993 b)
The degradation of dung produced by cattle treated with an ivermectin slow-release bolus
Vet Parasitol, 48, 215-227
- Barth, D., E.M. Heinze-Mutz, W. Langhoff, R.A. Roncalli, D. Schlüter (1994)
Colonisation and degradation of dung pats after subcutaneous treatment of cattle with ivermectin or levamisole
Appl Parasitol, 35, 277-293
- Barth, D., G.F. Ericsson, B.N. Kunkle, S. Rehbein, W.G. Ryan, D.H. Wallace (1997)
Evaluation of the persistence of the effect of ivermectin and abamectin against gastrointestinal and pulmonary nematodes in cattle
Vet Rec, 140, 278-279

- Benz, G.W., R.A. Roncally, S.J. Gross (1989)
Use of ivermectin in cattle, sheep, goats and swine
In Campbell, W.C. (ed): Ivermectin and Abamectin
Springer-Verlag, New York, pp. 215-229
- Bongers, T. (1988)
De nematoden von Nederland
Verlag: Koninklijke Nederlandse Natuurhistor. Vereniging, 408 S.
- Campbell, W.C. (1981)
An Introduction to the Avermectins
N Z Vet J, 29, 174-178
- Campbell W.C., M.H. Fisher, E.O. Stapley, G. Albers-Schönberg, T.A. Jacob (1983)
Ivermectin: a potent new antiparasitic agent
Science, 221, 823-827
- Campbell, W.C. und Benz, G.W. (1984)
Ivermectin: a review of efficacy and safety
J Veterinary Pharmacol Ther, 7, 1-16
- Campbell, W.C. (1993)
Ivermectin, an antiparasitic agent
Med Res Rev, 13, 61-79
- Castle, M.E. und MacDaid, E. (1972)
The decomposition of cattle dung and its effect on pasture
J Brit Grassl Soc, 27, 133-137
- Cully, D.F., H. Wilkinson, D.K. Vassilatis, A. Etter, J.P. Arena (1996)
Molecular biology and electrophysiology of glutamate-gated chloride channels of invertebrates
Parasitol Suppl, 113, 191-200
- Cvetovich, R.J., D.H. Kelley, L.M. Michele (1994)
Synthesis of 4"-epi-acethylamino-4"-deoxyivermectin B1
J Am Chem Soc, 22, 3263-3268
- Dickinson, C.H., V.S.H. Underhay, V. Ross (1981)
Effect of season, soil fauna and water content on the decomposition of cattle dung pats
The New Phytol, 88, 129-141
- Eckert, J. (2000)
Untersuchungsmethoden: Fixierung, Sammlung und Identifikation von Helminthen
In: Veterinärmedizinische Parasitologie, Rommel et al. (ed)
5. Auflage, Parey-Verlag, Berlin, p 83

- Eysker, M. und Eilers, C. (1995)
Persistence of the effects of a moxidectin pour-on against naturally acquired cattle nematodes
Vet Rec, 137, 457-460
- Finn, J.A. und Giller, P.S. (2000)
Patch Size and colonization patterns: an experimental analysis using north temperate coprophagous dung beetles
Ecography, 23, 315-327
- Gayraud, V., M. Alvinerie, P.L. Toutain (1997)
Comparison of pharmacokinetic profiles of doramectin and ivermectin pour-on formulations in cattle
In: Proceedings of the European Association of Veterinary Pharmacology and Toxicology International Congress 7th (Madrid), pp 78-79
- Gogolewski, R.P., G.R. Allerton, S.R. Pitt, D.R. Thompson, W.K. Langholff, J.A. Hair, R.K. Fulton, J.S. Eagleson (1997)
Effect of simulated rain, coat length and exposure to natural climatic conditions on the efficacy of a topical formulation of eprinomectin against endoparasites of cattle
Vet Parasitol, 69, 95-102
- Goudie, A.C., N.A. Evans, K.A.F. Gration, B.F. Bishop, S.P. Gibson, K.S. Holdom, B. Kaye, S.R. Wicks, D. Lewis, A.J. Weatherley, C.I. Bruce, A. Herbert, D.J. Seymour (1993)
Doramectin – a potent novel an endectocide
Vet Parasitol, 49, 5-15
- Halley, B.A., R.J. Nessel, A.Y.H. Lu, R.A. Roncalli (1989)
The environmental safety of ivermectin: an overview
Chemosphere, 18, 1565-1572
- Herd, R.P., R.A. Sams, S. M. Ashcraft (1996)
Persistence of ivermectin in plasma and faeces following treatment of cows with ivermectin sustained-release, pour-on or injectable formulations
Int J Parasitol, 26, 1078-1093
- Holste, J.E., D.D. Colwell, R. Kumar, J.E. Lloyd, N.P.M. Pinkall, M.A. Sierra, J.W. Waggoner, W.K. Langholff, R.A. Barrick, J.S. Eagleson (1998)
Efficacy of eprinomectin against *Hypoderma* spp. in cattle
Am J Vet Res, 59(1), 56-58
- Holter, P. (1979)
Effect of dung beetles (*Aphodius* spp.) and earthworms on the disappearance of cattle dung
Oikos 32, S. 393-402, 1979
- Hubert, J., D. Kerboeuf, B. Cardinaud, F. Blond (1995)
Persistent efficacy of moxidectin against *Dictyocaulus viviparus* and *Ostertagia ostertagi* in cattle
Vet Rec, 136, 223-224

- Hubert, J., D. Kerboeuf, B. Cardinaud, F. Blond-Riou, R Fournier (1997)
Persistent efficacy of topical moxidectin against *Dictyocaulus viviparus* and
Ostertagia ostertagi
Vet Parasitol, 68, 187-190
- Jagannathan, S., D.L. Laughton, C.L. Critten, T.H. Skinner, L. Horoszok (1999)
Ligand-gated chloride channel subunits encoded by the *Haemonchus contortus* and
Ascaris suum orthologues of the *Caenorhabditis elegans* gbr-2 (avr-14) gene
Mol Biochem Parasitol, 103(2), 129-140
- Kane NS, B. Hirschberg, S. Quian, D. Hunt, B. Thomas, R. Brochu, S.W. Ludmerer,
Y. Zheng, M.C. Smith, J.P. Arena, C.J. Cohen, D. Schmatz, J. Warmke, D.F. Cully
(2000)
Drug-resistant *Drosophila* indicate glutamate-gated chlorid channels are targets for
the antiparasitics nodulisporic acid and ivermectin
Proc Natl Acad Sci USA (PNAS) , 97(25), 13949-13954
- Karrer, M., D. Barth, E.M. Heinze-Mutz, N. Elster (1994)
Colonization and Degradation of Cattle Dung: Aspects of Sampling, Fecal
Composition, and Artificially Formed Pats
Environm Entomol, 23 (3), 571-578
- McKeand, J., K. Bairden, A.M. Ibarra-Silva (1988)
The degradation of bovine faecal pats containing ivermectin
Vet Rec, 122, 587-588
- McKellar, Q.A (1997)
Ecotoxicology and residues of anthelmintic compounds
Vet Parasitol, 72, 413-423
- Monatlicher Witterungsbericht (2000)
Monatlicher Witterungsbericht für das Jahr 2000, Monate Mai bis September
Deutscher Wetterdienst
- Lanusse, C., A. Lifschitz, G. Virkel, L. Alvarez, S. Sanchez, J.F. Sutra, P. Galtier, M.
Alvinerie (1997)
Comparative plasma disposition kinetics of ivermectin, moxidectin and doramectin in
cattle
J vet Pharmacol Ther., 20(2), 91-99
- Lifschitz, A., G. Virkel, F. Imperiale, J.F. Sutra, P. Galtier, C. Lanusse, M. Alvinerie
(1999)
Moxidectin in cattle: correlation between plasma and target tissues disposition
J vet Pharmacol Ther, 22, 266-273
- Lilienskiold von, R. (1978)
Faunistische und ökologische Untersuchungen an kotbewohnenden Insekten im
Umkreis von Bonn
Dechenia (Bonn), 131, 155-165

- Lumaret, J.-P. und Kadiri N. (1995)
The influence of the first wave of colonizing insects on cattle dung dispersal
Pedobiologia 39, S. 506-517
- Madsen, M., B. Overgaard Nielsen, P. Holter, O.C. Pedersen, J. Brochner
Jespersen, K.-M. Vagn Jensen, P. Nansen, J. Gronvold (1990)
Treating cattle with ivermectin: effects on the fauna and decomposition of dung pats
J Appl Ecol, 27, 1-15
- Marsh, R. und R.C. Campling (1970)
Fouling of pastures by dung
Herbage Abstracts, 40, 123-129
- Molento, M.B., C. Trudeau, R.K. Prichard, G.L. Zimmerman, E.G. Johnson, S.
Marley, G.A. Conder (1999)
Persistent efficacy of doramectin pour-on against artificially induced infections of
nematodes in cattle
Vet. Parasitol., 82, 297-303
- Nakamura, Y (1975)
Decomposition of organic materials and soil fauna in pastures. 2. Disappearance of
cow dung
Pedobiologia 15, S. 129-132, 1975
- Nowakowski, M.A., M.J. Lynch, D.G. Smith, N.B. Logan, D.E. Mouzin, L.
Lukaszewicz, N.I. Ryan, R.P. Hunter, R.M. Jones (1995)
Pharmacokinetics and bioequivalence of parenterally administered doramectin in
cattle
J vet Pharmacol Ther, 18, 290-298
- Omaliko, C.P.E. (1981)
Dung deposition, breakdown and grazing behavior of beef cattle at two seasons in a
tropical grassland ecosystem
J Range Managem, 34, 360-362
- Osche, G. (1952)
Systematik und Phylogenie der Gattung *Rhabditis* (Nematoda)
Zool Jb Syst, 81, 190-280
Systematik und Phylogenie der Gattung *Rhabditis* (Nematoda)
Zool Jb Syst, 81, 190-280
- Paradis, M (1998)
Ivermectin in small dermatology. part 1. pharmacology and toxicology
Comp contin Educ pract Vet, 20, 193-200
- Pfizer (1997)
Pfizer Congress News: Doramectin Pour-on Formulierung für Rinder,
BpT (Bund praktizierender Tierärzte) –Kongress (Münster), 49th, pp 1-3

Ranjan, S., C. Trudeau, R.K. Prichard, J. Daigneault, R.S. Rew (1997)
Nematode reinfection following treatment of cattle with doramectin and ivermectin
Vet Parasitol, 72, 25-31

Rehfeld, K. (1988)
Experimentelle Untersuchungen zur Sukzession der Nematoden in Kuhfladen
Dissertation, Berlin, Freie Universität, Fachbereich Biologie

Sachs, H (1949)
Revision der Bunonematinae (Anguillulinae, Nematodes)
Zool Jb Syst, 78, 323-366

Sachs, H (1950)
Die Nematodenfauna der Rinderexkreme
Zool Jb Syst, 79, 209 –271

Sangster, N. (1996)
Pharmacology of anthelmintic resistance
Parasitol, 113, 201-216

Schaper, R. (1989)
Einfluß eines systemisch wirkenden Antiparasitikums (Ivermectin) auf die Dungfauna
der Rinder bei Weidehaltung
Diss., Tierärztliche Hochschule Hannover

Schaper, R. und Liebisch, A. (1991)
Einfluß eines systemisch wirkenden Antiparasitikums (Ivermectin) auf die Dungfauna
und den Dungabbau der Rinder bei Weidehaltung
Tierärztliche Umschau, 46, 12-18

Schlump, M. (2003)
Vergleichende Untersuchungen zum Einfluss vier verschiedener Makrozyklischer
Laktone auf die Dungfauna (Coleoptera und Diptera) von Rindern
Diss., Freie Universität Berlin

Scholtysik, G. und Steuber, S. (2002)
Antiparasitika
Lehrbuch der Pharmakologie und Toxikologie für die Veterinärmedizin,
Frey H.-H. und Löscher W. (ed), 2. völlig neu bearbeitete Auflage, 449-455

Shoop, W.L., H. Mrozik, M.H. Fisher (1995a)
Structure and activity of avermectins and milbemycins in animal health
Vet Parasitol, 59, 139-156

Shoop, W.L., D.A. Ostlind, S.P. Rohrer, G. Mickle, H.W. Haines, B.F. Michael, H.
Mrozik, M.H. Fisher (1995b)
Avermectins and Milbemycins Against Fasciola hepatica: In Vivo Drug Efficacy and
In Vitro Receptor Binding
Int J Parasitol, 25 (8), 923-927

Shoop, W.L., P. Demontigny, D.W. Fink, J.B. Williams, J.R. Egerton, H. Mrozik, M.H. Fisher, B.J. Skelly, M.J. Turner (1996a)

Efficacy in Sheep and Pharmacokinetics in Cattle that Led to the Selection of Eprinomectin as a Topical Endectocide for Cattle

Int J Parasitol, 26 (11), 1227-1235

Shoop, W.L., J.R. Ergeton, C.H. Eary, H.W. Haines, B.F. Michael, H. Mrozik, P. Eskola, M.H. Slayton, D.A. Ostlind, B.J. Skelly, R.K. Fulton, D. Barth, S. Costa, L.M. Gregory, W.C. Campbell, R.L. Secard, M.J. Turner (1996b)

Eprinomectin: a novel avermectin for use as a topical endectocide for cattle

Int. J Parasitol, 26 (11), 1237-1242

Skidmore, P. (1991)

Insects of the british cow-dung community

Monographie

Occasional Publication No. 2

Sommer, C., B. Steffansen, B. Overgaard Nielsen, J. Gronvold, K.-M. Vagn Jensen, J. Brochner Jespersen, J. Springborg, P. Nansen (1992)

Ivermectin excreted in cattle dung after subcutaneous injection or pour-on treatment: concentrations and impact on dung fauna

Bull Entomol Res, 82, 257-264

Sowig, P., W. Himmelsbach, R. Himmelsbach, P. Wahl (1994)

Die Bedeutung des Standortes und der Bewirtschaftung von Viehweiden für die Struktur von Gemeinschaften koprophager Käfer (Coleoptera, Scarabaeidae)

Zeitschrift für Ökologie und Naturschutz, 3, 261-269

Steel, J.W (1993)

Pharmacokinetics and metabolism of avermectins in livestock

Vet Parasitol, 48, 45-57

Stevenson, B.G. und Dindal, D.L. (1987a)

Functional ecology of coprophagous insects: a review

Pedobiologia, 30, 285-298

Stevenson, B.G. und Dindal, D.L. (1987b)

Insect effects on decomposition of cow dung in microcosms

Pedobiologia, 30, 81-92

Sudhaus, W (1981)

Über die Sukzession von Nematoden im Kuhfladen

Pedobiologia, 21, 271-29

Sudhaus, W., K. Rehfeld, D. Schlüter, J. Schweiger (1988)

Beziehungen zwischen Nematoden, Coleopteren und Dipteren in der Sukzession beim Abbau von Kuhfladen

Pedobiologia, 31, 305-322

- Sudhaus, W. (2001)
Bestimmungsschlüssel für die Nematodenfauna des Kuhfladens
Persönliche Mitteilung
- Sutherland, I.H. und Campbell, W.C. (1990)
Development, pharmacokinetics and mode of action of ivermectin
Acta Leiden, 59 (1/2),161-168
- Toutain, P.L., M. Compon, P. Galtier, M. Alvinerie (1988)
Kinetic and insecticidal properties of ivermectin residues in the milk of dairy cows
J Vet Pharmacol Ther, 11, 288-291
- Traeder, W. (1994)
Das pharmakologische Verhalten von Doramectin, einem neuen makrolytischen
Laktonderivat aus der Gruppe der Avermectine
Tierärztliche Umschau, 49, 465-469
- Tranquilli, W.J., A.J. Paul, R.L. Seward, K.S. Todd, J.A. Dipietro (1987)
Response to physostigmine administration in colli dogs exhibiting ivermectin toxicosis
J Vet. Phamacol Ther, 10, 96-100
- Turner, M.J., J.M. Schaeffer (1989 a)
Mode of action of ivermectin
In: Ivermectin and Abamectin. (W.C. Campbell, ed)
Springer-Verlag, New York (USA), pp. 73-88
- Vercruysse, J., E. Claerebont, P. Dorny, D. Demeulenaere, E. Deroover (1997)
Persistence of the efficacy of pour-on and injectable moxidectin against Ostertagia
ostertagi and Dictyocaulus viviparus in experimentally infected cattle
Vet Rec, 140, 64-66
- Wall und Strong 1987
Environmental consequences of treating cattle with the antiparasitic drug ivermectin
Nature, 327, 418-421
- Wang, C.C., Pong, S.-S. (1982)
Actions of avermectin B1a on GABA nerves
Prog Clinic Biol Res, 97, 373-395
- Wardhaugh, K.G. und Mahon, R.J. (1991)
Avermectin residues in sheep and cattle dung and their effects on dung-beetle
(Coleoptera: Scarabaeidae) colonization and dung burial
Bull Entomol Res, 81, 333-339
- Waterhouse, D.F. (1974)
The biological control of dung
Sci Soc, 230, 101-109

- Weeda, W.C. (1967)
The effect of cattle dung patches on pasture growth, botanical composition and pasture utilization
N Z J Agric Res, 10, 150-159
- Weingärtner, I. (1955)
Versuch einer Neuordnung der Gattung Diplogaster SCHULZE 1957 (Nematoda)
Zool Jb Syst, 83, 248-317 und 638
- Williams, J.C. und Broussard, S.D. (1995)
Persistent anthelmintic activity of ivermectin against gastrointestinal nematodes of cattle
Am J Vet Res, 56, 1169-1171
- Williams, J.C., S.D. Broussard, G.T. Wang (1996)
Efficacy of moxidectin pour-on against gastrointestinal nematodes and Dictyocaulus viviparus in cattle
Vet Parasitol, 64, 277-283
- Williams, J.C., J.A. Stuedemann, K. Bairden, D. Kerboeuf, H. Ciordia, J. Hubert, D. Broussard, R.E. Plue, R. Alva-Valdes, D.G. Baggott, N. Pinkall, J.S. Eagleson (1997)
Efficacy of a pour-on formulation of eprinomectin (MK-379) against nematode parasites of cattle, with emphasis on inhibited early fourth-stage larvae of Ostertagia spp.
Am J Vet Res, 58(4), 379-383, 1997
- Whitford, W.G., Y. Steinberger, G. Ettershank (1982)
Contribution of subterranean termites to the economy of Chihuahuan desert ecosystem
Oecologia (Berlin), 55, 298-302
- Wratten, S.D., M. Mead-Briggs, G. Gettinby, G. Ericsson, D.G. Baggott (1993)
An evaluation of the potential effects of ivermectin on the decomposition of cattle dung pats
Vet Rec, 133, 365-371
- Yazwinski, T.A., H. Featherstone, C. Tucker, Z. Johnson (1994)
Residual nematocidal effectiveness of ivermectin in cattle
Am J Vet Res, 55, 1416-1420
- Yazwinski, T.A., E.G. Johnson, D.R. Thompson, M.D. Drag, G.L. Zimmerman, W.K. Langholff, J.E. Holste, J.S. Eagleson (1997)
Nematocidal efficacy of eprinomectin, delivered topically, in naturally infected cattle
Am J Vet Res, 58, 612-614