

7. LITERATURVERZEICHNIS

(1)	Abu J.I., Konje J.C.: Leukotrienes in gynaecology: the hypothetical value of anti- leukotriene therapy in dysmenorrhoea and endometriosis. <i>Hum Reprod Update.</i> 2000 Mar-Apr; 6(2): 200-5
(2)	Ahern G.P., Klyachko V.A., Jackson M.B.: cGMP and S-nitrosylation: two routes for modulation of neuronal excitability by NO. <i>Trends Neurosci</i> (2002) 25: 510-517.
(3)	Akerlund M., Carlsson AM., Melin P., Trojnar J.: The effect on the human uterus of two newly developed competitive inhibitors of oxytocin and vasopressin. <i>Acta Obstet Gynecol Scand.</i> 1985, 64: 499-504
(4)	Akerlund M., Stromberg P., Hauksson A., Andersen LF., Lyndrup J., Tgrojnar J., Melin P.: Inhibition of uterine contractions of premature labour with an oxytocin analogue. Results from a pilot study. <i>Br J Obstet Gynaecol.</i> 1987; 94:1040-1044
(5)	Akerlund M.: Can primary dysmenorrhoea be alleviated by a vasopressin antagonist? Results of a pilot study. <i>Acta Obstet Gynecol Scand.</i> 1987 ;66 :459-461
(6)	Akerlund M.: The role of oxytocin and vasopressin in the initiation of preterm and labour as well as primary dysmenorrhoea. <i>Regul Pept</i> 1993 Apr 29; 45(1-2):187-91
(7)	Akerlund M.: Vascularisation of human endometrium. Uterine blood flow in healthy condition and in primary dysmenorrhoea. <i>Ann N Y Acad Sci</i> 1994 Sep 30;734:47-56
(8)	Akerlund M., Melin P., Maggi M.: Potential use of oxytocin and vasopressin V1a antagonists in the treatment of preterm labour and primary dysmenorrhoea. <i>Adv Exp Med Biol</i> 1995;395:595-600
(9)	Akerlund M., Bossmar T., Brouard R., Steinwall M.: Evidence for an involvement of vasopressin in mechanism of primary dysmenorrhoea and effect of the non-peptide vasopressin V1a receptor antagonist, SR 49059, on the uterus of non-pregnant women. <i>Adv Exp Med Biol</i> 1998;449:467-72
(10)	Akerlund M.: Uterine contractions in non-pregnant women. How are they handled in their significance? <i>Lakartidningen</i> 1998 Jan 21;95(4):284-7
(11)	Akerlund M., Bossmar T., Brouard R., Kostrzewska A., Laudanski T., Lemancewicz A., Serradeil-Le Gal C., Steinwall M.: Receptor binding of oxytocin and vasopressin antagonists and inhibitory effects on isolated myometrium from preterm and term pregnant women. <i>Br J Obstet Gynaecol.</i> 1999 Oct ; 106 (10) : 1047-53
(12)	Akerlund M.: Involvement of oxytocin and vasopressin in the pathophysiology of preterm labor and primary dysmenorrhea. <i>Prog Brain Res.</i> 2002; 139: 359-65

(13)	Akerlund M.: Vasopressin and oxytocin in normal reproduction and in the pathophysiology of preterm labour and primary dysmenorrhoea. Development of receptor antagonists for therapeutic use in these conditions. <i>Rocz Akad Med Bialymst.</i> 2004; 49: 18-21
(14)	Akerlund M.: Targeting the oxytocin receptor to relax the myometrium. <i>Expert Opinion on Therapeutic Targets.</i> 2006 Jun.; 10(3): 423-7
(15)	Anouar A., Schirar A., Germain G.: Relaxant effect of the calcitonin gene-related peptide (CGRP) on the nonpregnant and pregnant rat uterus. Comparison with vascular tissue. <i>Naunyn.Schmiedebergs.Arch.Pharmacol.</i> 1998 Apr; 357 (4): 446-53
(16)	Arteche M.E., Ausina P., Delgado J., Fernandez J.J., Norte M., Cadenas M.L., Martin J.D.: Inhibitory effects of okadaic acid on rat uterine contractile responses to different spasmogens. <i>Fundam Clin Pharmacol.</i> 1997; 11(1): 47-56
(17)	Avant RF.: Dysmenorrhoea. <i>Prim Care.</i> 1988 Sep;15(3):549-59. Review.
(18)	Ayar A., Kutlu S., Yilmaz B., Kelestimur H.: Melatonin inhibits spontaneous and oxytocin-induced contractions of rat myometrium in vitro. <i>Neuroendocrinol. Lett.</i> 2001 Jun; 22 (3): 199-207
(19)	Bae J., Peters-Golden M., Loch-Caruso R.: Stimulation of pregnant rat uterine contraction by the polychlorinated biphenyl (PCB) mixture aroclor 1242 may be mediated by arachidonic acid release through activation of phospholipase A2 enzymes. <i>J.Pharmacol.Exp.Ther.</i> 1999 May; 289 (2): 1112-20
(20)	Bakheet D.M., El-Tahir K.E., Al-Sayed M.I., El-Obeid H.A., Al-Rashood K.A.: Studies on the spasmolytic and uterine relaxant actions of n-ethyl and n-benzyl-1,2-diphenyl ethanalamines: elucidation of the mechanisms of action. <i>Pharmacol-Res.</i> 1999 Jun; 39 (6): 463-70
(21)	Bardou M., Loustalot C., Simon B., Morcillo E., Croci T., Advenier C.: Inhibition of uterine contractions : new in vitro pharmacological approaches on the pregnant human myometrium. <i>Therapie.</i> 2001 May-Jun; 56 (3): 213-22
(22)	Bartlett S.R., Bennett P.R., Campa J.S., DennesW.J., Slater D.M., Mann G.E., Poston L., Poston R.: Expression of nitric oxide synthase isoforms in pregnant human myometrium. <i>J Physiol</i> (1999) 521: 705-716.
(23)	Bossmar T., Akerlund M., Fantoni G., Szamatowicz J., Melin P., Maggi M.: Receptors for and myometrial responses to oxytocin and vasopressin in preterm and term pregnancy: effects of the oxytocin antagonist atosiban. <i>Am J Obstet Gynecol.</i> 1994 Dec; 171 (6): 1634-42.
(24)	Bossmar T., Akerlund M., Szamatowicz J., Laudanski T., Fantoni G., Maggi M.: Receptor-mediated uterine effects of vasopressin and oxytocin in nonpregnant women. <i>Br J Obstet Gynaecol</i> 1995 Nov;102(11):907-12
(25)	Bossmar T., Rasmussen T., Akerlund M.: Effect of the non-peptide, vasopressin V1a receptor antagonist, SR 49059 and its enantiomer, SR 49770, on isolated human myometrium. <i>Acta obstet Gynecol Scand</i> 1996 Jul;75(6):516-9
(26)	Bossmar T.: Treatment of preterm labor with the oxytocin and vasopressin antagonist atosiban. <i>J.Perinat.Med.</i> 1998; 26 (6): 458-65

(27)	Brosens J.J., Barker F.G., de Souza N.M: Myometrial zonal differentiation and uterine junctional zone hyperplasia in the non-pregnant uterus. <i>Hum.Reprod.Update.</i> 1998 Sep-Oct; 4(5): 496-502
(28)	Brouard R., Bossmar T., Fournie-Lloret D., Chassard D., Akerlund M.: Effect of SR49059, an orally active V1a vasopressin antagonist, in the prevention of dysmenorrhoea. <i>Bjog.</i> 2000 May;107 (5):614-619
(29)	Bugg G.J., Riley M.J., Johnston T.A., Baker P.N., Taggart M.J.: Hypoxic inhibition of human myometrial contractions in vitro: implications for the regulation of parturition. <i>European Journal of Clinical Investigation.</i> 2006 Feb; 36(2): 133-40
(30)	Buxton I.L., Kaiser R.A., Malmquist N.A., Tichenor S.: NO-induced relaxation of labouring and non-labouring human myometrium is not mediated by cyclic GMP. <i>Br J Pharmacol</i> (2001) 134: 206-214
(31)	Buxton I.L.: Regulation of uterine function: a biochemical conundrum in the regulation of smooth muscle relaxation. <i>Mol Pharmacol</i> 2004; 65: 1051-1059
(32)	Cameron I.T.; Campbell, S.: Nitric oxide in the endometrium. <i>Hum Reprod Update.</i> 1998 Sep-Oct; 4(5): 565-9
(33)	Carvajal J.A., Germain A.M., Huidobro-Toro J.P., Weiner C.P.: Molecular mechanism of cGMP-mediated smooth muscle relaxation. <i>J Cell Physiol</i> 184 (2000), pp. 409-420.
(34)	Cetin M., Kaya T., Cetin A., Sarioglu Y. : Inhibitory effects of isradipine on spontaneous and oxytocin- and carbachol-stimulated contractions of rat myometrium. <i>Pharmacology.</i> 1998 Nov; 57 (5): 271-8
(35)	Challis, Matthews, Gibb, Lye : Endocrine and paracrine regulation of birth at term and preterm. <i>Endocr-Rev.</i> 2000 Oct; 21 (5): 514-50
(36)	Chan, W.Y.: Prostaglandin inhibitors and antagonists in dysmenorrhoea therapy. <i>In: Dysmenorrhoea, hrsg. von M.Y.Dawood. Williams & Wilkins, Baltimore 1981 (S.209)</i>
(37)	Chan, W.Y.: Prostaglandins and nonsteroidal anti-inflammatory drugs in dysmenorrhoea. <i>Ann. Rev. Pharmacol. Toxicol.</i> 23 (1983) 131
(38)	Chaudhuri, G.: Intrauterine device: possible role of prostaglandins. <i>Lancet</i> 1971/I, 480
(39)	Chini E.N., Liang M., Dousa T.P.: Differential effect of pH upon cyclic-ADP-ribose and nicotinate-adenine dinucleotide phosphate-induced Ca^{2+} release systems. <i>Biochem J</i> 1998, 335: 499-504.
(40)	Ciray H.N., Backstrom T., Ulmsten U.: Ineffectiveness of oxytocin on intercellular communication between term pregnant human myometrial cells before labor. <i>Am.J.Obstet.Gynecol.</i> 1998 Apr; 178 (4): 855-61

(41)	Coco AS.: Primary dysmenorrhoea. <i>Am Fam Physician.</i> 1999 Aug; 60(2): 489-96. Review
(42)	Coomarasamy A., Knox E.M., Gee H., Khan K.S.: Oxytocin antagonists for tocolysis in preterm labour- a systematic review. <i>Med Sci Monit.</i> 2002 Nov; 8 (11): RA268-73.
(43)	Criswell K.A.; Loch-Caruso R.: Lindane-induced inhibition of spontaneous contractions of pregnant rat uterus. <i>Reprod-Toxicol.</i> 1999 Nov-Dec; 13 (6): 481-90
(44)	Curley M., Cairns M.T., Friel A.M., McMeel O.M., Morrison J.J., Smith T.J.: Expression of mRNA transcripts for ATP-sensitive potassium channels in human myometrium. <i>Mol Hum Reprod</i> 2002; 8: 941-945.
(45)	David M., Hamann C., Lichtenegger W.: Nitroglycerin-Pflaster als Therapieoption bei schwerer Dysmenorrhö: Resultate einer In-vitro-Untersuchung und klinische Erfahrungen. <i>Geburtsh Frauenheilk</i> 2000; 60: 489-495
(46)	Davis K.L., Martin E., Turkko I.V., Murad F.: Novel effects of nitric oxide. <i>Annu Rev Pharmacol Toxicol</i> (2001) 41: 203-236.
(47)	Dawood, M.Y.: Dysmenorrhoea. <i>Clin. Obstet. Gynec.</i> 26 (1983) 719
(48)	Dawood, M.Y.: Dysmenorrhoea. <i>Clin. Obstet. Gynecol.</i> 1990 Mar ;33(1) :168-78. Review
(49)	Dawood M.Y.: Novel approach to oxytocin induction-augmentation of labor. Application of oxytocin physiology during pregnancy. <i>Adv Exp Med Biol.</i> 1995; 395: 585-94
(50)	Dawood M.Y.: Primary dysmenorrhea: advances in pathogenesis and management. <i>Obstetrics & Gynecology.</i> 2006 Aug; 108(2): 428-41.
(51)	Deutch B.: Menstrual pain in Danish women correlated with low n-3 polyunsaturated fatty acid intake. <i>Eur J Clin Nutr.</i> 1995 Jul ;49(7) :508-16
(52)	de Ziegler D., Bulletti C., Fanchin R., Epiney M., Brioschi P.A.: Contractility of the nonpregnant uterus: the follicular phase. <i>Ann.N.Y.Acad.Sci.</i> 2001 Sep; 943: 172-84
(53)	Dobashi Y., Kanno T., Suga S., Saito Y., Wakui M.: Regulation of spontaneous contractions in rat pregnant myometrium by corticotropin-releasing factor. <i>Exp-Physiol.</i> 1998 Sep; 83(5): 639-49
(54)	Dogan S., White T.A., Deshpande D.A., Murtaugh M.P., Walseth T.F., Kannan M.S.: Estrogen increases CD38 gene expression and leads to differential regulation of adenosine diphosphate (ADP)-ribosyl cyclase and cyclic ADP-ribose hydrolase activities in rat myometrium. <i>Biol Reprod</i> 2002, 66: 596-602.
(55)	During R., Wegener R., Kading U., Nagel H., Plesse R.: Tocolysis with ethanol- effects on the ethanol content of the blood in the mother and neonate. <i>Zentralbl Gynakol.</i> 1990; 112(4): 231-5

(56)	Du Vigneaud, Ressler, Trippett : The sequence of amino acids in oxytocin, with a proposal for the structure of oxytocin. <i>J Biol Chem</i> 205 (1953), pp. 949-957
(57)	Eglington, G., R.A. Raphael, G.N. Smith, W.J. Hall, V.R. Pickles: Isolation and identification of two smooth muscle stimulants from menstrual fluid. <i>Nature</i> 200 (1963) 960
(58)	Ekerhovd E., Brannstrom M., Delbro D., Norstrom A.: Nitric oxide mediated inhibition of contractile activity in the human uterine cervix. <i>Mol Hum Reprod</i> (1998) 4: 915-920.
(59)	Ekstrom P., Juchnicka E., Laudanski T., Akerlund M.: Effect of an oral contraceptive in primary dysmenorrhoea- changes in uterine activity and reactivity to agonists. <i>Contraception</i> 1989 Jul;40(1):39-47
(60)	Elovitz M.A., Saunders T., Ascher-Landsberg J., Phillippe M.: The mechanisms underlying the stimulatory effects of thrombin on myometrial smooth muscle. <i>Am.J.Obstet.Gynecol.</i> 2000 Sep; 183 (3): 674-81
(61)	Elovitz M.A., Saunders T., Ascher-Landsberg J., Phillippe M.: Effects of thrombin on myometrial contractions in vitro and in vivo. <i>Am.J.Obstet.Gynecol.</i> 2000 Oct; 183 (4): 799-804
(62)	Facchinetti F., Sgarbi L., Piccinini F., Volpe A.: A comparison of glyceryl trinitrate with diclofenac for the treatment of primary dysmenorrhea: an open, randomised, cross- over trial. <i>Gynecol Endocrinol.</i> 2002 Feb; 16(1): 39-43.
(63)	Feng J., Ito M., Ichikawa K., Isaka N., Nishikawa M., Hartshorne D.J., Nakano T.: Inhibitory phosphorylation site for rho-associated kinase on smooth muscle myosin phosphatase. <i>J Biol Chem</i> 1999, 274: 37385-37390.
(64)	Forman A., Andersson KE., Maigaard S.: Effects of calcium channel blockers on the female genital tract. <i>Acta Pharmacol Toxicol (Copenh)</i> 1986;58 Suppl 2:183-92
(65)	Garfield R.E., Irani A.M., Schwartz L.B., Bytautiene E., Romero R.: Structural and functional comparison of mast cells in the pregnant versus nonpregnant human uterus. <i>American Journal of Obstetrics & Gynecology</i> . 2006 Jan; 194(1): 261-7
(66)	Genazzani A.A., Empson R.M., Galione A.: Unique inactivation properties of NAADP-sensitive Ca^{2+} release. <i>J Biol Chem</i> 1996, 271: 11599-11602.
(67)	Hamann, Carola: Vergleichende in vitro-Untersuchung zum Relaxationseffekt von Glyceroltrinitrat versus Fenoterol auf die humane Uterusmuskulatur.
(68)	Harel Z., Riggs S., Vaz R., Flanagan P., Harel D.: The use of the leukotriene receptor antagonist montelukast (Singulair) in the management of dysmenorrhea in adolescents. <i>Journal of Pediatric & Adolescent Gynecology</i> . 2004 Jun; 17(3):183-6
(69)	Hauksson A., Akerlund M., Melin P.: Uterine blood flow and myometrial activity at menstruation, and the action of vasopressin and a synthetic antagonist. <i>Br J Obstet Gynaecol</i> 1988 Sep;95(9):898-904
(70)	Helmer H., Hackl T., Schneeberger C., Knofler M., Behrens O., Kaider A., Husslein P.: Oxytocin and vasopressin 1a receptor gene expression in the cycling or pregnant human uterus. <i>Am.J.Obstet.Gynecol.</i> 1998 Dec; 179 (6 Pt 1): 1572-8

(71)	Hennan J.K., Diamond J.: Evidence that spontaneous contractile activity in the rat myometrium is not inhibited by NO-mediated increases in tissue levels of cyclic GMP. <i>Br J Pharmacol.</i> 1998 Mar; 123 (5): 959-67
(72)	Hofmann F., Ammendola A., Schlossmann J.: Rising behind NO: cGMP-dependent protein kinases. <i>J Cell Sci</i> 2000, 113: 1671-1676.
(73)	Horrobin, D.F., M.G. Brush: Premenstrual syndrome (PMS) and essential fatty acid (EFA) metabolism. <i>Proc. Intern. Symp. on Dysmenorrhoea and Premenstrual Syndrome, Kiawah Island, South Carolina</i> , Sept. 1983
(74)	Hurd W.W., Betz A.L., Dombrowski m.p., Fomin V.P.: Cocaine augments contractility of the pregnant human uterus by both adrenergic and nonadrenergic mechanisms. <i>Am. Obstet. Gynecol.</i> 1998 May; 178 (5): 1077-81
(75)	Husslein P.: The importance of oxytocin and prostaglandins to the mechanism of labor in humans. <i>Wien Klin Wochenschr Suppl.</i> 1984;155:1-32
(76)	Husslein P.: Development and clinical experience with the new evidence-based tocolytic atosiban. <i>Acta Obstet Gynecol Scand.</i> 2002 Jul ; 81 (7) : 633-41
(77)	Ivanisevic M., Djelmis J., Bukovic D.: Review on prostaglandin and oxytocin activity in preterm labor. <i>Coll Antropol.</i> 2001 Dec; 25 (2): 687-94
(78)	Jensen DV., Andersen KB, Wagner G.: Prostaglandins in the menstrual cycle of women. A review. <i>Dan Med Bull</i> 1987 Jun;34(3):178-82
(79)	Jones G.D., Poston L.: The role of endogenous nitric oxide synthesis in contractility of term or preterm human myometrium. <i>Br J Obstet Gynaecol</i> (1997) 104: 241-245.
(80)	Kafali H., Kaya T., Gursoy S., Bagcivan I., Karadas B., Sarioglu Y.: The role of K(+) channels on the inhibitor effect of sevoflurane in pregnant rat myometrium. <i>Anesth-Analg.</i> 2002 Jan; 94 (1): 174-8
(81)	Karow; Lang: Allgemeine und spezielle Pharmakologie und Toxikologie
(82)	Kasai Y., Tsutsumi O., Taketani Y., Endo M., Iino M.: Stretch-induced enhancement of contractions in uterine smooth muscle of rats. <i>J Physiol Lond</i> 486 (1995), pp. 373-384.
(83)	Keef K.D., Hume J.R., Zhong J.: Regulation of cardiac and smooth muscles Ca ²⁺ channels (Ca(V)1.2a,b) by protein kinases. <i>Am J Physiol</i> 281 (2001), pp. C1743-1756.
(84)	Kelly R.W., King A.E., Critchley H.O. : Cytokine control in human endometrium. <i>Reproduction.</i> 2001 Jan; 121 (1): 3-19
(85)	Khan R.N., Smith S.K., Morrison J.J., Ashford M.L.: Properties of large-conductance K ⁺ -channels in human myometrium during pregnancy and labour. <i>Proc R Soc Lond B Biol Sci</i> (1993) 251: 9-15.
(86)	Khan RN, Smith SK, Ashford ML: Contribution of calcium-sensitive potassium channels to NS1619-induced relaxation in human pregnant myometrium. <i>Hum Reprod</i> 1998 Jan;13(1):208-13

(87)	Khan R.N., Matharoo-Ball B., Arulkumaran S., Ashford M.L.: Potassium channels in the human myometrium. <i>Exp Physiol</i> (2001) 86: 255-264.
(88)	Kilarski W.M., Rothery S., Roomans G.M., Ulmsten U., Rezapour M., Stevenson S., Coppen S.R., Dupont E., Severs N.J.: Multiple connexins localized to individual gap-junctional plaques in human myometrial smooth muscle. <i>Microsc.Res.Tech.</i> 2001 Jul 15; 54 (2): 114-22
(89)	Kim B.K., Ozaki H., Hori M., Takahashi K., Karaki H.: Increased contractility of rat uterine smooth muscle at the end of pregnancy. <i>Comp.Biochem.Physiol.A.Mol.Integr.Physiol.</i> 1998 Oct; 121 (2): 165-73
(90)	Kimura T., Takemura M., Nomura S., Nobunaga T., Kubota Y., Inoue T., Hashimoto K., Kumazawa I.: Expression of oxytocin receptor in human pregnant myometrium. <i>Endocrinology</i> . 1996 Feb; 137(2): 780-5.
(91)	King J.F., Flenady V.J., Papatsonis D.N.M., Dekker G.A., Carbone B.: Calcium channel blockers for inhibiting preterm labour. <i>The Cochrane Library</i> 4 (2002), pp. 1-2.
(92)	Kitazawa T., Gaylinn B.D., Denney G.H., Somlyo A.P.: G-protein mediated Ca^{2+} sensitization of smooth muscle contraction through myosin light chain phosphorylation. <i>J Biol Chem</i> 1991, 266: 1708-1715.
(93)	Koontz S.L., Friedman S.A., Schwartz M.L.: Symptomatic hypocalcemia after tocolytic therapy with magnesium sulfate and nifedipine. <i>Am J of Obstetrics and Gynecology</i> , Volume 190, Issue 6, June 2004, pp 1773-1776
(94)	Kostrzecka A., Laudanski T., Batra S.: Potent inhibition by tamoxifen of spontaneous and agonist-induced contractions of the human myometrium and intramyometrial arteries. <i>Am J Obstet Gynecol</i> . 1997 Feb; 176 (2): 381-6
(95)	Kostrzecka A., Laudanski T., Steinwall M., Bossmar T., Serradeil-Le Gal C., Akerlund M.: Effects of the vasopressin V1a receptor antagonist, SR 49059, on the response of human uterine arterioles to vasopressin and other vasoactive substances. <i>Acta Obstet Gynecol Scand</i> . 1998 Jan ; 77(1) : 3-7.
(96)	Kupittayanant S., Luckas M.J.M., Wray S.: Effects of inhibiting the sarcoplasmatic reticulum on spontaneous and oxytocin-induced contractions of the human myometrium. <i>Br J Obstet Gynaecol</i> 2002; 109: 289-96.
(97)	Lamb, E.J.: Clinical features of dysmenorrhoea, <i>In: Dysmenorrhoea, hrsg. von M.Y.Dawood, Williams & Wilkins, Baltimore</i> 1981 (S.107)
(98)	Lamont R.F.: The development and introduction of anti-oxytocic tocolytics. <i>BJOG</i> 2003 Apr, 110 (20): 108-112
(99)	Langendijk P., Bouwman E.G., Soede N.M., Taverne M.A., Kemp B.: Myometrial activity around estrus in sows: spontaneous activity and effects of estrogens, cloprostenoate and clenbuterol. <i>Theriogenology</i> . 2002 Mar 15; 57 (5): 1563-77
(100)	Larcombe-McDouall J.B., Buttell N., Harrison N., Wray S.: In vivo pH and metabolite changes during a single contraction in rat uterine smooth muscle. <i>J Physiol Lond</i> 518 (1999), pp. 783-790
(101)	Lechner W., Allerberger F., Bergant A., Sölder E., Dierich MP.: Einfluß von Listerien auf die Kontraktilität der humanen Uterusmuskulatur. <i>Perinat</i> 1993; 197; 179-83

(102)	Lee H.C.: Cyclic ADP-ribose: a calcium mobilizing metabolite of NAD ⁺ . <i>Mol Cell Biochem</i> 1994; 138: 229-235.
(103)	Liedman R., Grant L., Igidbashian S., James I., McLeod A., Skillern L., Akerlund M.: Intrauterine pressure, ischemia markers, and experienced pain during administration of a vasopressin V1a receptor antagonist in spontaneous and vasopressin-induced dysmenorrhea. <i>Acta Obstetricia et Gynecologica Scandinavica</i> . 2006; 85(2):207-11
(104)	Litorowicz A., Kostrzewska A.: The effects of heparin on intrauterine arteries of the human non-pregnant uterus <i>Ginekol.Pol.</i> 1998 Oct; 69 (10): 740-5
(105)	Liu P., Xi Q., Ahmed A., Jaggar J.H., Dopico A.M.: Essential role for smooth muscle BK channels in alcohol-induced cerebrovascular constriction. <i>Proceedings in the National Academy of Sciences of the United States of America</i> . 2004 Dec; 101(52):18217-22
(106)	Longo M., Jain V., Vedernikov Y.P., Hankins G.D., Garfield R.E., Saade G.R.: Effects of L-type Ca(2+)-channel blockade, K(+)(ATP)-channel opening and nitric oxide on human contractility in relation to gestational age and labour. <i>Mol Hum Reprod.</i> 2003 Mar; 9(3): 159-64
(107)	Ludwig H.: Dysmenorrhea <i>Ther Umsch.</i> 1996 Jun;53(6):431-41
(108)	Lumsden, M.A., D.T. Baird: Intra uterine pressure in dysmenorrhoea. <i>Acta obstet. gynec. Scand.</i> 64 (1985) 183
(109)	Lye S.J., Freitag C.L.: An <i>in vivo</i> - model to examine the electromyographic activity of isolated myometrial tissue from pregnant sheep. <i>J Reprod Fertil</i> 1988; 82; 51
(110)	MacDonald J.A., Eto M., Borman M.A., Brautigan D.L., Haystead T.A.: Dual Ser and Thr phosphorylation of CPI-17, an inhibitor of myosin and phosphatase, by MYPT-associated kinase. <i>FEBS Lett</i> 2001, 493: 91-94.
(111)	Maul H., Longo M., Saade G.R., Garfield R.E.: Nitric oxide and its role during pregnancy: from ovulation to delivery. <i>Curr Pharm Des.</i> 2003 ; 9 (5) : 359-80.
(112)	Mazzone J.N., Kaiser R.A., Buxton I.L.: Calcium-activated potassium channel expression in human myometrium: effect of pregnancy. <i>Proc West Pharmacol Soc</i> (2002) 45: 184-186.
(113)	Melin P., Vilhardt H., Lindeberg G., Larsson L.E., Akerlund M.: Inhibitory effect of O-alkylated analogues of oxytocin and vasopressin on human and rat myometrial activity. <i>J Endocrinol</i> 88 (1981), pp. 173-180
(114)	Melin P., Trojnar J., Johansson B., Vilhardt H., Akerlund M.: Synthetic antagonists of the myometrial response to vasopressin and oxytocin. <i>J. Endocrinol.</i> 1986; 111: 125-131.
(115)	Mirabile C.P., Massmann G.A., Figueiroa J.P.: Physiologic role of nitric oxide in the maintenance of uterine quiescence in nonpregnant and pregnant sheep. <i>Am J Obstet Gynecol.</i> 2000 Jul; 183 (1): 191-8

(116)	Modzelewska B., Sipowicz M.A., Saavedra J.E., Keefer L.K., Kostrzewska A.: Involvement of K _{ATP} channels in nitric oxide-induced inhibition of spontaneous contractile activity of the nonpregnant human myometrium. <i>Biochem Biophys Res Commun</i> 1998; 253: 653-657.
(117)	Modzelewska B., Kostrzewska A., Sipowicz M., Kleszczewski T., Batra S.: Apamin inhibits NO-induced relaxation of the spontaneous contractile activity of the myometrium from non-pregnant women. <i>Reprod Biol Endocrinol</i> . 2003; 1: 8.
(118)	Moore F., Bernal A.L.: Myosin light chain kinase and the onset of labour in humans. <i>Exp Physiol</i> . 2001 Mar; 86(2): 313-8
(119)	Morgan K.G., Gangopadhyay S.S.: Signal transduction in smooth muscle: Invited review: Cross-bridge regulation by thin filament-associated proteins. <i>J Appl Physiol</i> 91 (2001), pp. 953-962.
(120)	Moya R.A., Moisa C.F., Morales F., Wynter H., Ali A., Narancio E. : Transdermal glyceryl trinitrate in the management of primary dysmenorrhea. <i>Int J Gynaecol Obstet</i> . 2000 May; 69 (2): 113-8.
(121)	Münzel T., Rau T.: Warum die Nitrat-Pause so wichtig ist. <i>Cardio News</i> 10/2004; 7. Jhg., S. 10-11
(122)	Naderali E.K., Buttell N., Taggart M.J., Bullock A.J., Eisner D.A., Wray S. : The role of the sarcolemmal Ca(2+)-ATPase in the pH transients associated with contraction in rat smooth muscle. <i>J Physiol</i> . 1997 Dec 1; 505 (Pt 2): 329-36
(123)	Ostad SN., Soodi M., Shariffzadeh M., Khorshidi N., Marzban H. : The effect of fennel essential oil on uterine contraction as a model for dysmenorrhoea, pharmacology and toxicology study. <i>Journal of Ethnopharmacology</i> 76 (2001) 299-304
(124)	Ou C.W., Chen Z.Q., Qi S., Lye S.J. : Increased expression of the rat myometrial oxytocin receptor messenger ribonucleic acid during labor requires both mechanical and hormonal signals. <i>Biol Reprod</i> 59 (1998), pp. 1055-1061.
(125)	Ou C.W., Orsino A., Lye S.J. : Expression of connexin-43 and connexin-26 in the rat myometrium during pregnancy and labor is differentially regulated by mechanical and hormonal signals. <i>Endocrinology</i> 138 (2002), pp. 5398-5407.
(126)	Ozaki H., Yasuda K., Kim Y.S., Egawa M., Kanzaki H., Nakazawa H., Hori M., Seto M., Karaki H.: Possible role of the protein kinase C/CPI-17 pathway in the augmented contraction of human myometrium after gestation. <i>Br J Pharmacol</i> 2003, 140: 1303-1312.
(127)	Papatsonis D.N.M., Lok C.A.R., Bos J.M., van Geijn, Dekker G.A.: Calcium channel blockers in the management of preterm labour and hypertension in pregnancy. <i>Eur J Obstet Gynecol Reprod Biol</i> 97 (2001), pp. 122-140.
(128)	Paranjape SB., Thibonnier M.: Development and therapeutic indications of orally-active non-peptide vasopressin receptor antagonists. <i>Expert Opin Investig Drugs</i> 2001 May;10(5):825-34

(129)	Parkington H.C., Coleman H.A.: Excitability in uterine smooth muscle. <i>Frontiers Horm Res</i> 27 (2001), pp. 179-200.
(130)	Parratt J., Taggart M.J., Wray S.: Abolition of contractions in the myometrium by acidification in vitro. <i>Lancet</i> 344 (1994), pp. 717-18
(131)	Pashby, N.L., R.E. Mansel, P.E. Preece, L.E. Hughes, J. Aspinall: A clinical trial of evening primrose oil (Efamol) in mastalgia. <i>Brit. Surg. Res. Soc., Cardiff Meeting</i> 1981
(132)	Phaneuf S., Asboth G., Mackenzie I.Z., Melin P., Lopez-Bernal A.: Effect of oxytocin antagonists on the activation of human myometrium in vitro: Atosiban prevents oxytocin-induced desensitisation. <i>Am J Obstet Gynecol</i> 171 (1994), pp. 1626-1634
(133)	Phillippe M., Basa A.: Effects of sodium and calcium channel blockade on cytosolic calcium oscillations and phasic contractions of myometrial tissue. <i>J Soc Gynecol Investig.</i> 1997 Mar-Apr; 4(2): 72-7.
(134)	Phillippe M.: Cellular mechanisms underlying magnesium sulfate inhibition of phasic myometrial contractions. <i>Biochem-Biophys-Res-Commun.</i> 1998 Nov 18; 252 (2): 502-7
(135)	Pitera A.E., Smith G.C., Wentworth R.A., Nathanielsz P.W.: Parathyroid hormone-related peptide (1 to 34) inhibits in vitro oxytocin-stimulated activity of pregnant baboon myometrium. <i>Am.J.Obstet.Gynecol.</i> 1998 Aug; 179 (2): 492-6
(136)	Plested C.P., Bernal A.L.: Desensitisation of the oxytocin receptor and other G- protein coupled receptors in the human myometrium. <i>Exp Physiol.</i> 2001 Mar; 86(2): 303-12
(137)	Quaas, L., H.P. Zahradnik, H.G. Hillemanns: Die Wirkung von Magnesium auf die Kontraktionsaktivität menschlicher Myometriumstreifen und deren Prostaglandinfreisetzung. <i>In: Magnesium und Schwangerschaft, hrsg. Von H. Weidinger;</i> Beltz, Weinheim 1985 (S.105)
(138)	Rendt J.M., Toro L., Stefani E., Erulkar S.D.: Progesterone increases Ca^{2+} currents in myometrial cells from immature and nonpregnant adult rats. <i>Am J Physiol</i> 262 (1992), pp. C293-301.
(139)	Richter O.N., Tschubel K., Schmolling J., Kupka M., Ulrich U., Wardemann E.: Immunhistochemical reactivity of myometrial oxytocin receptor in extracorporeally perfused nonpregnant human uteri. <i>Arch Gynecol Obstet.</i> 2003 Nov; 269(1): 16-24. Epub 2003 Mar 14
(140)	Riesenkampff E.: In-vitro-Wirkung des Oxytocin-Rezeptor-Antagonisten Atosiban auf das Kontraktionsverhalten von humanem Myometrium schwangerer Frauen. <i>Mensch & Buch</i> , 1. Auflage 2002, ISBN 3898204162
(141)	Sanborn B.M.: Relationship of ion channel activity to control of myometrial calcium. <i>J Soc Gynecol Investig</i> 7 (2000), pp. 4-11.

(142)	Sanyal M., Nag T.C., Das C.: Localization of nitric oxide synthase in human trophoblast cells: role of nitric oxide in trophoblast proliferation and differentiation. <i>Am J Reprod Immunol</i> (2000) 43: 70-77.
(143)	Schleussner E., Richter S., Gross W., Kahler C., Moller A., Moller U., Seewald H.J.: Nitroglycerin patch for tocolysis- a prospective randomized comparison with fenoterol by infusion. <i>Z Geburtshilfe Neonatol.</i> 2001 Sep-Oct; 205 (5): 189-94.
(144)	Shabani R., Islami H., Haliti N., Qehaja N., Ahmetaj H., Jakupi M., Sopa R., Gashi-Luci L.: An in vitro study of tracheal smooth muscle response to ethanol in neonates with respiratory distress syndrome. <i>Med Arh.</i> 2002; 56 (3): 127-9.
(145)	Shiels I.A., Whitehouse M.W.: Lyprinol: anti-inflammatory and uterine- relaxant activities in rats, with special reference to a model for dysmenorrhoea. <i>Allerg Immunol (Paris)</i> . 2000 Sep; 32 (7): 279-83
(146)	Shimano M., Nakaya Y., Fukui R., Kamada M., Hamada Y., Maeda K., Aono T.: Activation of Ca^{2+} -activated K^+ channels in human myometrium by nitric oxide. <i>Gynecol Obstet Invest</i> (2000) 49: 249-254.
(147)	Shirato H., Shima H., Sakashita G., Nakano T., Ito M., Lee E.Y., Kikuchi K.: Identification and characterization of a novel protein inhibitor of type 1 protein phosphatase. <i>Biochemistry</i> 2000, 39: 13848-13855.
(148)	Sidhu R., Singh M., Samir G., Carson R.J.: L-cysteine and sodium hydrosulphide inhibit spontaneous contractility in isolated pregnant rat uterine strips in vitro. <i>Pharmacol-Toxicol.</i> 2001 Apr; 88(4): 198-203
(149)	Sim S.S., Choi J.C., Min D.S., Rhie D.J., Yoon S.H., Hahn S.J., Kim C.J., Kim M.S., Jo Y.H.: The involvement of phospholipase A(2) in ethanol-induced gastric muscle contraction. <i>European Journal of Pharmacology</i> . 2001 Feb; 413(2-3): 281-5
(150)	Sim S.S., Choi J.C., Min D.S., Rhie D.J., Yoon S.H., Hahn S.J., Kim C.J., Kim M.S., Jo Y.H.: Effect of ethanol on spontaneous phasic contractions of cat gastric smooth muscle. <i>Scandinavian Journal of Gastroenterology</i> . 2002 Jan; 37(1): 23-7
(151)	Simpkin J.C., Kermani F., Palmer A.M., Campa J.S., Tribe R.M., Linton E.A., Poston L. : Effects of corticotrophin releasing hormone on contractile activity of myometrium from pregnant women. <i>Br.J.Obstet.Gynaecol.</i> 1999 May; 106 (5): 439-45
(152)	Slinchenko N.N., Taran T.T., Kosterin S.A.: Effect of incubation medium dielectric permeability on enzymatic activity of functionally different ATPases of smooth muscles. <i>Ukr Biokhim Zh.</i> 1997 Jul-Aug; 69 (4): 9-17
(153)	Stromberg P., Akerlund M., Forsling M.L., Granstrom E., Kindahl H.: Vasopressin and prostaglandins in premensual pain and primary dysmenorrhea. <i>Acta Obstet Gynecol Scand.</i> 1984 ; 63 (6) : 533-8
(154)	Surks H.K., Mochizuki N., Kasai Y., Georgescu S.P., Tang K.M., Ito M., Lincoln T.M., Mendelsohn M.E.: Regulation of myosin phosphatase by a specific interaction with the cGMP-dependent protein kinase Ialpha. <i>Science (Wash DC)</i> 1999, 286: 1583-1587.
(155)	Taggart M.J., Shearer E.A., Walker S.D., Naderali E.K., Moore S., Wray S.: External alkalinization decreases intracellular Ca^{2+} and spontaneous contractions in pregnant rat myometrium. <i>Am J Obstet Gynecol.</i> 1997 Oct; 177 (4): 959-63

(156)	Takizawa N., Koga Y., Ikebe M.: Phosphorylation of CPI17 and myosin binding subunit of type 1 protein phosphatase by P21-activated kinase. <i>Biochem Biophys Res Commun</i> 2002; 297: 773-778.
(157)	Tchirikov M., Peiper U., Schroder H.J.: Contraction kinetics of isolated human myometrium during menstrual cycle and pregnancy. <i>BJOG</i> . 2000 Jan; 107 (1): 62-7
(158)	Tichenor S.D., Malmquist N.A., Buxton I.L.: Dissociation of cGMP accumulation and relaxation in myometrial smooth muscle: effects of S-nitroso-N-acetylpenicillamine and 3-morpholinosyndonimine. <i>Cell Signal</i> (2003) 15: 763-772.
(159)	Ulmsten, U.: Calcium blockade as a rapid pharmacological test to evaluate primary dysmenorrhoea. <i>Gynec. Obstet. Invest.</i> 20 (1985) 78
(160)	Valentin L., Sladkevicius P., Kindahl H., Broeders A., Marsal K., Melin P.: Effects of a vasopressin antagonist in women with dysmenorrhoea. <i>Gynecol Obstet Invest</i> 2000;50(3):170-7
(161)	Vince G.S., Starkey P.M., Jackson M.C., Sargent I.L., Redman C.W.G.: Flow cytometric characterisation of cell populations in human pregnancy decidua and isolation of decidual macrophages. <i>J Immunol Methods</i> (1990) 132: 181-189.
(162)	von Dehn D.: Vergleichende in vitro-Studie zur kontraktionshemmenden Wirkung von Atosiban versus Ritodrine am Myometrium schwangerer Frauen. 2005.-79 Bl.: graph. Darst. Berlin, Humboldt-Univ., Diss., 2005 Signatur(en): 2005 E 1660
(163)	Wali F.A., Suer A.H., Hayter A., Tugwell A.C.: The effect of ethanol on spontaneous contractions and on the contraction produced by periarterial nerve stimulation and by acetylcholine in the rat isolated ileum. <i>General Pharmacology</i> 1987; 18(6): 631-5
(164)	Wassdal I., Nicolaysen G., Iversen J.G.: Bradykinin causes contraction in rat uterus through the same signal pathway as oxytocin. <i>Acta-Physiol-Scand.</i> 1998 Sep; 164 (1): 47-52
(165)	Wathes D.C., Porter D.G.: Effect of uterine distension and oestrogen treatment on gap junction formation in the myometrium of the rat. <i>J Reprod Fertil</i> 65 (1982), pp. 497-505.
(166)	Wathes D.C., Borwick S.C., Timmons P.M., Leung S.T., Thornton S.: Oxytocin receptor expression in human term and preterm gestational tissues prior to and following the onset of labour. <i>J.Endocrinol.</i> 1999 Apr; 161 (1): 143-51
(167)	Wellman G.C., Nathan D.J., Saundry C.M. et al.: Ca^{2+} sparks and their function in human cerebral arteries. <i>Stroke</i> 2002, 33, pp. 802-808.
(168)	Wenzloff, N.J., L. Shimp: Therapeutic management of primary dysmenorrhoea. <i>Drug. Intell. clin. Pharm.</i> 18 (1984) 22
(169)	Wetzka B., Schafer W.R., Stehmans A., Zahradnik H.P.: Effects of nitric oxide donors on the contractility and prostaglandin synthesis of myometrial strips from pregnant and non-pregnant women. <i>Gynecol-Endocrinol.</i> 2001 Feb; 15(1): 34-42

(170)	Woodcock NA, Taylor CW, Thornton S: Effect of an oxytocin receptor antagonist and rho kinase inhibitor on the Ca++ sensitivity of human myometrium. <i>Am J Obstet Gynecol.</i> 2004 Jan; 190(1):222-8
(171)	Word R.A., Kamm K.E., Casey M.L.: Contractile effects of prostaglandins, oxytocin and endothelin-1 in human myometrium in vitro <i>J Clin Endocrinol Metab.</i> 1992; 75: 1027-1032
(172)	Word R.A., Stull J.T., Casey M.L., Kamm K.E.: Contractile elements and myosin light chain phosphorylation in myometrial tissue from nonpregnant and pregnant women. <i>J Clin Invest</i> 92 (1993), pp. 29-37
(173)	Wray S.: Uterine contraction and physiological mechanisms of modulation. <i>Am J Physiol</i> 264 (1993), pp. C1-18.
(174)	Wray S., Jones K., Kupittayanant S., Li Y., Matthew A., Monir-Bishty E., Noble K., Pierce S.J., Quenby S., Shmygol A.V.: Calcium signaling and uterine contractility. <i>J of the Soc for Gynecol Investigation</i> 2003, Vol 10, Issue 5, pp. 252-264.
(175)	Yallampalli C., Izumi H., Byam-Smith M., Garfield R.E.: An L-arginine-nitric oxide-cyclic guanosine monophosphate system exists in the uterus and inhibits contractility during pregnancy. <i>Am J Obstet Gynecol</i> (1994) 170: 175-185.
(176)	Yallampalli C., Dong Y.L., Gangula P.R., Fang L.: Role and regulation of nitric oxide in the uterus during pregnancy and parturition. <i>J Soc Gynecol Invest</i> 1998; 5; 58-67
(177)	Yildirim K., Sarioglu Y., Kaya T., Cetin A. Yildirim S.: Inhibitor effect of omeprazole in isolated human myometrial smooth muscle. <i>Life.Sci.</i> 2001 Jun 15; 69 (4): 435-42
(178)	Young R.C., Smith L.H., McLaren M.D.: T-type and L-type calcium currents in freshly dispersed human uterine smooth muscle cells. <i>Am J Obstet Gynecol</i> 169 (1993), pp. 785-792.
(179)	Yusufi A.N., Cheng J., Thompson M.A., Dousa T.P., Warner G.M., Walker H.J., Grande J.P.: CADP-ribose/ryanodine channel/Ca ²⁺ -release signal transduction pathway in mesangial cells. <i>Am J Physiol</i> 2001, 281: F91-F102
(180)	Yusufi A.N., Cheng J., Thompson M.A., Burnett J.C., Grande J.P. : Differential mechanisms of Ca ²⁺ release from vascular smooth muscle cell microsomes. <i>Exp Biol Med</i> 2002, 227: 36-44.
(181)	Zahradnik, H.P., M. Breckwoldt: Contribution to the pathogenesis of dysmenorrhoea. <i>Arch. Gynec.</i> 236 (1984) 99
(182)	Zahradnik, H.P., M. Breckwoldt: Die medikamentöse Therapie der Dysmenorrhoe. <i>Gynäkologe</i> 21 (1988) 58
(183)	Zhang W.Y., Li-Wan-Po A.: Efficacy of minor analgesics in primary dysmenorrhoea: a systematic review. <i>Br J Obstet Gynaecol.</i> 1998 Jul; 105 (7): 780-9
(184)	Zou H., Lifshitz L.M., Tuft R.A., Fogarty K.E., Singer J.J.: Visualization of Ca ²⁺ entry through single stretch-activated cation channels. <i>Proc Natl Acad Sci U S A</i> 99 (2002), pp. 6404-6409.

(185) The Worldwide Atosiban versus Beta-agonists Study Group, Effectiveness and safety of the oxytocin antagonist Atosiban versus beta-adrenergic agents in the treatment of preterm labour.
Br J Obstet Gynaecol 108 (2001), pp. 133-142