

8 Literaturverzeichnis

1. AGUIRRE, G. D. (1978). Retinal degeneration associated with the feeding of dog foods to cats. *J Am Vet Med Assoc* 172, 791-796.
2. AGUIRRE, G. D., O'BRIEN, P. (1986). Morphological and biochemical studies of canine progressive rod-cone degeneration. *Invest Ophthalmol Vis Sci* 27, 635-655.
3. AGUIRRE, G. D., RUBIN, L. F., I., B. S. (1972). Development of the canine eye. *Am J Vet Res* 33, 2399-2414.
4. ANGER, E. M., UNTERHUBER, A., HERMANN, B., SATTMANN, H., SCHUBERT, C., MORGAN, J. E., COWEY, A., AHNELT, P. K., DREXLER, W. (2004). Ultrahigh resolution optical coherence tomography of the monkey fovea. Identification of retinal sublayers by correlation with semithin histology sections. *Exp Eye Res* 78, 1117-1125.
5. ANTCLIFF, R. J., STANFORD, M. R., CHAUHAN, D. S. (2000). Comparison between optical coherence tomography and fundus fluorescein angiography for the detection of cystoid macular edema in patients with uveitis. *Ophthalmology* 107, 593-599.
6. BARNETT, K. (1982). Progressive retinal atrophy in the Abyssinian cat. *J Small Anim Pract* 23, 763-766.
7. BAUMAL, C. R. (1999). Clinical applications of optical coherence tomography. *Curr Opin Ophthalmol* 10, 182-188.
8. BAUMANN, M., GENTILE, R. C., LIEBMANN, J. M., RITCH, R. (1998). Reproducibility of retinal thickness measurements in normal eyes using optical coherence tomography. *Ophthalmic Surg Lasers* 29, 280-285.

9. BERGAMIN, O., ANDERSON, S. C., KARDON, R. H. (2004). An objective method to define outlier optical coherence tomograms and repeatability of retinal nerve fibre layer measurements. *Acta Ophthalmol Scand* 82, 535-543.
10. BERGSMA, D. R., BROWN, K. S. (1971). White fur, blue eyes, and deafness in the domestic cat. *J Hereditary* 62, 171-185.
11. BIRNGRUBER, R. (1999): Optische Kohärenztomographie. In: GUTHOFF, R., PAULEIKHOFF, D., HINGST, V. (Hrsg.): *Bildgebende Diagnostik in der Augenheilkunde.*; S. 29-35. Stuttgart: Enke.
12. BOPPART, S. A., BOUMA, B. E., BREZINSKI, M. E., TEARNEY, G. J., FUJIMOTO, J. G. (1996a). Imaging developing neural morphology using optical coherence tomography. *J Neurosci Methods* 70, 65-72.
13. BOPPART, S. A., BOUMA, B. E., PITRIS, C., SOUTHERN, J. F., BREZINSKI, M. E., FUJIMOTO, J. G. (1998). In vivo optical coherence tomography imaging. *Nat Med* 4, 861-865.
14. BOPPART, S. A., BOUMA, B. E., PITRIS, C., TEARNEY, G. J., FUJIMOTO, J. G. (1997a). Forward-imaging instruments for optical coherence tomography. *Optics Letters* 22, 1618-1620.
15. BOPPART, S. A., BREZINSKI, M. E., BOUMA, B. E., TEARNEY, G. J., FUJIMOTO, J. G. (1996b). Investigation of developing embryonic morphology using optical coherence tomography. *Dev Biol* 177, 54-63.
16. BOPPART, S. A., TEARNEY, G. J., BOUMA, B. E., SOUTHERN, J. F., BREZINSKI, M. E., FUJIMOTO, J. G. (1997b). Noninvasive assessment of the developing *Xenopus* cardiovascular system using optical coherence tomography. *Proc Natl Acad Sci USA* 94, 4256-4261.
17. BOUMA, B. E., TEARNEY, G. J. (2002). Clinical imaging with optical coherence tomography. *Acad Radiol* 9, 942-953.
18. BOUMA, B. E., TEARNEY, G. J., COMPTON, C. C., NISHIOKA, N. S. (2000). High-resolution imaging of human esophagus and stomach in vivo using optical coherence tomography. *Gastrointest Endosc* 51, 467-474.

19. BOYCOTT, B. B. (1988). Horizontal cells of mammalian retinae. *Neurosci Res* 8, S97-S111.
20. BRAEKEVELT, C. R. (1990). Retinal epithelial fine structure in the domestic cat (*Felis catus*). *Anat Hist Embryol* 19, 58-66.
21. BREIDER, M. A., WALKER, T. L., LEGRENDRE, A. M., VAN EE, R. T. (1988). Blastomycosis in cats: Five cases (1979-1993). *J Vet Intern Med* 9, 86-89.
22. BREZINSKI, M. E., TEARNEY, G. J., BOUMA, B. E. (1996a). Imaging of coronary artery microstructure (in vitro) with optical coherence tomography. *Am J Cardiol* 77, 92-93.
23. BREZINSKI, M. E., TEARNEY, G. J., BOUMA, B. E. (1996b). Optical coherence tomography for optical biopsy: Properties and demonstration of vascular pathology. *Circulation* 93, 1206-1213.
24. BREZINSKI, M. E., TEARNEY, G. J., WEISSMAN, N. J. (1997). Assessing atherosclerotic plaque morphology: Comparison of optical coherence tomography and high frequency intravascular ultrasound. *Heart* 77, 397-403.
25. BRIGHTMAN, A. H., OGILVIE, G. K., TOMPKINS, M. (1991). Ocular disease in FeLV-positive cats: 11 cases (1981-1986). *J Am Anim Hosp Assoc* 5, 35-38.
26. BROOKS, D. E. (1999): Ocular imaging. In: GELATT, K. N. (Hrsg.): *Veterinary Ophthalmology*. 3. Aufl.; S. 467-482. Philadelphia: Lippincott Williams & Wilkins.
27. BUTTERY, R. G., HINRICHSEN, C. F., WELLER, W. L., HAIGHT, J. R. (1991). How thick should a retina be? A comparative study of mammalian species with and without intraretinal vasculature. *Vision Res* 31, 169-87.
28. CAMPBELL, L. H., SCHIESSL, M. M. (1978). Ocular manifestations of toxoplasmosis, infectious peritonitis, and lymphosarcoma in cats. *Mod Vet Pract* 59, 761-765.

29. CHAUHAN, D. S., MARSHALL, J. (1999). The interpretation of optical coherence tomography images of the retina. *Invest Ophthalmol Vis Sci* 40, 2332-2342.
30. CHOW, R. L., LANG, R. A. (2001). Early eye development in vertebrates. *Annu Rev Cell Dev Biol* 17, 255-296.
31. COSTA, R. A., CALUCCI, D., SKAF, M., CARDILLO, J. A., CASTRO, J. C., MELO, L. A., MARTINS, M. C., KAISER, P. K. (2004). Optical coherence tomography 3: Automatic delineation of the outer neural retinal boundary and its influence on retinal thickness measurements. *Invest Ophthalmol Vis Sci* 45, 2399-2406.
32. DAWSON, W. W., MOORES, M. D., REITZE, D. H., BROOKS, D. E., SERGEEV, A., GELATT, K. N. (1996). Comparison of optical coherence tomography (OCT) and histology at the neural rim in glaucoma. *Invest Ophthalmol Vis Sci* 37, S1152 (Abstr.).
33. DE SCHAEPDRIJVER, L. (1993). Vergelijkende morfologische Studie van de retinale Circulatie bij Hond, de Kat ent het Varken. Ph. D. Thesis, Vol. 2, Gent.
34. DOWLING, I. E., BOYCOTT, B. B. (1970). Organisation of the primate retinas: Electron microscopy. *Proc Roy Soc B* 166, 80-111.
35. DREXLER, W., SATTMANN, H., HERMANN, B. (2003). Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography. *Arch Ophthalmol* 121, 695-706.
36. DUKER, J. S., PULIAFITO, C. A., WILKINS, J. R., COKER, J. G., REICHEL, E., HEE, M. R., FUJIMOTO, J. G. (1995). Imaging fellow eyes in patients diagnosed with idiopathic macular holes using optical coherence tomography (OCT). *Ophthalmology* 102, S118.
37. ERHARDT, W., KÖSTLIN, R., HENKE, J. (2001). Anästhesie zu Untersuchungen und Operationen am Auge beim Kleintier. *Tierärztl Praxis* 29, 339-345.

38. FERCHER, A. F., HITZENBERGER, C., DREXLER, W., KAMP, G., SATTMANN, H. (1993). In vivo optical coherence tomography. *Am J Ophthalmol* 116, 113-114.
39. FERCHER, A. F., HITZENBERGER, C., JUCHEM, M. (1991). Measurement of intraocular optical distances using partially coherent laser light. *J Modern Optics* 38, 1327-1333.
40. FERCHER, A. F., MENDEDOHT, K., WERNER, W. (1988). Eye-length measurement by interferometry with partially coherent light. *Optics Letters* 13, 186-188.
41. FISHER, S. K., BOYCOTT, B. B. (1974). Synaptic connections made by horizontal cells within the outer plexiform layer in the retina of the cat and the rabbit. *Proc R Soc Lond B Biol Sci* 186, 317-331.
42. FUJIMOTO, J. G., BREZINSKI, M. E., TEARNEY, G. J., BOPPART, S. A., BOUMA, B. E., HEE, M. R., SOUTHERN, J. F., SWANSON, E. A. (1995). Optical biopsy and imaging using optical coherence tomography. *Nat Med* 1, 970-972.
43. GAUDRIC, A., HAOUCHINE, B., MASSIN, P., PAQUES, M., BLAIN, P., ERGINAY, A. (1999). Macular hole formation: New data provides by optical coherence tomography. *Arch Ophthalmol* 117, 744-751.
44. GE, J., LUO, R., GUO, Y. (1999). Corrective change of retinal thickness measured by optical coherence tomography and histologic studies. *Yan Ke Xue Bao* 15, 153-155, 178.
45. GELATT, K. N., VAN DER WOERDT, A., KETRING, K. L., ANDREW, S. E., BROOKS, D. E., BIROS, D. J., DENIS, H. M., CUTLER, T. J. (2001). Enrofloxacin-associated retinal degeneration in cats. *Vet Ophthalmol* 4, 99-106.
46. GILGER, B. C., DAVIDSON, M. G., HOWARD, P. B. (1998). Keratometry, ultrasonic biometry, and prediction of intraocular lens power in the feline eye. *Am J Vet Res* 59, 131-134.

47. GIOVANNINI, A., AMATO, G. P., MARIOTTI, C., SCASSELLATI-SFORZOLINI, B. (1999). OCT imaging of choroidal neovascularisation and its role in the determination of patients' eligibility for surgery. *Br J Ophthalmol* 83, 438-442.
48. GLAZE, M. B., GELATT, K. N. (1999): Feline ophthalmology. In: GELATT, K. N. (Hrsg.): *Veterinary Ophthalmology*. 3. Aufl.; S. 997-1052. Philadelphia: Lippincott Williams & Wilkins.
49. GLOESMANN, M., HERMANN, B., SCHUBERT, C., SATTMANN, H., AHNELT, P. K., DREXLER, W. (2003). Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography. *Vis Sci* 44, 1696-1703.
50. GÖBEL, W., HARTMANN, F., HAIGIS, W. (2001). Bestimmung der Netzhautdicke in Abhängigkeit von Alter und Achsenlänge mit Hilfe der optischen Kohärenztomographie. *Ophthalmologe* 98, 157-162.
51. GOEBEL, W., FRANKE, R. (2006). Retinal thickness in diabetic retinopathy: comparison of optical coherence tomography, the retinal thickness analyzer, and fundus photography. *Retina* 26, 49-57.
52. GOEBEL, W., KRETZCHMAR-GROSS, T. (2002). Retinal thickness in diabetic retinopathy: a study using optical coherence tomography (OCT). *Retina* 22, 759-67.
53. GORIN, M. B., TO, A. C., NARSTROM, K. (1995). Sequence analysis and exclusion of phosducin as the gene for the recessive retinal degeneration of the abyssinian cat. *Biochim Biophys Acta* 1260, 323-324.
54. GREENE, C. E., GORGACZ, E. J., MARTIN, C. L. (1982). Hydranencephaly associated with feline panleukopenia. *J Am Vet Med Assoc* 180, 767-771.
55. GREENE, R. T., TROY, G. C. (1995). Coccidiomycosis in 48 cats: A retrospective study (1984-1993). *J Vet Intern Med* 9, 86-90.

56. GÜRSES-OZDEN, R., TENG, C., VESSANI, R., ZAFAR, S., LIEBMANN, J. M., RITCH, R. (2004). Macular and retinal nerve fiber layer thickness measurement reproducibility using optical coherence tomography (OCT-3). *J Glaucoma* 13, 238-244.
57. GUTHOFF, R., PAULEIKHOFF, D., HINGST, V. (1999). *Bildgebende Diagnostik in der Augenheilkunde*. Stuttgart: Enke.
58. HEE, M. R., BAUMAL, C. R., PULIAFITO, C. A., DUKER, J. S., REICHEL, E., WILKINS, J. R., COKER, J. G., SCHUMAN, J. S., SWANSON, E. A., FUJIMOTO, J. G. (1996). Optical coherence tomography of age-related macular degeneration and choroidal neovascularization. *Ophthalmology* 103, 1260-1270.
59. HEE, M. R., IZATT, J. A., SWANSON, E. A., HUANG, D., SCHUMAN, J. S., LIN, C. P., PULIAFITO, C. A., FUJIMOTO, J. G. (1995d). Optical coherence tomography of the human retina. *Arch Ophthalmol* 113, 325-332.
60. HEE, M. R., PULIAFITO, C. A., WONG, C., DUKER, J. S., REICHEL, E., RUTLEDGE, B., SCHUMAN, J. S., SWANSON, E. A., FUJIMOTO, J. G. (1995c). Quantitative assessment of macular edema with optical coherence tomography. *Arch Ophthalmol* 113, 1019-1029.
61. HEE, M. R., PULIAFITO, C. A., WONG, C., DUKER, J. S., REICHEL, E., SCHUMAN, J. S., SWANSON, E. A., FUJIMOTO, J. G. (1995a). Optical coherence tomography of macular holes. *Ophthalmology* 102, 748-756.
62. HEE, M. R., PULIAFITO, C. A., WONG, C., REICHEL, E., DUKER, J. S., SCHUMAN, J. S., SWANSON, E. A., FUJIMOTO, J. G. (1995b). Optical coherence tomography of central serous chorioretinopathy. *Am J Ophthalmol* 120, 65-74.
63. HERRMANN, J. M., PITRIS, C., BOUMA, B. E. (1999). High resolution imaging of normal and osteoarthritic cartilage with optical coherence tomography. *J Rheumatol* 26, 627-635.

64. HERRTAGE, M. E., BARNETT, K. C., MACDOUGALL, D. F. (1985). Diabetic retinopathy in a cat with megestrol acetate-induced diabetes. *J Small Anim Pract* 26, 595-601.
65. HO, A. C., GUYER, D. R., FINE, S. L. (1998). Macular hole. *Surv Ophthalmol* 42, 393-416.
66. HOAR, R. M. (1982). Embryology of the eye. *Environ Health Perspect* 44, 31-34.
67. HOERAUF, H., SCHOLZ, C., KOCH, P., ENGELHARDT, R., LAQUA, H., BIRNGRUBER, R. (2002). Transscleral optical coherence tomography: A new imaging method for the anterior segment of the eye. *Arch Ophthalmol* 120, 816-819.
68. HOERAUF, H., WIRBELAUER, C., SCHOLZ, C. (2000). Slit-lamp adapted optical coherence tomography (OCT) of the anterior segment. *Graefes Arch Clin Exp Ophthalmol* 238, 8-18.
69. HOPPER, C. D., SPARKES, A. H., GRUFFYD-JONES, T. J. (1989). Clinical and laboratory findings in cats infected with feline immunodeficiency virus. *Vet Rec* 125, 341-346.
70. HRYNCHAK, P., SIMPSON, T. (2000). Optical coherence tomography: An introduction to the technique and its use. *Optom Vis Sci* 77, 347-356.
71. HUANG, D., SWANSON, E. A., LIN, C. P., SCHUMAN, J. S., STINSON, W. G., CHANG, W., HEE, M. R., FLOTTE, M., GREGORY, K., PULIAFITO, C. A., FUJIMOTO, J. G. (1991). Optical coherence tomography. *Science* 254, 1178-1181.
72. HUANG, Y., CIDECIYAN, A. V., PAPASTERGIOU, G. I., BANIN, E., SEMPLE-ROWLAND, S. L., MILAM, A. H., JACOBSON, S. G. (1998). Relation of optical coherent tomography to microanatomy in normal and rd chickens. *Invest Ophthalmol Vis Sci* 39, 2405-2416.
73. HUMPHREY (1996). OCT Scanner Owner's manual. Rev. A, PN 38904.

74. HUMPHREY OCT (1996). Scanner Owner's manual. Rev. A, PN 38904.
75. IIDA, T., HAGIMURA, N., SATO, T., KISHI, S. (2000). Evaluation of central serous chorioretinopathy with optical coherence tomography. *Am J Ophthalmol* 129, 16-20.
76. IP, M., GARZA-KARREN, C., DUKER, J. S., REICHEL, E., SWARTZ, J. C., AMIRIKA, A., PULIAFITO, C. A. (1999). Differentiation of retinoschisis from retinal detachment using optical coherence tomography. *Ophthalmology* 106, 600-605.
77. ISHIKAWA, H., PIETTE, S., LIEBMANN, J. M., RITCH, R. (2002). Detecting the inner and outer borders of the retinal nerve fiber layer using optical coherence tomography. *Graefes Arch Clin Exp Ophthalmol* 240, 362-371.
78. IZATT, J. A., HEE, M. R., SWANSON, E. A., LIN, C. P., HUANG, D., SCHUMAN, J. S. (1994). Micrometer-scale resolution imaging of the anterior eye in vitro with optical coherence tomography. *Arch Ophthalmol* 112, 1584-1589.
79. JONES, A. L., SHEEN, N. J., NORTH, R. V., MORGAN, J. W. (2001). The Humphrey optical coherence tomography scanner: Quantitative analysis and reproducibility study of the normal human retinal nerve fibre layer. *Br J Ophthalmol* 85, 673-677.
80. KANAI, K., ABE, T., MURAYAMA, K., YONEYA, S. (2002). Retinal thickness and changes with age. *Nippon Ganka Gakkai Zasshi* 106, 162-165.
81. KOBAYASHI, K., IZATT, J. A., KULKARNI, M. S., WILLIS, J., SIVAK, M. V. (1998). High-resolution cross-sectional imaging of the gastrointestinal tract using optical coherence tomography: Preliminary results. *Gastrointest Endosc* 47, 515-523.
82. KOLB, H. (1997). Amacrine cells of the mammalian retina: Neurocircuitry and functional roles. *Eye* 11, 904-923.
83. KOLB, H., LINBERG, K. A., FISHER, S. K. (1992). The neurons of the human retinae: A Golgi study. *J Comp Neurol* 318, 147-187.

84. KONNO, S., AKIBA, J., YOSHIDA, A. (2001). Retinal thickness measurements with optical coherence tomography and the scanning retinal thickness analyzer. *Retina* 21, 57-61.
85. KOOP, N., BRINKMANN, R., LANKENAU, E., FLACHE, S., ENGELHARDT, R., BIRNGRUBER, R. (1997). Optische Kohärenztomographie der Kornea und des vorderen Augenabschnitts. *Ophthalmologie* 94, 481-486.
86. KOOZEKANANI, D., ROBERTS, C., KATZ, S. E., HERDERICK, E. E. (2000). Intersession repeatability of macular thickness measurements with the Humphrey 2000 OCT. *Invest Ophthalmol Vis Sci*.
87. LEDERER, D. E., SCHUMAN, J. S., HERTZMARK, E., HELTZER, J., VELAZQUES, L. J., FUJIMOTO, J. G., MATTOX, C. (2003). Analysis of macular volume in normal and glaucomatous eyes using optical coherence tomography. *Am J Ophthalmol* 135, 838-843.
88. LEICESTER, J., STONE, J. (1967). Ganglion, amacrine and horizontal cells of the cat's retina. *Vision Res* 7, 695-705.
89. LEON, A., CURTIS, R. (1990). Autosomal dominant rod-cone dysplasia in the cat. 1. Light and electron microscopy findings. *Exp Eye Res* 51, 361-365.
90. MACMILLAN, A. D. (1980). Retinal dysplasia in the dog and cat. *Vet Clin North Am* 10, 411-413.
91. MARCHIAFAVA, P. L., TORRE, V. (1978). The responses of amacrine cells to light and intracellularly applied currents. *J Physiol* 276, 83-102.
92. MARTIN, C. L. (1994). *Augenkrankheiten bei Hund und Katze (Pferd, Wiederkäuer)*. Alfeld-Hannover: Schaper.
93. MASSIN, P., VICAUT, E., HAOUCHINE, B., ERGINAY, A., PAQUES, M., GAUDRIC, A. (2001). Reproducibility of retinal mapping using optical coherence tomography. *Arch Ophthalmol* 119, 1135-1142.

94. MOK, K. H., LEE, V. W., SO, K. F. (2004). Increasing scans per examination improves the reproducibility on retinal nerve fiber layer measurements by optical coherence tomography. *Optom Vis Sci* 81, 268-271.
95. MUNUERA, J. M., GARCIA-LAYANA, A., MALDONADO, M. J., ALISEDA, D., MORENO-MONTANES, J. (1998). Optical coherence tomography in successful surgery of vitreomacular traction syndrome. *Arch Ophthalmol* 116, 1388-1389.
96. NARFSTROM, K. (1986). Progressive retinal atrophy in the Abyssinian cat. *Invest Ophthalmol Vis Sci* 26, 193-200.
97. NARFSTROM, K. (1999). Hereditary and congenital ocular disease in the cat. *J Feline Med Surg* 1, 135-141.
98. NEUBAUER, A. S., PRIGLINGER, S., ULLRICH, S., BECHMANN, M., THIEL, M. J., ULBIG, M. W., KAMPIK, A. (2001). Comparison of foveal thickness measured with the retinal thickness analyzer and optical coherence tomography. *Retina* 21, 596-601.
99. O'RAHILLY, R. (1975). The prenatal development of the human eye. *Exp Eye Res* 21, 93-112.
100. OTANI, T., KISHI, S., MARUYAMA, Y. (1999). Patterns of diabetic macular edema with optical coherence tomography. *Am J Ophthalmol* 127, 688-693.
101. PICKETT, J. P., CHESNEY, R. W., BEEHLER, B. (1990). Comparison of serum and plasma taurine values in Bengal tigers with values in taurine-sufficient and -deficient domestic cats. *J Am Vet Med Assoc* 196, 342-346.
102. PITRIS, C., BREZINSKI, M. E., BOUMA, B. E., TEARNEY, G. J., SOUTHERN, J. F., FUJIMOTO, J. G. (1998). High resolution imaging of the upper respiratory tract with optical coherence tomography. *Am J Respir Crit Care Med* 157, 1640-1644.
103. PITRIS, C., GOODMAN, A., BOPPART, S. A., LIBUS, J. J., FUJIMOTO, J. G., BREZINSKI, M. E. (1999). High-resolution imaging of gynecologic neoplasms using optical coherence tomography. *Obstet Gynecol* 93, 135-139.

104. POLITO, A., SHAH, S. M., HALLER, J. A., ZIMMER-GALLER, I., ZEIMER, R., CAMPOCHIARO, P. A., VITALE, S. (2002). Comparison between retinal thickness analyzer and optical coherence tomography for assessment of foveal thickness in eyes with macular disease. *Am J Ophthalmol* 134, 240-251.
105. POLYAK, S. L. (1941). *The primate retina*. Chicago: University of Chicago.
Zit. n. KOLB (1997).
106. PULIAFITO, C. A., HEE, M. R., LIN, C. P. (1995). Imaging of macular diseases with optical coherence tomography. *Ophthalmology* 102, 217-229.
107. RIPANDELLI, G., COPPE, A. M., CAPALDO, A., STIRPE, M. (1998). Optical coherence tomography. *Semin Ophthalmol* 13, 199-202.
108. ROCKHILL, R. L., DALY, F. J., MACNEIL, M. A., BROWN, S. P., MASLAND, R. H. (2002). The diversity of ganglion cells in a mammalian retina. *J Neurosci* 22, 3831-3843.
109. ROH, S., NOECKER, R. J., SCHUMAN, J. S. (1997). Evaluation of coexisting optic nerve head drusen and glaucoma with optical coherence tomography. *Ophthalmology* 104, 1138-1144.
110. ROH, S., NOECKER, R. J., SCHUMAN, J. S., HEDGES, T. R., WEITTER, J. J., MATTOX, C. (1998). Effect of optic nerve head druse on nerve fiber layer thickness. *Ophthalmology* 105, 878-885.
111. ROLLINS, A. M., YAZDANFAR, S., BARTON, J. K., IZATT, J. A. (2002). Real-time in vivo color Doppler optical coherence tomography. *J Biomed Opt* 7, 123-129.
112. RUBIN, L., LIPTON, D. (1973). Retinal degeneration in kittens. *J Am Vet Med Assoc* 162, 467-469.
113. SACHS, L. (1997). *Angewandte Statistik*. 8. Aufl. Berlin: Springer.

114. SANCHEZ-TOCINO, H., ALVAREZ-VIDAL, A., MALDONADO, M. J., MORENO-MONTANES, J., GARCIA-LAYANA, A. (2002). Retinal thickness study with optical coherence tomography in patients with diabetes. *Invest Ophthalmol Vis Sci* 43, 1588-94.
115. SCHAUDIG, U. (1999): Optische Kohärenztomographie zur Darstellung retinaler Befunde. In: GUTHOFF, R., PAULEIKHOFF, D., HINGST, V. (Hrsg.): *Bildgebende Diagnostik in der Augenheilkunde.*; S. 40-50. Stuttgart: Enke.
116. SCHAUDIG, U. (2001). Optische Kohärenztomographie. *Ophthalmologe* 98, 26-34.
117. SCHMIDT, V., HORZINEK, M. C. (1993). *Krankheiten der Katze. Band 2.* Jena: Gustav Fischer.
118. SCHMITT, J. M., YADLOWSKI, M. J., BONNER, R. F. (1995). Subsurface imaging of living skin with optical coherence microscopa. *Dermatology* 191, 93-98.
119. SCHNEEBERG, A. E., GOBEL, W. (2003). Diagnostik und Verlaufskontrolle des nichtdiabetischen Makulaödems mithilfe der optischen Kohärenztomographie (OCT). *Ophthalmologe* 100, 960-966.
120. SCHNORR, B. (1996). *Embryologie der Haustiere. 3. überarbeitete Auflage.* Stuttgart: Enke.
121. SCHUMAN, J. S., PEDUT-KLOTZMANN, T., HEE, M. R., WONG, C., LIN, C. P., PULIAFITO, C. A. (1995). Quantification of nerve fiber layer thickness in normal and glaucomatous eyes using optical coherence tomography. *Arch Ophthalmol* 113, 588-596.
122. SCHUMAN, J. S., PEDUT-KLOTZMANN, T., HERTZMARK, E., HEE, M. R., WILKINS, J. R., COKER, J. G., PULIAFITO, C. A., FUJIMOTO, J. G., SWANSON, E. A. (1996). Reproducibility of nerve fiber layer thickness measurements using optical coherence tomography. *Ophthalmology* 103, 1889-1898.

123. SERGEEV, A. M., GELIKONOV, V. M., GELIKONOV, G. V. (1997). In vivo endoscopic OCT imaging of precancer and cancer states of human mucosa. *Opt Express* 1, 432-440.
124. SOURDILLE, P., SANTIAGO, P. Y. (1999). Optical coherence tomography of macular thickness after cataract surgery. *J Cataract Refract Surg* 26, 256-261.
125. SPIRA, A., HOLLENBERG, M. (1973). Human retinal development: Ultrastructure of the inner retinal layers. *Dev Biol* 31, 1-21.
126. SPRAUL, C. W., LANG, G. E., LANG, G. K. (1998). Value of optical coherence tomography in diagnosis of age-related macular degeneration. Correlation of fluorescein angiography and OCT findings. *Klin Monatsbl Augenheilkd* 212, 141-148.
127. STADTBÄUMER, K., NELL, B. (2003). Netzhautatrophie aufgrund einer Enrofloxacinintoxikation bei einer Katze. *Tierärztl Praxis* 31, 168-169.
128. STANGA, P. E., BIRD, A. C. (2001). Optical coherence tomography (OCT) : Principles of operation, technology, indications in vitreoretinal imaging and interpretation of results. *Int Ophthalmol* 23, 191-197.
129. STEINBERG, R. H., REID, M., LACY, P. L. (1973). The distribution of rods and cones in the retina of the cat (*Felis domesticus*). *J Comp Neurol* 148, 229.
130. STONE, J., LEVENTHAL, A., WATSON, C. R., KEENS, J., CLARKE, R. (1980). Gradients between nasal and temporal areas of the cat retina in the properties of retinal ganglion cells. *J Comp Neurol* 192, 219-233.
131. TEARNEY, G. J., BREZINSKI, M. E., BOPPART, S. A. (1996). Images in cardiovascular medicine: Catheter-based optical imaging of a human coronary artery. *Circulation* 94, 3013.
132. TEARNEY, G. J., BREZINSKI, M. E., BOUMA, B. E. (1997a). In vivo endoscopic optical biopsy with optical coherence tomography. *Science* 276, 2037-2039.

133. TEARNEY, G. J., BREZINSKI, M. E., SOUTHERN, J. F., BOUMA, B. E., BOPPART, S. A., FUJIMOTO, J. G. (1997b). Optical biopsy in human gastrointestinal tissue using optical coherence tomography. *Am Gastroenterol* 92, 1800-1804.
134. TEARNEY, G. J., BREZINSKI, M. E., SOUTHERN, J. F., BOUMA, B. E., BOPPART, S. A., FUJIMOTO, J. G. (1997c). Optical biopsy with optical coherence tomography: Feasibility for surgical diagnostics. *J Surg Res* 71, 32-40.
135. TEARNEY, G. J., BREZINSKI, M. E., SOUTHERN, J. F., BOUMA, B. E., BOPPART, S. A., FUJIMOTO, J. G. (1998). Optical biopsy in human pancreatobiliary tissue using optical coherence tomography. *Dig Dis Sci* 43, 1193-1199.
136. TEARNEY, G. J., JANG, I. K., KANG, D. H. (2000). Porcine coronary artery imaging in vivo by optical coherence tomography. *Acta Cardiol* 55, 233-237.
137. TOTH, C. Y., NARAYAN, D. G., BOPPART, S. A., HEE, M. R., FUJIMOTO, J. G., BIRNGRUBER, R., CAIN, C. P., DICARLO, C. D., ROACH, W. P. (1997). A comparison of retinal morphology viewed by optical coherence tomography and by light microscopy. *Arch Ophthalmol* 115, 1425-1428.
138. TRABUCCHI, G., BRANCATO, R., PIERRO, L., INTROINI, U., SANNACE, L. (1999). Idiopathic juxtafoveal retinal teleangiectasis and pigmented epithelial hyperplasia: An optical coherence tomographic study. *Arch Ophthalmol* 117, 405-406.
139. TREVOR-ROPER, P. D. (1974). The eye and its disorders. 5. Embryology. *Int Ophthalmol Clin* 14, 76-87.
140. VON ENGELHARDT, W., BREVES, G. (2000). *Physiologie der Haustiere*. Stuttgart: Enke.
141. VOO, I., MAVROFRIDES, E. C., PULIAFITO, C. A. (2004). Clinical applications of optical coherence tomography for the diagnosis and management of macular diseases. *Ophthalmol Clin North Am* 17, 21-31.
142. WÄSSLE, H., PEICHL, L., BOYCOTT, B. B. (1983). Mosaics and territories of cat retinal ganglion cells. *Prog Brain Res* 58, 183-190.

143. WEIDMAN, T. A. (1973). The retina. *Int Ophthalmol Clin* 13, 205-228.
144. WELZEL, J., LANKENAU, E., BIRNGRUBER, R., ENGELHARDT, R. (1997). Optical coherence tomography of the human skin. *J Am Acad Dermatol* 37, 958-963.
145. WELZEL, J., LANKENAU, E., BIRNGRUBER, R., ENGELHARDT, R. (1998). Optical coherence tomography of the skin. *Curr Probl Dermatol* 26, 27-37.
146. WIEBE, V., HAMILTON, P. (2002). Fluoroquinolone-induced retinal degeneration in cats. *J Am Vet Med Assoc* 221, 1568-1571.
147. WILKINS, J. R., PULIAFITO, C. A., HEE, M. R., DUKER, J. S., REICHEL, E., COKER, J. G., SCHUMAN, J. S., SWANSON, E. A., FUJIMOTO, J. G. (1996). Characterization of epiretinal membranes using optical coherence tomography. *Ophthalmology* 103, 2142-2151.
148. WILSON, D. (2002). Feline visual changes associated with enrofloxacin. *Can Vet J* 43, 163.
149. WILSON, D. B. (1980). Embryonic development of the head and neck. Part 4: Organs of special sense. *Head Neck Surg* 2, 237-247.
150. WIRBELAUER, C., SCHOLZ, C., HOERAUF, H., ENGELHARDT, R., BIRNGRUBER, R., LAQUA, H. (2000). Corneal optical coherence tomography before and immediately after excimer laser photorefractive keratectomy. *Am J Ophthalmol* 130, 693-699.
151. WOLLSTEIN, G., SCHUMAN, J. S., PRICE, L. L., AYDIN, A., BEATON, S. A., STARK, P. C., FUJIMOTO, J. G., ISHIKAWA, H. (2004). Optical coherence tomography (OCT) macular and peripapillary retinal nerve fiber layer measurements and automated visual fields. *Am J Ophthalmol* 138, 218-225.
152. YANUZZI, L. A., OBER, M. D., SLAKTER, J. S., SPAIDE, R. F., FISHER, Y. L., FLOWER, R. W., ROSEN, R. (2004). Ophthalmic fundus imaging: Today and beyond. *Am J Ophthalmol* 137, 511-524.

153. ZAFAR, S., GURSES-OZDEN, R., MAKORNWATTANA, M., VESSANI, R., LIEBMANN, J. M., TELLO, C., RITCH, R. (2004). Scanning protocol choice affects optical coherence tomography (PCT-3) measurements. *J Glaucoma* 13, 142-144.