

**6 Literatur**

- [1] Steer ML. et al.: Pathogenesis of acute pancreatitis. *Annu Rev Med* 1988; 95-105
- [2] Blackstone MO.: Can alcohol cause true acute pancreatitis? *Gastroenterology* 1990; 99: 1544-1546
- [3] Foitzik T. et al.: Exocrine hyperstimulationbut not pancreatic duct obstruction increases the susceptibility to alcohol-related pancreatic injury. *Arch Surg* 1994; 129: 1081-1088
- [4] Wang XD. et al.: Antioxidant and calcium channel Blockers counteract endothelial barrier injury induced by acute pancreatitis in rats. *Scand J Gastroenterol* 1995; 30: 1129-1136
- [5] Ramsey P. et al.: Acute pancreatitis after gynecologic and obstetric surgery. *Am J Obstet Gynecol* 1999 Sep; 181 (3): 542-546
- [6] Banks PA. et al.: Bacteriologic status of necrotic tissue in necrotizing pancreatitis. *Pancreas* 1990; 5: 330- 333
- [7] Allardyce DB.: Incidence of necrotizing pancreatitis and factors related to mortality. *Am J Surg* 1987; 154: 295-299
- [8] Banks P.: Infected Necrosis: Morbidity and Therapeutic Consequences. *Hepato-Gastroenterol.* 1991; 38: 116-119
- [9] Schottmüller H. (1914): Wesen und Behandlung der Sepsis. *Inn Med* 31: 257
- [10] Neugebauer E. et al.: Mediatorensysteme und Sepsis. *Chirurg* 1995; 66: 2-10
- [11] American College of Chest Physicians/Society of Critical Care Medicine Consensus Conference (1992) Definition for sepsis and organ failure and guidelines for the use of innovative therapies in sepsis. *Crit Care Med* 1992; 20: 864
- [12] Wilson P. et al.: Acute pancreatitis as a model of sepsis. *J of Antimicrob Chemoth* 1998; 41, Suppl. A: 51-63
- [13] Watters J. et al.: Both Inflammatory and Endocrine Mediators Stimulate Host Responses to Sepsis. *Arch Surg* 1996; 121: 179-190
- [14] Schönberg M.H. et al.: Sauerstoffradikale und Stickstoffmonoxid in der Sepsis. *Chirurg* 1995; 66: 18-26
- [15] Beger H.G. et al.: Bacterial contamination of Pancreatic Necrosis. *Gastroenterology* 1986; 91: 433-8
- [16] Renner IG. et al.: Death due to acute pancreatitis: a retrospective analysis of 405 autopsy cases. *Dig Did Sci* 1985; 30: 1005-1018
- [17] Rau B. et al.: Surgical treatment of infected necrosis. *World J Surg* 1997; 21: 155-61

- [18] Runkel N. et al.: Mechanisms of pancreatic infection in acute pancreatitis in opossums. *Curr Surg* 1990; 47 : 460-462
- [19] Uil J. et al.: Clinical implications of the sugar absorption test: intestinal permeability test to assess mucosal barrier function. *Scand J Gastroenterol Suppl* 1997; 223: 70-78
- [20] van Elburg R. et al.: Measurement of selective intestinal permeability using a new simple sugar absorption test. *Ned Tijdschr Geneesk* 1993; 137: 2091-2095
- [21] Lumsden A. et al. : Secondary pancreatic infections: abscess, infected necrosis and infected pseudocyst. *Surg Gynecol Obstet* 1990; 170: 459-467
- [22] Fine J.: Current status of the problem of traumatic shock. *Surg Gynecol Obstet* 1965; 120: 537-44
- [23] Schönberg M.H. et al.: New approaches in Surgical Management of Severe Acute Pancreatitis. *Digestion* 1999; 60: 22-26
- [24] Widdison AL. et al.: Routes of spread of bacteria to the pancreas in acute necrotizing pancreatitis. *Pancreas* 1990; 5: 736
- [25] Runkel N et al.: The role of the Gut in the Development of Sepsis in Acute Pancreatitis. *Journal of Surgical Research* 1991; 51: 18-23
- [26] Molochow et al.: Translocation of microorganisms across the intestinal wall in rats: effect of microbial size and concentration. *J Infect Dis.* 1966; 116: 523
- [27] Eisemann B. et al.: Multiple Organ Failure. *Surg. Obstet* 1977; 144: 323-326
- [28] Swank G. et al.: Role of the Gut in Multiple Organ Failure: Bacterial Translocation and Permeability Chances. *World J Surg* 1996; 20: 411-417
- [29] Meakins JL. et al.: The gastrointestinal tract: the „motor“ of multiple organ failure. *Arch Surg* 1986; 121: 197-203
- [30] Deitch E. et al.: Obstructed Intestine as a Reservoir for Systemic Infection. *Am J Surg* 1990; 159: 394-401
- [31] Purandare S. et al.: Increased gut permeability to fluorescein isothiocyanate-dextran after total parenteral nutrition in the rat. *Scand J Gastroenterol* 1989; 24: 678-682
- [32] Deitch EA.: The role of intestinal barrier failure and bacterial translocation from the gut. *Am J Surg* 1990; 159: 394-401
- [33] Runkel N.: Pathogenese der pankreatogenen Sepsis. *Langenbecks Arch Chir* 1998; Suppl 2: 439-442

- [34] Border JR. et al.: Gut origin septic states in blunt multiple trauma in the ICU. *Ann Surg* 1987; 206: 427-32
- [35] Whithead R.: The pathology of ischemia of the intestines. *Path Annu* 1976; 11: 1
- [36] Luiten E. et al.: Prognostic importance of gram- negative intestinal colonization preceding pancreatic infection in severe acute pancreatitis. *Int Care Med* 1998; 24:438-445
- [37] Schmidt J. et al.: Morphometric Characteristics and Homogeneity of a New Model of Acute Pancreatitis in the Rat. *Int J Pancr* 1992; 12: 41-51
- [38] Schmidt J. et al.: A Better Model of Acute Pancreatitis for Evaluating Therapy. *Ann Surg* 1992; 215: 44-56
- [39] Bjarnason I. et al.: Intestinal Permeability: An Overview. *Gastroenterology* 1995; 108: 1566-1581
- [40] Rieger H. et al.: Unterschiedliche Mechanismen der Darmparalyse bei ödematöser und nekrotisierender Pankreatitis. *Langenbecks Arch Chir (Suppl 1)* 1998; 115: 409-412
- [41] Moody F. et al.: Intestinal Transit and Bacterial Translocation in Obstructive Pancreatitis. *Dig Dis and Sciences* 1995; 40: 1798-1804
- [42] Menzies IS.: Absorption of intact oligosaccharide in health and disease. *Biochem Soc Trans* 1974; 2: 1040-1046
- [43] Maxton DG. et al.: Lactulose, 51Cr-EDTA, L-rhamnose and polyethylene glycol 400 as probe markers for „in vivo“ assessment of human intestinal permeability. *Clin Sci* 1986; 71: 71-80
- [44] Deitch E.: Intestinal permeability is increased in burn patients shortly after injury. *Surgery* 1990; 107: 411-416
- [45] Blaauw I. et al.: Glutamine Depletion and Increased Gut Permeability in Nonanorectic, Non-Weight-Losing Tumor-Bearing Rats. *Gastroenterology* 1997; 112: 118-126
- [46] Fradkin A. et al.: Colchicina induces enhanced intestinal permeability in the rat. *Acta Physiol Scand* 1995; 153: 249-254
- [47] Li J. et al.: Glutamine Prevents Parenteral Nutrition-Induced Increases in Intestinal Permeability. *J Par and Ent Nutrition* 1994; 18: 303-307
- [48] Keshavarzian A. et al.: Mitomycin C-induced colitis in rats: A new animal model of acute colonic inflammation implicating reactive oxygen species. *J Lab Clin Med* 1992; 120: 778-791

- [49] Rutgers H. et al.: Intestinal Permeability and function in dogs with small intestinal bacterial overgrowth. *J Small Anim Pract* 1996; 37: 428-434
- [50] Isbert C. et al.: Charakterisierung postoperativer Barrierestörungen in Abhängigkeit von der Schwere des Operationstraumas mittels oraler Permeabilitätstests. *Langenbecks Arch Chir* 1997; 1: 355-358
- [51] Johnston J. et al.: Gastrointestinal permeability and absorptive capacity in sepsis. *Crit Care Med* 1996; 24: 1144-1149
- [52] Menzies I. et al.: Abnormal Intestinal Permeability to Sugars in Villous Atrophy. *The Lancet* 1979; 24: 1107-1109
- [53] Andersson R. et al.: The influence of Abdominal Sepsis on Acute Pancreatitis in Rats: A Study on Mortality, Permeability, Arterial Pressure, and Intestinal Blood Flow. *Pancreas* 1995; Vol. 11, No. 4: 365-373
- [54] Ryan C. et al.: Gut Macromolecular Permeability in Pancreatitis Correlates With Severity of Disease in Rats. *Gastroenterol.* 1993; 104: 890-895
- [55] Fink M.: Gastrointestinal mucosal injury in experimental models of shock, trauma and sepsis. *Crit Care Med* 1991; 19: 627-641
- [56] Hollander D.: The intestinal permeability barrier: A hypothesis as to its regulation and involvement in Crohn's disease. *Scand J gastroenterol* 1989; 27: 721-26
- [57] Bjarnason: Intestinal Permeability. *Gut* 1994; suppl 1: 18-22
- [58] Hotz H. et al.: Intestinale Microcirculation and Gut Permeability in Acute Pancreatitis: Early Changes and Therapeutic Implications. *J Gastrointest Surg* 1998; 2: 518-525
- [59] Stadler J. et al.: Immunsuppression und Sepsis. *Chirurg* 1995; 66: 11-17
- [60] Curley P. et al.: Decreased Interleukin-2 production in murine acute pancreatitis: Potential for immunomodulation. *Gastroenterology* 1996; 110: 583-588
- [61] Hughes CB. et al.: Anti-TNF- $\alpha$  therapy improves survival and ameliorates the pathophysiologic sequelae in acute pancreatitis in the rat. *Am J Surg* 1996; 171: 274-280
- [62] McClelland P. et al.: Prevention of bacterial infection and sepsis in acute severe pancreatitis. *Ann of the Royal College of Surgeons of England* 1992; 74: 329-334
- [63] Luiten E. et al.: Controlled Clinical Trial of Selective Decontamination for the Treatment of Severe Acute Pancreatitis. *Ann Surg* 1995; 222: 57-65
- [64] Mainous M. et al.: Studies of the Route, Magnitude, and Time Course of Bacterial Translocation in a Model of Systemic Inflammation. *Arch Surg* 1991; 126: 33-37

- [65] Tapila E. et al.: Bacterial Translocation during Acute Pancreatitis in Rats. *Eur J Surg* 1993; 159: 109-113
- [66] Miller et al.: Accurate measurement of intestinal transit in the rat. *J Pharmacol Methods* 1981; 6: 211-17
- [67] Geissler N. et al.: Die Wertigkeit von Serum-Endotoxin- Bestimmungen nach gastrointestinalen Eingriffen. *Zent. Bl. Chir.* 1991; 116: 409-415
- [68] Medich D.S. et al.: Pathogenesis of Pancreatic Sepsis. *Am J Surg* 1993; 165: 46-52
- [69] Buttenscoen K. et al.: Endotoxin and Antiendotoxin Antibodies in Patients with Acute Pancreatitis. *Eur J Surg* 2000; 166: 459-466
- [70] Caridis D. et al.: Endotoxaemia in man. *The Lancet* 1972; 1381-1385
- [71] Xiangdong W. et al.: Gut origin Sepsis; Macrophage Function, and Oxygen Extraction Associated with Acute Pancreatitis in the Rat. *World J Surg* 1996; 20: 299-308
- [72] Pederzoli P. et al.: A randomized multicenter clinical trial of antibiotic prophylaxis of septic complications in acute necrotizing pancreatitis with imipenem. *Surg Gynecol Obstet* 1993; 176: 480
- [73] Schwarz M. et al.: Effect of antibiotic treatment in patients with necrotizing pancreatitis and sterile necrosis. *Pancreas* 1994; 9: 802
- [74] Sainio V. et al.: Early antibiotic treatment in acute necrotizing pancreatitis. *Lancet* 1995; 346: 663
- [75] Wyncoll D.: The management of severe acute necrotizing pancreatitis: an evidence-based review of the literature. *Int Care Med* 1999; 25: 146-156
- [76] Foitzik T.: Pankreatitis und Translokation- Ansätze für nutritive Strategien. *Langenbecks Arch Chir* 1998; Suppl 2: 596-599
- [77] Kalfarentzos F. et al.: Enteral nutrition is superior to parenteral nutrition in severe acute pancreatitis: results of a randomized prospective trial. *Br J Surg.* 1997; 84: 1665-1669
- [78] Klar E. et al.: Impact of microcirculatory flow pattern changes on the development of acute edematous and necrotizing pancreatitis in rabbit pancreas. *Dig Dis Sci* 1994; 39: 2639-2644
- [79] Sainio V. et al.: Early antibiotic treatment in acute necrotising pancreatitis. *Lancet* 1995;346:663-667
- [80] Juvonen PO. Et al.: Gut permeability in patients with acute pancreatitis. *Scand J Gastroenterol* 2000; 35: 1314-1318

[81] Marotta F. et al.: Bacterial Translocation in the Course of Acute Pancreatitis: Beneficial Role of Nonabsorbable Antibiotics and Lactitol Enemas. *Digestion* 1996; 57: 446-452

[82] Beger HG. et al.: Natural course of acute pancreatitis. *World J Surg* 1997; 21:130-135