

7 Literaturverzeichnis

- Alisauskus, R., Wong, G.Y. & Gold, D.V. (1995)
Initial studies of monoclonal antibody PAM4 targeting to xenografted orthotopic pancreatic cancer.
Cancer Res., **55**, 5743s-48s.
- An, Z., Wang, X., Willmott, N., Chander, S.K., Tickle, S., Docherty, A.J.P., Mountain, A., Millica, A.T., Morphy, R., Porter, J.R., Epemolu, R.O., Kubota, T., Moossa, A.R. & Hofman, R.M. (1997)
Conversion of highly malignant colon cancer from an aggressive to a controlled disease by oral administration of a metalloproteinase inhibitor.
Clin. Exp. Metastasis, **15**, 184-95, 1997.
- Becker, N. & Wahrendorf, J. (Hrsg.) (1998)
Krebsatlas der Bundesrepublik Deutschland, 1981-1990
Springer Verlag, Heidelberg.
- Bender, K., Steiert, A., Berger, D.P. & Fiebig, H.H. (1992)
Characterization of 53 Human Tumor Xenografts by Polymorphic Enzyme Analysis.
In: H.H. Fiebig, D.P. Berger (Eds.): Immunodeficient Mice in Oncology.
Verl. Karger, Basel, 87-97.
- Berger, D.P., Winterhalter, B.R. & Fiebig, H.H. (1992)
Establishment and Characterization of Human Tumor Xenografts in Thymus-Aplastic Nude Mice.
In: H.H. Fiebig, D.P. Berger (Eds.): Immunodeficient Mice in Oncology.
Verl. Karger, Basel, 23-46.
- Boven, E., Pinedo, H.M., van Hattum, A.H., Scheffer, P.G., Peters, W.H., Erkelens, C.A., Schluper, H.M., Kuiper, C.M., van Ark-Otte, J. & Giaccone, G. (1998)
Characterization of human soft-tissue sarcoma xenografts for use in secondary drug screening.
Br. J. Cancer, **78** (12), 1586-93.
- Cornil, I., Man, S., Fernandez B. & Kerbel, R.S. (1989)
Enhanced tumorigenicity, melanogenesis, and metastasis of a human malignant melanoma after subdermal implantation in nude mice.
J. Natl. Cancer Inst., **81** (12), 938-944.
- Crnalic, S., Hakansson, I., Bowuist, L., Lofvenberg, R. & Brostrom, L.A. (1997)
A novel spontaneous metastasis model of human osteosarcoma developed using orthotopic transplantation of intact tumor tissue into tibia of nude mice.
Clin. Exp. Metastasis, **15** (2), 164-72.
- De La Monte, S.M., Moore, W.G. & Grover, M.H. (1986)
Metastatic behavior of prostate cancer.
Cancer, **58**, 985-993.
- Dengler, W.A., Schulte, J., Berger, D.P., Mertelsmann, R. & Fiebig, H.H. (1995)
Development of a propidium iodide fluorescence assay for proliferation and cytotoxicity assays.
Anticancer Drugs, **6** (4), 522-32.
- Deucher, F. & Streuli, H.K. (1977)
Bösartige Dickdarmgeschwülste
In: Hornbostel, H., Kaufmann, W., Siegenthaler, W. (Hrsg.): Innere Medizin in Praxis und Klinik.
G.Thieme Verlag, Stuttgart. 168-171.
- Duplan, J.F. (1984)
Use of xenografts for the evaluation of tumor chemotherapy. Application to adjuvant chemotherapy.
Bull. Cancer, **71** (4), 292-6.

- Fidler, I.J. (1990)
Critical Factors in the Biology of Human Cancer Metastasis: Twenty-eighth G.H.A. Clowes Memorial Award Lecture.
Cancer Res., **50**, 6130-6138.
- Fidler, I.J. (1995)
Modulation of the organ microenvironment for treatment of cancer metastasis.
J. Natl. Cancer Inst., **87** (21), 1588-92.
- Fidler, I.J. & Hart, I.R. (1982)
Biological Diversity in Metastatic Neoplasms: Origins and Implications.
Science, **217**, 998-1003.
- Fidler, I.J. & Kripke, M.L. (1977)
Metastasis results from preexisting variant cells within a malignant tumor
Science, **197**, 893-95.
- Fidler, I.J., Kumar, R., Bielenberg, D.R. & Ellis, L.M. (1998)
Molecular Determinants of Angiogenesis in Cancer Metastasis.
Sci. Am., **4**, Suppl.1, S58-S66.
- Fidler, I.J., Wilmanns, C., Staroselsky, A., Radinsky, R., Dong, Z. & Fan, D. (1994)
Modulation of tumor cell response to chemotherapy by the organ environment.
Cancer Metastasis Rev., **13** (2), 209-22.
- Fiebig, H.H. (1983)
Wachstum und Chemotherapie menschlicher Tumoren -vorwiegend Dickdarm-, Magen- und Bronchialkarzinome- in der thymusaplastischen Nacktmaus.
Habilitationsschrift, Freiburg.
- Fiebig, H.H., Berger, D.P., Dengler, W.A., Wallbrecher, E. & Winterhalter, B.R. (1992)
Combined In Vitro/InVivo Test Procedure with Human Tumor Xenografts for New Drug Development.
In: H.H. Fiebig, D.P. Berger (Eds.): Immunodeficient Mice in Oncology.
Verl. Karger, Basel, 321-351.
- Fortmeyer, H.P. (1981)
Thymusaplastische Maus- (nu/nu) Thymusaplastische Ratte (rnu/rnu)- Haltung, Zucht, Versuchsmodelle.
Schriftenreihe Versuchstierkunde 8, Verlag P. Parey, Berlin, Hamburg.
- Fortmeyer, H.P., Bastert G. (1977)
Breeding and Keeping of nu/nu mice.
Z. Versuchstierk., **19**, 339.
- Fu, X. Y., Guadagni, F. & Hofman, R.M. (1992a)
A metastatic nude-mouse model of human pancreatic cancer constructed orthotopically with histologically intact patient specimens.
Proc. Natl. Acad. Sci., **89**, 5645-49.
- Fu, X.Y., Herrera, H. & Hofman, R.M. (1992b)
Orthotopic growth and metastasis of human prostate carcinoma in nude mice after transplantation of histologically intact tissue.
Int. J. Cancer, **52**, 987-90.
- Fu, X.Y., Le, P. & Hofman, R.M. (1993)
A metastatic orthotopic-transplant nude-mouse model of human patient breast cancer.
Anticancer Res., **13**, 901-04.
- Fukumura, D., Yuan, F., Monsky, W.L., Chen, Y. & Jain, R.K. (1997)
Effect of host microenvironment on the microcirculation of human colon adenocarcinomas.

Am. J. Pathol., **151** (3), 679-33.

Furukawa, T., Fu, X.Y., Kubota, T., Watanabe, M., Kitajima, M. & Hofman, R.M. (1993)
Nude mouse metastatic models of human stomach cancer constructed using orthotopic implantation
of histologically intact tissue.
Cancer Res., **53**, 1204-08.

Geran, R.I., Greenbaum, N.H., Macdonald, M.M. & Abbott, B.J. (1977)
Modified protocol for the testing of new synthetics in the lymphoid leukemia murine model in the
DR&D program, DCT, NCI.
Natl. Cancer Inst. Monogr., **45**, 151-3.

Giovanella, B.C. & Fogh, J. (1978)
Present and future trends in investigations with the nude mouse as a recipient of human tumor
transplants.
In: Fogh, J., B.C., 281-312.

Giovanella, B.C., Yim, S.O., Stehlin, J.S. & Williams, L.J. (1972)
Development of invasive tumors in the nude mouse after injection of cultured human melanoma cells.
J. Natl. Cancer Inst., **48**, 1531-33.

Giavazzi, R., Alessandri, G. Sreafico, F., Garattini, S. & Mantovani, A. (1980)
Metastasizing capacity of tumor cells from spontaneous metastases of transplanted murine tumours.
Br. J. Cancer, **42** (3), 462-72.

Giavazzi, R., Campbell, D.E., Jessup, J.M., Cleary, K. & Fidler, I.J. (1986)
Metastatic behavior of tumor cells isolated from primary and metastatic human colorectal carcinomas
implanted into different sites in nude mice.
Cancer Res., **46**, 1928-33.

Gilly, F.N., Carry, P.Y., Sayag, A.C., Panteix, G.G., Bienvenu, J., Brachet, A., Salle, B.
& Braillon, G. (1993)
Cancers of the stomach and peritoneal carcinosis: will hyperthermia be a new therapeutic approach?
Ann.-Chir., **47** (5), 414-8.

Harada, M., Takeuchi, M., Fukao, T. & Katagiri, K. (1971)
A simple method for the quantitative extraction of dye extravasated into the skin.
J. Pharm. Pharmacol., **23**, 218.

Herriot, J.G. & Reinsch, C.H. (1973)
Procedures for Natural Spline Interpolation.
CACM (Communication of Association for Computing Machinery), **16**, 763-768.

Hofman, R.M. (1994)
Orthotopic is orthodox: Why are orthotopic-transplant metastatic models different from all other
models?
J. Cell. Biochem., **56**, 1-3.

Hohenfellner, R., Wulff, H.D. & Planz, C. (1977)
Tumore des männlichen Genitale
In: Hornbostel, H., Kaufmann, W., Siegenthaler, W. (Hrsg.): Innere Medizin in Praxis und Klinik.
G.Thieme Verlag, Stuttgart. 197-200.

Hsu, S.M., Raine, L. & Fanger, H. (1981)
A comparative study of the peroxidase-antiperoxidase method and an avidin-biotin complex method
for studying polypeptide hormones with radioimmunoassay antibodies.
Am. J. Clin. Pathol., **75** (5), 734-8.

Imaizumi, M., Kondo, T., Taguchi, T., Hattori, T., Abe, O., Kitano, M. & Wakui, A. (1993)
A standardized method of using nude mice for the in vivo screening of antitumor drugs for human
tumors.

Surg. Today, **23** (5), 412-9.

Jaquet, P., Stephens, A.D., Averbach, A.M., Chang, D., Ettinghaus, S.E., Dalton, R.R., Steves, M.A. & Sugarbaker, P.H. (1996)
Analysis of morbidity and mortality in 60 patients with peritoneal carcinomatosis treated by cytoreductive surgery and heated intraoperative intraperitoneal chemotherapy.
Cancer, **77** (12), 2622-9.

Kaighn, M.E., Narayan, K.S., Ohnuki, Y., Lechner, J.F. & Jones, L.W. (1979)
Establishment and Characterization of a Human Prostate Carcinoma Cell Line PC3.
Invest. Urol., **17**, 16-23.

Kiguchi, K., Kubota, T., Aoki, D., Udagawa, Y., Yamanouchi, S., Saga, M., Amamiya, A., Sun, F.X., Nozawa, S., Moossa, A.R. & Hofman, R.M. (1998)
A patient-like orthotopic implantation nude mouse model of highly metastatic human ovarian cancer.
Clin. Exp. Metastasis, **16** (8), 751-6.

Kitadai, Y., Radinsky, R., Bucana, C.D., Takahashi, Y., Xie, K., Tahara, E. & Fidler, I.J. (1996)
Regulation of carcinoembryonic antigen expression in human colon carcinoma cells by the organ microenvironment.
Am. J. Pathol., **149** (4), 1157-66.

Kleist v., S., Wittekind, C., Gropp, H. & Sandritter, W. (1981)
Comparison of the positivity of circulating and cellular CEA and its correlation with the histology of mammary carcinomas.
Oncodev. Biol. Med., **2**, 212.

Kohn, E.C. & Liotta, L.A. (1990)
L651582. A novel antiproliferative and antimetastasis agent.
J. Natl. Cancer Inst., **82**, 54.

Kopper, L. & Steel, G.G. (1975)
The Therapeutic Response of Three Human Tumor Lines Maintained in Immune-suppressed Mice.
Cancer Res., **35**, 2704-2713.

Kozlowski J.M., Fidler, I.J., Campbell, D., Xu, Z.L., Kaighn, M.E. & Hart, I.R. (1984)
Metastatic Behavior of Human Tumor Cell Lines grown in the Nude Mouse.
Cancer Res., **44**, 3522-3529.

Kruskal, W.H. & Wallis, W.A. (1952)
Use of ranks in one-criterion variance analysis.
J. Amer. Statistic. Assoc., **48**, 907-911.

Kubota, T. (1994)
Metastatic models of human cancer xenografted in the nude mouse: the importance of orthotopic transplantation.
J. Cell. Biochem., **56**, 4-8.

Kubota, T., Inoue, S., Furukawa, T., Ishibiki, K., Kitajima, M., Kawamura, E. & Hofman, R.M. (1993)
Similarity of serum-tumor pharmacokinetics of antitumor agents in man and nude mice.
Anticancer Res., **13** (5a), 1481-4.

Kuo, T.H., Kubota, T., Watanabe, M., Furukawa, T., Kase, S., Tanino, H., Saikawa, Y., Ishibiki, K., Kitajima, M. & Hofman, R.M. (1993)
Site-specific chemosensitivity of human small-cell lung carcinoma growing orthotopically compared to subcutaneously in SCID mice: the importance of orthotopic models to obtain relevant drug evaluation data.
Anticancer Res., **13** (3), 627-30.

- Kyriazis, A.P., DiPersio, L., Michael, G.L., Pesce, A.M. & Stinnet, J.D. (1978)
Growth patterns and metastatic behavior of human tumors growing in athymic nude mice. *Cancer Res.*, **38**, 3186-90.
- Kyriazis, A.P., Kyriazis, A.A., McCombs, W.B. & Kereiakes, J.A. (1981)
Biological behavior of human malignant tumors grown in the nude mouse.
Cancer Res., **41**, 3995-4000.
- Liotta, L.A. (1986)
Tumor Invasion And Metastases.
Adv. Oncol., **4**, 4-11.
- Marincola, F.M., Drucker, B.J., Siao, D.Y., Hough, K.L. & Holder, W.D.Jr. (1989)
The nude mouse as a model for the study of human pancreatic cancer.
J. Surg. Res., **47** (6), 520-9.
- Mazeman, E., Rigot, J.M., Cracco, D. & Sauvage, L. (1986)
Vesicorenal reflux following endoscopic treatment of vesical tumors. Developmental and therapeutic complications.
J. Urol. Paris., **92** (9), 611-5.
- McLemore, T.L., Liu, M.C., Blacker, P.C., Gregg, M., Alley, M.C., Abbott, B.J., Shoemaker, R.H., Bohlman, M.E., Litterst, C.C., Hubbard, W.C., Brennan, R.H., McMahon, J.B., Fine, D.L., Egglestone, J.C., Mayo, J.G. & Boyd, M.R. (1987)
Novel intrapulmonary model for orthotopic propagation of human lung cancers in athymic nude mice.
Cancer Res, **47**, 5132-40.
- Miles, A.A. & Miles, E.M. (1952)
Vascular reactions to histamine, histamine-liberator and leukotaxine in the skin of guinea-pigs.
J. Physiol., **118**, 228-257.
- Morikawa, K., Walker, S.M., Jessup, J.M. & Fidler, I.J. (1988)
In vivo selection of high metastatic cell from surgical specimens of different primary human colon carcinomas implanted into nude mice.
Cancer Res, **48**, 1943-48.
- Naito, S., v. Eschenbach, A.C., Giavazzi, R. & Fidler, I.J. (1986)
Growth and metastasis of tumor cells isolated from a human renal cell carcinoma implanted into different organs of nude mice.
Cancer Res., **46**, 4109-4155.
- Nakajima, N. (1993)
Regulation of tumor metastasis and invasion by fibroblasts.
Hum. Cell, **6** (1), 7-14.
- Nakajima, M., Morikawa, K., Fabra, A., Bucana, C.D. & Fidler, I.J. (1990)
Influence of organ environment on extracellular matrix degradativ activity and metastasis of human colon carcinoma cells.
J. Natl. Cancer Inst., **82** (24), 1890-8.
- Paget, S. (1889)
The Distribution of Secondary Growths in Cancer of the Breast.
Lancet, **1**, 366-368.
- Panterlouris, E.M. (1968)
Absence of the thymus in a mouse mutant.
Nature, **217**, 370.
- Pettaway, A.C., Pathak, S., Greene, G., Ramirez, E., Wilson, M.R., Killion, J.J. & Fidler, I.J. (1996)
Selection of highly metastatic variants of different human prostatic carcinomas using orthotopic implantation in nude mice.

Clin. Cancer Res., **2**, 1627-36.

Pocard, M., Muleris, M., Hamelin, R., Salmon, R.J., Dutrillaux, B. & Poupon, M.F. (1998)
Growth dependency of human colon cancer xenograft on organ environment is related with their original clinical stage.
Anticancer Res., **18** (4A), 2743-7.

Pocard, M., Tsukui, H., Salmon, R.J., Dutrillaux, B. & Poupon, M.F. (1996)
Efficiency of orthotopic xenograft models for human colon cancer.
In Vivo, **10** (5), 463-9.

Poste, G. & Fidler, I.J. (1980)
The pathogenesis of cancer metastasis
Nature, **283**, 139-145.

Povlsen, C.O. & Rygaard, J. (1971)
Heterotransplantation of human adenocarcinoma of the colon and rectum to the mouse of the mutant nude. A study of nine consecutive transplantations.
Acta pathol., microbiol., scand., **79**, 159-69.

Povlsen, C.O. & Rygaard, J. (1974)
Effects of Cyclophosphamide (Endoxan R) on a Burkitt's Lymphoma serially grown in nude mice.
In: Rygaard, J. & Povlsen, C.O.(Hrsg.): Proceedings of the first international workshop on nude mice.
Verlag Gustav Fischer, Stuttgart, New York, 285-92.

Price, J.A., Polyzos, A., Zhang, R.D. & Daniels, L.M. (1990)
Tumorigenicity and metastasis of human breast carcinoma cell lines in nude mice.
Cancer Res., **50**, 717-21.

Randt, T (1984)
Immunhistologischer CEA-Nachweis an serienmäßig auf Nacktmäuse xenotransplantierten menschlichen Dickdarmtumoren.
Inaugural-Dissertation Medizin. Fakult. Albert-Ludwigs-Universität Freiburg i. Brsg.

Revasova, E.S., Solovjov, Y.N., Chumakov, P.M., Kushlinskij, N.E., Tkachjova, G.A., Spitkovsky, D.D., Karamov, E.V. & Frolova, E.I. (1992)
Study of human tumor models established in nude mice.
In: H.H. Fiebig, D.P. Berger (Eds.): Immunodeficient Mice in Oncology.
Verl. Karger, Basel, 126-127.

Roftstad, E.K. (1994)
Orthotopic human melanoma xenograft model system for studies of tumour angiogenesis, pathophysiology, treatment sensitivity and metastatic pattern.
Br. J. Cancer, **70** (5), 804-12.

Schmähl, D. (1981)
Krebsmetastasen, Ihre Entstehung und Behandlung.
G.Thieme Verlag, Stuttgart, Band 3, 1-3.

Scholz, C.C., Berger, D.P., Winterhalter, B.R., Henss, H. & Fiebig, H.H. (1990)
Correlation of drug response in patients and in the clonogenic assay using solid tumor xenografts.
Eur. J. Cancer, **26**, 901-905.

Schwartz, G.K., Redwood, S.M., Ohnuma, T., Hollnad F., Droller, M.J. & Liu, B.C.-S. (1990)
Inhibition of Invasive Human Bladder Carcinoma Cells by Protein Kinase C Inhibitor Staurosporine.
J. Natl. Cancer Inst., **82**, 1753-1756.

Seemann, O. & Rassweiler, J. (1995)
Harnblasenkarzinom
In: Zeller, Zur Hausen (Hrsg.): Onkologie. Verlag ecomed, 1-12.

- Skehan, P. (1986)
On the normality of growth dynamics of neoplasms in vivo. A data base analysis.
Growth, **50** (4), 469-515.
- Sobel, M.E. (1990)
Metastasis Suppressor Genes.
J. Natl. Cancer Inst., **82**, 267-276.
- Sordat, B., Merenda, C. & Carrel, S. (1977)
Invasive growth and dissemination of human solid tumors and malignant cell lines grafted subcutaneously to new-born nude mice.
In: Nomura, T. (Hrsg.): Proceedings of the second international workshop of nude mice. Gustav Fischer Verlag, Stuttgart, New York, 313-26.
- Sprent, J. (1974)
Migration and Lifespan of Circulating B-Lymphocytes of Nude (nu/nu) Mice.
In: J.Rygaard, C.O. Povlsen (Eds.): Proc. First Intern. Workshop Nude Mice,
G. Fischer Verl., New York, Stuttgart, 11-12.
- Stephenson, R.A., Dinney, C.P., Gohji, K., Ordonez, N.G., Killion, J.J. & Fidler, I.J. (1992)
Metastatic model for human prostate cancer using orthotopic implantation in nude mice.
J. Natl. Cancer Inst., **84**, 951-7.
- Takahashi, S., Konishi, Y., Nakatani, K., Inui, S., Kojima, K. & Shiratori, T. (1978)
Conversion of a poorly differentiated human adenocarcinoma to ascites form with invasion and metastasis in nude mice.
J. Natl. Cancer Inst., **60** (4), 925-9.
- Tan, M.H. & Chu, T.M. (1985)
Characterization of the tumorigenic and metastatic properties of a human pancreatic tumor cell line (AsPC-1) implanted orthotopically into nude mice.
Tumour Biol., **6** (1), 89-98.
- Tressler, R.J., Garvin, L.J. & State, D.L. (1994)
Anti-tumor activity of myelophenolate mofetil against human and mouse tumors in vivo.
Int. J. Cancer, **57** (4), 568-73.
- Tsukui, H., Pocard, M., Salmon, R.J., Lefrancois, D., Languille-Mimoune, O., Dutrillaux, B. & Poupon, M.F. (1993)
Orthotopic implantation of human colon cancers into nude mice. Methodology and physiopathological value.
Gastroenterol. Clin. Biol., **18** (12), 1112-8.
- Wang, X., Fu, X.Y. & Hofman, R.M. (1992)
A patient-like metastasizing model of human lung adenocarcinoma constructed via thoracotomy in nude mice.
Anticancer Res., **12**, 1399-1402.
- Waters, D.J., Janovitz, E.B. & Chan, T.C. (1995)
Spontaneous metastasis of PC3-cells in athymic mice after implantation in orthotopic or ectopic microenvironment.
Prostate, **26** (5), 227-34.
- Wendling, C., Dufour, P. & Oberling, F. (1991)
Intraperitoneal treatment of tumors of the ovary.
J. Gynecol. Obstet. Biol. Reprod. Paris, **20** (2), 241-7.
- Wenger, B. & Lindemann, A. (1998)
Harnblasenkarzinom
In: Berger, Engelhardt, Mertelsmann (Hrsg.): Das rote Buch, Hämatologie und internistische Onkologie, Verlag ecomed, 421-427.

