

5. BIBLIOGRAPHY

- Alexopoulou, A. N., J. R. Couchman, et al. (2008). "The CMV early enhancer/chicken beta actin (CAG) promoter can be used to drive transgene expression during the differentiation of murine embryonic stem cells into vascular progenitors." BMC Cell Biol **9**: 2.
- Baron, U. and H. Bujard (2000). "Tet repressor-based system for regulated gene expression in eukaryotic cells: principles and advances." Methods Enzymol **327**: 401-21.
- Beato, M. (1989). "Gene regulation by steroid hormones." Cell **56**(3): 335-44.
- Bernstein, E., A. A. Caudy, et al. (2001). "Role for a bidentate ribonuclease in the initiation step of RNA interference." Nature **409**(6818): 363-6.
- Bertrand, J. R., M. Pottier, et al. (2002). "Comparison of antisense oligonucleotides and siRNAs in cell culture and in vivo." Biochem Biophys Res Commun **296**(4): 1000-4.
- Biggs, W. H., 3rd, J. Meisenhelder, et al. (1999). "Protein kinase B/Akt-mediated phosphorylation promotes nuclear exclusion of the winged helix transcription factor FKHR1." Proc Natl Acad Sci U S A **96**(13): 7421-6.
- Bocker, R., L. Warnke, et al. (1984). "Blood and organ concentrations of tetracycline and doxycycline in female mice. Comparison to males." Arzneimittelforschung **34**(4): 446-8.
- Bonin, A. L. (1993). University of Heidelberg. **PhD thesis**.
- Bono, V. H., Jr. (1976). "Review of mechanism of action studies of the nitrosoureas." Cancer Treat Rep **60**(6): 699-702.
- Bridge, A. J., S. Pebernard, et al. (2003). "Induction of an interferon response by RNAi vectors in mammalian cells." Nat Genet **34**(3): 263-4.
- Brocard, J., X. Warot, et al. (1997). "Spatio-temporally controlled site-specific somatic mutagenesis in the mouse." Proc Natl Acad Sci U S A **94**(26): 14559-63.
- Brummelkamp, T. R., R. Bernards, et al. (2002). "A system for stable expression of short interfering RNAs in mammalian cells." Science **296**(5567): 550-3.
- Brunet, A., A. Bonni, et al. (1999). "Akt promotes cell survival by phosphorylating and inhibiting a Forkhead transcription factor." Cell **96**(6): 857-68.
- Burgering, B. M. and P. J. Coffey (1995). "Protein kinase B (c-Akt) in phosphatidylinositol-3-OH kinase signal transduction." Nature **376**(6541): 599-602.
- Cao, W., R. Hunter, et al. (2005). "DNA constructs designed to produce short hairpin, interfering RNAs in transgenic mice sometimes show early lethality and an interferon response." J Appl Genet **46**(2): 217-25.
- Carmell, M. A., Z. Xuan, et al. (2002). "The Argonaute family: tentacles that reach into RNAi, developmental control, stem cell maintenance, and tumorigenesis." Genes Dev **16**(21): 2733-42.
- Carmell, M. A., L. Zhang, et al. (2003). "Germline transmission of RNAi in mice." Nat Struct Biol **10**(2): 91-2.
- Catelli, M. G., N. Binart, et al. (1985). "The common 90-kd protein component of non-transformed '8S' steroid receptors is a heat-shock protein." Embo J **4**(12): 3131-5.

Bibliography

- Cerasi, E., N. Kaiser, et al. (1997). "From sand rats to diabetic patients: is non-insulin-dependent diabetes mellitus a disease of the beta cell?" Diabetes Metab **23 Suppl 2**: 47-51.
- Chambraud, B., M. Berry, et al. (1990). "Several regions of human estrogen receptor are involved in the formation of receptor-heat shock protein 90 complexes." J Biol Chem **265**(33): 20686-91.
- Chen, D. and M. W. Wang (2005). "Development and application of rodent models for type 2 diabetes." Diabetes Obes Metab **7**(4): 307-17.
- Chendrimada, T. P., R. I. Gregory, et al. (2005). "TRBP recruits the Dicer complex to Ago2 for microRNA processing and gene silencing." Nature **436**(7051): 740-4.
- Clemens, M. J. (1997). "PKR--a protein kinase regulated by double-stranded RNA." Int J Biochem Cell Biol **29**(7): 945-9.
- Coumoul, X., V. Shukla, et al. (2005). "Conditional knockdown of Fgfr2 in mice using Cre-LoxP induced RNA interference." Nucleic Acids Res **33**(11): e102.
- Cross, D. A., D. R. Alessi, et al. (1995). "Inhibition of glycogen synthase kinase-3 by insulin mediated by protein kinase B." Nature **378**(6559): 785-9.
- Cunnington, P. G. and J. D. Naysmith (1975). "Naturally occurring double-stranded RNA and immune responses. Effects on plaque-forming cells and antibody formation." Immunology **28**(3): 451-68.
- Czauderna, F., A. Santel, et al. (2003). "Inducible shRNA expression for application in a prostate cancer mouse model." Nucleic Acids Res **31**(21): e127.
- Dahlquist, G. (1998). "The aetiology of type 1 diabetes: an epidemiological perspective." Acta Paediatr Suppl **425**: 5-10.
- Danielian, P. S., D. Muccino, et al. (1998). "Modification of gene activity in mouse embryos in utero by a tamoxifen-inducible form of Cre recombinase." Curr Biol **8**(24): 1323-6.
- Dann, C. T., A. L. Alvarado, et al. (2006). "Heritable and stable gene knockdown in rats." Proc Natl Acad Sci U S A **103**(30): 11246-51.
- Denis, M., L. Poellinger, et al. (1988). "Requirement of hormone for thermal conversion of the glucocorticoid receptor to a DNA-binding state." Nature **333**(6174): 686-8.
- Dickins, R. A., M. T. Hemann, et al. (2005). "Probing tumor phenotypes using stable and regulated synthetic microRNA precursors." Nat Genet **37**(11): 1289-95.
- Dickins, R. A., K. McJunkin, et al. (2007). "Tissue-specific and reversible RNA interference in transgenic mice." Nat Genet **39**(7): 914-21.
- Dingermann, T., H. Werner, et al. (1992). "Establishment of a system for conditional gene expression using an inducible tRNA suppressor gene." Mol Cell Biol **12**(9): 4038-45.
- Elbashir, S. M., J. Harborth, et al. (2001). "Duplexes of 21-nucleotide RNAs mediate RNA interference in cultured mammalian cells." Nature **411**(6836): 494-8.
- Elbashir, S. M., J. Harborth, et al. (2002). "Analysis of gene function in somatic mammalian cells using small interfering RNAs." Methods **26**(2): 199-213.
- Engel, M., V. Hindie, et al. (2006). "Allosteric activation of the protein kinase PDK1 with low molecular weight compounds." Embo J **25**(23): 5469-80.
- Etgen, G. J. and B. A. Oldham (2000). "Profiling of Zucker diabetic fatty rats in their progression to the overt diabetic state." Metabolism **49**(5): 684-8.
- Evans, R. M. (1988). "The steroid and thyroid hormone receptor superfamily." Science **240**(4854): 889-95.

Bibliography

- Feil, R., J. Brocard, et al. (1996). "Ligand-activated site-specific recombination in mice." Proc Natl Acad Sci U S A **93**(20): 10887-90.
- Feil, R., J. Wagner, et al. (1997). "Regulation of Cre recombinase activity by mutated estrogen receptor ligand-binding domains." Biochem Biophys Res Commun **237**(3): 752-7.
- Fire, A., S. Xu, et al. (1998). "Potent and specific genetic interference by double-stranded RNA in *Caenorhabditis elegans*." Nature **391**(6669): 806-11.
- Fish, R. J. and E. K. Kruithof (2004). "Short-term cytotoxic effects and long-term instability of RNAi delivered using lentiviral vectors." BMC Mol Biol **5**: 9.
- Fliss, A. E., S. Benzeno, et al. (2000). "Control of estrogen receptor ligand binding by Hsp90." J Steroid Biochem Mol Biol **72**(5): 223-30.
- Freedman, N. D. and K. R. Yamamoto (2004). "Importin 7 and importin alpha/importin beta are nuclear import receptors for the glucocorticoid receptor." Mol Biol Cell **15**(5): 2276-86.
- Furth, P. A., L. St Onge, et al. (1994). "Temporal control of gene expression in transgenic mice by a tetracycline-responsive promoter." Proc Natl Acad Sci U S A **91**(20): 9302-6.
- Ganster, R. W., W. Shen, et al. (1993). "Isolation of STD1, a high-copy-number suppressor of a dominant negative mutation in the yeast TATA-binding protein." Mol Cell Biol **13**(6): 3650-9.
- Gatz, C., A. Kaiser, et al. (1991). "Regulation of a modified CaMV 35S promoter by the Tn10-encoded Tet repressor in transgenic tobacco." Mol Gen Genet **227**(2): 229-37.
- Gatz, C. and P. H. Quail (1988). "Tn10-encoded tet repressor can regulate an operator-containing plant promoter." Proc Natl Acad Sci U S A **85**(5): 1394-7.
- Gil, J. and M. Esteban (2000). "Induction of apoptosis by the dsRNA-dependent protein kinase (PKR): mechanism of action." Apoptosis **5**(2): 107-14.
- Gordon, J. W. and F. H. Ruddle (1981). "Integration and stable germ line transmission of genes injected into mouse pronuclei." Science **214**(4526): 1244-6.
- Gordon, J. W., G. A. Scangos, et al. (1980). "Genetic transformation of mouse embryos by microinjection of purified DNA." Proc Natl Acad Sci U S A **77**(12): 7380-4.
- Gossen, M., A. L. Bonin, et al. (1993). "Control of gene activity in higher eukaryotic cells by prokaryotic regulatory elements." Trends Biochem Sci **18**(12): 471-5.
- Gossen, M., A. L. Bonin, et al. (1994). "Inducible gene expression systems for higher eukaryotic cells." Curr Opin Biotechnol **5**(5): 516-20.
- Gossen, M. and H. Bujard (1992). "Tight control of gene expression in mammalian cells by tetracycline-responsive promoters." Proc Natl Acad Sci U S A **89**(12): 5547-51.
- Gossen, M. and H. Bujard (2002). "Studying gene function in eukaryotes by conditional gene inactivation." Annu Rev Genet **36**: 153-73.
- Gossen, M., S. Freundlieb, et al. (1995). "Transcriptional activation by tetracyclines in mammalian cells." Science **268**(5218): 1766-9.
- Goto, Y., M. Kakizaki, et al. (1976). "Production of spontaneous diabetic rats by repetition of selective breeding." Tohoku J Exp Med **119**(1): 85-90.
- Gregory, R. I., T. P. Chendrimada, et al. (2005). "Human RISC couples microRNA biogenesis and posttranscriptional gene silencing." Cell **123**(4): 631-40.
- Grimm, D., K. L. Streetz, et al. (2006). "Fatality in mice due to oversaturation of cellular microRNA/short hairpin RNA pathways." Nature **441**(7092): 537-41.

Bibliography

- Guo, S. and K. J. Kemphues (1995). "par-1, a gene required for establishing polarity in *C. elegans* embryos, encodes a putative Ser/Thr kinase that is asymmetrically distributed." Cell **81**(4): 611-20.
- Ham, J. and M. G. Parker (1989). "Regulation of gene expression by nuclear hormone receptors." Curr Opin Cell Biol **1**(3): 503-11.
- Hamilton, A. J. and D. C. Baulcombe (1999). "A species of small antisense RNA in posttranscriptional gene silencing in plants." Science **286**(5441): 950-2.
- Hasuwa, H., K. Kaseda, et al. (2002). "Small interfering RNA and gene silencing in transgenic mice and rats." FEBS Lett **532**(1-2): 227-30.
- Heard, D. J., T. Kiss, et al. (1993). "Both Arabidopsis TATA binding protein (TBP) isoforms are functionally identical in RNA polymerase II and III transcription in plant cells: evidence for gene-specific changes in DNA binding specificity of TBP." Embo J **12**(9): 3519-28.
- Herold, K. G., D. J. Lenschow, et al. (1997). "CD28/B7 regulation of autoimmune diabetes." Immunol Res **16**(1): 71-84.
- Hillen, W. and A. Wissmann (1989). Topics in Molecular and Structural Biology. Protein-Nucleic Acid Interaction. **10**: 143-162.
- Holstad, M. and S. Sandler (2001). "A transcriptional inhibitor of TNF-alpha prevents diabetes induced by multiple low-dose streptozotocin injections in mice." J Autoimmun **16**(4): 441-7.
- Hovanessian, A. G. (1989). "The double stranded RNA-activated protein kinase induced by interferon: dsRNA-PK." J Interferon Res **9**(6): 641-7.
- Howard, K. J. and C. W. Distelhorst (1988). "Evidence for intracellular association of the glucocorticoid receptor with the 90-kDa heat shock protein." J Biol Chem **263**(7): 3474-81.
- Hunter, T., T. Hunt, et al. (1975). "The characteristics of inhibition of protein synthesis by double-stranded ribonucleic acid in reticulocyte lysates." J Biol Chem **250**(2): 409-17.
- Indra, A. K., X. Warot, et al. (1999). "Temporally-controlled site-specific mutagenesis in the basal layer of the epidermis: comparison of the recombinase activity of the tamoxifen-inducible Cre-ER(T) and Cre-ER(T2) recombinases." Nucleic Acids Res **27**(22): 4324-7.
- Jackson, A. L. and P. S. Linsley (2004). "Noise amidst the silence: off-target effects of siRNAs?" Trends Genet **20**(11): 521-4.
- Janssen, U., A. O. Phillips, et al. (1999). "Rodent models of nephropathy associated with type II diabetes." J Nephrol **12**(3): 159-72.
- Jeffrey, I. W., S. Kadereit, et al. (1995). "Nuclear localization of the interferon-inducible protein kinase PKR in human cells and transfected mouse cells." Exp Cell Res **218**(1): 17-27.
- Jimenez-Garcia, L. F., S. R. Green, et al. (1993). "Organization of the double-stranded RNA-activated protein kinase DAI and virus-associated VA RNAI in adenovirus-2-infected HeLa cells." J Cell Sci **106** (Pt 1): 11-22.
- John, M., R. Constien, et al. (2007). "Effective RNAi-mediated gene silencing without interruption of the endogenous microRNA pathway." Nature **449**(7163): 745-7.
- Kawano, K., T. Hirashima, et al. (1992). "Spontaneous long-term hyperglycemic rat with diabetic complications. Otsuka Long-Evans Tokushima Fatty (OLETF) strain." Diabetes **41**(11): 1422-8.

Bibliography

- Khvorova, A., A. Reynolds, et al. (2003). "Functional siRNAs and miRNAs exhibit strand bias." Cell **115**(2): 209-16.
- Kido, Y., J. Nakae, et al. (2001). "Clinical review 125: The insulin receptor and its cellular targets." J Clin Endocrinol Metab **86**(3): 972-9.
- Kim, V. N. (2004). "MicroRNA precursors in motion: exportin-5 mediates their nuclear export." Trends Cell Biol **14**(4): 156-9.
- Kistner, A., M. Gossen, et al. (1996). "Doxycycline-mediated quantitative and tissue-specific control of gene expression in transgenic mice." Proc Natl Acad Sci U S A **93**(20): 10933-8.
- Kohler, M., H. Haller, et al. (1999). "Nuclear protein transport pathways." Exp Nephrol **7**(4): 290-4.
- Kose, H., D. H. Moralejo, et al. (2002). "Examination of OLETF-derived non-insulin-dependent diabetes mellitus QTL by construction of a series of congenic rats." Mamm Genome **13**(10): 558-62.
- Kou, H. and B. F. Pugh (2004). "Engineering dimer-stabilizing mutations in the TATA-binding protein." J Biol Chem **279**(20): 20966-73.
- Krivokharchenko, A., V. Galat, et al. (2002). "In vitro formation of tetraploid rat blastocysts after fusion of two-cell embryos." Mol Reprod Dev **61**(4): 460-5.
- Kuhbandner, S., S. Brummer, et al. (2000). "Temporally controlled somatic mutagenesis in smooth muscle." Genesis **28**(1): 15-22.
- Kumar, M. and G. G. Carmichael (1998). "Antisense RNA: function and fate of duplex RNA in cells of higher eukaryotes." Microbiol Mol Biol Rev **62**(4): 1415-34.
- Kumar, V. and P. Chambon (1988). "The estrogen receptor binds tightly to its responsive element as a ligand-induced homodimer." Cell **55**(1): 145-56.
- Kumar, V., S. Green, et al. (1987). "Functional domains of the human estrogen receptor." Cell **51**(6): 941-51.
- Kunkel, G. R. (1991). "RNA polymerase III transcription of genes that lack internal control regions." Biochim Biophys Acta **1088**(1): 1-9.
- Lazar, J., C. Moreno, et al. (2005). "Impact of genomics on research in the rat." Genome Res **15**(12): 1717-28.
- Leclercq, I. A., A. Da Silva Morais, et al. (2007). "Insulin resistance in hepatocytes and sinusoidal liver cells: mechanisms and consequences." J Hepatol **47**(1): 142-56.
- Lee, N. S., T. Dohjima, et al. (2002). "Expression of small interfering RNAs targeted against HIV-1 rev transcripts in human cells." Nat Biotechnol **20**(5): 500-5.
- Lee, Y., C. Ahn, et al. (2003). "The nuclear RNase III Drosha initiates microRNA processing." Nature **425**(6956): 415-9.
- Lee, Y. S., K. Nakahara, et al. (2004). "Distinct roles for Drosophila Dicer-1 and Dicer-2 in the siRNA/miRNA silencing pathways." Cell **117**(1): 69-81.
- Lees, J. A., S. E. Fawell, et al. (1989). "Identification of two transactivation domains in the mouse oestrogen receptor." Nucleic Acids Res **17**(14): 5477-88.
- LeRoith, D. and O. Gavrilova (2006). "Mouse models created to study the pathophysiology of Type 2 diabetes." Int J Biochem Cell Biol **38**(5-6): 904-12.
- Lewandoski, M. (2001). "Conditional control of gene expression in the mouse." Nat Rev Genet **2**(10): 743-55.
- Lewis, D. L., J. E. Hagstrom, et al. (2002). "Efficient delivery of siRNA for inhibition of gene expression in postnatal mice." Nat Genet **32**(1): 107-8.

Bibliography

- Liu, J., M. A. Carmell, et al. (2004). "Argonaute2 is the catalytic engine of mammalian RNAi." Science **305**(5689): 1437-41.
- Lund, E., S. Guttinger, et al. (2004). "Nuclear export of microRNA precursors." Science **303**(5654): 95-8.
- Makinen, P. I., J. K. Koponen, et al. (2006). "Stable RNA interference: comparison of U6 and H1 promoters in endothelial cells and in mouse brain." J Gene Med **8**(4): 433-41.
- Manche, L., S. R. Green, et al. (1992). "Interactions between double-stranded RNA regulators and the protein kinase DAI." Mol Cell Biol **12**(11): 5238-48.
- Mansuy, I. M. and H. Bujard (2000). "Tetracycline-regulated gene expression in the brain." Curr Opin Neurobiol **10**(5): 593-6.
- Martinez, J., A. Patkaniowska, et al. (2002). "Single-stranded antisense siRNAs guide target RNA cleavage in RNAi." Cell **110**(5): 563-74.
- McCaffrey, A. P., L. Meuse, et al. (2002). "RNA interference in adult mice." Nature **418**(6893): 38-9.
- Meissner, W., H. Rothfels, et al. (2001). "Development of an inducible pol III transcription system essentially requiring a mutated form of the TATA-binding protein." Nucleic Acids Res **29**(8): 1672-82.
- Mensah-Brown, E. P., S. Stosic Grujicic, et al. (2002). "Downregulation of apoptosis in the target tissue prevents low-dose streptozotocin-induced autoimmune diabetes." Mol Immunol **38**(12-13): 941-6.
- Metzger, D., J. Clifford, et al. (1995). "Conditional site-specific recombination in mammalian cells using a ligand-dependent chimeric Cre recombinase." Proc Natl Acad Sci U S A **92**(15): 6991-5.
- Miralles, F. and B. Portha (2001). "Early development of beta-cells is impaired in the GK rat model of type 2 diabetes." Diabetes **50 Suppl 1**: S84-8.
- Miyagishi, M., M. Hayashi, et al. (2003). "Comparison of the suppressive effects of antisense oligonucleotides and siRNAs directed against the same targets in mammalian cells." Antisense Nucleic Acid Drug Dev **13**(1): 1-7.
- Miyagishi, M. and K. Taira (2002). "U6 promoter-driven siRNAs with four uridine 3' overhangs efficiently suppress targeted gene expression in mammalian cells." Nat Biotechnol **20**(5): 497-500.
- Miyoshi, K., T. Kono, et al. (1997). "Stage-dependent development of rat 1-cell embryos in a chemically defined medium after fertilization in vivo and in vitro." Biol Reprod **56**(1): 180-5.
- Moralejo, D. H., T. Ogino, et al. (1998). "A major quantitative trait locus co-localizing with cholecystinin type A receptor gene influences poor pancreatic proliferation in a spontaneously diabetogenic rat." Mamm Genome **9**(10): 794-8.
- Moralejo, D. H., S. Wei, et al. (1998). "X-linked locus is responsible for non-insulin-dependent diabetes mellitus in the OLETF rat." J Vet Med Sci **60**(3): 373-5.
- Muller, A., P. Schott-Ohly, et al. (2002). "Differential regulation of Th1-type and Th2-type cytokine profiles in pancreatic islets of C57BL/6 and BALB/c mice by multiple low doses of streptozotocin." Immunobiology **205**(1): 35-50.
- Murakawa, Y., W. Zhang, et al. (2002). "Impaired glucose tolerance and insulinopenia in the GK-rat causes peripheral neuropathy." Diabetes Metab Res Rev **18**(6): 473-83.

Bibliography

- Nakae, J., V. Barr, et al. (2000). "Differential regulation of gene expression by insulin and IGF-1 receptors correlates with phosphorylation of a single amino acid residue in the forkhead transcription factor FKHR." Embo J **19**(5): 989-96.
- Nakae, J., Y. Kido, et al. (2001). "Distinct and overlapping functions of insulin and IGF-I receptors." Endocr Rev **22**(6): 818-35.
- Nandi, A., Y. Kitamura, et al. (2004). "Mouse models of insulin resistance." Physiol Rev **84**(2): 623-47.
- Napoli, C., C. Lemieux, et al. (1990). "Introduction of a Chimeric Chalcone Synthase Gene into Petunia Results in Reversible Co-Suppression of Homologous Genes in trans." Plant Cell **2**(4): 279-289.
- Notides, A. C., N. Lerner, et al. (1981). "Positive cooperativity of the estrogen receptor." Proc Natl Acad Sci U S A **78**(8): 4926-30.
- Oettel, S., I. Kober, et al. (1998). "The activity binding to the termination region of several pol III genes represents a separate entity and is distinct from a novel component enhancing U6 snRNA transcription." Nucleic Acids Res **26**(19): 4324-31.
- Ohkawa, J. and K. Taira (2000). "Control of the functional activity of an antisense RNA by a tetracycline-responsive derivative of the human U6 snRNA promoter." Hum Gene Ther **11**(4): 577-85.
- Paddison, P. J., A. A. Caudy, et al. (2002). "Short hairpin RNAs (shRNAs) induce sequence-specific silencing in mammalian cells." Genes Dev **16**(8): 948-58.
- Paddison, P. J., A. A. Caudy, et al. (2002). "Stable suppression of gene expression by RNAi in mammalian cells." Proc Natl Acad Sci U S A **99**(3): 1443-8.
- Palmiter, R. D., R. L. Brinster, et al. (1982). "Dramatic growth of mice that develop from eggs microinjected with metallothionein-growth hormone fusion genes." Nature **300**(5893): 611-5.
- Park, F. (2007). "Lentiviral vectors: are they the future of animal transgenesis?" Physiol Genomics **31**(2): 159-73.
- Patterson, J. B., D. C. Thomis, et al. (1995). "Mechanism of interferon action: double-stranded RNA-specific adenosine deaminase from human cells is inducible by alpha and gamma interferons." Virology **210**(2): 508-11.
- Paul, C. P., P. D. Good, et al. (2002). "Effective expression of small interfering RNA in human cells." Nat Biotechnol **20**(5): 505-8.
- Paule, M. R. and R. J. White (2000). "Survey and summary: transcription by RNA polymerases I and III." Nucleic Acids Res **28**(6): 1283-98.
- Pebernard, S. and R. D. Iggo (2004). "Determinants of interferon-stimulated gene induction by RNAi vectors." Differentiation **72**(2-3): 103-11.
- Pellegrini, S. and C. Schindler (1993). "Early events in signalling by interferons." Trends Biochem Sci **18**(9): 338-42.
- Pemberton, L. F. and B. M. Paschal (2005). "Mechanisms of receptor-mediated nuclear import and nuclear export." Traffic **6**(3): 187-98.
- Peng, S., J. P. York, et al. (2006). "A transgenic approach for RNA interference-based genetic screening in mice." Proc Natl Acad Sci U S A **103**(7): 2252-6.
- Popova, E., M. Bader, et al. (2005). "Production of transgenic models in hypertension." Methods Mol Med **108**: 33-50.
- Popova, E., M. Bader, et al. (2005). "Strain differences in superovulatory response, embryo development and efficiency of transgenic rat production." Transgenic Res **14**(5): 729-38.

Bibliography

- Popova, E., A. Krivokharchenko, et al. (2002). "Comparison between PMSG- and FSH-induced superovulation for the generation of transgenic rats." Mol Reprod Dev **63**(2): 177-82.
- Popova, E., A. Krivokharchenko, et al. (2004). "Efficiency of transgenic rat production is independent of transgene-construct and overnight embryo culture." Theriogenology **61**(7-8): 1441-53.
- Proud, C. G. (1995). "PKR: a new name and new roles." Trends Biochem Sci **20**(6): 241-6.
- Redeuilh, G., B. Moncharmont, et al. (1987). "Subunit composition of the molybdate-stabilized "8-9 S" nontransformed estradiol receptor purified from calf uterus." J Biol Chem **262**(15): 6969-75.
- Rees, D. A. and J. C. Alcolado (2005). "Animal models of diabetes mellitus." Diabet Med **22**(4): 359-70.
- Reynolds, A., E. M. Anderson, et al. (2006). "Induction of the interferon response by siRNA is cell type- and duplex length-dependent." Rna **12**(6): 988-93.
- Romano, N. and G. Macino (1992). "Quelling: transient inactivation of gene expression in *Neurospora crassa* by transformation with homologous sequences." Mol Microbiol **6**(22): 3343-53.
- Saito, Y., T. Yokota, et al. (2005). "Transgenic small interfering RNA halts amyotrophic lateral sclerosis in a mouse model." J Biol Chem **280**(52): 42826-30.
- Samuel, C. E. (1991). "Antiviral actions of interferon. Interferon-regulated cellular proteins and their surprisingly selective antiviral activities." Virology **183**(1): 1-11.
- Schlatter, L. K., K. J. Howard, et al. (1992). "Comparison of the 90-kilodalton heat shock protein interaction with in vitro translated glucocorticoid and estrogen receptors." Mol Endocrinol **6**(1): 132-40.
- Schwenk, F., R. Kuhn, et al. (1998). "Temporally and spatially regulated somatic mutagenesis in mice." Nucleic Acids Res **26**(6): 1427-32.
- Seibler, J., A. Kleinriders, et al. (2007). "Reversible gene knockdown in mice using a tight, inducible shRNA expression system." Nucleic Acids Res **35**(7): e54.
- Seibler, J., B. Kuter-Luks, et al. (2005). "Single copy shRNA configuration for ubiquitous gene knockdown in mice." Nucleic Acids Res **33**(7): e67.
- Shier, P. and V. M. Watt (1989). "Primary structure of a putative receptor for a ligand of the insulin family." J Biol Chem **264**(25): 14605-8.
- Simmen, K. A., J. Bernues, et al. (1991). "TFIID is required for in vitro transcription of the human U6 gene by RNA polymerase III." Embo J **10**(7): 1853-62.
- Skafar, D. F. (1991). "Differential DNA binding by calf uterine estrogen and progesterone receptors results from differences in oligomeric states." Biochemistry **30**(25): 6148-54.
- Sliker, L. J., K. L. Sundell, et al. (1992). "Glucose transporter levels in tissues of spontaneously diabetic Zucker fa/fa rat (ZDF/drt) and viable yellow mouse (Avy/a)." Diabetes **41**(2): 187-93.
- Sone, H., Y. Kawakami, et al. (1997). "Ocular vascular endothelial growth factor levels in diabetic rats are elevated before observable retinal proliferative changes." Diabetologia **40**(6): 726-30.
- Song, J. J., S. K. Smith, et al. (2004). "Crystal structure of Argonaute and its implications for RISC slicer activity." Science **305**(5689): 1434-7.

Bibliography

- Stegmeier, F., G. Hu, et al. (2005). "A lentiviral microRNA-based system for single-copy polymerase II-regulated RNA interference in mammalian cells." Proc Natl Acad Sci U S A **102**(37): 13212-7.
- Stojdl, D. F., B. Lichty, et al. (2000). "Exploiting tumor-specific defects in the interferon pathway with a previously unknown oncolytic virus." Nat Med **6**(7): 821-5.
- Strubin, M. and K. Struhl (1992). "Yeast and human TFIID with altered DNA-binding specificity for TATA elements." Cell **68**(4): 721-30.
- Sui, G., C. Soohoo, et al. (2002). "A DNA vector-based RNAi technology to suppress gene expression in mammalian cells." Proc Natl Acad Sci U S A **99**(8): 5515-20.
- Teichmann, M. and K. H. Seifart (1995). "Physical separation of two different forms of human TFIIB active in the transcription of the U6 or the VAI gene in vitro." Embo J **14**(23): 5974-83.
- Tora, L., J. White, et al. (1989). "The human estrogen receptor has two independent nonacidic transcriptional activation functions." Cell **59**(3): 477-87.
- Triezenberg, S. J., R. C. Kingsbury, et al. (1988). "Functional dissection of VP16, the trans-activator of herpes simplex virus immediate early gene expression." Genes Dev **2**(6): 718-29.
- Ullrich, A., J. R. Bell, et al. (1985). "Human insulin receptor and its relationship to the tyrosine kinase family of oncogenes." Nature **313**(6005): 756-61.
- Ullrich, A., A. Gray, et al. (1986). "Insulin-like growth factor I receptor primary structure: comparison with insulin receptor suggests structural determinants that define functional specificity." Embo J **5**(10): 2503-12.
- Vanathi, P., A. K. Mishra, et al. (2003). "Regulation of activity of the yeast TATA-binding protein through intra-molecular interactions." J Biosci **28**(4): 413-21.
- Ventura, A., A. Meissner, et al. (2004). "Cre-lox-regulated conditional RNA interference from transgenes." Proc Natl Acad Sci U S A **101**(28): 10380-5.
- Waldschmidt, R., I. Wanandi, et al. (1991). "Identification of transcription factors required for the expression of mammalian U6 genes in vitro." Embo J **10**(9): 2595-603.
- Wang, Q. and G. G. Carmichael (2004). "Effects of length and location on the cellular response to double-stranded RNA." Microbiol Mol Biol Rev **68**(3): 432-52.
- Wang, Z. and R. G. Roeder (1996). "TFIIIC1 acts through a downstream region to stabilize TFIIC2 binding to RNA polymerase III promoters." Mol Cell Biol **16**(12): 6841-50.
- Webster, N. J., S. Green, et al. (1988). "The hormone-binding domains of the estrogen and glucocorticoid receptors contain an inducible transcription activation function." Cell **54**(2): 199-207.
- Willis, I. M. (1993). "RNA polymerase III. Genes, factors and transcriptional specificity." Eur J Biochem **212**(1): 1-11.
- Wirtz, E. and C. Clayton (1995). "Inducible gene expression in trypanosomes mediated by a prokaryotic repressor." Science **268**(5214): 1179-83.
- www.betacell.org.
- www.mold-survivor.com.
- www.smart-drugs.com.
- Xia, X. G., H. Zhou, et al. (2006). "Pol II-expressed shRNA knocks down Sod2 gene expression and causes phenotypes of the gene knockout in mice." PLoS Genet **2**(1): e10.

Bibliography

- Yang, Z., M. Chen, et al. (2003). "The novel anti-inflammatory compound, lisofylline, prevents diabetes in multiple low-dose streptozotocin-treated mice." *Pancreas* **26**(4): e99-104.
- Yi, R., Y. Qin, et al. (2003). "Exportin-5 mediates the nuclear export of pre-microRNAs and short hairpin RNAs." *Genes Dev* **17**(24): 3011-6.
- Yoshinaga, S. K., P. A. Boulanger, et al. (1987). "Resolution of human transcription factor TFIIC into two functional components." *Proc Natl Acad Sci U S A* **84**(11): 3585-9.
- Yu, J. and A. P. McMahon (2006). "Reproducible and inducible knockdown of gene expression in mice." *Genesis* **44**(5): 252-61.
- Zhan, H. C., D. P. Liu, et al. (2001). "Insulator: from chromatin domain boundary to gene regulation." *Hum Genet* **109**(5): 471-8.
- Zimmermann, T. S., A. C. Lee, et al. (2006). "RNAi-mediated gene silencing in non-human primates." *Nature* **441**(7089): 111-4.
- Zinker, B. A., C. M. Rondinone, et al. (2002). "PTP1B antisense oligonucleotide lowers PTP1B protein, normalizes blood glucose, and improves insulin sensitivity in diabetic mice." *Proc Natl Acad Sci U S A* **99**(17): 11357-62.
- Ziv, E., E. Shafir, et al. (1999). "Changing pattern of prevalence of insulin resistance in *Psammomys obesus*, a model of nutritionally induced type 2 diabetes." *Metabolism* **48**(12): 1549-54.
- Zuccollo, A., M. Navarro, et al. (1999). "The involvement of kallikrein-kinin system in diabetes type I (insulinitis)." *Immunopharmacology* **45**(1-3): 69-74.