

10 Literaturverzeichnis

Akisli I, Ozcan M, Nergiz I.

Resistance of core materials against torsional forces on differently conditioned titanium posts.

J Prosthet Dent 2002; 88:367-74.

Akkayan B.

An in vitro study evaluating the effect of ferrule length on fracture resistance of endodontically treated teeth restored with fiber-reinforced and zirconia dowel systems.

J Prosthet Dent 2004; 92:155-62.

Akkayan B, Gulmez T.

Resistance to fracture of endodontically treated teeth restored with different post systems.

J Prosthet Dent 2002; 87:431-7.

Al-Hazaimeh N, Gutteridge DL.

An in vitro study into the effect of the ferrule preparation on the fracture resistance of crowned teeth incorporating prefabricated post and composite core restorations.

Int Endod J 2001; 34:40-6.

Al-Wazzan KA, Al-Harbi AA, Hammad IA.

The effect of eugenol-containing temporary cement on the bond strength of two resin composite core materials to dentin.

J Prosthodont 1997; 6:37-42.

Albakry M, Guazzato M, Swain MV.

Biaxial flexural strength, elastic moduli, and x-ray diffraction characterization of three pressable all-ceramic materials.

J Prosthet Dent 2003; 89:374-80.

Alves J, Walton R, Drake D.

Coronal leakage: endotoxin penetration from mixed bacterial communities through obturated, post-prepared root canals.

J Endod 1998; 24:587-91.

Anderson DJ.

Measurement of stress in mastication. I.

J Dent Res 1956; 35:664-70.

Asmussen E.

NMR-analysis of monomers in restorative resins.

Acta Odontol Scand 1975; 33:129-34.

Asmussen E, Peutzfeldt A, Heitmann T.

Stiffness, elastic limit, and strength of newer types of endodontic posts.

J Dent 1999; 27:275-8.

Assif D, Bitenski A, Pilo R, Oren E.

Effect of post design on resistance to fracture of endodontically treated teeth with complete crowns.

J Prosthet Dent 1993; 69:36-40.

Assif D, Ferber A.

Retention of dowels using a composite resin as a cementing medium.

J Prosthet Dent 1982; 48:292-6.

Assif D, Gorfil C.

Biomechanical considerations in restoring endodontically treated teeth.

J Prosthet Dent 1994; 71:565-7.

Atmadja G, Bryant RW.

Some factors influencing the depth of cure of visible light-activated composite resins.

Aust Dent J 1990; 35:213-8.

Atta MO, Smith BG, Brown D.

Bond strengths of three chemical adhesive cements adhered to a nickel-chromium alloy for direct bonded retainers.

J Prosthet Dent 1990; 63:137-43.

Azer SS, Drummond JL, Campbell SD, El Moneim Zaki A.

Influence of core buildup material on the fatigue strength of an all-ceramic crown.

J Prosthet Dent 2001; 86:624-31.

Bachicha WS, Di Fiore PM, Miller DA, Lautenschlager EP, Pashley DH.

Microleakage of endodontically treated teeth restored with posts.

J Endod 1998; 24:703-8.

Bailey LF, Bennett RJ.

DICOR surface treatments for enhanced bonding.

J Dent Res 1988; 67:925-31.

Baldissara P, Pieri F, Arcidiacono A.

Fatigue resistance of fiber posts: a comparative study.

J Dent Res 2001; 80:706.

Bausch JR, De Lange K, Davidson CL, Peters A, De Gee AJ.

Clinical significance of polymerization shrinkage of composite resins.

J Prosthet Dent 1982; 48:59-67.

Beech DR, Tyas MJ, Solomon A.

Bond strength of restorative materials to human dentin: influence of post-extraction time.

Dent Mater 1991; 7:15-7.

Behr M, Hindelang U, Rosentritt M, Lang R, Handel G.
Comparison of failure rates of adhesive-fixed partial dentures for in vivo and in vitro studies.
Clin Oral Investig 2000; 4:25-30.

Ben-Amar A, Gontar G, Fitzig S, Urstein M, Liberman R.
Retention of prefabricated posts with dental adhesive and composite.
J Prosthet Dent 1986; 56:681-4.

Ben-Ur Z, Zimmermann AM.
Screw-type root canal post systems - accuracy and strength of root canal walls.
Quintessenz 1983; 34:1325-32.

Blunck U, Haller B.
Klassifikation von Bondingsystemen.
Quintessenz 1999; 50:1021-33.

Bolhuis HPB, De Gee AJ, Feilzer AJ, Davidson CL.
Fracture strength of different core build-up designs.
Am J Dent 2001; 14:286-90.

Boone KJ, Murchison DF, Schindler WG, Walker WA, 3rd.
Post retention: the effect of sequence of post-space preparation, cementation time, and different sealers.
J Endod 2001; 27:768-71.

Bowen RL.
Compatibility of various materials with oral tissues. I: The components in composite restorations.
J Dent Res 1979; 58:1493-503.

Bullard RH, Leinfelder KF, Russell CM.
Effect of coefficient of thermal expansion on microleakage.
J Am Dent Assoc 1988; 116:871-4.

Buonocore M.
Adhesive sealing of pits and fissures for caries prevention, with use of ultraviolet light.
J Am Dent Assoc 1970; 80:324-30.

Buonocore MG, Wileman W, Brudevold FA.
A report on a resin composite capable of bonding to human dentin surfaces.
J Dent Res 1956; 35:846-51.

Burke F, Watts D.
Fracture resistance of teeth restored with dentin-bonded crowns.
Quintessence Int 1994; 25:335-40.

Burns DA, Krause WR, Douglas HB, Burns DR.
Stress distribution surrounding endodontic posts.
J Prosthet Dent 1990; 64:412-8.

Butz F, Lennon AM, Heydecke G, Strub JR.
Survival rate and fracture strength of endodontically treated maxillary incisors with moderate defects restored with different post-and-core systems: an in vitro study.
Int J Prosthodont 2001; 14:58-64.

Caputo A, Standlee J, 1987.
Biomechanics in clinical dentistry. 1 Edition.
Quintessenz, Chicago.

Caputo AA, Hokama SN.
Stress and retention properties of a new threaded endodontic post.
Quintessence Int 1987; 18:431-5.

Cathro PR, Chandler NP, Hood JA.
Impact resistance of crowned endodontically treated central incisors with internal composite cores.
Endod Dent Traumatol 1996; 12:124-8.

Caughman WF, O'Connor RP, Williams HA, Rueggeberg FA.
Retention strengths of three cements using full crown preparations restored with amalgam.
Am J Dent 1992; 5:61-3.

Chailertvanitkul P, Saunders WP, Mackenzie D.
An assessment of microbial coronal leakage in teeth root filled with gutta-percha and three different sealers.
Int Endod J 1996; 29:387-92.

Chan FW, Harcourt JK, Brockhurst PJ.
The effect of post adaptation in the root canal on retention of posts cemented with various cements.
Aust Dent J 1993; 38:39-45.

Chang JC, Powers JM, Hart D.
Bond strength of composite to alloy treated with bonding systems.
J Prosthodont 1993; 2:110-4.

Chen HY, Hickel R, Setcos JC, Kunzelmann KH.
Effects of surface finish and fatigue testing on the fracture strength of CAD-CAM and pressed-ceramic crowns.
J Prosthet Dent 1999; 82:468-75.

Christensen GJ.
Posts and cores: state of the art.
J Am Dent Assoc 1998; 129:96-7.

- Cobankara FK, Ungor M, Belli S.
The effect of two different root canal sealers and smear layer on resistance to root fracture.
J Endod 2002; 28:606-9.
- Coca I, Schwickerath H.
Stress distribution in crowns in the anterior region.
Dtsch Zahnharzl Z 1987; 42:338-41.
- Cohen BI, Condos S, Deutsch AS, Musikant BL.
Fracture strength of three different core materials in combination with three different endodontic posts.
Int J Prosthodont 1994; 7:178-82.
- Cohen BI, Deutsch AS, Musikant BL.
Cyclic fatigue testing of six endodontic post systems.
J Prosthodont 1993; 2:28-32.
- Cohen BI, Pagnillo MK, Condos S, Deutsch AS.
Four different core materials measured for fracture strength in combination with five different designs of endodontic posts.
J Prosthet Dent 1996; 76:487-95.
- Cormier CJ, Burns DR, Moon P.
In vitro comparison of the fracture resistance and failure mode of fiber, ceramic, and conventional post systems at various stages of restoration.
J Prosthodont 2001; 10:26-36.
- Creugers NH, Mentink AG, Kayser AF.
An analysis of durability data on post and core restorations.
J Dent 1993; 21:281-4.
- Crim GA, Swartz ML, Phillips RW.
Comparison of four thermocycling techniques.
J Prosthet Dent 1985; 53:50-3.
- Dallari A, Rovatti L.
Six years of in vitro/in vivo experience with Composipost.
Compend Contin Educ Dent Suppl 1996; 57-63.
- De Rijk WG.
Removal of fiber posts from endodontically treated teeth.
Am J Dent 2000; 13:19B-21B.
- Dean JP, Jeansson BG, Sarkar N.
In vitro evaluation of a carbon fiber post.
J Endod 1998; 24:807-10.

- DeLong R, Douglas WH.
Development of an artificial oral environment for the testing of dental restoratives: bi-axial force and movement control.
J Dent Res 1983; 62:32-6.
- DeLong R, Sakaguchi RL, Douglas WH, Pintado MR.
The wear of dental amalgam in an artificial mouth: a clinical correlation.
Dent Mater 1985; 1:238-42.
- Dietschi D, Romelli M, Goretti A.
Adaptation of adhesive posts and cores to dentin after fatigue testing.
Int J Prosthodont 1997; 10:498-507.
- Douglas WH, Sakaguchi RL, DeLong R.
Frictional effects between natural teeth in an artificial mouth.
Dent Mater 1985; 1:115-9.
- Doyle MG, Goodacre CJ, Munoz CA, Andres CJ.
The effect of tooth preparation design on the breaking strength of Dicor crowns: 3.
Int J Prosthodont 1990; 3:327-40.
- Drummond JL.
In vitro evaluation of endodontic posts.
Am J Dent 2000; 13:5B-8B.
- Drummond JL, King TJ, Bapna MS, Koperski RD.
Mechanical property evaluation of pressable restorative ceramics.
Dent Mater 2000; 16:226-33.
- Drummond JL, Toepke TR, King TJ.
Thermal and cyclic loading of endodontic posts.
Eur J Oral Sci 1999; 107:220-4.
- Duret B, Reynaud M, Duret F.
New concept of coronoradicular reconstruction: the Composipost (1).
Chir Dent Fr 1990; 60:131-41 contd.
- Eckerbom M, Magnusson T, Martinsson T.
Reasons for and incidence of tooth mortality in a Swedish population.
Endod Dent Traumatol 1992; 8:230-4.
- Edelhoff D, Spiekermann H, Yildirim M.
Klinische Erfahrungen mit konfektionierten Wurzelstiften und individuellen Stumpfaufbauten aus Keramik.
DZZ 2000; 55:746-50.
- Eichner K.
Messung der Kräfte bei Kauvorgängen.
Dtsch Zahnärztl Z 1963; 18:915-24.

Eichner K, Kappert H, 2000.
Strukturen und Eigenschaften von Monomeren und Oligomeren. 1 Edition.
Georg Thieme, Stuttgart, New York.

El-Mowafy OM, Rubo MH, El-Badrawy WA.
Hardening of new resin cements cured through a ceramic inlay.
Oper Dent 1999; 24:38-44.

Farik B, Munksgaard EC.
Fracture strength of intact and fragment-bonded teeth at various velocities of the applied force.
Eur J Oral Sci 1999; 107:70-3.

Feilzer AJ, De Gee AJ, Davidson CL.
Setting stresses in composites for two different curing modes.
Dent Mater 1993; 9:2-5.

Felton DA, Webb EL, Kanoy BE, Dugoni J.
Threaded endodontic dowels: effect of post design on incidence of root fracture.
J Prosthet Dent 1991; 65:179-87.

Fennis WM, Kuijs RH, Kreulen CM.
A survey of cusp fractures in a population of general dental practices.
Int J Prosthodont 2002; 15:559-63.

Ferrari M, Mannocci F, Mason PN, Kugel G.
In vitro leakage of resin-bonded all-porcelain crowns.
J Adhes Dent 1999; 1:233-42.

Ferrari M, Mannocci F, Vichi A, Cagidiaco MC, Mjor IA.
Bonding to root canal: structural characteristics of the substrate.
Am J Dent 2000a; 13:255-60.

Ferrari M, Mannocci F, Vichi A, Goracci G.
Bond strengths of a porcelain material to different abutment substrates.
Oper Dent 2000b; 25:299-305.

Ferrari M, Scotti R, 2002a.
Chapter 3: Fiber posts: historical and evolutionary outlines. In: Fiber Posts.
Masson S.p.A., Miland, Italien.

Ferrari M, Scotti R, 2002b.
Chapter 4: Composition, microstructure and morphology of posts. In: Fiber Posts.
Masson S.p.A., Miland, Italien.

Ferrari M, Scotti R, 2002c.
Chapter 4: Composition, microstructure and morphology of posts. In: Fiber Posts.
Masson S.p.A., Miland, Italien.

Ferrari M, Scotti R, 2002d.
Chapter 4: Composition, microstructure and morphology of posts. In: Fiber Posts.
Masson S.p.A., Milan, Italien.

Ferrari M, Vichi A, Garcia-Godoy F.
Clinical evaluation of fiber-reinforced epoxy resin posts and cast post and cores.
Am J Dent 2000c; 13:15B-18B.

Ferrari M, Vichi A, Grandini S.
Efficacy of different adhesive techniques on bonding to root canal walls: an SEM investigation.
Dent Mater 2001a; 17:422-9.

Ferrari M, Vichi A, Grandini S, Goracci C.
Efficacy of a self-curing adhesive-resin cement system on luting glass-fiber posts into root canals: an SEM investigation.
Int J Prosthodont 2001b; 14:543-9.

Finger WJ, Ahlstrand WM, Fritz UB.
Radiopacity of fiber-reinforced resin posts.
Am J Dent 2002; 15:81-4.

Fischer H, Edelhoff D, Marx R.
Beanspruchbarkeit von Zirkonoxid-Wurzelstiften.
DZZ 1998; 53:854.

Fischer H, Marx R.
Fracture toughness of dental ceramics: comparison of bending and indentation method.
Dent Mater 2002; 18:12-9.

Fokkinga WA, Kreulen CM, Vallittu PK, Creugers NH.
A structured analysis of in vitro failure loads and failure modes of fiber, metal, and ceramic post-and-core systems.
Int J Prosthodont 2004; 17:476-82.

Fouchard P.
The surgeon dentist.
2 th ed, ButterWorth, London 1743;

Fradeani M.
The application of all-ceramic restorations in the anterior and posterior regions.
Pract Proced Aesthet Dent 2003; Suppl:13-7.

Fradeani M, Redemagni M.
An 11-year clinical evaluation of leucite-reinforced glass-ceramic crowns: a retrospective study.
Quintessence Int 2002; 33:503-10.

Franchi M, Breschi L.

Effects of acid-etching solutions on human enamel and dentin.

Quintessence Int 1995; 26:431-35.

Freedman G.

The carbon fibre post: metal-free, post-endodontic rehabilitation.

Oral Health 1996; 86:23-6, 29-30.

Friedlander LD, Munoz CA, Goodacre CJ, Doyle MG, Moore BK.

The effect of tooth preparation design on the breaking strength of Dicor crowns: Part 1.

Int J Prosthodont 1990; 3:159-68.

Friedman M, Hassan R.

Comparison study of visible curing lights and hardness of light-cured restorative materials.

J Prosthet Dent 1984; 52:504-05.

Fusayama T, Maeda T.

Effect of pulpectomy on dentin hardness.

J Dent Res 1969; 48:452-60.

Gegauff AG.

Effect of crown lengthening and ferrule placement on static load failure of cemented cast post-cores and crowns.

J Prosthet Dent 2000; 84:169-79.

Giachetti L, Scaminaci Russo D, Bertini F, Giuliani V.

Translucent fiber post cementation using a light-curing adhesive/composite system: SEM analysis and pull-out test.

J Dent 2004; 32:629-34.

Goodacre CJ, Bernal G, Rungcharassaeng K, Kan JY.

Clinical complications in fixed prosthodontics.

J Prosthet Dent 2003; 90:31-41.

Goodacre CJ, Spolnik KJ.

The prosthodontic management of endodontically treated teeth: a literature review. Part III. Tooth preparation considerations.

J Prosthodont 1995; 4:122-8.

Gorman CM, McDevitt WE, Hill RG.

Comparison of two heat-pressed all-ceramic dental materials.

Dent Mater 2000; 16:389-95.

Goto Y, Nicholls JI, Phillips KM, Junge T.

Fatigue resistance of endodontically treated teeth restored with three dowel-and-core systems.

J Prosthet Dent 2005; 93:45-50.

Gräf W.

Die thermische Belastung der Zähne beim Verzehr extrem heißer und kalter Speisen.
Dtsch Zahnärztl Z 1960; 15:30-34.

Grandini S, Goracci C, Monticelli F, Tay FR, Ferrari M.

Fatigue resistance and structural characteristics of fiber posts: three-point bending test and SEM evaluation.

Dent Mater 2005; 21:75-82.

Gutmann JL.

The dentin-root complex: anatomic and biologic considerations in restoring endodontically treated teeth.

J Prosthet Dent 1992; 67:458-67.

Hagge MS, Lindemuth JS.

Effect of thermocycling on the fracture strength of intact third molars stored for two different time periods.

Mil Med 2002; 167:616-9.

Hagge MS, Wong RD, Lindemuth JS.

Effect of three root canal sealers on the retentive strength of endodontic posts luted with a resin cement.

Int Endod J 2002a; 35:372-8.

Hagge MS, Wong RD, Lindemuth JS.

Retention strengths of five luting cements on prefabricated dowels after root canal obturation with a zinc oxide/eugenol sealer: 1. Dowel space preparation/cementation at one week after obturation.

J Prosthodont 2002b; 11:168-75.

Hahn R.

Vollkeramische Einzelzahnrestaurationen.

Habilitationsschrift 1994;

Haller B.

Aktueller Stand der Komposit-Dentinhaftung.

Zahnärztl Mitt 1992; 82:86-97.

Haller B, Klaiber B, Dürner U, Hofmann N.

Dentinpermeabilität nach Behandlung mit Cleanern und Primern.

Dtsch Zahnärztl Z 1992; 47:171-75.

Hansen EK, Asmussen E, Christiansen NC.

In vivo fractures of endodontically treated posterior teeth restored with amalgam.

Endod Dent Traumatol 1990; 6:49-55.

Hayakawa T, Horie K, Aida M.
The influence of surface conditions and silane agents on the bond of resin to dental porcelain.
Dent Mater 1992; 8:238-40.

Helfer AR, Melnick S, Schilder H.
Determination of the moisture content of vital and pulpless teeth.
Oral Surg Oral Med Oral Pathol 1972; 34:661-70.

Helkimo E, Ingervall B.
Bite force and functional state of the masticatory system in young men.
Swed Dent J 1978; 2:167-75.

Heydecke G, Butz F, Hussein A, Strub JR.
Fracture strength after dynamic loading of endodontically treated teeth restored with different post-and-core systems.
J Prosthet Dent 2002; 87:438-45.

Heydecke G, Butz F, Strub JR.
Einfluß des endodontischen Aufbaus auf die Frakturfestigkeit überkronten Frontzähne.
DZZ 1999; 54:637-40.

Heydecke G, Butz F, Strub JR.
Fracture strength and survival rate of endodontically treated maxillary incisors with ap-proximal cavities after restoration with different post and core systems: an in-vitro study.
J Dent 2001; 29:427-33.

Heydecke G, Peters MC.
The restoration of endodontically treated, single-rooted teeth with cast or direct posts and cores: a systematic review.
J Prosthet Dent 2002; 87:380-6.

Hu YH, Pang LC, Hsu CC, Lau YH.
Fracture resistance of endodontically treated anterior teeth restored with four post-and-core systems.
Quintessence Int 2003; 34:349-53.

Huang TJ, Schilder H, Nathanson D.
Effects of moisture content and endodontic treatment on some mechanical properties of human dentin.
J Endod 1992; 18:209-15.

Hugo B, Lussi A, Hotz P.
The preparation of enamel margin beveling in proximal cavities.
Schweiz Monatsschr Zahnmed 1992; 102:1181-8.

Hunter AJ, Feiglin B, Williams JF.
Effects of post placement on endodontically treated teeth.
J Prosthet Dent 1989; 62:166-72.

- Ichikawa Y, Akagawa Y, Nikai H, Tsuru H.
Tissue compatibility and stability of a new zirconia ceramic in vivo.
J Prosthet Dent 1992; 68:322-6.
- Isidor F, Brondum K.
Intermittent loading of teeth with tapered, individually cast or prefabricated, parallel-sided posts.
Int J Prosthodont 1992; 5:257-61.
- Isidor F, Odman P, Brondum K.
Intermittent loading of teeth restored using prefabricated carbon fiber posts.
Int J Prosthodont 1996; 9:131-6.
- Janda R.
Der Stand der Entwicklung auf dem Gebiet der Zahnfüllungsstoffe (I).
Quintessenz 1988; 39:1067-73.
- Janssen U, Hülsmann M.
Das Bruchlastverhalten endodontisch verankerter Aufbauten mit dem Wurzelstiftsystem Luscent-Anchor und Perma-tex im In-vitro-Test.
DZZ 2003; 58:331-36.
- Jones JC, Grieve AR, Harrington E.
A machine for thermal cycling in the investigation of marginal leakage. Its development and use.
Br Dent J 1979; 146:207-11.
- Joynt RB, Davis EL, Wieczkowski G, Jr., Yu XY.
Dentin bonding agents and the smear layer.
Oper Dent 1991; 16:186-91.
- Junge T, Nicholls JI, Phillips KM, Libman WJ.
Load fatigue of compromised teeth: a comparison of 3 luting cements.
Int J Prosthodont 1998; 11:558-64.
- Kakehashi Y, Luthy H, Naef R, Wohlwend A, Scharer P.
A new all-ceramic post and core system: clinical, technical, and in vitro results.
Int J Periodontics Restorative Dent 1998; 18:586-93.
- Kanca J.
Improving bond strength through acid etching of dentin and bonding to wet dentin surfaces.
J Am Dent Assoc 1992; 123:35-43.
- Kelly JR.
Perspectives on strength.
Dent Mater 1995; 11:103-10.

- Kelly JR.
Clinically relevant approach to failure testing of all-ceramic restorations.
J Prosthet Dent 1999; 81:652-61.
- Kern M, Knodel H.
Posts and cores fabricated out of In-Ceram - direct and indirect methods.
Quintessenz Zahntech 1991; 17:917-25.
- Kern M, Strub JR, Lu XY.
Wear of composite resin veneering materials in a dual-axis chewing simulator.
J Oral Rehabil 1999; 26:372-8.
- Kern M, Thompson VP.
Durability of resin bonds to pure titanium.
J Prosthodont 1995; 4:16-22.
- Khayat A, Lee SJ, Torabinejad M.
Human saliva penetration of coronally unsealed obturated root canals.
J Endod 1993; 19:458-61.
- King PA, Setchell DJ.
An in vitro evaluation of a prototype CFRC prefabricated post developed for the restoration of pulpless teeth.
J Oral Rehabil 1990; 17:599-609.
- Kinney JH, Marshall SJ, Marshall GW.
The mechanical properties of human dentin: a critical review and re-evaluation of the dental literature.
Crit Rev Oral Biol Med 2003; 14:13-29.
- Koutayas SO, Kern M.
All-ceramic posts and cores: the state of the art.
Quintessence Int 1999; 30:383-92.
- Krejci I, Lutz F.
In vitro Testverfahren zur Evaluation dentaler Restaurationssysteme. 3. Korrelation mit in vivo Resultaten.
Schweiz Monatsschr Zahnmed 1990; 100:1445-45.
- Krejci I, Lutz F, Fülleman J.
Zahnfarbene Inlays/Overlays.
Schweiz Monatsschr Zahnmed 1992; 102:73-80.
- Krejci I, Reich T, Lutz F, Albertson M.
In vitro-Testverfahren zur Evaluation dentaler Restaurationssysteme.
Schweiz Monatsschr Zahnmed 1990; 100:8-13.

Kröncke A, Kimmerle G.
Über die Härte des kavitätennahen Zahnschmelzes nach konventioneller und höchsttouriger Präparation.
Dtsch Zahnärztl Z 1962; 17:1158-63.

Kullmann W, Pötters G.
Vergleichende Untersuchungen zum thermischen Expansionskoeffizienten an 50 verschiedenen Kunststoff-Materialien.
Dtsch Zahnärztl Z 1984; 39:96-100.

Kupiec KA, Wuertz KM, Barkmeier WW, Wilwerding TM.
Evaluation of porcelain surface treatments and agents for composite-to-porcelain repair.
J Prosthet Dent 1996; 76:119-24.

Kwiatkowski S, Geller W.
A preliminary consideration of the glass-ceramic dowel post and core.
Int J Prosthodont 1989; 2:51-5.

Larson TD, Douglas WH, Geistfeld RE.
Effect of prepared cavities on the strength of teeth.
Oper Dent 1981; 6:2-5.

Lassila LV, Tanner J, Le Bell AM, Narva K, Vallittu PK.
Flexural properties of fiber reinforced root canal posts.
Dent Mater 2004; 20:29-36.

Lewis R, Smith BG.
A clinical survey of failed post retained crowns.
Br Dent J 1988; 165:95-7.

Libman WJ, Nicholls JI.
Load fatigue of teeth restored with cast posts and cores and complete crowns.
Int J Prosthodont 1995; 8:155-61.

Lloyd CH.
The fracture toughness of dental composites. II. The environmental and temperature dependence of the stress intensification factor (KIC).
J Oral Rehabil 1982; 9:133-8.

Loney RW, Moulding MB, Ritsco RG.
The effect of load angulation on fracture resistance of teeth restored with cast post and cores and crowns.
Int J Prosthodont 1995; 8:247-51.

Lopes M, Sinhoreti M, Sinhoreti M, Correr Sobrinho L.
Comparative study of the dental substrate used in shear bond strength tests.
Pesqui Odontol Bras 2003; 17:171-5.

Lui JL.

Depth of composite polymerization within simulated root canals using light-transmitting posts.

Oper Dent 1994; 19:165-8.

Lutz F, Phillips R, Roulet J, Imfeld T.

Kompositos. Klassifikation und Wertung.

Schweiz Monatsschr Zahnmed 1983; 93:914-29.

Maccari PC, Conceicao EN, Nunes MF.

Fracture resistance of endodontically treated teeth restored with three different prefabricated esthetic posts.

J Esthet Restor Dent 2003; 15:25-31.

Magne P, Belser U, 2002.

Kapitel 1. In: Adhäsiv befestigte Keramikrestaurationen.

Quintessenz Verlags-GmbH, Berlin.

Magne P, Douglas WH.

Cumulative effects of successive restorative procedures on anterior crown flexure: intact versus veneered incisors.

Quintessence Int 2000; 31:5-18.

Magne P, Versluis A, Douglas WH.

Rationalization of incisor shape: experimental-numerical analysis.

J Prosthet Dent 1999; 81:345-55.

Mannocci F, Bertelli E, Watson TF, Ford TP.

Resin-dentin interfaces of endodontically-treated restored teeth.

Am J Dent 2003; 16:28-32.

Mannocci F, Ferrari M, Watson TF.

Intermittent loading of teeth restored using quartz fiber, carbon-quartz fiber, and zirconium dioxide ceramic root canal posts.

J Adhes Dent 1999; 1:153-8.

Mannocci F, Ferrari M, Watson TF.

Microleakage of endodontically treated teeth restored with fiber posts and composite cores after cyclic loading: a confocal microscopic study.

J Prosthet Dent 2001a; 85:284-91.

Mannocci F, Sherriff M, Ferrari M, Watson TF.

Microtensile bond strength and confocal microscopy of dental adhesives bonded to root canal dentin.

Am J Dent 2001b; 14:200-4.

Mannocci F, Sherriff M, Watson TF.

Three-point bending test of fiber posts.

J Endod 2001c; 27:758-61.

Martinez-Insua A, da Silva L, Rilo B, Santana U.
Comparison of the fracture resistances of pulpless teeth restored with a cast post and core or carbon-fiber post with a composite core.
J Prosthet Dent 1998; 80:527-32.

Mason P.
Bonding to root canal dentin.
Transactions of Academy of Dental Materials Meeting 2001; 65-69.

Mayhew JT, Windchý AM, Goldsmith LJ, Gentleman L.
Effect of root canal sealers and irrigation agents on retention of preformed posts luted with a resin cement.
J Endod 2000; 26:341-4.

McCullock AJ, Smith BG.
In vitro studies of cuspal movement produced by adhesive restorative materials.
Br Dent J 1986; 161:405-9.

Meeuwissen R, Eschen S.
Twenty years of endodontic treatment.
J Endod 1983; 9:390-3.

Mencik J, Quandt E.
Determination of Elastic Modulus of thin films and small specimens using Beam Bending Methods.
J Mat Res 1999; 14:2152-61.

Mendoza DB, Eakle WS.
Retention of posts cemented with various dentinal bonding cements.
J Prosthet Dent 1994; 72:591-4.

Mendoza DB, Eakle WS, Kahl EA, Ho R.
Root reinforcement with a resin-bonded preformed post.
J Prosthet Dent 1997; 78:10-4.

Mentink AG, Creugers NH, Meeuwissen R, Leempoel PJ, Kayser AF.
Clinical performance of different post and core systems - results of a pilot study.
J Oral Rehabil 1993a; 20:577-84.

Mentink AG, Meeuwissen R, Kayser AF, Mulder J.
Survival rate and failure characteristics of the all metal post and core restoration.
J Oral Rehabil 1993b; 20:455-61.

Mezzomo E, Massa F, Libera SD.
Fracture resistance of teeth restored with two different post-and-core designs cemented with two different cements: an in vitro study. Part I.
Quintessence Int 2003; 34:301-6.

Mjor IA, Nordahl I.

The density and branching of dentinal tubules in human teeth.

Arch Oral Biol 1996; 41:401-12.

Mjor IA, Smith MR, Ferrari M, Mannocci F.

The structure of dentine in the apical region of human teeth.

Int Endod J 2001; 34:346-53.

Mondelli J, Steagall L, Ishikirama A, De Lima Navarro MF, Soares FB.

Fracture strength of human teeth with cavity preparations.

J Prosthet Dent 1980; 43:419-22.

Monticelli F, Toledano M, Tay FR.

A simple etching technique for improving the retention of fiber posts to resin composites.

J Endod 2006; 32:44-7.

Morgano SM.

Restoration of pulpless teeth: application of traditional principles in present and future contexts.

J Prosthet Dent 1996; 75:375-80.

Morgano SM, Milot P.

Clinical success of cast metal posts and cores.

J Prosthet Dent 1993; 70:11-6.

Mörmann W, Ameye C, Lutz F.

Komposit-Inlays: Marginale Adaptation, Randdichtigkeit, Porosität und okklusaler Verschleiß.

DZZ 1982; 37:438-41.

Nakabayashi N, Kojima K, Masuhara E.

The promotion of adhesion by the infiltration of monomers into tooth substrates.

J Biomed Mater Res 1982; 16:265-73.

Nathanson D, Moin K.

Metal-reinforced anterior tooth replacement using acid-etch-composite resin technique.

J Prosthet Dent 1980; 43:408-12.

Naumann M, Blankenstein F, Lange K-P.

Vorschlag zur Standardisierung von In-vitro-Belastbarkeitsuntersuchungen an endodontisch behandelten Zähnen.

DZZ 2002; 57:554-57.

Naumann M, Lange K-P.

Ansichten und Techniken zur Rekonstruktion endodontisch behandelter Zähne- eine Umfrage unter Zahnärzten im Bundesgebiet.

DZZ 2003; 58:280-85.

Naumann M, Preuss A, Rosentritt M.

Effect of incomplete crown ferrules on load capacity of endodontically treated maxillary incisors restored with fiber posts, composite build-ups, and all-ceramic crowns: an in vitro evaluation after chewing simulation.

Acta Odontol Scand 2006; 64:31-6.

Newman MP, Yaman P, Dennison J, Rafter M, Billy E.

Fracture resistance of endodontically treated teeth restored with composite posts.

J Prosthet Dent 2003; 89:360-7.

Nissan J, Dmitry Y, Assif D.

The use of reinforced composite resin cement as compensation for reduced post length.

J Prosthet Dent 2001; 86:304-8.

O'Keefe KL, Miller BH, Powers JM.

In vitro tensile bond strength of adhesive cements to new post materials.

Int J Prosthodont 2000; 13:47-51.

Ozcan M, Vallittu PK.

Effect of surface conditioning methods on the bond strength of luting cement to ceramics.

Dent Mater 2003; 19:725-31.

Panitvisai P, Messer HH.

Cuspal deflection in molars in relation to endodontic and restorative procedures.

J Endod 1995; 21:57-61.

Papa J, Cain C, Messer HH.

Moisture content of vital vs endodontically treated teeth.

Endod Dent Traumatol 1994; 10:91-3.

Paphangkorakit J, Osborn JW.

The effect of pressure on a maximum incisal bite force in man.

Arch Oral Biol 1997; 42:11-7.

Paschal JE Jr BJ.

Tensile load to remove posts cemented with different cements.

J Dent Res (Spezial Issue) 1995; 74:

Pashley DH.

Smear layer: physiological considerations.

Oper Dent Suppl 1984; 3:13-29.

Pashley DH, Ciucchi B, Sano H, Horner JA.

Permeability of dentin to adhesive agents.

Quintessence Int 1993; 24:618-31.

Pashley DH, Sano H, Ciucchi B, Yoshiyama M, Carvalho RM.
Adhesion testing of dentin bonding agents: a review.
Dent Mater 1995; 11:117-25.

Paul S, Schärer P.
Adhäsivaufbauten für Vollkeramikkronen.
Schweiz Monatsschr Zahnmed 1996; 106:368-74.

Paul SJ, Pietrobon N.
Aesthetic evolution of anterior maxillary crowns: a literature review.
Pract Periodontics Aesthet Dent 1998; 10:87-94.

Pene JR, Nicholls JI, Harrington GW.
Evaluation of fiber-composite laminate in the restoration of immature, nonvital maxillary central incisors.
J Endod 2001; 27:18-22.

Perdigao J, Frankenberger R.
Effect of solvent and rewetting time on dentin adhesion.
Quintessence Int 2001; 32:385-90.

Pilo R, Cardash HS, Levin E, Assif D.
Effect of core stiffness on the in vitro fracture of crowned, endodontically treated teeth.
J Prosthet Dent 2002; 88:302-6.

Potiket N, Chiche G, Finger IM.
In vitro fracture strength of teeth restored with different all-ceramic crown systems.
J Prosthet Dent 2004; 92:491-5.

Prisco D, De Santis R, Mollica F.
Fiber post adhesion to resin luting cements in the restoration of endodontically-treated teeth.
Oper Dent 2003; 28:515-21.

Purton DG, Chandler NP, Qualtrough AJ.
Effect of thermocycling on the retention of glass-fiber root canal posts.
Quintessence Int 2003; 34:366-9.

Purton DG, Love RM, Chandler NP.
Rigidity and retention of ceramic root canal posts.
Oper Dent 2000; 25:223-7.

Quintas AF, Dinato JC, Bottino MA.
Aesthetic posts and cores for metal-free restoration of endodontically treated teeth.
Pract Periodontics Aesthet Dent 2000; 12:875-84.

Randow K, Glantz PO.
On cantilever loading of vital and non-vital teeth. An experimental clinical study.
Acta Odontol Scand 1986; 44:271-7.

Ray HA, Trope M.

Periapical status of endodontically treated teeth in relation to the technical quality of the root filling and the coronal restoration.

Int Endod J 1995; 28:12-8.

Raygot CG, Chai J, Jameson DL.

Fracture resistance and primary failure mode of endodontically treated teeth restored with a carbon fiber-reinforced resin post system in vitro.

Int J Prosthodont 2001; 14:141-5.

Reeh ES, Messer HH, Douglas WH.

Reduction in tooth stiffness as a result of endodontic and restorative procedures.

J Endod 1989; 15:512-6.

Reel DC, Hinton T, Riggs G, Mitchell RJ.

Effect of cementation method on the retention of anatomic cast post and cores.

J Prosthet Dent 1989; 62:162-5.

Reid LC, Kazemi RB, Meiers JC.

Effect of fatigue testing on core integrity and post microleakage of teeth restored with different post systems.

J Endod 2003; 29:125-31.

Rivera EM, Yamauchi M.

Site comparisons of dentine collagen cross-links from extracted human teeth.

Arch Oral Biol 1993; 38:541-6.

Roberts DH.

The failure of retainers in bridge prostheses. An analysis of 2,000 retainers.

Br Dent J 1970; 128:117-24.

Rosentritt M, Behr M, Kujat A, Sikora M, Handel G.

Einfluss der Stiftversorgung auf die Randqualität von Frontzahnkronen.

DZZ 2004a; 59:311-15.

Rosentritt M, Behr M, Nowak A, Handel G, 2006.

Material substitutes for human incisors in in-vitro fracture tests., IADR PEF 2006, Dublin, pp. 0506.

Rosentritt M, Furer C, Behr M, Lang R, Handel G.

Comparison of in vitro fracture strength of metallic and tooth-coloured posts and cores.

J Oral Rehabil 2000; 27:595-601.

Rosentritt M, Sikora M, Behr M, Handel G.

In vitro fracture resistance and marginal adaptation of metallic and tooth-coloured post systems.

J Oral Rehabil 2004b; 31:675-81.

- Roulet JF, Reich T, Blunck U, Noack M.
Quantitative margin analysis in the scanning electron microscope.
Scanning Microsc 1989; 3:147-58; discussion 58-9.
- Rueggeberg FA, Caughman WF, Curtis JW, Jr.
Effect of light intensity and exposure duration on cure of resin composite.
Oper Dent 1994; 19:26-32.
- Ruyter IE.
Composites--characterization of composite filling materials: reactor response.
Adv Dent Res 1988a; 2:122-9; discussion 29-33.
- Ruyter IE.
Composites - characterization of composite filling materials: reactor response.
Adv Dent Res 1988b; 2:122-29.
- Sahafi A, Peutzfeldt A, Asmussen E, Gotfredsen K.
Bond strength of resin cement to dentin and to surface-treated posts of titanium alloy,
glass fiber, and zirconia.
J Adhes Dent 2003; 5:153-62.
- Saunders WP, Saunders EM.
Coronal leakage as a cause of failure in root-canal therapy: a review.
Endod Dent Traumatol 1994; 10:105-8.
- Saupe WA, Gluskin AH, Radke RA, Jr.
A comparative study of fracture resistance between morphologic dowel and cores and a
resin-reinforced dowel system in the intraradicular restoration of structurally compro-
mised roots.
Quintessence Int 1996; 27:483-91.
- Schwartz RS, Murchison DF, Walker WA, 3rd.
Effects of eugenol and noneugenol endodontic sealer cements on post retention.
J Endod 1998; 24:564-7.
- Schwartz RS, Robbins JW, Solomon CS.
Post placement and restoration of endodontically treated teeth: a literature review.
J Endod 2004; 30:289-301.
- Schwickerath H, 1977.
Werkstoffe in der Zahnheilkunde, Buch und Zeitschriftenverlag-Verlag "Die Quintes-
senz", Berlin, pp. 23-25.
- Sedgley CM, Messer HH.
Are endodontically treated teeth more brittle?
J Endod 1992; 18:332-5.

- Senawongse P, Otsuki M, Tagami J, Mjor I.
Age-related changes in hardness and modulus of elasticity of dentine.
Arch Oral Biol 2006;
- Serafino C, Gallina G, Cumbo E, Ferrari M.
Surface debris of canal walls after post space preparation in endodontically treated teeth: a scanning electron microscopic study.
Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2004; 97:381-7.
- Shimada Y, Kikushima D, Tagami J.
Micro-shear bond strength of resin-bonding systems to cervical enamel.
Am J Dent 2002; 15:373-7.
- Sidoli GE, King PA, Setchell DJ.
An in vitro evaluation of a carbon fiber-based post and core system.
J Prosthet Dent 1997; 78:5-9.
- Sirimai S, Riis DN, Morgano SM.
An in vitro study of the fracture resistance and the incidence of vertical root fracture of pulpless teeth restored with six post-and-coresystems.
J Prosthet Dent 1999; 81:262-9.
- Sorensen JA, Engelma MJ.
Effect of post adaptation on fracture resistance of endodontically treated teeth.
J Prosthet Dent 1990a; 64:419-24.
- Sorensen JA, Engelma MJ.
Ferrule design and fracture resistance of endodontically treated teeth.
J Prosthet Dent 1990b; 63:529-36.
- Sorensen JA, Martinoff JT.
Clinically significant factors in dowel design.
J Prosthet Dent 1984a; 52:28-35.
- Sorensen JA, Martinoff JT.
Intracoronal reinforcement and coronal coverage: a study of endodontically treated teeth.
J Prosthet Dent 1984b; 51:780-4.
- Sorensen JA, Martinoff JT.
Endodontically treated teeth as abutments.
J Prosthet Dent 1985; 53:631-6.
- Sornkul E, Stannard JG.
Strength of roots before and after endodontic treatment and restoration.
J Endod 1992; 18:440-3.

Southan DE, Jorgensen KD.
The endurance limit of dental porcelain.
Aust Dent J 1974; 19:7-11.

Stacey GD.
A shear stress analysis of the bonding of porcelain veneers to enamel.
J Prosthet Dent 1993; 70:395-402.

Standlee JP, Caputo AA.
Endodontic dowel retention with resinous cements.
J Prosthet Dent 1992a; 68:913-7.

Standlee JP, Caputo AA.
The retentive and stress distributing properties of split threaded endodontic dowels.
J Prosthet Dent 1992b; 68:436-42.

Standlee JP, Caputo AA, Collard EW, Pollack MH.
Analysis of stress distribution by endodontic posts.
Oral Surg Oral Med Oral Pathol 1972; 33:952-60.

Standlee JP, Caputo AA, Holcomb J, Trabert KC.
The retentive and stress-distributing properties of a threaded endodontic dowel.
J Prosthet Dent 1980; 44:398-404.

Stanford JW, Paffenbarger GC, Kumpula JW, Sweeney WT.
Determination of some compressive properties of human enamel and dentin.
J Am Dent Assoc 1958; 57:487-95.

Stangel I, Nathanson D, Hsu CS.
Shear strength of the composite bond to etched porcelain.
J Dent Res 1987; 66:1460-5.

Stankiewicz NR, Wilson PR.
The ferrule effect: a literature review.
Int Endod J 2002; 35:575-81.

Stokes AN, Hood JA.
Impact fracture characteristics of intact and crowned human central incisors.
J Oral Rehabil 1993; 20:89-95.

Strand GV, Tveit AB, Eide GE.
Cavity design and dimensions of tunnel preparations versus composite resin Class-II
preparations.
Acta Odontol Scand 1995; 53:217-21.

Strub JR, Beschnidt SM.
Fracture strength of 5 different all-ceramic crown systems.
Int J Prosthodont 1998; 11:602-9.

Strub JR, Pontius O, Koutayas S.

Survival rate and fracture strength of incisors restored with different post and core systems after exposure in the artificial mouth.

J Oral Rehabil 2001; 28:120-4.

Tjan AH, Nemetz H.

Effect of eugenol-containing endodontic sealer on retention of prefabricated posts luted with adhesive composite resin cement.

Quintessence Int 1992; 23:839-44.

Tjan AH, Whang SB.

Resistance to root fracture of dowel channels with various thicknesses of buccal dentin walls.

J Prosthet Dent 1985; 53:496-500.

Torbjörner A, Karlsson S, Odman PA.

Survival rate and failure characteristics for two post designs.

J Prosthet Dent 1995; 73:439-44.

Tronstad L, Asbjornsen K, Doving L, Pedersen I, Eriksen HM.

Influence of coronal restorations on the periapical health of endodontically treated teeth.

Endod Dent Traumatol 2000; 16:218-21.

Trope M, Maltz DO, Tronstad L.

Resistance to fracture of restored endodontically treated teeth.

Endod Dent Traumatol 1985; 1:108-11.

Turner CH.

Post-retained crown failure: a survey.

Dent Update 1982; 9:221, 24-6, 28-9.

Utter JD, Wong BH, Miller BH.

The effect of cementing procedures on retention of prefabricated metal posts.

J Am Dent Assoc 1997; 128:1123-7.

Vallittu PK.

A review of fiber-reinforced denture base resins.

J Prosthodont 1996; 5:270-6.

Vallittu PK, Lassila VP, Lappalainen R.

Acrylic resin-fiber composite--Part I: The effect of fiber concentration on fracture resistance.

J Prosthet Dent 1994; 71:607-12.

Varela SG, Rabade LB, Lombardero PR.

In vitro study of endodontic post cementation protocols that use resin cements.

J Prosthet Dent 2003; 89:146-53.

- Vichi A, Ferrari M, Davidson CL.
Influence of ceramic and cement thickness on the masking of various types of opaque posts.
J Prosthet Dent 2000; 83:412-7.
- Vichi A, Grandini S, Davidson CL, Ferrari M.
An SEM evaluation of several adhesive systems used for bonding fiber posts under clinical conditions.
Dent Mater 2002; 18:495-502.
- Vire DE.
Failure of endodontically treated teeth: classification and evaluation.
J Endod 1991; 17:338-42.
- Voss R.
Die Festigkeit metallkeramischer Kronen.
Dtsch Zahnärztl Z 1969; 24:726-31.
- Walton TR.
A 10-year longitudinal study of fixed prosthodontics: clinical characteristics and outcome of single-unit metal-ceramic crowns.
Int J Prosthodont 1999; 12:519-26.
- Wegmann U, Grüner M.
Die Stabilität von Wurzelstiften im Wechsellaufversuch.
Dtsch Zahnärztl Z 1986; 42:334-37.
- Willems G, Lambrechts P, Braem M, Vanherle G.
Composite resins in the 21st century.
Quintessence Int 1993; 24:641-58.
- Wiskott HW, Nicholls JI, Belser UC.
Stress fatigue: basic principles and prosthodontic implications.
Int J Prosthodont 1995; 8:105-16.
- Wiskott HW, Nicholls JI, Belser UC.
The effect of tooth preparation height and diameter on the resistance of complete crowns to fatigue loading.
Int J Prosthodont 1997; 10:207-15.
- Wolanek GA, Loushine RJ, Weller RN, Kimbrough WF, Volkmann KR.
In vitro bacterial penetration of endodontically treated teeth coronally sealed with a dentin bonding agent.
J Endod 2001; 27:354-7.
- Xu HH, Kelly JR, Jahanmir S, Thompson VP, Rekow ED.
Enamel subsurface damage due to tooth preparation with diamonds.
J Dent Res 1997; 76:1698-706.

Yoshiyama M, Carvalho RM, Sano H.
Regional bond strengths of resins to human root dentine.
J Dent 1996; 24:435-42.

Young W, 1989.
Roark's Formulas for Stress and Strain.
McGraw-Hill, New York.

Zhi-Yue L, Yu-Xing Z.
Effects of post-core design and ferrule on fracture resistance of endodontically treated maxillary central incisors.
J Prosthet Dent 2003; 89:368-73.