9. Literaturverzeichnis

Aarestrup, F. M., Jensen, N. E. 1997

Prevalence and duration of intramammary infection in Danish heifers during the peripartum period.

J. Dairy Sci. 80, 307-312.

Aarestrup, F. M., Jensen, N. E. 1998

Development of penicillin resistance among *Staphylococcus aureus* isolated from bovine mastitis in Denmark and other countries.

Microbiol. Drug Resist. 4, 247-256.

Anderson, J. C. 1982

Progressive pathology of staphylococcal mastitis with a note on control, immunization, and therapy.

Veterinary Record 110, 372-376.

Anonymous 2004

Melkzeugzwischendesinfektion-ein Erfordernis bei sich ändernden Haltungsbedingungen.

www.agrar.hu-berlin.de/nutztier/tt/Verband/Sammlung/Model.htm

AVID, Arbeitskreis für veterinärmedizinische Infektionsdiagnostik der DVG 1999

Methoden der Infektionsdiagnostik, Loseblattsammlung,

Stand 1999.

Bakken, G. 1985

The importance of housing and other environmental factors for the prevalence of bovine mastitis.

Kieler Milchwirtschaftliche Forschungsberichte 37, 440-446.

Barkema, H. W., Schukken, Y. H., Lam, T. J. G. M., Beiboer, M. L., Wilmink, H., Benedictus G., Brand, A. 1998

Incidence of clinical mastitis in dairy cows grouped in three categories by bulk somatic cell count.

J. Dairy Sci. 81, 411-419.

Barkema, H. W., Van der Ploeg, J. D., Schukken, Y. H., Lam, T. J. G. M., Benedictus, G., Brand, A. 1999
Management style and its association with bulk milk somatic cell count and its incidence rate of clinical mastitis.
J. Dairy Sci. 82, 1655-1663.

Bartlett, P. C., Miller, G. Y., Lance, S. E., Heider, L. E. 1992
Environmental and managerial determinants of somatic cell counts and clinical mastitis incidence in Ohio dairy herds.
Prev. Vet. Med. 14, 195-207.

Bauer, A. W., Kirby, M. M., Sherris, J. C., Turck, M. 1966
Antibiotic sensitivity testing by a standardized single disk method.
Am. J. Clin. Pathol. 45, 493-496.

Beaudeau, F. Seegers, H., Fouichon, L., Hortet, P 2000
Association between milk somatic cell counts up to 400.000 cells/ml and clinical mastitis in French Holstein cows.
Veterinary Record 143, 685-687.

Beaudeau, F., Fourichon, C., Seegers, H., Bareille, N. 2002
Risk of clinical mastitis in dairy herds with a high proportion of low individual milk somatic-cell count.
Prev. Vet. Med. 53, 43-54.

Berry, E. A. 1998
Mastitis incidence in straw yards ans cubicles.
Veterinary Record 142, 517-518.

Black, R. T., Marshall, R. T., Bourland, C. T. 1972
Locus of mammary gland infctions of *Corynebacterium bovis*.
J. Dairy Sci. 55, 413-416.

Bleckmann, E., Hoedemaker, M. 1996
Möglichkeiten und Grenzen der bakteriologischen Untersuchung von Milchproben in der Tierarztpraxis.
Praktischer Tierarzt, collegium veterinarium XXVI: 22-23.

Blobel, H., Schließer, T. 1994a
Handbuch der bakteriellen Infektionen bei Tieren. Band II/1 Staphylokokken-Infektionen und Enterotoxine.
Verlag Gustav Fischer, Jena, Stuttgart, S. 57 und 18 ff.

Blobel, H., Schließer, T. 1994b

Handbuch der bakteriellen Infektionen bei Tieren. Band II/3 Listeriose, Corynebacterium-, Actinomyces-, Arcanobacterium-, Rhodococcus- und Bacillus-Infektionen.

Verlag Gustav Fischer, Jena, Stuttgart, S. 178 f.

Blowey, R., Edmondson, P. 1996

Teat disinfection in dairy herds.

In Pract. 18, 254-260.

Bodoh, G. W., Battista, W. J., Schultz, L. H., Johnston, R. P. 1976

Variation in somatic cell couts in dairy herd improvement milk samples.

J. Dairy Sci. 59, 1119-1123.

Bradley, A. J., Green, M. J. 1998

A prospective investigation of intramammary infections due to enterobacteriacea during the dry period: A presentation of preliminary findings.

Cattle Practice 6, 91-94.

Bradley, A. J., Green, M. J. 2001a

An investigaton of the impact of intramammary dry cow therapy on clinical coliform mastitis.

J. Dairy Sci. 84, 1632-1639.

Bradley, A. J., Green, M. J., Medley, G. F., Schukken, Y. H., Bradley, A. J. 2001b

Influence of dry period intramammary infection on clinical mastitis in dairy cows.

J. Dairy Sci. 85, 2589-2599.

Bramley A. J., Kingwill R. G., Griffin T. K., Simpkin D. L. 1976

Prevalence of Corynebacterium bovis in bovine milk samples.

Veterinary Record 99, 275.

Bramley, A. J. 1982.

Sources of Sc. uberis in a dairy herd. I. Isolation from bovine faeces and from straw bedding of cattle.

J. Dairy Res. 49, 369-373.

Bramley, A. J., Dodd, F. H. 1984

Reviews of the progress of dairy science: Mastitis control- progress and prospects.

J. Dairy Res. 51, 481-512.

Bramley, A. J. 1985

The sources of mastitis pathogens for a dairy herd and their control.

Kieler Milchwirtschaftliche Forschungsberichte 37, 375-385.

Brandis, H., Köhler, W., Eggers H. J., Pulverer, G. 1994

Lehrbuch der medizinischen Mikrobiologie.

Verlag Gustav Fischer, Stuttgart.

Brooks, B. W., Barnum, D. A. 1984a

Experimental colonization of the bovine teat ductwith *Corynebacterium bovis* and the effect on milk somatic cell counts.

Can. Comp. Med. 48, 141-145.

Brooks, B. W., Barnum, D. A. 1984b

The susceptibility of bovine udder quarters colonized with Corynebacterium bovis to experimental infection with Staphylococcus aureus or Streptococcus agalactiae.

Can. Comp. Med. 48, 146-150.

Brown, M. B., Scasserra, A. E. 1990

Antimicrobial resistance in streptococcal species isolated from bovine mammary glands.

Am. J. Vet. Res. 51, 2015-2018.

BTK, Bundestierärztekammer, Arbeitsgemeinschaft der leitenden Veterinärbeamten 2000

Leitlinien für den sorgfältigen Umgang mit antimikrobiell wirksamen Tierarzneimitteln.

Deutsches Tierärzteblatt 48, Beilage.

Burmeister, J. E., Fox, L. K., Hillers, J. K., Hancock, D. D. 1998

A comparison of two methods of evaluation of teat skin pathology.

J. Dairy Sci. 81, 1904-1909.

Burvenich, C., Detilleux, J., Paape, M., Massart-Leen, A. 2000

Physiological and genetic factors that influence the cows resistance to mastitis, especially during early lactation.

In: Zecconi, A., (ed.), Proceedings of the IDF Symposium on Immune Ruminant Mammary Gland, Stresa, Italy, 9-20.

Bushnell, R. B. 1984a

The importance of hygienic procedures in controlling mastitis.

Vet. Clin. North Am. Large Anim. Pract. 6, 361-370.

Bushnell, R. B. 1984b

Practical hygienic control of milk contamination and udder infections.

Proc. 23rd Ann. Meeting Nat. Mast. Council

13.-15.02.1984, Kansas City, Missouri, 31-42.

Cattell, M. B. 1996

An outbreak of Sc uberis as a consequence of adopting a protocol of no antibiotic therapy for clinical mastitis.

Proceedings 35th Nat. Mastitis Council Ann. Meeting, Nashville, TN. Natl. Mastitis Counc., Inc., Arlingon, VA, 123-127.

Chertkoff, R. E., Acuna, C. N., Izak, E. 2001

Prevalence and antimicrobial susceptibilities of mastitis pathogens from clinical cases of Argentina dairy cows.

Proc. 2nd International Symposium on Mastitis and Milk Quality. Vancouver, Canada, 2001, 418-419.

Danish Integrated Antimicrobial Resistance Monitoring and Research Programme (DANMAP) 2002-Use of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, foods and humans in Denmark 2002.

ISSN 1600-2032.

Dargent-Molina, P., Scarlett, J., Pollock, R. V. H., Erb, H. N. Sears, P. 1988

Herd-level Risk Factors for *Staphylococcus aureus* and *Streptoccocus agalactiae* Intramammary Infections.

Prev. Vet. Med. 6,127-142.

DeOliveira, A. P., Watts, J. L., Salmon, S. A., Aarestrup, F. M. 1999

Antimicrobial susceptibility of Staphylococcus aureus isolated from bovine mastitis in Europe and the United States.

J. Dairy Sci. 83, 855-862.

DeOliveira A. P., Watts, J. L. Salmon, S. A., Aarestrup F. M. 2000

Antimicrobial susceptibility of staphylococcus aureus isolted from bovine mastitis in Europa and the United States.

J. Dairy Sci. 83, 855-862.

DIN 58940, 1992-1996

Medizinische Mikrobiologie und Methoden zur Empfindlichkeitsprüfung von bakteriellen Krankheitserregern (außer Mykobakterien) gegen Chemotherapeutika.

Berlin, Beuth-Verlag, Teil 1-20.

Djabri, B., Bareille, N., Beaudeau, F., Seegers, H. 2002
Quarter milk somatic cell count in infected dairy cows: a meta-analyses.
Vet. Res. 33, 335-357.

Doane, R. M., Oliver, S. P., Walker, R. D., Shull, E. P. 1987
Experimental infection of lactating bovine mammary glands with *Streptococcus uberis* in quarters colonzed by *Corynebacterium bovis*.
Am. J. Vet. Res. 48, 749-754.

Dodd, F. H., Higgs, T. M., Bramley, A. J. 1984
Cubicle management and coliform mastitis.
Veterinary Record, 114, 522-523.

Doggweiler, R., Hess, E. 1983
Zellgehalt in der Milch ungeschädigter Euter.
Milchwissenschaft 38, 5-8.

Döpfer, D., Schukken, Y. H., Mezner, R. M., Petersen, D. 1993
Betreuungsstrategien zur Sanierung von Milchviehbetrieben mit hohem Zellgehalt in der Tankmilch.
Praktischer Tierarzt 74, collegium veterinarium XXIV, 70-72.

Döpfer, D., Barkema, H. W., Lam, T. J. G. M., Schukken, Y. H., Gaastra, W. 1999
Recurrent clinical mastitis caused by Escherichia coli in dairy cows.
J. Dairy Sci. 82, 80-85.

DVG, Deutsche Veterinärmedizinische Gesellschaft e.V. 2000
Leitlinien zur Entnahme von Milchproben unter aseptischen Bedingungen und Leitlinien zur Isolierung und Identifizierung von Mastitiserregern.
Gießen, März 2000.

DVG, Deutsche Veterinärmedizinische Gesellschaft e.V. 2002
Leitlinien zur Bekämpfung der Mastitis des Rindes als Bestandproblem.
Fachgruppe „Milchhygiene“, Sachverständigenausschuss „subklinische Mastitis“, Hannover, Mai 2002.

Edinger, D., Tenhagen, B.-A., Heuwieser, W., Kalbe, P., Klünder, P., Baumgärtner, B. 1999
Effect of early puerperal mastitis cows on production, somatic cell scores and culling.
Deutsche Tierärztl. Wochenschrift 106, 470-474.

Edmondson, W. P. 2001

Economics of mastitis and milk quality in the United Kingdom.

In: Proceedings of the 2nd International Symposium on Mastitis and Milk Quality, 180-184.

Ehinger, A. M., Kietzmann, M. 1998

Pharmakokinetische Aspekte der Mastitistherapie.

Berl. Münch. Tierärztl. Wschr. 111, 337-343.

Epperson, W. B., Hoblet, K. H., Smith, K. L., Hogan, J. S., Todhunter, D. A., 1993

Association of abnormal uterine discharge with new intramammary infection in the early postpartum period in multiparous dairy cows.

JAVMA 202, 1461-1464.

Ericsson, H. M.,Sherris, J. C. 1971

Antibotic sensitivity testing.

Acta. Pathol. Microbiol. Scand. 217 (Suppl.), 1-90.

Erskine, J. R., Eberhart, J. R., Hutchinson, L. J., Spencer S. B. 1987

Herd management and prevalence of mastitis in dairy herds in high and low somatic cell counts.

JAVMA 190, 1411-1416.

Erskine, R. J., Walker, R. D., Bolin, C. A., Bartlett, P. C., White, D. G. 2002

Trends in antibacterial susceptibility of mastitis pathogens during a seven-year period.

J. Dairy Sci. 85, 1111-1118.

EUCAST- the European Committee on Antimicrobial Susceptibility Testing 2004

Clinical breakpoints and Epidemiological Cut-off Values, procedures for harmonising and defining breakpoints.

http://www.srga.org/Eucastwt/bpsetting.htm

Falkenberg, U. 2002

Untersuchungen zum Einsatz verschiedener Zitzendippverfahren in der Melkhygiene.

Dissertation, Freie Universität Berlin, Tierklinik für Fortpflanzung.

Farnsworth, R. J. 1980

Role of teat dips in mastitis control.

JAVMA 176, 1116-1118.

Farnsworth, R. J. 1987

Indications of contagious and environmental mastitis pathogens in a dairy herd.

Proc. 26th Ann. Meeting Nat. Mast. Council

20.-23.2.1987, Orlando, Florida: 151-155.

Fehlings, K. 2001

Hygiene bei der Milchgewinnung. Vortrag anlässlich der 9. AFEMA Tagung „Eutergesundheit und Milchhygiene-Konzepte für den praktischen Tierarzt, Beratungsdienste und Bioverbände."

Grub, 4. März 2001.

Fehlings, K., Wittkowski, G., Deneke, J. 2003

Vorkommen von Mastitiserregern in Bayern und ihre Resistenzeigenschaften – Folgerungen für eine gute klinische Praxis.

Vet-MedReport, Organ für tierärztliche Fortbildungskongresse

III. Fortbildungsveranstaltung: Der Wiederkäuer und seine Probleme, September 2003, Wien

Sonderausgabe V4 27, 2003.

Fenlon, D. R., Logue, D. N., Gunn, J., Wilson, J. 1995

A study of mastitis bacteria and herd management practices to identify their relationship to high somatic cell counts in bulk tank.

Br. Vet. J. 151, 17-25.

Fetrow, J., Stewart, S., Eicker, S., Farnsworth, R., und Bey, R. 2000

Mastitis: an economic consideration.

Proc. Of the National Mastitis Council Annual Meeting, Atlanta, USA, 3-28.

Fox, L. K., Chester, S. T., Hallberg, J. W., Nickerson, S. C., Pankey, J. W., Weaver, L. D. 1995

Survey of intramammary infections in dairy heifers at breeding age and first parturition.

J. Dairy Sci. 78, 1619-1628.

Friton, G. M., Sobiraj, A., Richter, A. 1998

Über den Erfolg verschiedener antibiotischer Therapieformen bei laktierenden Kühen mit subklinischer Mastitis.

Tierärztliche Praxis 26 (G), 254-260.

Gavan, T. L., Barry, A. L. 1980

Microdilution test procedures.

In: Lennette, E. H., Balows, A., Hausler, W. J., Truant, J. P., Manual of Clinical Microbiology, 3rd edn., 459-462. American Society of Microbiologists, Washington.

Gentilini, E., Denamiel, G., Llorente, P., Godaly, S., Rebuelto, M., DeGregorio, O. 2000

Antimicrobial susceptibility of S. aureus isolated from bovine mastitis in Argentina.

J. Dairy Sci. 83,1224-1227.

Gentilini, E., Denamiel, G., Betancor, A., Rebuelto, M., Rodriguez Fermepin, M., De Torres, R. A. 2002

Antimicrobial Susceptibility of Coagulase-Negative Staphylococci Isolited from Bovine Mastitis in Argentina.

J. Dairy Sci. 85, 1913-1917.

Gonzalez, R. N., Jasper, D. E., Kronlund, N. C., Farver, T. B., Cullor, J. S., Bushnell, R. B., Dellinger, J. D. 1990

Clinical mastitis in two California dairy herds participating in contagious mastitis control programs.

J. Dairy Sci. 73, 648-660.

Gruet, P., Maincent, P., Berthelot X., Kaltsatos, V. 2001

Bovine Mastitis and intramammary drug delivery: review and perspectives.

Adv. Drug Deliv. Rev. 50, 245-259.

Hamann, J. 1988

Möglichkeiten und Grenzen des Einsatzes von Arzneimitteln zur Mastitisbekämpfung.

Milchpraxis 26, 90-92.

Hamann, J., Mein, G. A. 1995

3rd International Mastitis Seminar, Tel Aviv, Israel, 7, 35-40.

Hamann, J., Osteras, O., Mayntz, M., Woyke, W. 1997a

3. Functional parameters milking units with regard to teat tissue treatment.

Bulletin of the IDF 297.

Hamann, J. 1997b

Guidelines for evaluation of the milking process.

Bulletin of the IDF 321.

Hamann, J. 2002

Milk quality and udder health in relation to modern milking technique.

In: Recent Developments and Perspectives in Bovine Medicine, Keynote Lectures XXII World Buiatric Congress, 2002, Hannover, Germany.

Harmon, R. J., Crist, W. L., Hemken, R. W., Langlois, B. E. 1986

Prevalence of minor udder pathogens after intramammary dry treatment.

J. Dairy Sci. 69, 843-849.

Hedges, A. J. 1999

The influence of factors affecting the "critical population" density of inocula on the determination of bacterial susceptibility to antibiotics by disc diffusion methods.

J. Antimicrob. Chemotherapy 43, 313.

Heeschen, W., Hamann, J. 1987

Die Bedeutung der Zitzendesinfektion im Rahmen der Mastitisbekämpfung.

Tierärztl. Umschau 42, 362-369.

Hill, A. W. 1988

Protective effect of previous intramammary infection with *Streptococus uberis* against subsequent clinical mastitis in the cow.

Res. Vet. Med. 44, 386-387.

Hillerton, J. E., Shearn, M. F. H., Teverson, R. M., Langridge, S., Booth, J. M. 1993

Effect of pre-milking teat dipping on clinical mastitis on dairy farms in England.

J. Dairy Res. 60, 31-41.

Hillerton, J. E., Berry, E. A. 2003

The management and treatment of environmental streptococcal mastitis.

Vet. Clin. North Am. Food Anim. Pract. 19, 157-169.

Hoedemaker, M. 1993

Tierärztliche Betreuung von Milcherzeugerbetrieben, Teil 4: Eutergesundheitsüberwachung.

praktischer Tierarzt 11, 981-988.

Hogan, J. S., White, D. G., Pankey, J. W. 1987

Effect of teat dipping on intramammary infectons by staphylococci other than *Staphylococcus aureus*.

J. Dairy Sci. 70, 873-879.

Hogan, J. S., Smith, K. L., Todhunter, D. A., Schoenberger, P. S. 1988
Rate of environmental mastitis in quarters infected with *Corynebacterium bovis* and *Staphylococcus* species.
J. Dairy Sci. 71, 2520-2525.

Hogan, J.S., Smith, K. L., Hoblet, K. H., Todhunter, D. A., Schoenberger, P. S., Hueston, W. D., Pritchard, D. E., Bowman, G. L., Heider, L. E., Brockett, B. L., Conrad, H. R. 1989a
Field survey of clinical mastitis in low somatic cell count herds.
J. Dairy Sci. 72, 1547-1556.

Hogan, J. S., Smith, K. L., Hoblet, K. H., Todhunter, D. A., Schoenberger, P. S., Hueston, W. D., Pritchard, D. E, Bowman, G. L., Heider, L. E., Brockett, B. L., Conrad, H. R. 1989b.
Bacterial counts in bedding materials used on nine commercial dairies.
J. Dairy Sci. 72, 250-258.

Hogan, J. S., Smith, K. L. 2001
Environmental streptococcal mastitis: facts, fables, and fallacies.
In: National Mastitis Council Annual Meeting Proceedings, 162-171.

Honkanen-Buzalski, T., Griffin, T. K., Dodd, F. H. 1984
Observations on *Corynebacterium bovis* infection of the bovine mammary gland. I. Natural infection.
J. Dairy Res. 51, 371-378.

Hueston, W. D., Heider, L. E., Harvey, W. R., Smith K. L. 1987
The use of high somatic cell count prevalence in epidemiologic investigations of mastitis control practices.
Prev. Vet. Med. 4, 447-461.

Hutton, C. T., Fox, L. K., and Hancock, D. D. 1990
Mastitis control practices: Differences between herds with high and low milk somatic cell counts.
J. Dairy. Sci 73, 1135-1143.

Hutton, C. T., Fox, L. K., Hancock, D. D. 1991
Risk factors associated with herd-group milk somatic cell count and prevalence of coagulase-positive staphylococcal intramammary infections.
Prev. Vet. Med. 11, 25-35.

IFAH, International Federation of Animal Health 2003
http://www.ifahsec.org/europe/topics/antibio/pdf/Dossier9.pdf

Jarrett, J. A. 1984

Environmental effects on mastitis and milk quality.

Vet. Clin. North Am. Large Anim. Pract. 6, 371-375.

Jayarao, B. M., Gillespie, B. E., Lewis, M. J., Dowlen, H. H., Oliver, S. P. 1999

Epidemiology of Streptococcus uberis intramammary infections in a dairy herd.

J. Vet. Med. B. 46, 433- 442.

Kaiser, H. F. 1974

An index of Factorial Simplicity.

Psychometrika 39, S. 31-36.

Karch, G., Worstorff, H., Prediger, A. 1988

Stimulation capacity of the vibration system with spezial regard to the type of inflation.

Milchwissenschaft 43, 18-21.

Kelly, L. M., Jacobs, R. M., Appelbaum, P. C. 1999

Comparison of Agar Dilution, Microdilution, E-Test, and Disk Dffusion Methods for Testing Activity of Cefditoren against *Streptococcus pneumoniae*.

J. Clin. Microbiology 37, 3296-3299.

Kibsey, P. C., Rennie, R. P., Rushton, J. E. 1994

Disk diffusion versus broth microdilution susceptibility teting of Haemophilus species and Moraxella catarrhalis using seven oral antimicrobial agents: Application of updated susceptibility guidelines of the National Committee for Clinical Laboratory Standards.

J. Clin. Microbiology 32, 2786-2790.

Kietzmann, M., Böttner, A., Hfez, H. M., Kehrenberg, C., Klarmann, D., Krabisch, P., Kühn, T., Luhofer, G., Richter, A., Schwarz, S., Traeder, W., Waldmann, K.-H., Wallmann, J., Werckenthin, C. 2004

Empfindlichkeitsprüfung bakterieller Infektionserreger von Tieren gegenüber antimikrobiellen Wirkstoffen: Überlegungen zur Festlegung von Grenzwertkonzentrationen (breakpoints) aus klinisch-pharmakologischer Sicht.

Berl. Münch. Tieräztl. Wschr. 117, 81-87.

Kingwill, R. G., Dodd, F. H., Neave, F. K., 1977

Machine milking and mastitis. In Mashine Milking, ed. C. C. Thiel, F. H. Dodd.

Reading: NIRD Shinfield, 50-61.

Kirst, E., Brandt 2001

Mastitis des Rindes: Resistenzen erschweren die Therapie von Mastitiden.

dmz 19, 812-819.

Kirst, E., Krenkel, K., Rathjen, J. 2001

Die Zellzahl der Milch-Untersuchungen über die Eutergesundheit der Milchkühe. In: DVG, Milchkonferenz 2001, 20./21.09. September, Berlin.

Klaas, I. C. 2000

Untersuchungen zum Auftreten von Matitiden und zur Tiergesundheit in 15 Milchviehbetrieben Schleswig-Holsteins.
Dissertation aus dem Institut für Tierzucht und Tierhaltung der Christian-Albrechts-Universität zu Kiel.

Krabisch, P., Gangl, A., Wittkowski, G., und Fehlings, K. 1999

Prävalenz der Antibiotika-Resistenz in Milchviehherden bei Infektionserregern mit humanmedizinischer Bedeutung.
Chemotherapie Journal 8, 210-218.

Krabisch, P., Gangl, A. 2000

Zur aktuellen Resistenzsituation von Cefoperazon- Auswertung einer deutschlandweiten Multicenterstudie.
Tierärztl. Umschau 55, 515-521.

Kruze, J., Bramley A. J. 1982

Sources of Streptococcus uberis in the dairy herd II. Evidence of colonization of the bovine intestine by Sc. uberis.
J. Dairy Res. 49, 375-379.

Labohm, R., Götz, E., Luofer, G., Hess, R. G., Bostedt, H. 1998

Factors influencing the somatic milk-cell-count in dairy cows. 1. Influence of bacteriological findings, stage and number of lactation.
Milchwissenschaft 53, 63-66.

Lam, T. J. G. M., Schukken, Y. H., van Vliet, J. H., Grommers, F. J., Tielen, M. J. M., Brand, A. 1997

Effect of natural infection with minor pathogens on susceptibility to natural infection with major pathogens in the bovine mammary gland.
Am. J. Vet. Res. 58, 17-22.

Landeskontrollverband Mecklenburg- Vorpommern 2003

www.lkv-mv.de/WebDB/html/Absicherung.htm

Landeskontrollverband Brandenburg e. V., Waldsieversdorf 2003

Jahresbericht 2003.

Larsen, H. D., Sloth K. H., Elsberg, C., Enevoldsen, C., Pedersen, L. H., Eriksen, N. H. R., Aarestrup, F. M., Jensen, N. E. 2000
The dynamics of Staphylococcus aureus intramammary infection in nine Danish dairy herds.
Veterinary Microbiology 71, 89-101.

Lee, C. S., Frost, A. J. 1970
Mastitis in slaughtered dairy cows: II. Pathological observations.
Aust. Dairy J. 46, 204-209.

Leslie, K. E., Dingwill, R. T. 2002
Mastitis control: Where are we and where are we going?
Recent Develpments and Perspectives in Bovine Medicine, Keynote Lectures.
XXII World Buiatrics Conress, 18 - 23 August, Hannover, Germany.

Lindström, U. B. 1983
Effects of some herd factors and traits of thr cows on bacterial scores and cell counts in quarter milk samples.
Agric. Scand. 33, 389-394.

LKV, Landeskontrollverband Sachsen 2003
www.lkvsachsen.de/mlp/mlp.asp

Logan, E. 1993
Introducing a national mastitis controll programme. In Proceedings of the British Mastitis Conference.
AFRC Institute for animal health: Ciba, 50-61.

Lotthammer, K.-H., Klarmann, D. 1999
Auswertungen von Resistenzbestimmungen in einem Gebiet mit intensiver Tierproduktion.
Tierärztl. Praxis 27 (G), 324-328.

Luhofer, G., Klawonn, W., Labohm, R., Hess, R. G. 1996
Veterinary medical offer for udder health and milking hygiene: results in Rheinland Pfalz.
Tierärztl. Praxis 24 (G), 459-466.

MacDiarmid, S. C. 1980
Drugs used in in the antibacterial therapy of mastitis.
Proc. Postgraduate short course, Massey University, Palmerston North, New Zealand, 103-110.

Malinowski, E., Klossowska, A., Kaczmarowski, M., Lassa, H., Kuzma, K. 2002
Antimicrobial susceptibility of Staphylococci isoited from affected with mastitis cows.
Bull. Vet. Inst. Pulawy 46, 289-294.

Martin, F., Failing, K., Wolter, W., Kloppert, B., Zschöck, M. 2002
Efect of parity and period of lactation on prevalence of mastitis pathogens in quarters with high somatic cell count (SCC ≥ 100.000/ml).
Milchwissenschaft 57, 183-187.

Matos, J. S., White, D. G., Harmon, R. J., Langlois, B. E. 1991
Isolation of S. aureus from sites other than the lactating mammary gland.
J. Dairy Sci. 74, 1544-1549.

Matthews, K. R., Harmon, R. J., Langlois, B. E. 1992
Prevalence of Staphylococcus species during the periparturient period in primiparous and multiparous cows.
J. Dairy Sci. 75,1835-1839.

Matzke, P., Holzer, A., Deneke, J. 1992
Ein Beitrag zum Einfluss auf Umweltfaktoren auf das Vorkommen von Eutererkrankungen.
Tierärztl. Praxis 20, 21-32.

McDougall, S. 1998
Efficacy of two antibiotic treatments in curing clinical and subclinical mastitis in lactating dairy cows.
New Zealand Veterinary Journal 46, 226-232.

Metzler, C. M., DeHaan, R. M. 1974
Susceptibilty tests of anaerobic bacteria: statistical and clinical considerations.
J. Infectious Disease 130, 588-594.

Michel, G., Seffner, W., Schultz, J. 1974
Zur Frage der Hyperkeratose des Strichkanalepithels der Zitze des Rindes.
Monatsschr. Vet. Med. 29, 570-574.

Milchgüte-Verordnung vom 09.07.1980, letzte Änderung 2003
Verordnung über die Güteprüfung und Bezahlung der Anlieferungsmilch
§ 3 Absatz 3 und § 4 Absatz 3.

Miltenburg, J. D., de Lange, D., Crauwels, A. P. P., Bongers, J. H., Tielen, M. J. M., Schukken, Y. H., Elbers, A. R. W. 1996
Incidence of clinical mastitis in a random sample of dairy herds in the southern Netherlands.
Veterinary Record 139, 204-207.

Moore, G. A., Heider, L. E. 1984
Treatment of mastitis.
Vet. Clin. North Am. Food Anim. Pract. 6, 323-333.

Moxley, J. E., Kennedy, B. W., Downey, B. R., Bowman, J. S. T. 1978
Survey of milking hygiene practices and their relationship to somatic cell counts and milk production.
J. Dairy Sci. 61, 1637-1644.

Myllys, V. 1995
Staphylococci in heifer mastitis before and after parturition.
J. Dairy Res. 62, 51-60.

Myllys, V., Asplund, k., Brofeld, E., Hirvelä-Koski, V., Honkanen.Buzalski, T., Junttila, J., Kulkas, L., Myllykangas, O., Niskanen, M., Saloniemi, H., Sandholm, M., Saranpää, T. 1998
Bovine Mastitis in Finland in 1988 und 1995- changes in prevalence and antimicrobial resistance.
Acta Vet. Scand. 39, 119-126.

National Committee for Laboratory Standards (NCCLS). Development of in vitro susceptibility testing criteria and quality control parameters for veterinary antimicrobial agents, M31-A2, approved Guideline, 2002a
Wayne: National Committee for Laboratory Standards 2002.

National Committee for Laboratory Standards (NCCLS). Performance standards for antimicrobial disk and dilution susceptibility tests forbacteria isolated from nimals, M31-A2, approved Guideline, 2002b
Wayne: National Committee for Laboratory Standards 2002.

National Mastitis Council 1999
www.nmconline.org/dipfacts.htm

National Mastitis Council 2003
www.nmconline.org/environmental.htm

Neave, F. K., Dodd, F. H., Kingwill, R. G., Westgarth, D. R. 1969

Control of mastitis in the dairy herd by hygiene and management.

J. Dairy Sci. 52, 696-707.

Neave, F. K. 1971

The control of mastitis by hygiene.

Dodd, F. H. und Jackson, E. R. (ed.): The control of bovine mastitis; papers given at a meeting organised by the British cattle veterinary association and the agricultural development association, held at reading University, January 5-6, 1971, 5.

Neijenhuis, F., Barkema, H. W., Hogeven, H., Noordhuizen, P. 2000

Clasification and longituinal examination of callused teat ends in dairy cows.

J Dairy Sci. 83, 2795-2804.

Newbould, F. H. S. 1970

Factors contributing to new infections.

Proceedings Annual Meeting National Mastitis Council, Washington D.C.

Nickerson, S. C., Boddie, R. L. 1994

Effect of naturally occuring *coagulase-negative staphylococcal* infections on experimental challenge with major mastitis pathogens.

J. Dairy Sci. 77, 2526-2536.

Nickerson, S. C., Owens, W. E., Boddie, R. L. 1995

Mastitis in Dairy heifers: Initial studies on prevalence and control.

J. Dairy Sci. 78, 1607-1618.

Norman, H. D., Miller, R. H., Wright, J. R., Wiggans, G. R. 2000

Herd and state means for somatic cell count from dairy herd improvement.

J. Dairy Sci. 83, 2782-2788.

Oleggini, G. H., Ely, L. O., Smith, J. W. 2001

Effect of Region and Herd Size on Dairy Herd Performance Parameters.

J. Dairy Sci. 84, 1044-1050.

Oliver, S. P., Jayarao, B. M. 1997

Coagulase-negative staphylococcal intramammary infections in cows and heifers during the nonlactating and periparturient periods.

Zentralbl. Veterinarmed. B. 44, 355-363.

Osteras, O. Lund, A. 1988

Epidemiological analyses of the associations between bovine udder health and milking machine and milking management.

Prev. Vet. Med. 6, 91-108.

Osteras, O. Vagsholm, I., Lund, A. 1990

Teat lesions with reference to housing and milking management.

JVMA 37, 520-524.

Ott, S. L., Smith, M. A. 1998

Bulk tank somatic cell counts of milk in 21 states.

In: Proceedings of the 39th annual meeting of the National Mastitis Council. Madison (WI): National Mastitis Council 2000, 101-151.

Owens, W. E., Ray, C. H., Watts, J. L., Yancey, R. R. 1997

Comparison of success of antibiotic therapy during lactation and results of antimicrobial susceptibility testa for bovine mastitis.

J. Dairy Sci. 80, 313-317.

Owens, W. E., Watts, J. L. 1988

Antimicrobia suscetibility and beta-laktamase testing of staphylococci isolated from dairy herds.

J. Dairy Sci. 71, 1934-1939.

Oz, H. H., Farnsworth, R. J., Larson, V. L. 1985

Environmental mastitis.

Vet. Bull. (London), 55, 829-841.

Pankey, J. W., Nickerson, S. C., Boddie, R. L., Hogan, J. S. 1985

Effects of *Corynebactrium bovis* infections on suscepibility to major mastitis pathogens.

J. Dairy Sci. 68, 2684-2693.

Pankey, J. W. 1989

Hygiene at milking time in the prevention of bovine mastitis.

Brit. Vet. J. 145, 401-409.

Pankey, J. W., Drechsler, P. A., Wildman, E. E. 1991

Mastitis Prevalence in Primigravid Heifers at Parturition.

J. Dairy Sci. 74, 1550-1552.

Pearson, J. K. L., Greer, D. O., Spence, B. K., McFarland, P. J., McKinley, D. L., Dunlop, W. L., Acheson, A. W. 1972

Factors involved in mastitis control: a comparative study in high and low incidence herds.

Veterinary Record 91, 615-619.

Peeler, E. J., Green, M. J., Fitzpatrick, J. L., Green, L. E. 2003

The association between quarter somatic-cell counts and clinical mastitis in three British dairy herds.

Prev. Vet. Med. 59, 169-180.

Philipsson, J., Ral, G., Berglund, B. 1995

Somatic-cell count as a selection criterion for clinical mastitis resistance in dairy-cattle.

Livest. Prod. Sci. 41, 195-200.

Philpot, W. N. 1972

Effect of milking machines equipped with automatic quarter take off devices on milk quality and health of the udder.

J. Milk Food Technol. 35: 544-547.

Poelarends, J. J., Hogeveen, H., Sampimon, O. C., Sol, J. 2001

Monitoring subclinical mastitis in Dutch Dairy Herds

In: Proceedings of the 2th International Symposium on Mastitis and Milk Quality.

Pyörälä, S. H. K., Pyörälä, E. O. 1994

Efficacy of bovine clinical mastitis therapy during lactation.

In: Proceedings of the XVII Nordic Veterinary Congress, Reykjavik, Iceland, July 26-29.

Pyörälä, S. 2002

New strategies to prevent mastitis.

Reprod. Dom. Anim. 37, 211-216.

Radostits, O. M., Gay, C. C., Blood, D. C., Hinchcliff, K. W. 2000

Mastitis Control in Dairy Herds In: Veterinary Medicine. A Textbook of the Disease of Cattle, Sheeps, Pigs, Goats and Horses.

Verlag W. B. Saunders, 9th edition, 250.

Rainard, P., Poutrel, B. 1988

Effect of naturally occuring intramammary infections by minor pathogens on new infections by major pathogens in cattle.

Am. J. Vet. Res. 49, 327-329.

Rendos, J. J., Eberhart, J. R., Kesler, E. M. 1975
Microbial populations of teat ends of dairy cows, and bedding materials.
J. Dairy Sci. 58, 1492-1500.

Roberson, J. R., Fox, L. K., Hancock, D. D., Gay, J. M. 1994
Ecology of S. aureus isolated from various sites on dairy farms.
J. Dairy Sci. 77, 3354-3364.

Romain, H. T., Adesiyun, A. A., Webb, L. A., Lauckner, F. B. 2000
Study on risk factors and their association with subclinical mastitis in lactating dairy cows in Trinidad.
J. Vet. Med. B. 47, 257-271.

Rossitto, P. V., Ruiz, L., Kikuchi, Y., Glenn, K., Luiz, K., Watts, J. L., Cullor, J. S. 2002
Antibiotic susceptibility patterns for environmental streptococci isolated from bovine mastitis in central California dairies.
J. Dairy Sci. 85, 132-138.

Ruegg, P. L. 2003
Investigation of masitis problems on farms.
Vet. Clin. Food Anim. 19, 47-73.

Ruloff, U. 1997
Untersuchungen über Art und Häufigkeit intramammärer Infektionen bei Färsen ante und post partum in einem norddeutschen Hochzuchtgebiet und die Effizienz präpartaler antibiotischer Behandlungen.
Dissertation, Tierärztliche Hochschule Hannover.

Sandholm, M., Kaartinen, L., Pyörälä, S. 1990
Bovine mastitis-why does antibiotic therapy not always work? An overview.
Vet. Pharmacol. Therap. 13, 248-260.

Sargeant, J. M., Scott, H. M., Leslie, K. E., Ireland, M. J., Bashiri, A. 1998
Clinical mastitis in dairy cattle in Ontario: Frequency of occurrence and bacteriological isolates.
Can. Vet. J. 39, 33-38.

Sargeant, J. M., Leslie, K. E., Shirley, J. E. 2001
Sensitivity and specificity of somatic cell count and California mastitis test for identifying intramammary infection in early lactation.
J. Dairy Sci. 84, 2018-2024.

Schepers, A. J., Lam, T. J. G. M., Schukken, Y. H., Wilmink, J. B. M., Hanekamp, W. J. A. 1997

Estimation of variance of components for somatic cell counts determine thresholds for uninfected quarters.

J. Dairy Sci. 80, 1833-1840.

Schlegelova, J., Rysanek, D., Sediva, I., Babak, V. 2001

Comparison of Methods for the Determination of Antimicrobial Resistance in Staphylococcusaureus from Bovine Mastitis.

J. Vet. Med. 48, 21-29.

Schukken, Y. H., Grommers, f. J., van de Geer, D., Brand, A. 1989a

Incidence of clinical mastitis on farms with low somatic cell counts in bulk milk.

Veterinary Record 125, 60-63.

Schukken, Y. H., Van de Geer, D., Grommers, F. J., Smith, J. A. H., Brand, A. 1989b

Intramammary infections and risk factors for clinical mastitis in herds with low somatic cell counts in bulk milk.

Veterinary Record 125, 393-396.

Schukken, Y. H., Grommers; F. J., van de Geer, D., Erb, H. N., Brand, A., 1990a

Risk factors for clinical mastitis in herds with a low bulk milk somatic cell count: 2. Risc factors for *E. coli* and *S. aureus*.

J. Dairy Sci. 74, 826-832.

Schukken, Y., Grommers, F., van de Geer, D., Erb, H., Brand, A. 1990b

Risk factors for clinical mastitis in herds for a low somatic cell count. 1. Data and risk factors for all cases.

J. Dairy Sci. 73, 3463-3471.

Schukken Y. H., Mallard, B. A., Dekkers, J. C. M., Leslie, K. E., Stear, M. J. 1994

Genetic impact on the risk of intramammary infection following *Staphylococcus aureus* challenge.

J. Dairy Sci. 77, 639-647.

Schukken, Y. H., Leslie, K. E., Barnum, D. A., Mallard, B. A., Lumsden, J. H., Dick, P. C., Vessie, G. H., Kehrli, M. E. 1999

Experimental Staphylococcus aureus intramammary challenge in late lactation dairy cows: quarter and cow effects determining the probability of infection.

J. Dairy Sci. 82, 2393-2401.

Sears, P. M., Smith, B. S., English, P. B., Herer, P. S., Gonzalez, R. N. 1990
Shedding pattern of S. aureus from bovine intramamary infections.
J. Dairy Sci. 73, 2785-2789.

Shearn, M. F., Hillerton, J. E. 1996
Hyperkeratosis of the teat duct orifice in the dairy cow.
J. Dairy Res. 63, 525-532.

Shpigel, N. Y., Winkler, M., Ziv, G., Saran, A. 1998
Clinical, bacteriological and epidemiological aspects of clincal mastitis in Israeli dairy herds.
Prev. Vet. Med. 35, 1-9.

Sieber, R. L., Farnsworth, R. J. 1981
Prevalence of chronic teat-end lesions and their relationship to intramammary infection in 22 herds of dairy cattle.
JAVMA 178, 1263-1267.

Smith, K. L. 1983
Mastitis control: A discussion.
J. Dairy Sci. 66, 1790-1794.

Smith, K. L., Todhunter, D. A., Schoenberger, P. S. 1984
Symposium: Environmental effects on cow health and performance. Environmental mastitis: Cause, Prevalance, Prevention.
J. Dairy Sci. 68, 1531-1553.

Smith, K., Todhunter, D., Schoenberger, P. 1985
Environmental mastitis: Cause prevalence, prevention.
J. Dairy Sci. 68, 1531-1553.

Smith, K. L., Hogan, J. S., Schoenberger, P. S., Todhunter, D. A. 1987
A practical look at environmental mastitis.
In: Proc. National Mastitis Council, Orlando, Florida, 102.

Smith, K. L., Hogan, J. S. 1993
Environmental mastitis.
Vet Clin North Am Food Anim Pract. 9, 489-498.

Smith, K. L., Hogan, J. S., 1995
Epidemiology of mastitis.
proceeding of the third IDF International Mastitis Seminar, Tel-Aviv, Israel, S6, 3-13.

Smith, K. L., Hogan, J. S. 1997

Risk factors for environmental streptococcal intramammary infections.

Proceedings of "Udder health management for environmental Streptococci," Ontario Veterinary College Symposium.

Smith, K. L., Hogan, J. S. 1999

A world for milk somatic cell count: is it justified?

In: Quality and safety of raw milk and its impact on milk and milk products.

Bulletin of the International Dairy Federation (IDF) 345.

Smith, K. L., Hogan, J. S. 2001

U.S. milk quality and safety: is our milk the best in the world?

NMC-PDPW Milk Quality Conference, Madison, Wisconsin, Proc 1-7.

Sobiraj, A., Kron, A., Schollmeyer, U., Failing, K. 1997

Federal investigations on the distribution and in vitro resistance of udder pathogenic bacteria in the milk of cows with subclinical mastitis.

Tierärztl. Praxis 25 (G), 108-115.

Sommerhäuser, J., Kloppert, B., Wolter, W., Zschöck, M., Sobiraj, A., Failing, K. 2003

The epidemiology of *Staphylococcus aureus* infection from subclinical mastitis in dairy cows during a control programme.

Veterinary Microbiology 96, 91-102.

Spohr, M. 1998

Zur Bedeutung der Melkarbeit für die Eutergesundheit.

Praktischer Tierarzt, collegium veterinarium XXVIII, 78-81.

Suriyasathaporn, W., Heuer, C., Noordhuisen-Stassen, E. N., Shukken, Y. H. 2000

Hyperketonemia and the impairment of udder defene: A review.

Veterinary Research 31, 397-412.

Timms, L. L., Schultz, L. H. 1987

Dynamics and significance of coagulase negative staphylococcal intramammary infections.

J. Dairy Sci. 70, 2648-2657.

Todhunter, D. A., Smith, K. L., Hogan, J. S., Schoenberger, P. S. 1991

Gram-negative bacterial infections of the mammary gland in cows.

Am. J. Med. Res. 52, 184-188.

Todhunter, D. A., Cantwell, L. L., Smith, K. L., Hoblet, K. H., Hogan, J. S., 1993
Characteristics of coagulase-negative staphylococci isolated fom bovine intramammary infections.
Veterinary Microbiology 34, 373-380.

Todhunter, D. A., Smith, K. L., Hogan, J. S. 1995
Environmental Streptococcal Intramammary Infections of the bovine mammary gland.
J. Dairy Sci. 78, 2366-2374.

Tolle, A. 1982
Subclinical bovine coccal mastitis: A review.
Zentralbl. Veterinärmed. B. 29, 329-358.

Trolldenier, H. 1999
Zur Resistenzproblematik in der Veterinärmedizin - Übersicht aus bundesweit erfassten Daten.
Tierärztl. Praxis 27 (G): 317-323.

Trolldenier, H., Klarmann, D., Krabisch, P., Rohde, J., Steiner, A., Verspohl, J. 2000
Zur Empfindlichkeit von Streptokokken des Rindes und des Pferdes gegenüber ß-Laktam-Antibiotika (Bencylpenicillin, Ampicillin, Oxacilin, Cefotaxim) im Agar-Diffusionstest- und E-Test.
Berl. Münch. Tierärztl. Wschr. 113, 234-245.

Trolldenier, H., Wagner, J. 2001
Minimale Hemmkonzentrationen von häufig eingesetzten Chemotherapeutika bei tierpathogene Erregern aus multizentrischen Erfassungen in Deutschland. Teil II: Staphylococcus aureus und Staphylococcus intermedius.
Praktischer Tierarzt 82, 118-129.

Tschischkale, R. 1992
Eutergesundheitsmanagement.
Milchpraxis 30, 72-76.

Van Damme, D. M. 1982
Mastitis caused by contaminated teat dip and dip cup.
Veterinary Medicine, 541-545.

Van Werven, T., Noordhuizen-Stassen, E. N., Daemen, A. J. J. M., Schukken, Y. H., Burvenich, C. 1997
Preinfection in vitro chemotaxis, phagocytosis, oxidative burst, and expression of CD11/CD18 receptors and their predictive capacity on the outcome of mastitis induced in dairy cows with *Echerichia coli*.
J. Dairy Sci. 75, 2532-2540.

Van Werven, T. 1999
The role of leucocytes in bovine *Echerichia coli* mastitis.
Ph.D. Dissertation, Universität Utrecht, Niederlande.

Vintov, J., Aarestrup, F. M., Elsberg Zinn, C., Elmerdahl Olsen, J. 2003
Association between phage types and antimicrobial resistance among bovine Staphylococcus aureus from 10 countries.
Veterinary Microbiology 95, 133-147.

Wallmann, J., Schröter, K., Wieler, L. H., Kroker, R. 2003
Antibiotikaempfindlichkeit ausgewählter pathogener Bakterien von erkrankten Lebensmittel liefernden Tieren in Deutschland. Ergebnisse aus der Modellstudie 2001 des nationalen Resistenzzmonitorings.
Tierärztl. Praxis 31 (G), 122-131.

Watts, J. L. 1988
Characterization and identification of streptococci isolated from bovine mammary glands.
J. Dairy Sci. 71, 1616-1624.

Watts, J. L., Salmon, S. A., Yancey JR., R. J., Nickerson, S. C., Weaver, L. J., Holmberg, C., Pankey, J. W., Fox, L. K. 1995
Antimicrobial susceptibility of microorganisms isolated from the mammary glands of dairy heifers.
J.Dairy Sci. 78, 1637-1648.

Wendt, K., Bosted, H., Mielke, H., Fuchs, H. W., 1994
Euter- und Gesäugekrankheiten.
Gustav Fischer Verlag, Jena, Stuttgart.

Wendt, K., Lotthammer, K. H., Fehlings, K., Spohr, M. 1998
Handbuch Mastitis.
Kamlage Verlag, Osnabrück.

Werckenthin, C., Cardoso, M., Martel, J. L., Schwarz, S. 2001
Antimicrobial resistance in staphylococci from animals with particular reference to bovine Staphylococcus aureus, porcine Staphylococcus hyicus, and canine Staphyococcus intermedius.
Veterinary Research 32, 341-362.

Westfall, G., Hinkley, L. S., Daniels, W. H., und DeCloux, J. 1987
Controlling mastitis with an aerosol teat disinfectant.
Veterinary Medicine, 752-755.

Whitaker, D. A., Kelly, J. M., Smith, S. 2000
Disposal and disease rates in 340 British dairy herds.
Veterinary Record 146, 36-367.

WHO Recommendations 1997
In WHO Proceedings: The medical impact of the use of antimicrobials in food animals. WHO/EMC/ZOO/97.4; 11-6.

Wiedemann, B., Hildenbrand, G., Weppelmann, G., Mannheim, W. 1983
Reproduzierbarkeit von Messergebnissen mit dem Agardiffusionstest bei der Empfindlichkeitsprüfung von Bakterien.
Ärztl. Lab. 29, 363-372.

Wilson, D. J., Das, H. H., Gonzalez, R. N., Sears, P. M. 1997
Association between management practices, dairy herd characteristics, and somatic cell count of bulk tank milk.
JAVMA 10, 1499-1502.

Zadoks, R. N., Allore, H. G., Barkema, H. W., Sampimon, O. C., Gröhn, Y. T., Schukken, Y. H. 2001a
Analysis of an outbreak of *Sc. uberis* Mastitis.
J. Dairy Sci. 84, 590-599.

Zadoks, R. N., Allore, H. G., Barkema, H. W., Sampimon, O. C., Wellenberg, G. J., Gröhn, Y. T., Schukken, Y. H. 2001b
Cow- and quarter- level risk factors for Streptococcus uberis and Staphylooccus aureus mastitis.
J. Dairy Sci. 84, 2649-2663.