

Literaturverzeichnis

- [1] National Institutes of Health (1992): Gallstones and Laparoscopic Cholecystectomy, NIH Consens Statement Online 10 (3).
- [2] Langenbuch, C Ein Fall von Exstirpation der Gallenblase wegen chronischer Cholelithiasis, Berl. klin. Wochenschrift 19, Seite 725-727.
- [3] Neubrand M., Sackmann M., Caspary W. F., Feussner H., Schild H., Lauchart W., Schildberg F. W., Reiser M., Classen M., Paumgartner G., Sauerbruch T. (2000): Leitlinien der Deutschen Gesellschaft für Verdauungs- und Stoffwechselkrankheiten zur Behandlung von Gallensteinen, Z Gastroenterologie 38, Seite 449-468.
- [4] Kratzer, W.; Kachele, V.; Mason, R. A.; Hill, V.; Hay, B.; Haug, C.; Adler, G.; Beckh, K. und Muche, R. Gallstone prevalence in Germany: the Ulm Gallbladder Stone Study, Digestive Diseases & Sciences. 43(6):1285-91, 1998 Jun.
- [5] Ko, C. W. und Lee, S. P. (2002): Epidemiology and natural history of common bile duct stones and prediction of disease, Gastrointestinal Endoscopy 56 [6 Suppl], Seite S165-9.
- [6] Burkitt DP, Tunstall M: (1975): Gall-stones: Geographical and chronological features, J Trop Med Hyg 78, Seite 140–144.
- [7] Brett M, Barker DJ (1976): The world distribution of gallstones, Int J Epidemiol 5, Seite 335–341.
- [8] Oviedo, M. A.; Ho, K. J.; Biss, K.; Soong, S. J.; Mikkelson, B. und Taylor, C. B. (1977): Gallbladder bile composition in different ethnic groups, Archives of Pathology & Laboratory Medicine. 101(4):208-12, .
- [9] Lammert F, Carey MC, Paigen B und . (2001): Chromosomal organization of candidate genes involved in cholesterol gallstone formation: A murine gallstone map, Gastroenterology 120, Seite 221–238.
- [10] van der Linden, W. (1973): Genetic factors in gallstone disease, Clin Gastroenterol 2, Seite 603–614.
- [11] Lammert F., Geier A., Figge A., Matern S. (2001): Pathogenese der Cholezystolithiasis – neue molekulare Konzepte 17, Seite 108–113.
- [12] Schettler, G.; Greten, H. (1998): Innere Medizin. Verstehen - Lernen - Anwenden., Stuttgart, ISBN: 3135522105.
- [13] Paumgartner G, Sauerbruch T (1991): Gallstones Pathogenesis 338, Seite 1117-1121.
- [14] Busch N, Matern S. (1991): Current concepts in cholesterol gallstone pathogenesis 21, Seite 453-460.
- [15] Wang DQ, Carey MC (1996): Complete mapping of crystallization pathways during cholesterol precipitation from model bile: Influence of physical-chemical variables of pathophysiologic relevance and identification of a stable liquid crystalline state in cold, dilute and hydrophilic bile salt-containing systems 37, Seite 606-630.
- [16] Carey MC, Small DM (1978): The physical chemistry of cholesterol solubility in bile. Relationship to gallstone formation and dissolution in man 61, Seite 998-1026.
- [17] Carey MC (1978): Critical tables for calculating the cholesterol saturation of native bile 19, Seite 945-955.
- [18] Wang DQ, Carey MC (1996): Characterization of crystallization pathways during cholesterol precipitation from human gallbladder biles: Identical pathways to cor-

- responding model biles with three predominating sequences. 37, Seite 2539-2549.
- [19] Busch N, Matiuck N, Sahlin S, Pillay SP, Holzbach und RT (1991): Inhibition and promotion of cholesterol crystallization by protein fractions from normal human-gallbladder bile, *J Lipid Res* 32, Seite 695-702.
 - [20] Holzbach RT, Busch N (1991): Nucleation and growth ofcholesterol crystals kinetic determinants in supersaturated native bile, *Gastroenterol Clin North Am* 20, Seite 67-84.
 - [21] De Bruijn MAC, Groen AK (1995): Biliary proteins, M, Muraca, *Methods in Biliary Research*, Boca Raton.
 - [22] Miquel JF, Nunez L, Rigotti A,Amigo L, Brandan E, und F, Nervi (1993): Isolation and partial characterization of cholesterol pronucleating hydrophobic glycoproteins associated to native biliary vesicles, *FEBS* 318, Seite 45-49.
 - [23] Busch N, Lammert F, Marschall HU, Matern S (1995): A new subgroup of lectin-bound biliary proteins binds to cholesterol crystals, modifies crystal morphology, and inhibits cholesterol crystallization, *J Clin Invest* 96:, Seite 3009-3015.
 - [24] Kibe A, Holzbach RT, LaRusso NF, Mao SJ (1984): Inhibition of cholesterol crystal formation by apolipoproteins in supersaturated model bile., *Science* 225, Seite 514-516.
 - [25] Busch N, Lammert F, Matern S (1998): Biliary secretory immunoglobulin A is a major constituent of the new group of cholesterol crystal-binding proteins., *Gastroenterology* 115, Seite 129-138.
 - [26] De la Porte PL, Lafont H, Domingo N, Meyer G, und Muller I, Zundt B, Jüngst DJ (2000): Composition and immunofluorescence studies of biliary 'sludge' in patients with cholesterol or mixed gallstones., *Hepatol* 33, Seite 352-360.
 - [27] Neubrand, M.; Sackmann, M.; Caspary, W. F.; Feussner, H.; Schild, H.; Lauchart, W.; Schildberg, F. W.; Reiser, M.; Classen, M.; Paumgartner, G. und Sauerbruch, T. (2000): [Guidelines by the German Society of Digestive and Metabolic Diseases for treatment of gallstones. German Society of Digestive and Metabolic Diseases.]. [German], *Zeitschrift fur Gastroenterologie*. 38(6):449-68,.
 - [28] Paul A., Millat B., Holthausen U., Sauerland S., Neugebauer E. (1998): Diagnosis and treatment of common bile duct stones (CBDS), *Surg Endosc* 12, Seite 856-864.
 - [29] Neubrand M., Sauerbruch T. (2001): Pathogenese der Choledocholithiasis, *Chirurgische Gastroenterologie* 17, Seite 119-122.
 - [30] Frossard, J. L.; Hadengue, A.; Amouyal, G.; Choury, A.; Marty, O.; Giostra, E.; Sivignon, F.; Sosa, L. und Amouyal, P. (2000): Choledocholithiasis: a prospective study of spontaneous common bile duct stone migration, *Gastrointestinal Endoscopy*. 51(2):175-9, 2000 Feb.
 - [31] Johnson, A. G. und Hosking, S. W. (1987): Appraisal of the management of bile duct stones. [Review] [77 refs], *British Journal of Surgery*. 74(7):555-60.
 - [32] Greiner, L.; Munks, C.; Heil, W. und Jakobkeit, C. (1990): Gallbladder stone fragments in feces after biliary extracorporeal shock-wave lithotripsy, *Gastroenterology*. 98(6):1620-4.
 - [33] Sauerbruch, T. und Stern, M. (1989): Fragmentation of bile duct stones by extra-corporeal shock waves. A new approach to biliary calculi after failure of routine endoscopic measures.[see comment], *Gastroenterology*. 96(1):146-52,.
 - [34] Shemesh, E.; Czerniak, A.; Bar-El, J.; Schneebaum, S. und Bat, L. (1989): Choledocholithiasis: a comparison between the clinical presentations of multiple and solitary stones in the common bile duct, *American Journal of Gastroenterology*. 84(9):1055-9, .

- [35] Terjung B., Sauerbruch T. (2001): Natürlicher Verlauf der Cholelithiasis, Chirurgische Gastroenterologie 17, Seite 114-118.
- [36] Lowenfels, A. B.; Walker, A. M.; Althaus, D. P.; Townsend, G. und Domellof, L. Gallstone growth, size, and risk of gallbladder cancer: an interracial study, International Journal of Epidemiology. 18(1):50-4, 1989 Mar.
- [37] Maringhini, A.; Moreau, J. A.; Melton, L. J., 3rd; Hench, V. S.; Zinsmeister, A. R. und DiMagno, E. P. (1987): Gallstones, gallbladder cancer, and other gastrointestinal malignancies. An epidemiologic study in Rochester, Minnesota, Annals of Internal Medicine. 107(1):30-5,.
- [38] Diehl, A. K. (1983): Gallstone size and the risk of gallbladder cancer, JAMA. 250(17):2323-6, .
- [39] Fleischer G.-M., Neumann U. (2001): Das Gallenblasenkarzinom als Zufallsbefund nach Cholezystektomie, Chirurgische Gastroenterologie 17, Seite 161-166.
- [40] Okamoto, M.; Okamoto, H.; Kitahara, F.; Kobayashi, K.; Karikome, K.; Miura, K.; Matsumoto, Y. und Fujino, M. A. (1999): Ultrasonographic evidence of association of polyps and stones with gallbladder cancer, American Journal of Gastroenterology. 94(2):446-50,.
- [41] Koga, A.; Watanabe, K.; Fukuyama, T.; Takiguchi, S. und Nakayama, F. Diagnosis and operative indications for polypoid lesions of the gallbladder, Archives of Surgery. 123(1):26-9, 1988 Jan.
- [42] Bittner, R. und Ulrich, M. (2004): [Gallbladder calculi--always an indication for surgery?]. [German], Internist. 45(1):8-15, .
- [43] Sackmann, M. (2001): Konservative Therapie der Cholecystolithiasis, Chir. Gastroenterol 17, Seite 123-131.
- [44] Classen M., Demling L. (1974): Endoskopische Sphinkterotomie der Papilla Vaterin und Steinextraktion aus dem Ductus Choledochus, Dtsch. Med. Wochnenschr. 99, Seite 496.
- [45] Demling, L.; Koch, H.; Classen, M.; Belohlavek, D.; Schaffner, O.; Schwamberger, K. und Stolte, M. (1974): [Endoscopic papillotomy and removal of gallstones: animal experiments and first clinical results (author's transl)]. [German], Deutsche Medizinische Wochenschrift. 99(45):2255-7.
- [46] Feussner, H. (2001): Therapeutisches Splitting bei der Behandlung der Choledocholithiasis, Chirurgische Gastroenterologie 17, Seite 151-154.
- [47] Lorenz A., Reitzig P., Schulz H.-J. (2001): Endoskopische Therapie der Choledocholithiasis, Chirurgische Gastroenterologie 17, Seite 132-137.
- [48] Kremer K., Lierse W., Platzer W., Schreiber H.W., Weller S. (1987): Chirurgische Operationslehre in 10 Bänden, Georg Thieme Verlag, Stuttgart, ISBN: 3-13-695301-0.
- [49] Muhe, E. (1991): [Laparoscopic cholecystectomy]. [German], Zeitschrift für Gastroenterologie - Verhandlungsband. 26:204-6,.
- [50] Reynolds, W., Jr. (2001): The first laparoscopic cholecystectomy, Journal of the Society of Laparoendoscopic Surgeons. 5(1):89-94,.
- [51] Reddick, E. J.; Olsen, D.; Spaw, A.; Baird, D.; Asbun, H.; O'Reilly, M.; Fisher, K. und Saye, W. (1991): Safe performance of difficult laparoscopic cholecystectomies, American Journal of Surgery 161 [3], Seite 377-81.
- [52] Dubois, F.; Berthelot, G. und Levard, H. [Cholecystectomy under celioscopy]. [French], Annales de Chirurgie. 44(3):206-5; discussion 205-6, 1990.
- [53] Perissat, J. und Vitale, G. C. (1991): Laparoscopic cholecystectomy: gateway to the future, American Journal of Surgery. 161(3):408,.

- [54] Lierse W., Schreiber H.W. (1990): Chirurgische Operationslehre: spezielle Anatomie, Indikationen, Technik, Komplikationen; in 10 Bänden, 1. Auflage, Gallengangsrevision und Cholangiolithotomie, Stuttgart, ISBN: 3-13-695401-7.
- [55] Kramling H.-J., Lange V., Heberer G. (1993): Aktueller Stand der Gallensteinchirurgie in Deutschland, Chirurg 64, Seite 295-302.
- [56] Kramling H., Huttl T. P., Heberer G. (1999): Development of gallstone surgery in Germany, Surgical Endoscopy. 13(9):909-13, 1999 Sep.
- [57] Wölnerhanssen, B.K. , Ackermann, C., Guenin, M.O., Kern, Tondelli, P., von Flüe, M., Peterli, R. (2005): Zwölf Jahre laparoskopische Cholezystektomie Ergebnisse einer prospektiven Studie von 4498 an einer Klinik durchgeföhrten Cholezystektomien, Der Chirurg 76 [3], Seite 263-269. URL: <http://www.springerlink.de/openurl.asp?genre=article&eissn=1433-0385&volume=76&issue=3&spage=263>
- [58] Shea, J. A.; Healey, M. J.; Berlin, J. A.; Clarke, J. R.; Malet, P. F.; Staroscik, R. N.; Schwartz, J. S. und Williams, S. V. (1996): Mortality and complications associated with laparoscopic cholecystectomy. A meta-analysis, Annals of Surgery 224 [5], Seite 609-20.
- [59] Schlumpf, R., klotz, H.-P. Wehrli, H., Herzog, U. (1993): Laparoskopische Cholezystektomie in der Schweiz, Der Chirurg 64, Seite 307-313.
- [60] Z'Graggen, K.; Wehrli, H.; Metzger, A.; Buehler, M.; Frei, E. und Klaiber, C. (1998): Complications of laparoscopic cholecystectomy in Switzerland. A prospective 3-year study of 10,174 patients. Swiss Association of Laparoscopic and Thoracoscopic Surgery, Surgical Endoscopy 12 [11], Seite 1303-10.
- [61] Kratzer W., Kachele V., Mason R. A., Hill V., Hay B., Haug C., Adler G., Beckh K., Muche R. (1998): Gallstone prevalence in Germany: the Ulm Gallbladder Stone Study, Digestive Diseases & Sciences. 43(6):1285-91, 1998 Jun.
- [62] Law, W. L.; Lee, Y. M. und Chu, K. W. (2005): Previous abdominal operations do not affect the outcomes of laparoscopic colorectal surgery, Surgical Endoscopy 19 [3], Seite 326-30.
- [63] Cobb, W. S.; Heniford, B. T.; Burns, J. M.; Carbonell, A. M.; Matthews, B. D. und Kercher, K. W. (2005): Cirrhosis is not a contraindication to laparoscopic surgery, Surgical Endoscopy 19 [3], Seite 418-23.
- [64] Annamaneni, R. K.; Moraitis, D. und Cayten, C. G. (2005): Laparoscopic cholecystectomy in the elderly, Journal of the Society of Laparoendoscopic Surgeons 9 [4], Seite 408-10.
- [65] Akyurek, N.; Salman, B.; Irkorucu, O.; Tasclar, O.; Yuksel, O.; Sare, M. und Tatlicioğlu, E. (2005): Laparoscopic cholecystectomy in patients with previous abdominal surgery, Journal of the Society of Laparoendoscopic Surgeons 9 [2], Seite 178-83.
- [66] Simopoulos, C.; Polychronidis, A.; Botaitis, S.; Perente, S. und Pitiakoudis, M. (2005): Laparoscopic cholecystectomy in obese patients, Obesity Surgery 15 [2], Seite 243-6.
- [67] Karayannakis, A. J.; Polychronidis, A.; Perente, S.; Botaitis, S. und Simopoulos, C. (2004): Laparoscopic cholecystectomy in patients with previous upper or lower abdominal surgery. [Review] [18 refs], Surgical Endoscopy 18 [1], Seite 97-101.
- [68] Morino, M.; Cavuoti, G.; Miglietta, C.; Giraudo, G. und Simone, P. (2000): Laparoscopic cholecystectomy in cirrhosis: contraindication or privileged indication?, Surgical Laparoscopy, Endoscopy & Percutaneous Techniques 10 [6], Seite 360-3.
- [69] Holthausen, U. H.; Mettler, L. und Troidl, H. (1999): Pregnancy: A contraindication?. [Review] [72 refs], World Journal of Surgery 23 [8], Seite 856-62.

- [70] Yerdel, M. A.; Koksoy, C.; Aras, N. und Orita, K. (1997): Laparoscopic versus open cholecystectomy in cirrhotic patients: a prospective study, *Surgical Laparoscopy & Endoscopy* 7 [6], Seite 483-6.
- [71] Lacy, A. M.; Balaguer, C.; Andrade, E.; Garcia-Valdecasas, J. C.; Grande, L.; Fuster, J.; Bosch, J. und Visa, J. (1995): Laparoscopic cholecystectomy in cirrhotic patients. Indication or contradiction?, *Surgical Endoscopy* 9 [4], Seite 407-8.
- [72] Capizzi, F. D.; Fogli, L.; Brulatti, M.; Boschi, S.; Di Domenico, M.; Papa, V. und Patrizi, P. (2003): Conversion rate in laparoscopic cholecystectomy: evolution from 1993 and current state, *Journal of Laparoendoscopic & Advanced Surgical Techniques. Part A* 13 [2], Seite 89-91.
- [73] Bingener-Casey, J.; Richards, M. L.; Strodel, W. E.; Schwesinger, W. H. und Sirinek, K. R. (2002): Reasons for conversion from laparoscopic to open cholecystectomy: a 10-year review, *Journal of Gastrointestinal Surgery* 6 [6], Seite 800-5.
- [74] Kraas, E. und Frauenschuh, D. (2001): [Surgery of the gallbladder and bile ducts by minimally invasive surgery]. [German], *Chirurg* 72 [4], Seite 378-88. URL: <http://www.springerlink.de/openurl.asp?genre=article&issn=0009-4722&volume=72&issue=4&spage=378>
- [75] **Multiple (2004): BQS-Bundesauswertung 2004 Cholezystektomie, BQS Bundesgeschäftsstelle Qualitätssicherung gGmbH, 15.03.2005, 2004 - D3083-L20973-P13893, +490211-28 07 2-0, © BQS Bundesgeschäftsstelle Qualitätssicherung gGmbH 2005**
- [76] Voitk, A. J.; Tsao, S. G. und Ignatius, S. (2001): The tail of the learning curve for laparoscopic cholecystectomy, *American Journal of Surgery* 182 [3], Seite 250-3.
- [77] Watson, D. I.; Mathew, G. und Williams, J. A. (1995): Impact of laparoscopic cholecystectomy in a major teaching hospital: clinical and hospital outcomes, *Medical Journal of Australia* 163 [10], Seite 527-30.
- [78] McMahon, A. J.; Fischbacher, C. M.; Frame, S. H. und MacLeod, M. C. (2000): Impact of laparoscopic cholecystectomy: a population-based study, *Lancet* 356 [9242], Seite 1632-7.
- [79] Shea, J. A.; Berlin, J. A.; Escarce, J. J.; Clarke, J. R.; Kinoshian, B. P.; Cabana, M. D.; Tsai, W. W.; Horangic, N.; Malet, P. F.; Schwartz, J. S. und et al. (1994): Revised estimates of diagnostic test sensitivity and specificity in suspected biliary tract disease, *Archives of Internal Medicine* 154 [22], Seite 2573-81.
- [80] Kruis, W.; Roehrig, H.; Hardt, M.; Pohl, C. und Schlosser, D. (1997): A prospective evaluation of the diagnostic work-up before laparoscopic cholecystectomy, *Endoscopy* 29 [7], Seite 602-8.
- [81] Shoghi, Y. und Georgi, M. (1996): Diagnostic value of intravenous cholangiography within the scope of laparoscopic cholecystectomy . [German], *Aktuelle Radiologie* 6 [4], Seite 187-90.
- [82] Jansen, M.; Truong, S.; Treutner, K. H.; Neuerburg, J.; Schraven, C. und Schumpelick, V. (1999): Value of intravenous cholangiography prior to laparoscopic cholecystectomy, *World Journal of Surgery* 23 [7], Seite 693-6; discussion 697.
- [83] Ludwig, K.; Bernhardt, J. und Lorenz, D. (2002): Value and consequences of routine intraoperative cholangiography during cholecystectomy, *Surgical Laparoscopy, Endoscopy & Percutaneous Techniques* 12 [3], Seite 154-9.
- [84] Cuschieri, A.; Lezoche, E.; Morino, M.; Croce, E.; Lacy, A.; Tooili, J.; Faggioni, A.; Ribeiro, V. M.; Jakimowicz, J.; Visa, J. und Hanna, G. B. (1999): E.A.E.S. multicenter prospective randomized trial comparing two-stage vs single-stage

- management of patients with gallstone disease and ductal calculi, *Surgical Endoscopy* 13 [10], Seite 952-7.
- [85] Gundlach, M.; Zornig, C.; Emmermann, A.; Rogiers, X.; Dietrichs, S.; Soehendra, N. und Broelsch, C. E. (1996): Therapy splitting: are intra-operative cholangiography and surgical bile duct revision still indicated? . [German], *Zentralblatt fur Chirurgie* 121 [4], Seite 283-8; discussion 288-9.
- [86] Shuchleib, S.; Chousleb, A.; Mondragon, A.; Torices, E.; Licona, A. und Cervantes, J. (1999): Laparoscopic common bile duct exploration, *World Journal of Surgery* 23 [7], Seite 698-701; discussion 702.
- [87] Leibl B. J., Ulrich M., Scheuritzel U., Wellhausser U., Schmidt W., Marquardt B., Hass K., Metzger H., Bittner R. (2001): [Selective pre- intra- and postoperative bile duct diagnosis--an efficient and low complication regimen within the scope of laparoscopic cholecystectomy. Early and late results of a prospective study]. [German], *Chirurg.* 72(7):812-7.
- [88] Vecchio, R. und MacFadyen, B. V. (2002): Laparoscopic common bile duct exploration, *Langenbecks Archives of Surgery* 387 [1], Seite 45-54.
- [89] Chandler, C. F.; Lane, J. S.; Ferguson, P.; Thompson, J. E. und Ashley, S. W. (2000): Prospective evaluation of early versus delayed laparoscopic cholecystectomy for treatment of acute cholecystitis, *American Surgeon* 66 [9], Seite 896-900.
- [90] Madan, A. K.; Aliabadi-Wahle, S.; Tesi, D.; Flint, L. M. und Steinberg, S. M. (2002): How early is early laparoscopic treatment of acute cholecystitis?, *American Journal of Surgery* 183 [3], Seite 232-6.
- [91] Shikata, S.; Noguchi, Y. und Fukui, T. (2005): Early versus delayed cholecystectomy for acute cholecystitis: a meta-analysis of randomized controlled trials, *Surgery Today* 35 [7], Seite 553-60.
- [92] Bittner, R.; Leibl, B.; Kraft, K.; Butters, M.; Nick, G. und Ulrich, M. (1997): Laparoscopic cholecystectomy in therapy of acute cholecystitis: immediate versus interval operation . [German], *Chirurg* 68 [3], Seite 237-43.
- [93] Serralta, A. S.; Bueno, J. L.; Planells, M. R. und Rodero, D. R. (2003): Prospective evaluation of emergency versus delayed laparoscopic cholecystectomy for early cholecystitis, *Surgical Laparoscopy, Endoscopy & Percutaneous Techniques* 13 [2], Seite 71-5.
- [94] Archer, S. B.; Brown, D. W.; Smith, C. D.; Branum, G. D. und Hunter, J. G. (2001): Bile duct injury during laparoscopic cholecystectomy: results of a national survey, *Annals of Surgery* 234 [4], Seite 549-58; discussion 558-9.
- [95] Calvete, J.; Sabater, L.; Camps, B.; Verdu, A.; Gomez-Portilla, A.; Martin, J.; Torrico, M. A.; Flor, B.; Cassinello, N. und Lledo, S. (2000): Bile duct injury during laparoscopic cholecystectomy: myth or reality of the learning curve?, *Surgical Endoscopy* 14 [7], Seite 608-11.
- [96] Chung, R. S.; Wojtasik, L.; Pham, Q.; Chari, V. und Chen, P. (2003): The decline of training in open biliary surgery: effect on the residents' attitude toward bile duct surgery, *Surgical Endoscopy* 17 [2], Seite 338-40; discussion 341.
- [97] Wysocki, A.; Bobrzynski, A.; Krzywon, J. und Budzynski, A. (1999): Laparoscopic cholecystectomy and gallbladder cancer, *Surgical Endoscopy* 13 [9], Seite 899-901.
- [98] Kramling H.J., Hutt T. P., Heberer G. (1999): Development of gallstone surgery in Germany, *Surgical Endoscopy.* 13(9):909-13, 1999 Sep.
- [99] Soderlund, C.; Frozanpor, F. und Linder, S. (2005): Bile duct injuries at laparoscopic cholecystectomy: a single-institution prospective study. Acute cholecystitis indicates an increased risk, *World Journal of Surgery* 29 [8], Seite 987-93.

- [100] Ludwig, K.; Bernhardt, J.; Steffen, H. und Lorenz, D. (2002): Contribution of intraoperative cholangiography to incidence and outcome of common bile duct injuries during laparoscopic cholecystectomy, *Surgical Endoscopy* 16 [7], Seite 1098-104.
- [101] Fathy, O.; Zeid, M. A.; Abdallah, T.; Fouad, A.; Eleinien, A. A.; el-Hak, N. G.; Eleibiedy, G.; el-Wahab, M. A.; Sultan, A.; Anwar, N. und Ezzat, F. (2003): Laparoscopic cholecystectomy: a report on 2000 cases, *Hepato-Gastroenterology* 50 [52], Seite 967-71.
- [102] Rupp, K. D.; Sturbeck, K.; Holzgreve, A. und Hohlbach, G. (1995): [Complications after laparoscopic cholecystectomy]. [German], *Zentralblatt fur Chirurgie* 120 [5], Seite 360-3.
- [103] Morlang, T.; Umscheid, T. und Stelter, W. J. (1995): [Laparoscopic cholecystectomy: a prospective study of 1,775 unselected patients]. [German], *Zentralblatt fur Chirurgie*. 120(5):353-9.
- [104] Roviaro, G. C.; Maciocco, M.; Rebiffat, C.; Varoli, F.; Vergani, V.; Rabughino, G. und Scarduelli, A. (1997): Complications following cholecystectomy, *Journal of the Royal College of Surgeons of Edinburgh* 42 [5], Seite 324-8.
- [105] Ludwig, K.; Lorenz, D. und Koeckerling, F. (2002): Surgical strategies in the laparoscopic therapy of cholezystolithiasis and common duct stones, *ANZ Journal of Surgery* 72 [8], Seite 547-52.