

Literaturverzeichnis

- ACKERMAN, R. A., und RAHN, H. (1981):
In vivo O₂ and water vapor permeability of the hen's eggshell during early development.
Respir. Physiol. 45, 1-8
- ACKERMAN, R. A., und G. M. RAMM (1971):
Effects of 5 days of hypoxia on the blood of chick embryos.
Teratology 4, 445-452
- ADAIR, T. H., A. C. GUYTON, J. P. MONTANI, H. L. LINDSAY, and K. A. STANEK
(1987):
Whole body structural vascular adaptation to prolonged hypoxia in chick embryos.
Am. J. Physiol., 252, 1228-1234
- AKESTER, A. R. (1971):
“The heart”. In: Bell, D. J., and B. M. Freeman: Physiology and Biochemistry of the Domestic Fowl; Vol. 2
London, Academic Press, Pp. 745–774
- ALTIMIRAS, J., and L. PHU (2000):
Lack of physiological plasticity in the early chicken embryo exposed to acute hypoxia
J. Exp. Zool., 286 (5): 450-6
- ANVERSA, P., and B. NADAL – GINARD (2002):
Myocyte renewal and ventricular remodelling.
Nature, 415, 240-243
- ANVERSA, P., C. BEGHI, S. MC DONALD, V. LEVICKY, . KIKKAWA, und G. OLIVETTI (1984):
Morphometry of right ventricular hpertrroph induced by myocardial infarction in the rat
Am. J. Pathol., 116, 504-513
- ARMSTRONG, M. T., D. Y. LEE and P. B. ARMSTRONG (2000):
Regulation of Proliferation of the Fetal Myocardium.
Dev. Dyn. 219, 226-236
- ASSON-BATRES, M. A., M. K. STOCK, J. F. HARE and J. METCALFE (1989):
O₂ effect on composition of chick embryonic heart and brain.
Resp. Physiol. 77, 101-110
- BAUMANN, R., S. PADEKEN and E. A. HALLER (1983):
Effects of hypoxia on oxygen affinity, hemoglobin pattern, and blood volume of early chicken embryos.
Am. J. Physiol. 244, R733-R741
- BAUMANN, R., S. PADEKEN and E. A. HALLER (1982):
Functional properties of embryonic chicken hemoglobins.
J. Appl. Physiol., 53(6),1439-48

- BAUMANN, R. E. GOLDBACH, E. A. HALLER, und P. G. WRIGHT (1984)
Organic phosphates increase the solbility of avian haemoglobin D and embryonic chicken haemoglobin.
Biochem. J., 217, 767-771
- BECKER, D. L., J. E. COOK, C. S. DAVIES, W. H. EVANS and R. G. GOURDIE (1998):
Expression of major gap junction connexin types in the working myocardium of eight chordates.
Cell Biology International, 22, No. 718, 527-543
- BELLAIRS, R., and M. OSMOND (1998):
The Atlas of the chick Development.
London, Academic Press, Pp. 187-205
- BEN-SHACHAR, G. R., A. ARCILLA, R. V. LUCAS and J. F. MANASEK (1985):
Ventricular trabeculations in the chick embryo heart and their contribution to ventricular and muscular septal development.
Circ. Res., 57, 759-766
- BENNETS, B., H. BURNETT, and C. G. DOS REMEDIOS (1989):
Differential coexpression of alpha actin genes within the human heart.
Cell. Cardiol., 18, 993-996
- BICAL, O., P. GALLIX, M. TOUSSAINT, P. LANDAIS, D. GAILLARD, J. KARAM, and J. Y. NEVEUX (1990):
Intrauterin versus postnatal repair of created pulmonary artery stenosis in the lamb.
Morphologic comparison.
J. Thorac. Cardiovasc. Surg., 99, 685-690
- BISHOP, S. P. (1990):
The myocardial cell: normal growth, cardiac hypertrophy and response to injury.
Toxicol. Pathol., 18(4 Pt 1), 438-453
- BLAUSEN, B. E., R. S. JOHANNES, G. M. HUTCHINS (1990):
Computer based reconstruction of the cardiac ventricles of human embryos.
Am. J. Cardiovasc. Path., 3; 37-43
- BONNET, R., und K. PETER (1929):
Lehrbuch der Entwicklungsgeschichte, 5. Auflage.
Berlin, Paul Parey Verlag, S. 48-64
- BOYD, W. C., and E. SLAPEIGH (1954):
Specific precipitating activity of plant agglutinins (lectins).
Science, 119, 419
- BRAGULLA, H. (2003)
Vorlesungsskript Embryologie
<http://www.vetmed.fu-berlin.de/we01/> Stand: 15.10.2003

BRAGULLA, H. (2004):

Persönliche Mitteilungen

BRAUCH, N. (2002):

Der Einfluss von unterschiedlichen Inkubationstemperaturen und Sauerstoffmangel auf die Konzentration von zyklischem Adenosinmonophosphat in embryonalen Herzzellen von Hühnern.

Berlin, Freie Universität Berlin, Fachbereich Veterinärmedizin, Diss.

BRILL A., H. ELINAV, and D. VARON (2004):

Differential role of platelet granular mediators in angiogenesis.

Cardiovasc. Res., 1;64-74

BRÜEL, A., H. OXLUND, and J. R. NYENGAARD (2002):

Growth hormone increases the total number of cardiac myocyte nuclei in the left ventricle from adult rats.

Mech. Aging Dev., 123, 1315-1353

BRUNS, G. A., and V. M. INGRAM (1973):

The erythroid cells and haemoglobins of the chick embryo.

Biol. Sci., 266, 225-305

BRUSH, A. H. (1966):

Avian heart size and cardiovascular performance.

Auk, 83, 266

BURGGREN, W. (1999):

Genetic, environmental and maternal influences on embryonic cardiac rhythms.

Comp. Biochem Physiol. A. Mol. Integ. Physiol., 124, 423-427

BURTON, F., S. TULETT (1985):

Respiration of avian embryos.

Comp. Biochem. Physiol., 82, 735-744

CANALE, E. D., G. R. CAMPBELL, J. J. SMOLLICH, and J. H. CAMPBELL (1986):

Cardiac muscle.

In: Oksche, A., and L. Vollrath (Eds.): Handbook of microscopic anatomy, Vol I/7
Berlin, Springer Verlag

CHAN, T., and W. BURGGREN (2005):

Hypoxic incubation creates differential morphological effects during specific developmental critical windows in the embryo of the chicken (*Gallus gallus*).

Respir. Physiol. Neurobiol., 145(2-3):251-263

CHENG, G., A. WESSELS, R. G. GOURDIE, and R. P. THOMPSON (2002):

Spatiotemporal distribution of apoptosis in embryonic chicken heart.

Dev. Dyn., 223, 119-133

CHRIST, B., und F. WACHTLER (1998):

Medizinische Embryologie.

Berlin, Ullstein Medical Verlag, S.26-39

CAMPBELL, T. W. (1995):

Avian hematology and cytology.

Iowa, Iowa State Press

CARY, R. B., and M. W. KLYMKOWSKY (1994):

Differential organization of desmin and vimentin in muscle is due to differences in their head domains.

J. Cell Biol., 126, 445-456

CHALLICE, C. E., and S. VIRAGH (1973)

The architectural development of the early mammalian heart.

Tissue Cell, 6, 447-462

CHRISTOFFELS, V. M., P. E. M. H. HABETS, D. FRANCO, M. CAMPIONE, F. DE JONG, F. LAMERS, W. H., Z. Z. BAO, S. PALMER, C. BIBEN, R. P. HARVEY, and A. F. M. MOORMAN (2000):

Chamber formation and morphogenesis in the developing heart.

Dev. Biol., 223, 266-278

CIROTTA, C. and ARANGI, I. (1989):

How do avian embryos breathe? Oxygen transport in the blood of early chick embryos.

Comp. Biochem. Physiol., A. 94, 607-613

CIROTTA, C., A. SCOTTO DI TELLA, and G. GERACI (1975):

The hemoglobins of the developing chicken embryos. Fractionation and globin composition of the individual component of total erythrocytes and of a single erythrocyte type.

Cell. Differ., 4, 87-99

CIROTTA, C., F. PANARA, and G. GERACI (1977):

Two different populations of primitive erythroid cells in the chick embryo.

Dev. Biol., 61, 384-387

CIROTTA, C., I. ARANGI, and F. PANARA (1980):

The haemoglobins of developing duck embryos.

J. Embryol. Exp. Morphol., 60, 389-404

CLARK, E. B., N. HU and P. E. FROMMELT (1989):

Effects of increased pressure on ventricular growth in stage 21 chick embryos.

Am. J. Physiol., 146, 379-385

CORONA, T. B. and S. J. WARBURTON (2000):

Regional hypoxia elicits regional changes in chorioallantoic membrane vascular density in alligator but not chicken embryos.

Comp. Biochem. Physiol. A Mol. Integr. Physiol., 125, 57-61

COSTA, M.L., R. ESCALEIRA, A. CATALDO, F. OLIVEIRA, and C.S. MERMELSTEIN (2005):

Desmin: molecular interactions and putative functions of the muscle intermediate filament protein.

Braz. J. Med. And Biol. Res., 37, 1819-1830

CREASY, R. K. , C. T. BARETT, M. DE SWIET, K. V. KAHANPAA, and A. M. RUDOPH (1972):

Experimental intrauterine growth retardation in the sheep.

Am. J. Obstet. Gynecol., 112; 566-573

DANILOV, R. K, and I. F. IBRAGIMOVA (1993):

Myocyte proliferation and differentiation in experimentally induced myocardial hypertrophy.

Morfologia, 104(3-4), 62-73.

DANTO, S. I., and D. A. FISCHMAN (1984)

Immunocytochemical analysis of intermediate filaments in embryonic heart cells with monoclonal antibodies to desmin.

J. Cell Biol., 98, 2179 - 2191

DEETJEN, P., and E.-J.SPECKMANN (1994):

Physiologie.

München, Urban & Schwarzenberg

DE JONG, F., T. OPTHOF, A. A. WILDE, M. J: JANSE; R: CHARLES, W. H. LAMERS, and A. F. MOORMAN (1992):

Persisting zones of slow impulse conduction in developing chick hearts.

Circ. Res., 71, 240-250

DE JONG, F., S. VIRÁGH, and A.F.M. MOORMAN (1997):

Cardiac development: A morphologically integrated molecular approach.

Cardiol. Young, 7, 131-146

DE LA CRUZ, M. V., and C. SANCHEZ-GOMEZ (1999):

Straight tube heart. Primitive cardiac cavities vs. primitive cardiac segments.

In: M. De la Cruz and R. R. Markwald (Eds.): Living Morphogenesis of the heart.

Chapter 3.

Boston, Birkhäuser, Pp. 85-98

DE LA CRUZ, M. V., C. SANCHEZ-GOMEZ, M. M. ARTEAGA, and C. ARGUELLO (1977):

Experimental study of the development of the truncus and the conus in the chick embryo.

J. Anat., 123, 661-686

DE TOMBE, A. L., B. J. VAN BEEK – HARMSEN, M. B. E. LEE – DE GROOT, and W. J. VAN DER LAARSE (2002):

Calibrated histochemistry applied to oxygen supply and demand of hypertrophied rat myocardium.

Micros. Res. Techn., 58, 412-420

DECKER, S. (2002):

Der langfristige Einfluss eines verminderten O₂-Angebotes während der Inkubation auf Katecholamine, Stoffwechselmetabolite sowie Hämatokrit und Hämoglobin im Blut von Hühner- und Entenembryonen.

Berlin, Freie Universität Berlin, Fachbereich Veterinärmedizin, Diss.

DONAT, K. (1996):

Anleitung zur Ganztierpräparation des Huhnes.

Berlin, Inst. für Veterinär-Anatomie, Pp. 33

DRAGON, S., S. GLOMBITZA, R. GOTZ, und R. BAUMANN (1996):

Norepinephrine mediated hypoxic stimulation of embryonic red cell carbonic anhydrase and 2,3-DPG-synthesis.

Am. J. Physiol., 271, 982-989

DUNCKER, H. R. (2000):

Der Atemapparat der Vögel und ihre lokomotorische und metabolische Leistungsfähigkeit.

J. Ornithol., 141, 1-67

DUNCKER, H. R. (1978 b):

Development of the avian respiratory and circulatory systems.

In: Piiper, J. (ed): Respiratory Function in birds, Adult and embryonic.

Berlin, 3, 260-273

DUSSEAU, J. W., and P. M. HUTCHINS (1988):

Hypoxia-induced angiogenesis in chick chorioallantoic membranes: A role for adenosine.

Respir. Physiol., 71, 33-44

DUSSEAU, J. W., and P. M. HUTCHINS (1989):

Microvascular responses to chronic hypoxia by the chick chorioallantoic membrane: a morphometric analysis.

Microvasc. Res., 37, 138-147

DZIAŁOWSKI, E., D. von PLETENBERG, N. A. ELMONOUFFY, and W. W.

BURGGREN (2002):

Chronic hypoxia alters the physiological and morphological trajectories of developing chicken embryos.

Comp. Biochem. Physiol. A., 131, 713-724

ECKERT, R. (1986):

Tierphysiologie.

Stuttgart, Thieme

EDE, D. A. (1964):

"Bird structure"

London, Hutchinson Educational

- EHLER, E., B. M. ROTHEN, S. P. HÄMMERLE, M. KOMIYAMA, and J. C. PERRIARD (1999):
Myofibrillogenesis in the developing chicken heart: assembly of Z-disc, M-line and thick filaments.
J. Cell Science, 112, 1529-1539
- EVANS, D., J. B. MILLER, and F. E. STOCKDALE (1988)
Developmental patterns of expression and coexpression of myosin heavy chains in atria and ventricles of the avian heart.
Dev. Biol., 127, 376-383
- FAZEL, A. R., R. P. THOMPSON, H. SUMIDA, and B. A. SCHULTE (1989):
Lectin histochemistry of the embryonic heart: Expression of terminal and penultimate galactose residues in developing rats and chicks.
Am. J. Anat., 184, 85-94
- FISCHMANN, D. A. (1986):
Myofibrillogenesis and the morphogenesis of Skeletal muscle.
In: Engel, A. G., and B. Q. Banker (Eds): *Myology: Basic and Clinical..*
New York, Mc Graw – Hill Book Co., Pp. 112-118
- FRANCO, D., J. YA, G. T. M. WAGANAAR, W. H. LAMERS, and A. F. M. MOORMAN (1997):
The trabecular component of the embryonic ventricle.
In: Ostadal, B., M. Nagano, N. Takeda, N. S. Dhalla (Eds): *The developing heart.*
Philadelphia, Lippincott – Raven; Pp. 51-60
- FRANCO, D., W. H. LAMERS, M. BUCKINGHAM, and A. F. M. MOORMAN (1998):
Patterns of gene expressions in the developing myocardium: towards a morphologically integrated transcriptional model
Cardiovasc. Res., 38, 25-53
- FREEMAN, B. M., and M. A. VINCE (1974):
Development of the avian embryo.
London, Chapman and Hall
- GALLICANO, G. I., P KOUKLIS, C. BAUER, M. YIN, V. VASIOUKHIN, L. DEGENSTEIN,
and E. FUCHS (2004):
Desmoplakin is required early in development for assembly of desmosomes and cytoskeletal linkage.
J. Cell Biol., Vol. 143 (7), 2009-2022
- GARCIA-CASTRO, M. I., E. VIELMETTER, and M. BRONNER-FRASER (2000):
N-Cadherin, a cell adhesion molecule involved in establishment of embryonic left-right asymmetry.
Science, 288, 1047-1051

- GARCIA-PELAEZ, I., and M.ARTEAGA (1993):
Experimental study of the development of the truncus arteriosus of the chick embryo heart. I. Time of appearance.
Anat. Rec., 237(3), 378-84
- GARD, D. L., and E. LAZARIDES (1980)
The synthesis and distribution of desmin and vimentin during myogenesis in vitro.
Cell., 19(1), 263-275
- GARVEY, D. J., and L. D. LONGO (1978):
Chronic low level maternal carbon monoxide exposure and fetal growth and development.
Biol. Reprod., 19, 8-14
- GEIGER, B., and O. AYALON (1992):
Cadherins.
Annu. Rev. Cell. Biol., 8, 307-332
- GERDES, A. M., J. A. MOOR, J. M. HINES, P. A. KIRKLAND and S. P. BISHOP (1986):
Regional differences in myocyte size in the normal rat heart.
Anat. Rec., 215: 20-426
- GERDES, A. M., and F. H. KASTEN (1980):
Morphometric study of left ventricle in adult dogs.
Am. J. Anat. 159, 389-394
- GERDES, A. M., J. A. MOOR, J. M. HINES, P. A. KIRKLAND, and S. P. BISHOP (1986):
Regional differences in myocyte size in the normal rat heart.
Anat. Rec., 215, 420-426
- GHATPANDE, S., S. SHAFIQ, und M.A. SIDDIQUI (2001):
Ventricular myosin light chain 2-gene expression in developing heart of chicken embryos.
Biol. Res., 34 (3/4), p.243
- GONZALEZ-SANCHEZ, A.,and D. BADER (1984):
Immunohistochemical analysis of myosin heavy chains in the developing chicken hearts.
Dev. Biol., 103, 151-158
- GONZALEZ-SANCHEZ, A., and D. BADER (1985):
Characterization of a myosin heavy chain in the conductive system of the adult and developing chicken heart.
J. Cell Biol., 100(1), 270-275.
- GRIFFITH, C. M., and E. J. SANDERS (1991):
Changes in glycoconjugate expression during early chick embryo development: a lectin-binding study.
Anat. Rec., 231(2),238-250

- GUAN, K., D. O. FURST, and A. M. WOBUS, (1999):
Modulation of Sarcomere organization during embryonic stem cell derived
cardiomyocyte differentiation.
Eur. J. Cell Biol., 78 (11), 813-23
- GUTSTEIN, D. E., F. LIU, M. B. MEYERS, A. CHOO, and G. I. FISHMAN (2002):
The organization of adherens junctions and desmosomes at the cardiac intercalated dis cis
independant of gap junctions.
J. Cell Science, 116, 875-885
- HA T, Y. LI, F. HUA, J. MA, X. GAO, J. KELLEY, A. ZHAO. G. E. HADDAD, D. L.
WILLIAMS, I. BROWDER, R. L. KAO and C. LI (2005):
Reduced cardiac hypertrophy in toll-like receptor 4-deficient mice following pressure
overload.
Cardiovasc Res., Abstract, publication ahead of Print
- HANDEL, S. E, M. L. GREASER, E. SCHULTZ, S. M. WANG, J. C. BULINSKI, J. J. LIN,
and J. L. LESSARD (1991):
Chicken cardiac myofibrillogenesis studied with antibodies specific for titin and the
muscle and nonmuscle isoforms of actin and tropomyosin.
Cell Tissue Res., 263(3), 419-430
- HARTMAN, F. A. (1955):
Heartweight in birds.
Condor 57, Pp.221
- HASSANZADEH, M, J. BUYSE, and E. DECUYPERE (2002):
Further evidence for the involvement of cardiac beta-adrenergic receptors in right
ventricle hypertrophy and ascites in broiler chickens.
Avian Pathol., 31(2), 177-181
- HEFTI, M. A., B. A. HARDER, H. M. EPPENBERGER, and M. C. SCHAUB (1997):
Signaling pathways in cardiac myocyte hypertrophy.
J. Mol. Cell Cardiol., 29, 2873-2892
- HEINE, H. (1989):
Gibt es ein Strukturprinzip des Myokards?
Gegenbauers Morphol. Jahrb. 135, 463-474
- HEMMING, F. J., and R. SAXOD (1998):
Regulated expression of keratan sulphate and peanut agglutinin binding sites during
organogenesis in the developing chick.
Histochem Cell Biol., 110(2), 189-200
- HIROTA ,A., K. KAMINO, H. KOMURO, and T. SAKAI (1987):
Mapping of early development of electrical activity in the embryonic chick heart using
multiple-site optical recording.
J Physiol., 383, 711-28

HIRAKOW, R. (1970):

Ultrastructural characteristics of the mammalian and sauropsidan heart.
Am. J. Cardiol., 25, p. 195

HIRAKOW, R., T. GOTOH, and T. WATANABE (1980):

Ultrastructural differentiation and growth of mammalian cardiac muscle cells. I The atria
and ventricles of the rat.
Acta anat., 108, 144-152

HIRANO, S., N. KIMOTO, Y. SHIMOYAMA, S. HIROHASHI, and M. TAKEICHI (1992):

Identification of a neural α -catenin as a key regulator of cadherin function and
multicellular organization.

Cell, 70, 293-301

HIRANO, S., A. NOSE, K. HATTA, A. KAWAKAMI, and M. TAKEICHI (1987):

Calcium-dependant cell-cell adhesion molecules (cadherins): subclass specificities and
possible involvement of actin bundles.

J. Cell. Biol., 105, 2501-2510

HODGES, R. D. (1974):

“The Histology of the domestic Fowl”.
London, Academic press, Pp. 187-205

HOLTZER, H., T. HIJIKATA, Z. X. LIN, Z. Q., S. HOLTZER, F. PROTASI, C. FRANZINI
und H. L. SWEENEY (1997)

Independent assembly of 1.6 microns long bipolar MHC filaments and I-Z-I bodies.
Cell Struct. Funct. 22(1), 83-93.

HOEDT-SCHMIDT, S., J. MC CLURE, M. K., JASANI, and D.A. KALBHEN (1993):

Immunohistochemical localization of articular cartilage proteoglycan and link protein in
situ using monoclonal antibodies and lectin-binding methods.
Histochemistry, 99(5), 391-403

HOLLENBERG, M., N. HONBO, and A. J. SAMORODIN (1976):

Effect of hypoxia on cardiac growth in neonatal rat.
Am. J. Physiol., 231, 1445-1450

HOMBERGER, D. C. (2000):

Similarities and differences: the distinctive approaches of systematics and comparative
anatomy towards homology and analogy.
In: Peter, W., und M. Weingarten (Eds.): Organisms, genes, and evolution.
Stuttgart, Franz Steiner

HOPPE, W., W. LOHMANN, H. MARKL, und H. ZIEGLER (1982)

Biophysik.
Berlin, Springer Verlag

HORWITZ, R. (2003):

Histology of muscle.

CTS / Physiology, Lecture 20

www.healthsystem.Virginia.Edu/internet/development/yearinreview_web.pdf

Stand 21.10.2003

HÜHNKE, A. (2003):

Der Einfluss von Sauerstoffmangel in der Inkubationsluft auf den Blut-Gas-Status und morphologische Parameter von Hühnerembryonen (*Gallus gallus f. domestica*).

Berlin, Freie Universität Berlin, Fachbereich Veterinärmedizin, Diss.

HUNGERFORD, J. E., G. K. OWENS, W. S. ARGRAVES, and C. D. LITTLE (1996):

Development of the aortic vessel wall as defined by vascular smooth muscle and extracellular matrix marker.

Dev Biol., 178, 375-392

HUNGERFORD, J. E., J. P. HOEFFLER, C. W. BROWSER, L. M. DAHM, R.

FALCHETTO,

J. SHABANOWITZ, D. F. HUNT, and C. D. LITTLE (1997):

Identification of a novel marker for primordial smooth muscle and its differential expression pattern in contractile vs noncontractile cells.

J. Cell Biol., 137; 925-937

HURLE, J. M. J. and L. OJEDA (1977):

Cardiac jelly arrangement during the formation of the tubular heart of the chick embryo.
Acta Anat., 98(4), 444-445.

ICARDO, J.M. (1989):

Changes in endocardial cell morphology during development of the endocardial cushions.
Berlin, Anat Embryol., 179(5), 443-448

ICARDO, J. M., and A. FERNANDEZ-TERAN (1987):

Morphologic study of ventricular trabeculation in the embryonic chick heart.
Acta Anat., 130, 264-274

ISAACKS, R. E., D. R. HARKNESS, J. L. ADLER, and P. H. GOLDMAN (1976):

Studies on avian erythrocyte metabolism. Effect of organic phosphates on oxygen affinity of embryonic and adult-type hemoglobins of the chick embryo.

Arch. Biochem. Biophys., 173, 114-120

IVATT, R. J. (1984):

Role of glycoproteins during normal mammalian embryogenesis. In: J. R. Ivatt, (Ed.),
The biology of glycoproteins.
New York, Plenum Press, Pp. 95-181

JEANLOZ, R. W., and J. F. CONDIGTON (1976):

The histological role of sialic acid at the cell surface of the cell. In::A. Rosenberg, C.L., Schengrund (Eds.) Biological Roles of Sialic acids.
New York, Plenum press, Pp. 201-238

JAIN, N.C. (1993):

Essentials of veterinary hematology.
Lippincott Williams und Wilkins Verlag

JEDLICKA, S. J. N. FINKELSTEIN, L. A. PAULHAMUS, E., and B. POELMANN (1997):
Increased PDGF-like Protein in banded embryonic ventricle.
Ped. Research, 29, Pp. 19

JETER, J. R., and I. L. CAMERON (1971):

Cell proliferation patterns during cytodifferentiation in embryonic chick tissues: liver,
heart and erythrocytes.
J. Embryol. Exp. Morph., 23, 405-422

JILANI, S. M., T. J. MURPHY, S. N. THAI, A. EICHMANN, J. A. ALVA, and M. L.

IRUELA-ARISPE (2003):
Selective binding of lectins to embryonic chicken vasculature.
J. Histochem. Cytochem., 51(5), 597-604

JING, YA, M. W. M. MARKMAN, G. T. M. WAGENAAR, P. B. BLOMMAART, A. F.
M. MOORMAN, and W. H. LAMERS (1997):

Expression of the Smooth-Muscle Proteins a-Smooth-Muscle Actin and Calponin, and of
the Intermediate Filament Protein Desmin are Parameters of Cardiomyocyte Maturation
in the Prenatal Rat Heart.
Anat. Rec. 249, 495-505

JONGEN, W. M., D. J. FITZGERALD, M. ASAMOTO, C. PICCOLI, T. J. SLAGA, D.
GROS

M.TAKEICHI, and H. YAMASAKI (1991):
Regulation of connexin 43-mediated gap junctional intercellular communications by Ca²⁺
in mouse epidermal cells is controlled by E-Cadherin.
J. Cell Biol., 114, 545-555

JORNS, J., U. MANGOLD, U. NEUMANN, E. J. VAN DAMME, W. J. PEUMANS, U.
PFULLER, and U. SCHUMACHER (2003):

Lectin histochemistry of the lymphoid organs of the chicken.
Berlin, Anat. Embryol., 207(1), 85-94

JOVANOVIC S., A. J. GRANTHAM, J. E. TARARA, J. C. JR BURNETT, A.,
JOVANOVIC and A. TERZIC (1999):

Increased number of cardiomyocytes in cross-sections from tachycardia-induced
cardiomyopathic hearts.
Int. J. Mol. Med., 3(2), 153-155

KAMINO, K. (1991):

Optical approaches to ontogeny of electrical activity and related functional organization
during early heart development.
Physiol. Rev., 71, 53-91

KERN, A. (1962):

Das Vogelherz, Untersuchungen zu Gallus domesticus Briss.
Zürich, Inst. für Vet. Anat., Diss.

KIM, J. S. S, VIRÁGH, A. F. M. MOORMAN, R. H. ANDERSON, and W. H. LAMERS (2001):

Development of the myocardium of the atrioventricular canal and the vestibular spine in the human heart.
Circ. Res., 88, 395-402

KING, A.S., and J. MC LELLAND (1984):

Birds: Their Structure and Function.
London, Bailliere Tindall

KOCH, P. J., and W. W. FRANKE (1994):

Desmosomal Cadherins: another growing muligene family of adhesion molecules.
Cell Biol., 6, 682-687

KOMAREK, V., L. MALINOWSKI, and L. LEMEZ (1982):

Anatomia avium domesticarum et embryologia Galli (In Slovak).
Bratislava, Priroda

KOROHODA, W., A. JURKIEWICZ, I. FIGIEL, and J. CZYZ (2005):

A new model for the research into rhythmic contraction activity of cardiomyocytes in vitro.
Biochem. Cell Biol., 73, 431-439

KUTRYK, M. B. J, and D. J. STEWART (2003):

Angiogenesis of the heart.
Mic. Res. and techn., 60, 138-158

LAMERS, W. H., and A. F. M. MOORMAN (2002):

Cardiac Septation, a late contribution of the embryonic primory myocardium to heart morphogenesis.
Circ. Res., 91, 93-103

LAMERS, W. H., S. VIRÁGH, A. WESSELS, A. F. M. MOORMAN, and R. H.

ANDERSON (1995):
Formation of the tricuspid valve in the human heart
Circulation 91, 111-121

LEE, S. H., J. E. HUNGERFORD, C. D. LITTLE, and M. L. IRUELA-ARISPE (1997):

Proliferation and Differentiation of smooth muscle cell precursors occurs simultaneously during the development of the vessel wall.
Dev. Dyn., 209, 342-352

- LEE, Y. M., C. JEONG, S. KOO, M. J. SON, H. S. SONG, S. BAE, J. A. RALEIGH, H. CHUNG, M. YOO, and K. KIM (2001):
Determination of hypoxic Region by Hypoxia marker in developing mouse Embryos in Vivo: a possible Signal for vessel Development.
Dev. Dyn., 220, 175-168
- LEGATO, M. J. (1979):
Cellular mechanism of normal growth in the mammalian heart. I Qualitative and quantitative features of ventricular architecture in the dog from birth to 5 month.
Circ. Res., 44, 250-262
- LI, H., S. K. CHOUDHARY, D. J. MILNER, M. I.:, MUNIR, I. R., KUISK, and Y., CAPENTANAKI (1994):
Inhibition of desmin expression blocks myoblast fusion and interferes with the myogenic regulators MyoD and myogenin.
J. Cell Biol., 124(5), 827-841
- LIEBIG, H. G. (1990):
Funktionelle Histologie.
Stuttgart, Schattauer Verlagsgesellschaft, S. 81-83
- LILLIE, F. (1951):
Lillie's Development of the chick.
New York, Holt, Rinehart and Winston
- LINASK, K. K., K. A. KNUDSEN, and Y.-H. GUI (1997):
N-Cadherin-catenenin interaction: necessary component of cardiac cell compartmentalization during early vertebrate heart development.
Dev. Biol., 185, 148-164
- LOUD, A. V., P. ANVERSA, F. GIACOMELLI, and J. WIENER (1978):
Absolute morphometric study of myocardial hypertrophy in experimental hypertension.
Determination of myocyte size.
Lab. Invest., 38, 586-596
- LYONS, G. E. (1994):
In situ analysis of the cardiac muscle gene program during embryogenesis.
Trends Cardiovasc. Med., 4, 70-77
- LYONS, G. E. (1996):
Vertebrate heart development.
Curr. Opin. Genet. Dev., 6; 454-460
- MÄNNER, J. (1999):
Does the subepicardial mesenchyme contribute myocardioblasts to the myocardium of the chick embryo heart?
Anat. Rec. 255, 212-226

MÄNNER, J. (2000):

Cardiac looping in the chick embryo: A morphological review with special references to terminological and biomechanical aspects of the looping process.
Anat. Rec. 259, 248-262

MANASEK, F. J. (1968):

Embryonic development of the heart. I.: A light and electron microscpic study of myocardial development in the early chick embryo.
J. Morphol., 125, 329-366

MANASEK, F. J. (1970):

Histogenesis of the embryonic myocardium.
Am. J. Cardiol., 25, 149-168

MANASEK, F. J., J. ICARDO, A. NAKAMURA, and L. SWEENEY (1986):

Cardiogenesis: Developmental mechanisms and embryology. In: H. A. Fozzard, (Ed.) The heart and cardiovascular system.
New York, Raven Press, Pp. 965-985

MANN, P. L., C. M. SWARTZ, and P. O. KELLEY (1987):

Cell surface oligosaccharide modulation during differentiation. II: Membrane mobility of oligosaccharide lectin conjugates.
Mech. Ageing Dev., 38, 219-230

MARRS, J. A., and W. J. NELSON (1996):

Cadherin cell adhesion molecules in differentiation and embryogenesis.
Int. Rev. Cytol., 165, 159-205

MC CUTCHEON, I. E., J. METCALFE, A. B. METZENBERG und T. ETTINGER (1982):

Organ growth in hyperoxic and hypoxic chick embryos.
Respir. Physiol. 50, 153-163

MEYER, R. A., D. W. LAIRD, J.-P. REVEL, and R. G. JOHNSON (1992):

Inhibition of gap junction and adherens junction assembly by connexin and A-CAM antibodies.
J. Cell Biol., 119, 179-189

MILLER, C. E., K. J. DONLON, L. TOIA, C. L. WONG, and P. R. CHESS (2000):

Cyclic strain induces proliferation of cultured embryonic heart cells.
In vitro Cell Dev. Biol. Anim., 36, 633-639

MIMA, T., H. UENO, D. A. FISCHMANN, L. T. WILLIAMS, and T. MIKAWA (1995):

Fibroblast growth factor receptor is required for in vivo cardiac myocyte proliferation at early embryonic stages of heart development.
Proc. Natl. Acad. Sci., 92, 467-471

- MJAATVEDT, C. H., H. YAMAMURA, A. WESSELS, A. RAMDELL, D. TURNER, and R. R. MARKWALD (1999):
Mechanism of segmentation, septation and remodeling of the tubular heart: endocardial cushion fate and cardiac looping. In: R. P. Harvey and N. Rosenthal (Eds.) Heart Development
San Diego, Academic press, Pp.195-207
- MOORE, L. G., S. S. ROUNDS, D. JAHNINGEN, R.F. GROVER, and J.T. REEVES (1982):
Infant birth weight is related to maternal arterial oxygenation at high altitude
J. Appl. Physiol., 52, 695-699
- MOORMAN, A. F. M., C. A. SCHUMACHER, P. A. J. DE BOER, J. HAGOORT, K. BEZSTAROSTI, M. J. B. VAN DEN HOFF, G. T. M. WAGENNAAR, J. M. J. LAMERS, F. WUYTACK, V. M. CHRISTOFFELS, and J. W. T. FIOLET (2000a):
Presence of functional sarcoplasmic reticulum in the developing heart and its confinement to chamber myocardium.
Dev. Biol. 223, 279-290
- MOORMAN, A. F. M., and W. H. LAMERS (1994):
Molecular anatomy of the developing heart.
Trends Cardiovasc. Med., 4, 257-264
- MOORMAN, A. F. T., M. J. B. VAN DEN HOFF, F. DE JONG, D. FRANCO, W. H. LAMERS, A. WESSELS, and R. R. MARKWALD (2000b):
Myocardialization: A novel mechanism of cardiac septation.
In: E. B. Clark, M. Nakazawa, and A. Takao (Eds.), "Etiology and morphogenesis of congenital heart disease: Twenty years of progress in genetics and developmental biology".
New York, Futura Publishing Company, Pp.131-135
- MORRIS, E. W. T. (1976):
Observations on the source of embryonic myocardioblasts.
J. Anat., 121, 47-64
- MULDER, A.L., J. M. GOLDE, A. A., GOOR, D. A. GIUSSANI, und C. E. BLANCO (2000):
Developmental changes in plasma catecholamine concentrations during normoxia and acute hypoxia in the chick embryo.
J. Physiol., 527 (3), 593-599
- MUNOZ-CHAPULI, R. D. MACIAS, M. GONZALEZ-IRIARTE, R. CARMONA, G. ATENCIA, and J. M. PEREZ-POMARES (2002):
The Epicardium and Epicardial derived cells: multiple functions in cardiac development.
Rev. Esp. Cardiol., 55(10), 1070-1082
- NAGY, N., A. MAGYAR, and I. OLAH (2001):
A novel monoclonal antibody identifies all avian embryonic myogenic cells and adult smooth muscle cells.
Anat. Embryol., 204, 123-134

- NANKA, O. W. J. PEUMANS, E. J. VAN DAMME, U : PFULLER, P. VALASEK, Z. HALATA, U. SCHUMACHER, and M. GRIMM (2001):
Lectin histochemistry of microvascular endothelium in chick and quail musculature.
Anat. Embryol., 204(5), 407-411
- NICO, B., F. QUANDAMATTEO, D. RIBATTI, M. BERTOSSI, G. RUSSO, R. HERKEN, and L. RONCALI (1998):
Ultrastructural localization of lectin binding sites in the developing brain microvasculature.
Anat. Embryol., 197(4), 305-315
- OLSZOWKA, A. J., H. TAZAWA, and H. RAHN (1988):
A blood-gas normogram of the chick fetus: blood flow distribution between the chorioallantois and fetus.
Respir. Physiol., 71, 315-330
- ONG, L., N. KIM, T. MIMA, L. COHEN-GOULD, and T. MIKAWA (1998):
Trabecular Myocytes of the embryonic heart require N-Cadherin for migratory unit identity
Dev. Biol., 193, 1-9
- OSINSKA, H. E., L. F. LEMANSKI (1989)
Immunofluorescent localization of desmin and vimentin in developing cardiac muscle of Syrian hamster.
Anat. Rec., 223(4), 406-413
- OSTADAL B, I. OSTADALOVA, and N. S. DHALLA (1999):
Development of cardiac sensitivity to oxygen deficiency: comparative and ontogenetic aspects.
Physiol Rev., 79(3), 635-659
- PATTEN, B. M., and T. C. KRAMER (1933):
The initiation of contraction in the embryonic chick heart.
Am. J. Anat., 53, 349-375
- PATTEN, B. M. (1957):
Early Embryology of the Chick.
New York, McGraw-Hill Book Company, Inc., Pp. 107-116
- PARLOW, M. H., D. L. BOLENDER, N. P. KOKAN-MOORE, and J. LOUGH (1991):
Localisation of b-FGF-like Proteins as punctate inclusions in the preseptation myocardium of the chicken embryo.
Dev. Biol., 146, 139-147
- PEACOCK, A. J, C. PICKETT, K. MORRIS, and J. T. REEVES (1989):
The relationship between rapid growth and pulmonary hemodynamics in the fast-growing broiler chicken.
Am. Rev. Respir., 139(6), 1524-1530

PEIPER, U. (1996):

”Muskulatur”, In: R. Klinke und S. Silbernagl (Eds.),
Lehrbuch der Physiologie, 2.Auflage Stuttgart,
New York, Georg Thieme Verlag, Pp. 79-105

PEREZ-POMARES J. M., D MACIAS, L. GARCIA-GARRIDO, and R. MUÑOZ-

CHAPULI, (1997):

Contribution of the primitive epicardium to the subepicardial mesenchyme in hamsters
and chick embryos.

Dev. Dyn., 210, 96-105

PEXIEDER, T., S. JEDLICKA, K. SUGIMARA, A. TATIMATSU, and H. SATO (1995):

Immunohistochemical localization of platelet derived growth factor during cardiac
morphogenesis in chick and mouse embryos and fetuses. In: E. B. Clark, R.R. Markwald
and A. Takao (Eds.) Developmental mechanisms of heart disease.
New York, Futura Publishing, Pp. 207-212

PIETSCHMANN, M., and H. BARTELS (1985):

Cellular hyperplasia and hypertrophy, capillary proliferation and myoglobin
concentration in the heart of newborn and adult rats at high altitude.
Resp. Physiol., 59, 347-360

PIPER, J., H. TAZAWA, A. AR, and H. RAHN (1980):

Analysis of chorioallantoic gas exchange in the chick embryo.
Respir. Physiol., 39, 273-284

PLAGEMANN A. (2003):

Schwangere bleibt schlank.
Berlin, Aid-Presse-Info

PLENDL, J., R. HIRSCHBERG, und H. HÜNIGEN (2002):

Mechanismen der vaskulären Entwicklung und Regression.
Tierärztl. Prax., 30, 243-253

POELMANN, R. E., D. MOLIN, L. J. WISSE, and A. C. GITTINGER DE GROOT

(2000):

Apoptosis in cardiac development.
Cell Tissue Res., 301, 43-52

PSCHYREMBEL (1994)

Medizinisches Wörterbuch
Hamburg, Nikol Verlagsgesellschaft mbH, 257. Auflage

QUIRING, D. P. (1933):

The development of the sinu-atrial region of the chick heart.
J. Morph., 55, p. 81

QUIRING, D. P. (1950):

Functional anatomy of the vertebrates.
New York, Mc Graw, p. 22-34

RADIOMETER MEDICAL A/S (1999)

Das Blutgas-Handbuch.

Dänemark, RadiometerMedical A/S,

RAKUSAN, K., J. JELINEK, M SOUKUPOVA, and B. KORECKY (1965):

Postnatal development of muscle fibers and capillaries in the rat heart.

Physiol. Bohemoslov., 14, 32-37

RHEE, D., J. M. SANGER, and J. W. SANGER (1994):

The premyofibril: Evidence for its role in Myofibrillogenesis.

Cell Motil. Cytoskel., 28, 1-24

RICHA, J., and D. SOLTER (1986):

Role of cell surface molecules in early mammalian development. In: J. Rossant, R.

Pedesson, (Eds.) experimental approaches to mammalian embryonic development

Cambridge, Cambridge university press, Pp. 293-319

RISAU, W. (1993):

Development of the vascular system of the organs and tissues. In: J. Schaper, W Schaper
(Eds.) "Collateral Circulations"

Kluwer Academic Publishers, Pp. 17-23

RISAU, W. (1997):

Mechanism of angiogenesis.

Nature, 17, 671-674

ROMANOFF, A. (1960):

The avian embryo.

New York, The Macmillan Co.

ROMANOFF, A. (1967):

Biochemistry of the avian embryo.

New York, John Wiley & Sons

ROMEIS, B. (1989):

Mikroskopische Technik, 17. Aufl.

München, Urban u. Schwarzenberg

ROUWET, E. V., A. N. TINTU, M. W. SCHELLINGS, M. VAN BILSEN, E. LUTGENS,

L. HOFSTRA, D. W. SLAAF, G. RAMSAY, and F. A. LE NOBLE (2002):

Hypoxia induces aortic hypertrophic growth, left ventricular dysfunction, and sympathetic hyperinnervation of peripheral arteries in the chick embryo.

Circulation, 11, 105(23), 2791-2796

RUDOLPH, R. (2003):

Persönliche Mitteilung

RUDY, Y. (2001)

The ionic mechanism of conduction in cardiac tissue.

J. Electrocardiol., 34, 65-68

RUITJENBEEK, K., F. A. LE NOBLE, G. M. JANSSEN, C. G. KESSELS, G.E. FAZZI,

C.E.BLANCO, and J. G. DE MEY (2000):

Chronic hypoxia stimulates periarterial sympathetic nerve development in chicken.

Embryol. Circulation., 102, 2892-2897

RUITJENBEEK, K., J. G. DE MEY, and C. E. BLANCO (2002):

The chicken embryo in developmental physiology of the cardiovascular system: a traditional model with new possibilities.

Am. J. Physiol. Regul. Integr. Comp. Physiol., 283, 549-550

RUMYANTSEV, P. P. (1977)

Interrelations of the proliferation and differentiation processes during cardiact myogenesis and regeneration.

Int. Rev. Cytol., 51, 186-273

RUZICKA, D. L., and R. J. SCHWARTZ (1988):

Sequencial activation of alpha-actin genes during avian cardiogenesis, vascular smooth muscle alpha-actin gene transcript mark the onset of cardiomyocyte differentiation.

J. Cell Biol., 107, 2575-2586

RYCHTER, Z., und V. RYCHEROVA (1981):

Angio- and myoarchitecture of the heart wall under normal and experimentally changed conditions. In: T. Pexieder (Ed.) "Perspectives in Cardiovascular Research, Vol. 5, mechanism of cardiac morphogenesis and teratogenesis".

New York, Raven Press, Pp. 431-452

RYOKE T., Y. GU, Y. IKEDA, M. E. MARTONE, S. S. OH, E. S. JEON, K. U.

KNOWLTON and J. JR. ROSS

Apoptosis and oncosis in the early progression of left ventricular dysfunction in the cardiomyopathic hamster.

Basic Res. Cardiol., 97(1), Pp. 65-75

SAIKI, Y., A. KÖNIG, J. WADDELL, and I. M: REBEYKA (1997):

Hemodynamic alteration by fetal surgery accelerates myocyte proliferation in fetal guinea pig hearts.

Surgery, 122, 412-419

SAJONSKI, H., und A. SMOLLICH (1990):

Zelle und Gewebe.

Leipzig, S. Hirzel Verlag, 7. Aufl.

SANGER, J. W., C. J. AYOOB, P. CHOWRASHI, D. ZURAWSKI, and J. M. SANGER

(2000):

Assembly of myofibrils in cardiac muscle cells.

Adv. Exp. Med. Biol., 481, 89-102

SANGER, J. W., and J. M. SANGER (2001):

Fishing out Proteins that bind to titin.
J. Cell Biol., 154, 21-24

SAWTELL, N. M., and J. L. LESSARD (1989):

Cellular distribution of smooth muscle actins during mammalian embryogenesis:
expression of the alpha vascular but not the gamma-enteric isoform in differentiating
striated myocytes.
J. Cell Biol., 109, 2929-2937

SCHULTHEISS, T., Z. X., LIN, H. ISHIKAWA, I. ZAMIR, C. J., STOECKERT, and H.

HOLTZER (1991):

Desmin/vimentin intermediate filaments are dispensable for many aspects of myogenesis.
J. Cell Biol., 114(5), 953-966

SEARCY, R. D., and K. E. YUTZEY (1998):

Analysis of Hox gene Expression During early avian heart development.
Dev. Dyn., 213, 82-91

SEDMERA, D., T. PEXIEDER, V. RYCHTEROVA, N. HU and E. B. CLARK (1997):

Developmental Changes in the myocardial architecture of the chick.
Anat. Rec., 248, 421-432

SEDMERA, D., T. PEXIEDER, M. VUILLEMIN, R. P. THOMPSON, and R. H.

ANDERSON (2000):

Developmental patterning of the myocardium.
Anat. Rec., 258, 319-337

SEDMERA, D., T. PEXIEDER, V. RYCHTEROVA, N. HU and E. B. CLARK (1999):

Remodeling of Chick Embryonic Ventricular Myoarchitecture Under Experimentally
Changed Loading Conditions.
Anat. Rec., 254, 238-252

SEDMERA, D., M. GROBERTY, C. REYMOND, P. BAEHLER, P. KUCERA, and

L. KAPPENBERGER (1999):

Pacing induced ventricular remodeling in the chick embryo heart.
Ped. Research, 45, 845-852

SEDMERA, D., T. PEXIEDER, M. VUILLEMIN, R. P. THOMPSON, and R. H.

ANDERSON (2000):

Developmental patterning of the myocardium.
Anat. Rec., 258, 319-337

SEDMERA, D., N. HU, K. M. WEISS, B. B. KELLER, S. DENSLAW, and R. P.

THOMPSON (2002):

Cellular changes in experimental left heart hypoplasia.
Anat. Rec., 267, 137-145

SENGBUSCH, P. (2003):

Botanik online von Prof. Dr. Peter von Sengbusch.
www.biologie.uni-hamburg.de/b-online, Stand: 28.06.2005

SHIRAISHI, I., T. TAKAMATSU, T. MINAMIKAWA, and S. FUJITA (1992):

3-D Observation of actin filaments during cardiac myofibrillogenesis in the chick embryo using a confocal laser scanning microscope.
Anat. Embryol., 185, 401-408

SHIRAISHI, I., T. TAKAMATSU, and S. FUJITA (1993):

3-D Observation of N-Cadherin during cardiac myofibrillogenesis in the chick embryo using a confocal laser scanning microscope.
Anat. Embryol., 187, 115-120

SHIRAISHI, I., T. TAKAMATSU, and S. FUJITA (1995):

3-D Observation with a confocal scanning laser microscope of fibronectin immunolabeling during cardiac looping in the chick embryo.
Anat. Embryol., 191, 183-189

SHIRAISHI, I., T. TAKAMATSU, R. L. PRICE, and S. FUJITA (1997):

Temporal and spatial patterns of phosphotyrosine immunolocalisation during cardiac myofibrillogenesis of the chicken embryo.
Anat. Embryol., 196, 81-89

SIMONS, J. A. (1960):

"The blood vascular system"
In: A. J. Marshall, (Ed.) "Biology and comparative Physiology of Birds ", Vol. 1,
New York, Academic Press

SMITH, A. H., R. R. BURTON, and E. L. BESCH (1969):

Development of the chick embryo at high altitude.
Fed. Proc. 28, 1092-1098

SMOLLICH, A., und G. MICHEL (1992):

Mikroskopische Anatomie der Haustiere.
G. Fischer Verlag, 2. Aufl.

SNYDER, G. K., R. L BYERS, and S. R. KAYAR (1984):

Effects of hypoxia on tissue capillarity in geese.
Respir. Physiol., 58, 151-160

SOLER, A. P., and K. A. KNUDSEN (1994):

N-Cadherin involvement in cardiac myocyte interaction and myofibrillogenesis.
Dev. Biol., 162, 9-17

SOMMER, J. R., and E.A. JOHNSON (1970):

Comparative ultrastructure of cardiac cell membrane specialization. A review.
Am. J. Cardiol., 25, P.184

- STEIN, Z., and J. KLINE (1983):
Smoking, alcohol and reproduction.
Am. J. Public Health, 73, 1154-1156
- STOCK, M. K. Und J. METCALFE (1987):
Modulation of growth and metabolism of the chick embryo by a brief (72 h) change in oxygen availability.
J. Exp. Zool. Suppl., 1, 351-356
- STOKER, M. E., A. M. GERDES, and J. F. MAY (1982):
Regional differences in capillary density and myocyte size in the normal human heart.
Anat. Rec., 202, 187-191
- STRICK, D. M., R. L. WAYCASTER, J. P. MONTANI, W. J. GAY, and T. H. ADAIR (1991):
Morphometric measurements of chorioallantoic membrane vascularity: effects of hypoxia and hyperoxia.
Am. J. Physiol., 260, 1385-1389
- STROHL, J. (1910):
Über Herzverhältnisse bei nächstverwandten Vogelarten aus den Hochalpen und der lappländischen Ebene.
Zbl. Physiol., 24, 38-103
- STRYER, L. (2003):
Biochemie
Heidelberg, Berlin, Oxford, Spektrum Akademischer Verlag
- STEVENS, L. (1996):
Avian Biochemistry and Molecular Biology.
Cambridge, University Press
- SUGI, Y., and J. LOUGH (1992):
Onset of Expression and regional Deposition of α – smooth and sarcomeric Actin during Avian Heart Development.
Dev. Dyn., 193, 116-124
- SUGI, Y., J. SASSE, and J. LOUGH (1993):
Inhibition of precardiac mesoderm cell proliferation by antisense oligodeoxynucleotide complementary to fibroblast growth factor-2.
Dev. Biol., 157, 28-37
- SWEENEY, L., R. ZAK, and F. J. MANASEK (1987):
Transitions in cardiac isomyosin expression during differentiation of the embryonic chick heart.
Circ. Res., 61, 287-295
- TAZAWA, H., S. NAKAZAWA, and G. C. WHITTOW (1971):
Metabolic responses of chicken embryos and hatchlings to altered O₂ environments.
Respir. Physiol., 88, 37-50

- TAZAWA, H., T. MIKAMI, and C. YOSHIMOTO (1971):
Respiratory properties of chicken embryonic blood during development.
Respir. Physiol., 13, 160-170
- THORNELL, L., L. CARLSSON, Z. LI, M. MERICKSKA, and D. PAULIN (1997)
Null mutation in the desmin gene gives rise to a cardiomyopathy.
J. Mol. Cell. Cardiol., 29(8), 2107-2124.
- TOKUYASU, K. T., and P. A. MAHER (1987):
Immunocytochemical studies of cardiac myofibrillogenesis in early chicken embryos. I
Presence of immunofluorescent titin spots in premyofibril stages.
J. Cell. Biol., 105, 2781-2793
- TOKUYASU, K. T. (1990):
Co-development of embryonic myocardium and myocardial circulation. In: E. B. Clark,
A. Takao, (Eds.) "Developmental Cardiology: Morphogenesis and function".
New York, Futura Pp.: 205-218
- TULETT, S. G. Und F. G. BURTON (1985):
The effects of eggshell porosity on bloodgas and acid base status of domestic fowl
embryos within eggshell of the same weight.
Comp. Biochem. Physiol., 81, 137-142
- VANDEKERCKHOVE, J., G. BUGAISKI, and M. BUCKINGHAM (1986):
Simultaneous expression of skeletal muscle and heart actin proteins in various striated
muscle tissues and cells. A quantitative determination of two actin isoforms.
J. Biol. Chem., 261, 1838-1843
- VANDEKERCKHOVE, J., and K. WEBER (1979):
The complete amino acid sequence of actin from bovine Aorta, bovine heart, bovine fast
skeletal muscle and rabbit slow skeletal muscle.
Differentiation, 14, 123-133
- VAN DEN EIJNDE, S. M., A. C. G. WENINK, and C. VERMEIJ-KEERS (1995):
Origin of subepicardial cells in rat embryos.
Anat. Rec., 242, 96-102
- VAN DEN HOFF, M. J. B., A. F. M. MOORMAN, J. M. RUIJTER, W. H. LAMERS, R. W.
BENNINGTON, R.R. MARKWALD, and A. WESSELS (1999):
Myocardialization of the cardiac outflow tract.
Dev. Biol. 212, 477-490
- VAN DEN HOFF, M. J. B., B. P. T. KRUITHOF, A. F. M. MOORMAN, R. R.
MARKWALD,
and WESSELS, A. (2001):
Formation of the myocardium after the initial development of the linear heart tube.
Dev. Biol., 240, 61-76

- VAN MIEROP, L. H., and C. J. BERTUCH (1967):
Development of arterial blood pressure in the chick embryo.
Am. J. Physiol., 212, 43-48
- VELEZ, C., A. E. ARANEGA, J. A. MARCHAL, C. MELGUIZO, J. C. PRADOS, E. CARRILLO, and A. ARANEGA (2000):
Development of chick cardiomyocytes: modulation of intermediate filaments by basic fibroblast and platelet-derived growth factors.
Cells Tiss. Org., 167, 163-170
- VILLAMOR, E., C. G. A. KESSELS, K. RUITJENBEEK, R. J. VAN SUYLEM, J. BELIK, J. G. R. DE MEY, and C. E. BLANCO (2004):
Chronic in ovo hypoxia decreases pulmonary arterial contractile reactivity and induces biventricular cardiac enlargement in the chicken embryo
Am J. Physiol. Regul. Integr. Comp. Physiol., 287(3), 642-651
- WANG, S. M., H. YUAHN-SIEH, J. C. WU, and Y. Z. TSENG (2000):
Role of desmin filaments in chicken cardiac myofibrillogenesis.
J. Cell. Biochem., 77, 635-644
- WANGENSTEEN, O. D., and H. RAHN (1970-1971):
Respiratory gas exchange by the avian embryo.
Respir. Physiol.; 11, 31-45
- WEITZER, G., D. J. MILNER, J. U. BRADLEY, and Y. CAPETANAKI (1995):
Cytoskeletal control of myogenesis: a desmin null mutation blocks the myogenic pathway during embryonic stem cell differentiation.
Dev. Biol., 172(2), 422-439
- WESSELS, A., and J. M. PEREZ-POMARES (2004):
The Epicardium and Epicardially derived cells (EPDCs) as Cardiac stem cells.
Anat. Rec., Part A, 276 a, 43-57
- WEST, N. H., B. LOWELL - LANGILLE, and D. R. JONES (1981):
"Cardiovascular System".
In: S. King and J. Leland, (Eds.) "Form and Function in Birds", Vol. 2, Pp. 237-251
- WHITTEMORE, R. (1983):
Congenital heart disease: its impact on pregnancy.
Hosp. Pract., 18, 65-74
- WIESER, W. (1986):
Bioenergetik.
Stuttgart, Georg Thieme Verlag
- WIKIPEDIA (2005):
Internetportal freie Enzyklopädie
www.wikipedia.org. Stand: 18.05.2005

- WOODCOCK, E. A., and S. J. MATKOVICH (2005):
Cardiomyocytes structure, function and associated pathologies.
Int. J. Biochem. Cell Biol., 37(9), 1746-1751
- WOODCOCK-MITCHELL, J., J. J. MITCHELL, R. B. LOW, M. KIEN, P. SENGEL, L. RUBBIA, O. SKALLI, B. JACKSON, und G. GABBANI (1988):
Alpha-smooth muscle actin is transiently expressed in embryonic rat cardiac and skeletal muscle.
Differentiation, 39, 161-166
- WULFSOHN, D., J. R. NYENGAARD, and Y. TANG (2004):
Postanatal growth of cardiomyocytes in the left ventricle of the rat.
Anat. Rec., 277 A, 236-247
- YAMAMOTO, S., und . NOGUCHI (1964):
Teratogenic action of hypoxia on the chick embryo. I. Malformations observed in six-day-old embryos.
Nippon Juigaku Zasshi., 26, 181-190
- YA, J., M. W. MARKMAN, G. T. WAGENAAR, P. J. BLOOMAART, A. F. MOORMANN, and W. H. LAMERS (1997)
Expression of the smooth-muscle proteins alpha-smooth-muscle actin and calponin, and of the intermediate filament protein desmin are parameters of cardiomyocyte maturation in the prenatal rat heart.
Anat. Rec., 249(4), 495-505
- YAP, A. S., W. M. BRIEHER, M. PRUSCHY, and B. M. GUMBINER (1997):
Lateral clustering of the adhesive ectodomain: a fundamental determinant of cadherin function.
Curr. Biol., 7, 308-315
- YELBUZ, T. M., A. WESSEL, and M. L. KIRBY (2004):
Studies on morphogenesis and visualization of the early embryonic heart with regard to the development of conotruncal heart defects.
Z. Kardiol., 93(8), 583-594
- YILDIZ, D., and K. CAVUSOGLU (2004):
The chordae tendinaeae of the heart in chicken.
Anat. Hist. Embryol., 33, 189-191
- ZHANG, Y., S. A. SHAFIQ, and D. BADER (1986):
Detection of a ventricular-specific myosin heavy chain in adult and developing chicken heart.
J Cell Biol., 102, 1480-1484