

VIII Referenzen

- 1 **Maier N**, Güldenagel M, Söhl G, Siegmund H, Willecke K & Draguhn A (2002). Reduction of high-frequency oscillations (ripples) and of pathological network discharges in hippocampal slices from connexin 36-deficient mice. *J Physiol (Lond)* **541.2**, 521-528.
- 2 **Maier N**, Nimmrich V & Draguhn A (2003). Cellular and network mechanisms underlying spontaneous sharp wave-ripple complexes in mouse hippocampal slices. *J Physiol (Lond)* **550.3**, 873-887.
- 3 Nimmrich V*/ **Maier N***, Schmitz D & Draguhn A (2005). Induced sharp wave-ripple complexes in the absence of synaptic inhibition in mouse hippocampal slices. *J Physiol (Lond)* **563.3**, 663-670.
- 4 Squire LR & Zola SM (1996). Structure and function of declarative and nondeclarative memory systems. *Proc Nat Acad Sci U. S. A.* **93**, 13515-13122. Review.
- 5 Buzsáki G (1989). Two-Stage Model of Memory Trace Formation: A Role for "Noisy" Brain States. *Neuroscience* **31**, 551-570. Review.
- 6 Nakazawa K, McHugh TJ, Wilson MA & Tonegawa S (2004). NMDA receptors, place cells and hippocampal spatial memory. *Nat Rev Neurosc* **5**, 361-372. Review.
- 7 Engel J, Jr. (2001). Mesial temporal lobe epilepsy: what have we learned? *Neuroscientist* **7**, 340-352. Review.
- 8 Campbell S & MacQueen G (2003). The role of the hippocampus in the pathophysiology of major depression. *J Psych Neurosci* **29**, 417-426. Review.
- 9 Gaffan D & Hornak J (1997). Amnesia and neglect: beyond the Delay-Brion system and the Hebb-synapse. *Phil Trans R Soc Lond B* **352**, 1481-1488. Review.
- 10 Harrison PJ (2004). The hippocampus in schizophrenia: a review of the neurophysiological evidence and its patho-physiological implications. *Psychopharmacology* **174**, 151-162. Review.
- 11 Panegyres PK (2004). The contribution of the study of neurodegenerative disorders to the understanding of human memory. *Q J Med* **97**, 555-567. Review.
- 12 Csicsvari J, Hirase H, Czurkó A, Mamiya A & Buzsáki G (1999). Oscillatory coupling of hippocampal pyramidal cells and interneurons in the behaving rat. *J Neurosci* **19**, 274-287.
- 13 Buzsáki G (1986). Hippocampal sharp waves: their origin and significance. *Brain Res* **398**, 242-252.
- 14 Ylinen A, Bragin A, Nádasdy Z *et al.* (1995). Sharp wave-associated high-frequency network oscillation (200 Hz) in the intact hippocampus: network and intracellular mechanisms. *J Neurosci* **15**, 30-46.

- 15 Hasselmo ME (1999). Neuromodulation: acetylcholine and memory consolidation. *Trends Cogn Sci* **3**, 351-359. Review.
- 16 Lee AK & Wilson MA (2002). Memory of sequential experience in the hippocampus during slow wave sleep. *Neuron* **36**, 1183-1194.
- 17 Siapas AG & Wilson MA (1998). Coordinated interactions between hippocampal ripples and cortical spindles during slow-wave sleep. *Neuron* **21**, 1123-1128.
- 18 Buzsáki G & Chrobak JJ (1995). Temporal structures in spatially organized neuronal ensembles: a role for inter-neuronal networks. *Curr Opin Neurobiol* **5**, 504-519.
- 19 Klausberger T, Magill PJ, Márton LF *et al.* (2003). Brain-state and cell-type-specific firing of hippocampal interneurons *in vivo*. *Nature* **421**, 844-848.
- 20 Klausberger T, Márton LF, Baude A, Roberts JDB, Magill PJ & Somogyi P (2004). Spike timing of dendrite-targeting bistratified cells during hippocampal network oscillations *in vivo*. *Nat Neurosci* **7**, 41-47.
- 21 Ponomarenko AA, Korotkova TM, Sergeeva OA & Haas HL (2004). Multiple GABA_A receptor subtypes regulate hippocampal ripple oscillations. *Eur J Neurosci* **20**, 2141-2148.
- 22 Traub RD & Bibbig A (2000). A model of high-frequency ripples in the hippocampus based on synaptic coupling plus axon-axon gap junctions between pyramidal neurons. *J Neurosci* **20**, 2086-2093.
- 23 Konopacki J, MacIver MB, Bland BH & Roth SH (1987). Carbachol-induced EEG „theta“ activity in hippocampal brain slices. *Brain Res* **405**, 196-198.
- 24 Fisahn A, Pike FG, Buhl EH & Paulsen O (1998). Cholinergic induction of network oscillations at 40 Hz in the hippocampus *in vitro*. *Nature* **394**, 186-189.
- 25 Sakmann B & Stuart G. Patch-pipette recordings from the soma, dendrites, and axon of neurons in brain slices. In: Sakmann B & Neher E, eds. *Single-channel recording*. 2nd ed. New York, USA: Plenum Press, 1995: 199-211.
- 26 Heinemann SH. Guide to data acquisition and analysis. In: Sakmann B & Neher E, eds. *Single-channel recording*. 2nd ed. New York, USA: Plenum Press, 1995: 53-91.
- 27 Wong RKS & Traub RD (1983). Synchronized burst discharge in disinhibited hippocampal slice. I. Initiation in CA2-CA3 Region. *J Neurophysiol* **49**, 442-458.
- 28 Michelson HB & Wong RKS (1991). Excitatory synaptic responses mediated by GABA_A receptors in the hippocampus. *Science* **253**, 1420-1423.
- 29 Yang Q & Michelson HB (2001). Gap junctions synchronize the firing of inhibitory interneurons in guinea pig hippocampus. *Brain Res* **907**, 139-143.

- 30 Bedard C, Kroger H & Destexhe A (2004). Modeling extracellular field potentials and the frequency-filtering properties of extracellular space. *Biophys J* **86**, 1829-1842.
- 31 Buzsáki G, Buhl DL, Harris KD, Csicsvari J, Czeh B & Morozov, A (2003). Hippocampal network patterns of activity in the mouse. *Neuroscience* **116**, 201-211.
- 32 Kanamori N (1986). Hippocampal minispindle wave in the cat: the different distribution of two types of waves. *Neurosci Res* **4**, 152-156.
- 33 Freemon FR, McNew JJ & Adey WR (1969). Sleep of unrestrained chimpanzee: cortical and subcortical recordings. *Exp Neurol* **25**, 129-137.
- 34 Freemon FR & Walter RD (1970). Electrical activity of human limbic system during sleep. *Comp Psychiatry* **11**, 544-551.
- 35 Staba RJ, Wilson CL, Bragin A, Jhung D, Fried I & Engel J (2004). High-frequency oscillations recorded in human medial temporal lobe during sleep. *Ann Neurol* **56**, 108-115.
- 36 Köhling R, Lucke A, Straub H *et al.* (1998). Spontaneous sharp waves in human neocortical slices excised from epileptic patients. *Brain* **121**, 1073-1087.
- 37 Papatheodoropoulos C & Kostopoulos G (2002a). Spontaneous, low frequency (approximately 2-3 Hz) field activity generated in rat ventral hippocampal slices perfused with normal medium. *Brain Res Bull* **57**, 187-193.
- 38 Papatheodoropoulos C & Kostopoulos G (2002b). Spontaneous GABA(A)-dependent synchronous periodic activity in adult rat ventral hippocampal slices. *Neurosci Lett* **319**, 17-20.
- 39 Kubota D, Colgin LL, Casale N, Brucher FA & Lynch G (2003). Endogeneous waves in hippocampal slices. *J Neurophysiol* **89**, 81-89.
- 40 Suzuki SS & Smith GK (1988). Spontaneous EEG spikes in the normal hippocampus. IV. Effects of medial septum and entorhinal cortex lesions. *Electroenc clin Neurophysiol* **70**, 73-83.
- 41 Wu C, Shen H, Luk WP & Zhang L (2002). A fundamental oscillatory state of isolated rodent hippocampus. *J Physiol (Lond)* **540**, 509-527.
- 42 Lebovitz RM, Dichter M & Spencer WA (1971). Recurrent excitation in the CA3 region of cat hippocampus. *Int J Neurosci* **2**, 99-108.
- 43 McBain C & Dingledine R (1992). Dual-component miniature excitatory synaptic currents in rat hippocampal CA3 pyramidal neurons. *J Neurophysiol* **68**, 16-27.
- 44 Deuchars J & Thompson AM (1996). CA1 pyramid-pyramid connections in the rat hippocampus *in vitro*: dual intracellular recordings with biocytin-filling. *Neuroscience* **74**, 1009-1018.

- 45 Buhl EH, Halasy K & Somogyi P (1994). Diverse sources of hippocampal unitary inhibitory postsynaptic potentials and the number of postsynaptic release sites. *Nature* **368**, 823-828.
- 46 Cobb SR, Buhl EH, Halasy K, Paulsen O & Somogyi P (1995). Synchronization of neuronal activity by individual GABAergic interneurons. *Nature* **378**, 75-78.
- 47 Fukuda T & Kosaka T (2000). Gap junctions linking the dendritic network of GABAergic interneurons in the hippocampus. *J Neurosci* **20**, 1519-1528.
- 48 Belluardo N, Mudò G, Trovato-Salinaro A *et al.* (2000). Expression of Connexin36 in the adult and developing rat brain. *Brain Res* **865**, 121-138.
- 49 MacVicar BA & Dudek FE (1981). Electrotonic coupling between pyramidal cells: a direct demonstration in rat hippocampus. *Science* **213**, 782-785.
- 50 Draguhn A, Traub RD, Schmitz D & Jefferys JG (1998). Electrical coupling underlies high-frequency oscillations in the hippocampus *in vitro*. *Nature* **394**, 189-192.
- 51 Schmitz D, Schuchmann S, Fisahn A *et al.* (2001). Axo-axonal coupling. A novel mechanism for ultrafast neuronal communication. *Neuron* **31**, 831-840.
- 52 Bruzzone R, Hormuzdi SG, Barbe MT, Herb A & Monyer H (2003). Pannexins, a family of gap junction proteins expressed in brain. *Proc Nat Acad Sci U. S. A.* **100**, 13644-13649.
- 53 Hormuzdi SG, Pais I, LeBeau FE *et al.* (2001). Impaired electrical signaling disrupts gamma frequency oscillations in connexin 36-deficient mice. *Neuron* **31**, 487-495.
- 54 Buhl DL, Harris KD, Hormuzdi SG, Monyer H & Buzsáki G (2003). Selective impairment of hippocampal gamma oscillations in Connexin-36 Knock-Out mouse *in vivo*. *J Neurosci* **23**, 1013-1018.
- 55 Szente M, Gajda Z, Said Ali K & Hermes E (2002). Involvement of electrical coupling in the *in vivo* ictal epileptiform activity induced by 4-aminopyridine in the neocortex. *Neuroscience* **115**, 1067-78.
- 56 Traub RD, Draguhn A, Whittington MA *et al.* (2002). Axonal gap junctions between principal neurons: a novel source of network oscillations, and perhaps epileptogenesis. *Rev Neurosci* **13**, 1-30.