

References

1. Kearsey, S.E. and K. Labib, *MCM proteins: evolution, properties, and role in DNA replication*. *Biochim Biophys Acta*, 1998. **1398**(2): p. 113-36.
2. Jacob, F. and S. Brenner, [*On the regulation of DNA synthesis in bacteria: the hypothesis of the replicon*]. *C R Hebd Seances Acad Sci*, 1963. **256**: p. 298-300.
3. Stahl, H. and R. Knippers, *The simian virus 40 large tumor antigen*. *Biochim Biophys Acta*, 1987. **910**(1): p. 1-10.
4. Messer, W., et al., *Bacterial replication initiator DnaA. Rules for DnaA binding and roles of DnaA in origin unwinding and helicase loading*. *Biochimie*, 2001. **83**(1): p. 5-12.
5. Newlon, C.S. and J.F. Theis, *The structure and function of yeast ARS elements*. *Curr Opin Genet Dev*, 1993. **3**(5): p. 752-8.
6. Maine, G.T., P. Sinha, and B.K. Tye, *Mutants of S. cerevisiae defective in the maintenance of minichromosomes*. *Genetics*, 1984. **106**(3): p. 365-85.
7. DePamphilis, M.L., *The search for origins of DNA replication*. *Methods*, 1997. **13**(3): p. 211-9.
8. DePamphilis, M.L., *Initiation of DNA replication in eukaryotic chromosomes*. *J Cell Biochem Suppl*, 1998. **30-31**: p. 8-17.
9. Bell, S.P. and A. Dutta, *DNA replication in eukaryotic cells*. *Annu Rev Biochem*, 2002. **71**: p. 333-74.
10. Blow, J.J. and B. Hodgson, *Replication licensing--defining the proliferative state?* *Trends Cell Biol*, 2002. **12**(2): p. 72-8.
11. Bell, S.P. and B. Stillman, *ATP-dependent recognition of eukaryotic origins of DNA replication by a multiprotein complex*. *Nature*, 1992. **357**(6374): p. 128-34.
12. Kelly, T.J. and G.W. Brown, *Regulation of chromosome replication*. *Annu Rev Biochem*, 2000. **69**: p. 829-80.

13. Klemm, R.D., R.J. Austin, and S.P. Bell, *Coordinate binding of ATP and origin DNA regulates the ATPase activity of the origin recognition complex*. Cell, 1997. **88**(4): p. 493-502.
14. Ogawa, Y., T. Takahashi, and H. Masukata, *Association of fission yeast Orp1 and Mcm6 proteins with chromosomal replication origins*. Mol Cell Biol, 1999. **19**(10): p. 7228-36.
15. Aparicio, O.M., D.M. Weinstein, and S.P. Bell, *Components and dynamics of DNA replication complexes in S. cerevisiae: redistribution of MCM proteins and Cdc45p during S phase*. Cell, 1997. **91**(1): p. 59-69.
16. Pak, D.T., et al., *Association of the origin recognition complex with heterochromatin and HP1 in higher eukaryotes*. Cell, 1997. **91**(3): p. 311-23.
17. Santocanale, C. and J.F. Diffley, *ORC- and Cdc6-dependent complexes at active and inactive chromosomal replication origins in Saccharomyces cerevisiae*. Embo J, 1996. **15**(23): p. 6671-9.
18. Romanowski, P., et al., *The Xenopus origin recognition complex is essential for DNA replication and MCM binding to chromatin*. Curr Biol, 1996. **6**(11): p. 1416-25.
19. Tatsumi, Y., et al., *The ORC1 cycle in human cells: I. cell cycle-regulated oscillation of human ORC1*. J Biol Chem, 2003. **278**(42): p. 41528-34.
20. Ohta, S., et al., *The ORC1 cycle in human cells: II. Dynamic changes in the human ORC complex during the cell cycle*. J Biol Chem, 2003. **278**(42): p. 41535-40.
21. Dutta, A. and S.P. Bell, *Initiation of DNA replication in eukaryotic cells*. Annu Rev Cell Dev Biol, 1997. **13**: p. 293-332.
22. Prasanth, S.G., K.V. Prasanth, and B. Stillman, *Orc6 involved in DNA replication, chromosome segregation, and cytokinesis*. Science, 2002. **297**(5583): p. 1026-31.
23. Dhar, S.K., et al., *Replication from oriP of Epstein-Barr virus requires human ORC and is inhibited by geminin*. Cell, 2001. **106**(3): p. 287-96.

24. Hartwell, L.H., et al., *Genetic control of the cell division cycle in yeast*. Science, 1974. **183**(120): p. 46-51.
25. Neuwald, A.F., et al., *AAA+: A class of chaperone-like ATPases associated with the assembly, operation, and disassembly of protein complexes*. Genome Res, 1999. **9**(1): p. 27-43.
26. Fujita, M., et al., *Cell cycle regulation of human CDC6 protein. Intracellular localization, interaction with the human mcm complex, and CDC2 kinase-mediated hyperphosphorylation*. J Biol Chem, 1999. **274**(36): p. 25927-32.
27. Coleman, T.R., P.B. Carpenter, and W.G. Dunphy, *The Xenopus Cdc6 protein is essential for the initiation of a single round of DNA replication in cell-free extracts*. Cell, 1996. **87**(1): p. 53-63.
28. Cocker, J.H., et al., *An essential role for the Cdc6 protein in forming the pre-replicative complexes of budding yeast*. Nature, 1996. **379**(6561): p. 180-2.
29. Okuno, Y., et al., *Stability, chromatin association and functional activity of mammalian pre-replication complex proteins during the cell cycle*. Embo J, 2001. **20**(15): p. 4263-77.
30. Hateboer, G., et al., *Cell cycle-regulated expression of mammalian CDC6 is dependent on E2F*. Mol Cell Biol, 1998. **18**(11): p. 6679-97.
31. Ohtani, K., et al., *Regulation of cell growth-dependent expression of mammalian CDC6 gene by the cell cycle transcription factor E2F*. Oncogene, 1998. **17**(14): p. 1777-85.
32. Petersen, B.O., et al., *Cell cycle- and cell growth-regulated proteolysis of mammalian CDC6 is dependent on APC-CDH1*. Genes Dev, 2000. **14**(18): p. 2330-43.
33. Hofmann, J.F. and D. Beach, *cdt1 is an essential target of the Cdc10/Sct1 transcription factor: requirement for DNA replication and inhibition of mitosis*. Embo J, 1994. **13**(2): p. 425-34.
34. Nishitani, H., et al., *The Cdt1 protein is required to license DNA for replication in fission yeast*. Nature, 2000. **404**(6778): p. 625-8.

35. Tanaka, S. and J.F. Diffley, *Interdependent nuclear accumulation of budding yeast Cdt1 and Mcm2-7 during G1 phase*. Nat Cell Biol, 2002. **4**(3): p. 198-207.
36. Wohlschlegel, J.A., et al., *Inhibition of eukaryotic DNA replication by geminin binding to Cdt1*. Science, 2000. **290**(5500): p. 2309-12.
37. Cook, J.G., D.A. Chasse, and J.R. Nevins, *The regulated association of Cdt1 with minichromosome maintenance proteins and Cdc6 in mammalian cells*. J Biol Chem, 2004. **279**(10): p. 9625-33.
38. Hennessy, K.M., et al., *A group of interacting yeast DNA replication genes*. Genes Dev, 1991. **5**(6): p. 958-69.
39. Davey, M.J., C. Indiani, and M. O'Donnell, *Reconstitution of the Mcm2-7p heterohexamer, subunit arrangement, and ATP site architecture*. J Biol Chem, 2003. **278**(7): p. 4491-9.
40. Blow, J.J., *Control of chromosomal DNA replication in the early Xenopus embryo*. Embo J, 2001. **20**(13): p. 3293-7.
41. Ishimi, Y., *A DNA helicase activity is associated with an MCM4, -6, and -7 protein complex*. J Biol Chem, 1997. **272**(39): p. 24508-13.
42. Ishimi, Y., et al., *Biochemical activities associated with mouse Mcm2 protein*. J Biol Chem, 2001. **276**(46): p. 42744-52.
43. Labib, K., J.A. Tercero, and J.F. Diffley, *Uninterrupted MCM2-7 function required for DNA replication fork progression*. Science, 2000. **288**(5471): p. 1643-7.
44. Hennessy, K.M., C.D. Clark, and D. Botstein, *Subcellular localization of yeast CDC46 varies with the cell cycle*. Genes Dev, 1990. **4**(12B): p. 2252-63.
45. Romanowski, P., M.A. Madine, and R.A. Laskey, *XMCM7, a novel member of the Xenopus MCM family, interacts with XMCM3 and colocalizes with it throughout replication*. Proc Natl Acad Sci U S A, 1996. **93**(19): p. 10189-94.

46. Musahl, C., et al., *A human homologue of the yeast replication protein Cdc21. Interactions with other Mcm proteins.* Eur J Biochem, 1995. **230**(3): p. 1096-101.
47. Ritzi, M., et al., *Human minichromosome maintenance proteins and human origin recognition complex 2 protein on chromatin.* J Biol Chem, 1998. **273**(38): p. 24543-9.
48. Schulte, D., et al., *Properties of the human nuclear protein p85Mcm. Expression, nuclear localization and interaction with other Mcm proteins.* Eur J Biochem, 1996. **235**(1-2): p. 144-51.
49. Schulte, D., et al., *Expression, phosphorylation and nuclear localization of the human P1 protein, a homologue of the yeast Mcm 3 replication protein.* J Cell Sci, 1995. **108 (Pt 4)**: p. 1381-9.
50. Schaarschmidt, D., et al., *Human Mcm proteins at a replication origin during the G1 to S phase transition.* Nucleic Acids Res, 2002. **30**(19): p. 4176-85.
51. Todorov, I.T., A. Attaran, and S.E. Kearsey, *BM28, a human member of the MCM2-3-5 family, is displaced from chromatin during DNA replication.* J Cell Biol, 1995. **129**(6): p. 1433-45.
52. Ishimi, Y. and Y. Komamura-Kohno, *Phosphorylation of Mcm4 at specific sites by cyclin-dependent kinase leads to loss of Mcm4,6,7 helicase activity.* J Biol Chem, 2001. **276**(37): p. 34428-33.
53. Merchant, A.M., et al., *A lesion in the DNA replication initiation factor Mcm10 induces pausing of elongation forks through chromosomal replication origins in Saccharomyces cerevisiae.* Mol Cell Biol, 1997. **17**(6): p. 3261-71.
54. Homesley, L., et al., *Mcm10 and the MCM2-7 complex interact to initiate DNA synthesis and to release replication factors from origins.* Genes Dev, 2000. **14**(8): p. 913-26.
55. Kawasaki, Y., S. Hiraga, and A. Sugino, *Interactions between Mcm10p and other replication factors are required for proper initiation and*

- elongation of chromosomal DNA replication in Saccharomyces cerevisiae*. Genes Cells, 2000. **5**(12): p. 975-89.
56. Gregan, J., et al., *Fission yeast Cdc23/Mcm10 functions after pre-replicative complex formation to promote Cdc45 chromatin binding*. Mol Biol Cell, 2003. **14**(9): p. 3876-87.
 57. Christensen, T.W. and B.K. Tye, *Drosophila MCM10 interacts with members of the prereplication complex and is required for proper chromosome condensation*. Mol Biol Cell, 2003. **14**(6): p. 2206-15.
 58. Izumi, M., et al., *The human homolog of Saccharomyces cerevisiae Mcm10 interacts with replication factors and dissociates from nuclease-resistant nuclear structures in G(2) phase*. Nucleic Acids Res, 2000. **28**(23): p. 4769-77.
 59. Moir, D., et al., *Cold-sensitive cell-division-cycle mutants of yeast: isolation, properties, and pseudoreversion studies*. Genetics, 1982. **100**(4): p. 547-63.
 60. Mimura, S., et al., *Central role for cdc45 in establishing an initiation complex of DNA replication in Xenopus egg extracts*. Genes Cells, 2000. **5**(6): p. 439-52.
 61. Zou, L. and B. Stillman, *Assembly of a complex containing Cdc45p, replication protein A, and Mcm2p at replication origins controlled by S-phase cyclin-dependent kinases and Cdc7p-Dbf4p kinase*. Mol Cell Biol, 2000. **20**(9): p. 3086-96.
 62. Hopwood, B. and S. Dalton, *Cdc45p assembles into a complex with Cdc46p/Mcm5p, is required for minichromosome maintenance, and is essential for chromosomal DNA replication*. Proc Natl Acad Sci U S A, 1996. **93**(22): p. 12309-14.
 63. Kukimoto, I., H. Igaki, and T. Kanda, *Human CDC45 protein binds to minichromosome maintenance 7 protein and the p70 subunit of DNA polymerase alpha*. Eur J Biochem, 1999. **265**(3): p. 936-43.
 64. Yoshida, K., et al., *Requirement of CDC45 for postimplantation mouse development*. Mol Cell Biol, 2001. **21**(14): p. 4598-603.

65. Masuda, T., S. Mimura, and H. Takisawa, *CDK- and Cdc45-dependent priming of the MCM complex on chromatin during S-phase in Xenopus egg extracts: possible activation of MCM helicase by association with Cdc45*. *Genes Cells*, 2003. **8**(2): p. 145-61.
66. Chang, V.K., et al., *Mcm1 binds replication origins*. *J Biol Chem*, 2003. **278**(8): p. 6093-100.
67. Johnson, E.M., Y. Kinoshita, and D.C. Daniel, *A new member of the MCM protein family encoded by the human MCM8 gene, located contrapodal to GCD10 at chromosome band 20p12.3-13*. *Nucleic Acids Res*, 2003. **31**(11): p. 2915-25.
68. Gozuacik, D., et al., *Identification and functional characterization of a new member of the human Mcm protein family: hMcm8*. *Nucleic Acids Res*, 2003. **31**(2): p. 570-9.
69. Maiorano, D., J.M. Lemaitre, and M. Mechali, *Stepwise regulated chromatin assembly of MCM2-7 proteins*. *J Biol Chem*, 2000. **275**(12): p. 8426-31.
70. Kubota, Y., et al., *Licensing of DNA replication by a multi-protein complex of MCM/P1 proteins in Xenopus eggs*. *Embo J*, 1997. **16**(11): p. 3320-31.
71. Labib, K., S.E. Kearsey, and J.F. Diffley, *MCM2-7 proteins are essential components of prereplicative complexes that accumulate cooperatively in the nucleus during G1-phase and are required to establish, but not maintain, the S-phase checkpoint*. *Mol Biol Cell*, 2001. **12**(11): p. 3658-67.
72. Richter, A., et al., *Mobilization of chromatin-bound Mcm proteins by micrococcal nuclease*. *Biol Chem*, 1998. **379**(8-9): p. 1181-7.
73. Yu, X., et al., *The Methanobacterium thermoautotrophicum MCM protein can form heptameric rings*. *EMBO Rep*, 2002. **3**(8): p. 792-7.
74. Tye, B.K., *MCM proteins in DNA replication*. *Annu Rev Biochem*, 1999. **68**: p. 649-86.
75. Pape, T., et al., *Hexameric ring structure of the full-length archaeal MCM protein complex*. *EMBO Rep*, 2003. **4**(11): p. 1079-83.

76. Jenkinson, E.R. and J.P. Chong, *Initiation of archaeal DNA replication*. Biochem Soc Trans, 2003. **31**(Pt 3): p. 669-73.
77. Ishida, S., et al., *Role for E2F in control of both DNA replication and mitotic functions as revealed from DNA microarray analysis*. Mol Cell Biol, 2001. **21**(14): p. 4684-99.
78. Ohtani, K., et al., *Cell growth-regulated expression of mammalian MCM5 and MCM6 genes mediated by the transcription factor E2F*. Oncogene, 1999. **18**(14): p. 2299-309.
79. Tsuruga, H., et al., *Expression, nuclear localization and interactions of human MCM/P1 proteins*. Biochem Biophys Res Commun, 1997. **236**(1): p. 118-25.
80. Musahl, C., et al., *Stability of the replicative Mcm3 protein in proliferating and differentiating human cells*. Exp Cell Res, 1998. **241**(1): p. 260-4.
81. Wiebusch, L., R. Uecker, and C. Hagemeyer, *Human cytomegalovirus prevents replication licensing by inhibiting MCM loading onto chromatin*. EMBO Rep, 2003. **4**(1): p. 42-6.
82. Gonzalez, M.A., et al., *Minichromosome maintenance protein 2 is a strong independent prognostic marker in breast cancer*. J Clin Oncol, 2003. **21**(23): p. 4306-13.
83. Chatrath, P., et al., *Aberrant expression of minichromosome maintenance protein-2 and Ki67 in laryngeal squamous epithelial lesions*. Br J Cancer, 2003. **89**(6): p. 1048-54.
84. Hunt, D.P., et al., *Early recurrence of benign meningioma correlates with expression of mini-chromosome maintenance-2 protein*. Br J Neurosurg, 2002. **16**(1): p. 10-5.
85. Freeman, A., et al., *Minichromosome maintenance proteins as biological markers of dysplasia and malignancy*. Clin Cancer Res, 1999. **5**(8): p. 2121-32.
86. Shohet, J.M., et al., *Minichromosome maintenance protein MCM7 is a direct target of the MYCN transcription factor in neuroblastoma*. Cancer Res, 2002. **62**(4): p. 1123-8.

87. Stoeber, K., et al., *DNA replication licensing and human cell proliferation*. J Cell Sci, 2001. **114**(Pt 11): p. 2027-41.
88. Masai, H. and K. Arai, *Cdc7 kinase complex: a key regulator in the initiation of DNA replication*. J Cell Physiol, 2002. **190**(3): p. 287-96.
89. Coverley, D., H. Laman, and R.A. Laskey, *Distinct roles for cyclins E and A during DNA replication complex assembly and activation*. Nat Cell Biol, 2002. **4**(7): p. 523-8.
90. Adachi, Y., J. Usukura, and M. Yanagida, *A globular complex formation by Nda1 and the other five members of the MCM protein family in fission yeast*. Genes Cells, 1997. **2**(7): p. 467-79.
91. Liang, D.T., J.A. Hodson, and S.L. Forsburg, *Reduced dosage of a single fission yeast MCM protein causes genetic instability and S phase delay*. J Cell Sci, 1999. **112** (Pt 4): p. 559-67.
92. Liang, D.T. and S.L. Forsburg, *Characterization of Schizosaccharomyces pombe mcm7(+) and cdc23(+) (MCM10) and interactions with replication checkpoints*. Genetics, 2001. **159**(2): p. 471-86.
93. Rowles, A., et al., *Interaction between the origin recognition complex and the replication licensing system in Xenopus*. Cell, 1996. **87**(2): p. 287-96.
94. Rowles, A., S. Tada, and J.J. Blow, *Changes in association of the Xenopus origin recognition complex with chromatin on licensing of replication origins*. J Cell Sci, 1999. **112**(Pt 12): p. 2011-8.
95. Maiorano, D., J. Moreau, and M. Mechali, *XCDT1 is required for the assembly of pre-replicative complexes in Xenopus laevis*. Nature, 2000. **404**(6778): p. 622-5.
96. Yoshida, K. and I. Inoue, *Conditional expression of MCM7 increases tumor growth without altering DNA replication activity*. FEBS Lett, 2003. **553**(1-2): p. 213-7.
97. Sternberger, M., et al., *GeneBlocs are powerful tools to study and delineate signal transduction processes that regulate cell growth and transformation*. Antisense Nucleic Acid Drug Dev, 2002. **12**(3): p. 131-43.

98. Crooke, S.T., *Molecular mechanisms of action of antisense drugs*. Biochim Biophys Acta, 1999. **1489**(1): p. 31-44.
99. Heid, C.A., et al., *Real time quantitative PCR*. Genome Res, 1996. **6**(10): p. 986-94.
100. Dimitrova, D.S., et al., *Mammalian nuclei become licensed for DNA replication during late telophase*. J Cell Sci, 2002. **115**(Pt 1): p. 51-9.
101. Ishimi, Y., et al., *Levels of MCM4 phosphorylation and DNA synthesis in DNA replication block checkpoint control*. J Struct Biol, 2004. **146**(1-2): p. 234-41.
102. Mahbubani, H.M., et al., *Cell cycle regulation of the replication licensing system: involvement of a Cdk-dependent inhibitor*. J Cell Biol, 1997. **136**(1): p. 125-35.
103. Chong, J.P., et al., *Characterization of the Xenopus replication licensing system*. Methods Enzymol, 1997. **283**: p. 549-64.
104. Casenghi, M., et al., *p53-independent apoptosis and p53-dependent block of DNA rereplication following mitotic spindle inhibition in human cells*. Exp Cell Res, 1999. **250**(2): p. 339-50.
105. Dimitrova, D.S. and R. Berezney, *The spatio-temporal organization of DNA replication sites is identical in primary, immortalized and transformed mammalian cells*. J Cell Sci, 2002. **115**(Pt 21): p. 4037-51.
106. Borel, F., F.B. Lacroix, and R.L. Margolis, *Prolonged arrest of mammalian cells at the G1/S boundary results in permanent S phase stasis*. J Cell Sci, 2002. **115**(Pt 14): p. 2829-38.
107. Feng, D., et al., *Inhibiting the expression of DNA replication-initiation proteins induces apoptosis in human cancer cells*. Cancer Res, 2003. **63**(21): p. 7356-64.
108. Fujita, M., et al., *Inhibition of S-phase entry of human fibroblasts by an antisense oligomer against hCDC47*. Biochem Biophys Res Commun, 1996. **219**(2): p. 604-7.

109. Mendez, J. and B. Stillman, *Chromatin association of human origin recognition complex, cdc6, and minichromosome maintenance proteins during the cell cycle: assembly of prereplication complexes in late mitosis*. Mol Cell Biol, 2000. **20**(22): p. 8602-12.
110. Ishimi, Y., et al., *Biochemical function of mouse minichromosome maintenance 2 protein*. J Biol Chem, 1998. **273**(14): p. 8369-75.
111. Dimitrova, D.S., et al., *Mcm2, but not RPA, is a component of the mammalian early G1-phase prereplication complex*. J Cell Biol, 1999. **146**(4): p. 709-22.
112. Stoeber, K., et al., *Immunoassay for urothelial cancers that detects DNA replication protein Mcm5 in urine*. Lancet, 1999. **354**(9189): p. 1524-5.
113. Crooke, S.T., *Potential roles of antisense technology in cancer chemotherapy*. Oncogene, 2000. **19**(56): p. 6651-9.