

7. Literatur

- Aarhus R., Graeff R.M., Dickey D.M., Walseth T.F., Lee H.C. (1995) ADP-ribosyl cyclase and CD38 catalyze the synthesis of a calcium-mobilizing metabolite from NADP. *J. Biol. Chem.* 270, 30327-30333
- Aarhus R., Dickey D.M., Graeff R.M., Gee K.R., Walseth T.F., Lee H.C. (1996) Activation and inactivation of Ca^{2+} release by NAADP. *J. Biol. Chem.* 271, 8513-8516
- Alibertini A.M., Caramori T., Henner D., Ferrari E., Galizzi A. (1987) Nucleotide sequence of the outB locus of *Bacillus subtilis* and regulation of its expression. *J. Bacteriol.* 169, 1480-1484
- Ame J.C., Rolli V., Schreiber V., Niedergang C., Apiou F., Decker P., Muller S., Hoger T., Menissier-de Murcia J., de Murcia G. (1999) PARP-2, A novel mammalian DNA damage-dependent poly(ADP-ribose) polymerase. *J. Biol. Chem.* 274(25), 17860-8
- Anderson J.M., Cormier M.J. (1978) Calmodulin-dependent regulator of NAD kinase. *Biochem. Biophys. Res. Commun.* 84, 595-602
- Anderson R.M., Bitterman K.J., Wood J.G., Medvedik O., Cohen H., Lin S.S., Manchester J.K. (2002) Manipulation of a nuclear NAD⁺ salvage pathway delays aging without altering steady-state NAD⁺ levels. *J. Biol. Chem.* 277(21), 18881-90
- Apps D.K. (1970) The NAD kinases of *Saccharomyces cerevisiae*. *Eur. J. Biochem.* 13, 223-230
- Apps D.K. (1975) Pigeon-liver NAD kinase. The structural and kinetic basis of regulation by NADPH. *Eur. J. Biochem.* 55, 475-483
- Apps D.K., Narin A.C. (1977) The equilibrium constant and the reversibility of the reaction catalyzed by pigeon liver nicotinamide-adenine dinucleotide kinase from pigeon liver. *Eur. J. Biochem.* 167, 87-93
- Arner E.S., Holmgren A. (2000) Physiological functions of thioredoxin and thioredoxin reductase. *Eur. J. Biochem.* 267(20), 6102-9
- Barile M., Passarella S., Danese G., Quagliariello E. (1996) Rat liver mitochondria can synthesize nicotinamide adenine dinucleotide from nicotinamide mononucleotide and ATP via a putative matrix nicotinamide mononucleotide adenylyltransferase. *Biochem. Mol. Biol. Int.* 38(2), 297-306
- Bernofski C., Utter M.F. (1968) Interconversations of mitochondrial pyridine nucleotides. *Science* 159, 1362-1363
- Berridge G., Cramer R., Galione A., Patel S. (2002) Metabolism of the novel Ca^{2+} -mobilizing messenger nicotinic acid-adenine dinucleotide phosphate via 2'-specific Ca^{2+} -dependent phosphatase. *Biochem. J.* 365 (1), 295-301
- Berridge G., Dickinson G., Parrington J., Galione A., Patel S. (2002) Solubilization of receptors for the novel Ca^{2+} -mobilizing messenger, nicotinic acid adenine dinucleotide phosphate. *J. Biol. Chem.* 277(46):43717-23

- Berridge M.J. (1993) Inositol trisphosphate and calcium signalling. *Nature* 361, 315-325
- Borra M.T., O'Neill F.J., Jackson M.D., Marshall B., Verdin E., Foltz K.R., Denu J.M. (2002) Conserved enzymatic production and biological effect of O-acetyl-ADP-ribose by silent information regulator 2-like NAD⁺-dependent deacetylases. *J. Biol. Chem.* 277(15), 12632-41
- Bortell R., Moss J., McKenna R.C., Rigby M.R., Niedzwiecki D., Stevens L.A., Patton W.A., Mordes J.P., Greiner D.L., Rossini A.A. (2001) Nicotinamide adenine dinucleotide (NAD) and its metabolites inhibit T lymphocyte proliferation: role of cell surface NAD glycohydrolase and pyrophosphatase activities. *J. Immunol.* 167(4), 2049-59
- Bryk M., Banerjee M., Murphy M., Knudsen K.E., Garfinkel D.J., Curcio M.J. (1997) Transcriptional silencing of Ty1 elements in the RDN1 locus of yeast. *Genes. Dev.* 11(2), 255-69
- Chambon P., Weil J.D., Mandel P. (1963) Nicotinamide mononucleotide activation of a new DNA-dependent polyadenylic acid synthesizing nuclear enzyme. *Biochem. Biophys. Res. Commun.* 11, 39-43
- Chambon P., Weil J.D., Doly J., Strosser M.T., Mandel P. (1966) On the formation of a novel adenylic compound by enzymatic extracts of liver nuclei. *Biochem. Biophys. Res. Commun.* 25, 638-643
- Chini E.N., Dousa T.P. (1995) Enzymatic synthesis and degradation of nicotinate adenine dinucleotide phosphate (NAADP), a Ca²⁺-releasing agonist, in rat tissues. *Biochem. Biophys. Res. Commun.* 209, 167-174
- Churchill G.C., Okada Y., Thomas J.M., Genazzani A.A., Patel S., Galione A. (2002) NAADP Mobilizes Ca⁽²⁺⁾ from Reserve Granules, Lysosome-Related Organelles, in Sea Urchin Eggs. *Cell* 111(5), 703-8
- Clapper D.L., Walseth T.F., Dargie P.J., Lee H.C. (1987) Pyridine nucleotide metabolites stimulate calcium release from sea urchin microsomes desensitized to inositol tris phosphate. *J. Biol. Chem.* 262, 9561-9568
- Conforti L., Tarlton A., Mack T.G., Mi W., Buckmaster E.A., Wagner D., Perry V.H., Coleman M.P. (2000) A Ufd2/D4Cole1e chimeric protein and overexpression of Rbp7 in the slow Wallerian degeneration (WldS) mouse. *Proc. Natl. Acad. Sci. U S A* 97(21), 11377-82
- Cooney D.A., Jayaram H.N., Gebeyehu G., Betts C.R., Kelley J.A., Marquez V.E., Johns D.G. (1982) The conversion of 2-beta-D-ribofuranosylthiazole-4-carboxamide to an analogue of NAD with potent IMP dehydrogenase-inhibitory properties. *Biochem. Pharmacol.* 31(11), 2133-6
- Cooney D.A., Jayaram H.N., Glazer R.I., Kelley J.A., Marquez V.E., Gebeyehu G., Van Cott A.C., Zswelling L.A., Johns D.G. (1983) Studies on the mechanism of action of tiazofurin metabolism to an analog of NAD with potent IMP dehydrogenase-inhibitory activity. *Adv. Enzyme. Regul.* 21, 271-303
- Corda D., Di Girolamo M. (2002) Mono-ADP-Ribosylation: A Tool for Modulating Immune Response and Cell Signaling. *Sci STKE* 2002(163), E53
- Corimer M.J., Charbonneau H., Jarrett H.W. (1981) Plant and fungal calmodulin calcium ion dependent regulation of plant NAD kinase. *Cell Calcium* 2, 313-331

- Crossley I., Whalley T., Whitaker M. (1991) Guanosine 5'-thiotriphosphate may stimulate phosphoinositide messenger production in sea urchin eggs by a different route than the fertilizing sperm. *Cell Regul.* 2, 121-133
- Currie K.P., Swann K., Galione A., Scott R.H. (1992) Activation of Ca^{2+} -dependent currents in cultured rat dorsal root ganglion neurones by sperm factor and cyclic ADP-ribose. *Mol. Biol. Cell* 3, 1415-25
- D'Amours D., Desnoyers S., D'Silva I., Poirier G.G. (1999) Poly(ADP-ribosylation) reactions in the regulation of nuclear functions. *Biochem. J.* 342(2), 249-68
- D'Angelo I., Raffaelli N., Dabusti V., Lorenzi T., Magni G., Rizzi M. (2000) Structure of nicotinamide mononucleotide adenylyltransferase: a key enzyme in NAD^+ biosynthesis. *Structure Fold. Des.* 8(9), 993-1004
- Dantzer F., Luna L., Bjoras M., Seeberg E. (2002) Human OGG1 undergoes serine phosphorylation and associates with the nuclear matrix and mitotic chromatin in vivo. *Nucleic Acids Res.* 30(11), 2349-57
- Dargie P.J., Agre M.C., Lee H.C. (1990) Comparison of Ca^{2+} mobilizing activities of cyclic ADP-ribose and inositol trisphosphate. *Cell. Regul.* 1, 279-290
- Devin A., Guerin B., Rigoulet M. (1997) Cytosolic NAD^+ content strictly depends on ATP concentration in isolated liver cells. *FEBS Lett.* 410(2-3), 329-32
- Dietrich L.S., Fuller L., Yero I.L., Martinez L. (1966) Nicotinamide mononucleotide pyrophosphorylase activity in animal tissues. *J. Biol. Chem.* 241(1), 188-91
- Eads J.C., Ozturk D., Wexler T.B., Grubmeyer C., Sacchettini J.C. (1997) A new function for a common fold. The crystal structure of quinolinic acid phosphoribosyltransferase. *Structure* 5, 47-58
- Emmanuelli M., Natalini P., Raffaelli N., Ruggieri S., Vita A., Magni G. (1992) NAD biosynthesis in human placenta, purification and characterization of homogeneous NMN-adenylyltransferase. *Arch. Biochem. Biophys.* 298, 29-34
- Emanuelli M., Carnevali F., Lorenzi M., Raffaelli N., Amici A., Ruggieri S., Magni G. (1999) Identification and characterization of YLR328W, the *Saccharomyces cerevisiae* structural gene encoding NMN adenylyltransferase. Expression and characterization of the recombinant enzyme. *FEBS Lett.* 455(1-2), 13-17
- Emanuelli M., Carnevali F., Saccucci F., Pierella F., Amici A., Raffaelli N., Magni G. (2001) Molecular cloning, chromosomal localization, tissue mRNA levels, bacterial expression, and enzymatic properties of human NMN adenylyltransferase. *J. Biol. Chem.* 276(1), 406-12
- Epel D., Patton C., Wallace R.W., Cheung W.Y. (1981) Calcium activates NAD kinase of sea urchin eggs. An early event in fertilization. *Cell* 23, 543-549
- Feldblum S., Rougier A., Loiseau H., Loiseau P., Cohadon F., Morselli P.L., Lloyd K.G. (1988) Quinolinic-phosphoribosyl transferase activity is decreased in epileptic human brain tissue. *Epilepsia* 29 (5), 523-9

- Foster J.W., Kinney D.M., Moat A.G. (1979) Pyridine nucleotide cycle of *Salmonella typhimurium*: isolation and characterization of pncA, pncB, and pncC mutants and utilization of exogenous nicotinamide adenine dinucleotide. *J. Bacteriol.* 137(3), 1165-75
- Frye R.A. (1999) Characterization of five human cDNAs with homology to the yeast SIR2 gene: Sir2-like proteins (sirtuins) metabolize NAD and may have protein ADP-ribosyltransferase activity. *Biochem. Biophys. Res. Commun.* 260(1), 273-9
- Fukuoka S.I., Nyaruhucha C.M., Shibata K. (1998) Characterization and functional expression of the cDNA encoding human brain quinolinate phosphoribosyltransferase. *Biochim. Biophys. Acta* 1395, 192-201
- Garavaglia S., D'Angelo I., Emanuelli M., Carnevali F., Pierella F., Magni G., Rizzi M. (2002) Structure of human NMN adenylyltransferase. A key nuclear enzyme for NAD homeostasis. *J. Biol. Chem.* 277(10), 8524-30
- Galion A., Lee H.C., Busa W.B. (1991) Ca²⁺ -induced Ca²⁺ release in sea urchin egg homogenates. Modulation by cyclic ADP-ribose. *Science* 253, 1143-1146
- Genazzani A.A., Empson R.M., Galione A. (1996) Unique inactivation properties of NAADP-sensitive Ca²⁺ release. *J. Biol. Chem.* 271, 11599-11602
- Genazzani A.A., Galione A. (1997) A Ca²⁺ Release mechanism gated by the novel pyridinenucleotide, NAADP. *TIPS* 18, 108-110
- Germain M., Affar E.B., D'Amours D., Dixit V.M., Salvesen G.S., Poirier G.G. (1999) Cleavage of auto-modified poly(ADP-ribose) polymerase during apoptosis. Evidence for involvement of caspase-7. *J. Biol. Chem.* 274(40), 28379-84
- Gillingwater T.H., Ribchester R.R. (2001) Compartmental neurodegeneration and synaptic plasticity in the Wld(s) mutant mouse. *J. Physiol.* 534(3), 627-39
- Glowacki G., Braren R., Cetkovic-Cvrlje M., Leiter E.H., Haag F., Koch-Nolte F. (2001) Structure, chromosomal localization, and expression of the gene for mouse ecto-mono(ADP-ribosyl) transferase ART5. *Gene* 275(2), 267-77
- Goding, J.W., Terkeltaub R., Maurice M., Deterre P., Sali A., Belli S.I. (1998) Ecto-phosphodiesterase/pyrophosphatase of lymphocytes and non-lymphoid cells: structure and function of the PC-1 family. *Immunol. Rev.* 161, 11-26
- Goodwin P.M., Lewis P.J., Davies M.I., Skidmore C.J., Shall S. (1978) The effect of gamma radiation and neocarzinostatin on NAD and ATP levels in mouse leukaemia cells. *Biochim. Biophys. Acta* 543(4), 576-82
- Gottschling D.E., Aparicio O.M., Billington B.L., Zakian V.A. (1990) Position effect at *S. cerevisiae* telomeres: reversible repression of Pol II transcription. *Cell* 16;63(4):751-62
- Griffiths M.M., Bernofsky C. (1972) Purification and properties of reduced diphosphopyridinenucleotide kinase from yeast mitochondria. *J. Biol. Chem.* 247, 1473-1478
- Han M.K., Cho Y.S., Kim Y.S., Yim C.Y., Kim U.H. (2000) Interaction of two classes of ADP-ribose transfer reactions in immune signaling. *J. Biol. Chem.* 275(27), 20799-805

- Handler P. and Klein J.R. (1942) The inactivation of pyridine nucleotides by animal tissues *in vitro*. *J. Biol. Chem.* 143, 49-57
- Hara N., Yamada K., Terashima M., Osago H., Shimoyama M., Tsuchiya M. (2003) Molecular identification of human glutamine- and ammonia-dependent NAD synthetases carbon-nitrogen hydrolase domain confers glutamine dependency. *J. Biol. Chem.* (in press)
- Hellmich M.R., Strumwasser F. (1991) Purification and characterization of a molluscan egg-specific NADase, a second messenger enzyme. *Cell Regul.* 2, 193-202
- Herrero-Yraola A., Bakhit S.M., Franke P., Weise C., Schweiger M., Jorcke D., Ziegler M. (2001) Regulation of glutamate dehydrogenase by reversible ADP-ribosylation in mitochondria. *EMBO J.* 20(10), 2404-12
- Hillyard D., Rechsteiner M., Manlapaz-Ramos P., Imperial J.S., Cruz L.J., Olivera B.M. (1981) The pyridine nucleotide cycle. Studies in Escherichia coli and the human cell line D98/AH2. *J. Biol. Chem.* 256(16), 8491-7
- Hilz H., Fanick W., Klapproth K. (1986) 2'-Phosphoadenylylation of eukaryotic proteins: a type of covalent modification. *Proc Natl Acad Sci U S A* 83(17), 6267-71
- Hogeboom G.H., Schneider W.C. (1952) The synthesis of diphosphopyridine nucleotide by liver cell nuclei. *J. Biol. Chem.* 197, 611-620
- Honjo T., Nishizuka Y., Hayashi O., and Kato I. (1968) Diphteria toxin-dependent adenosine diphosphate ribosylation of aminoacyl transferase II and inhibition of protein synthesis. *J. Biol. Chem.* 243, 3553-3555
- Howard M., Grimaldi J.C., Bazan J.F., Lund F.E., Santos-Argumedo L., Parkhouse R.M., Walseth T.F., Lee H.C. (1993) Formation and hydrolysis of cyclic ADP-ribose catalyzed by lymphocyte antigen CD38. *Science* 262(5136), 1056-9
- Huang Y. (2002) Transcriptional silencing in *Saccharomyces cerevisiae* and *Schizosaccharomyces pombe*. *Nucleic Acids. Res.* 30(7), 1465-82
- Hughes K.T., Dessen A., Gray J.P., Grubmeyer C. (1993) The *Salmonella typhimurium* nadC gene. Sequence determination by use of Mud-P22 and purification of quinolate phosphoribosyltransferase. *J. Bacteriol.* 175, 479-486
- Imai S., Armstrong C.M., Kaeberlein M., Guarente L. (2000) Transcriptional silencing and longevity protein Sir2 is an NAD-dependent histone deacetylase. *Nature* 403(6771), 795-800
- Jackson D.G., Bell J.I. (1990) Isolation of a cDNA encoding the human CD38 (T10) molecule, a cell surface glycoprotein with an unusual discontinuous pattern of expression during lymphocyte differentiation. *J. Immunol.* 144, 2811-2815
- Jackson M.D., Denu J.M. (2002) Structural identification of 2'- and 3'-O-acetyl-ADP-ribose as novel metabolites derived from the Sir2 family of beta -NAD⁺-dependent histone/protein deacetylases. *J. Biol. Chem.* 277(21), 18535-44
- Jayaram H.N. (1985) Biochemical mechanisms of resistance to tiazofurin. *Adv. Enzyme. Regul.* 24, 67-89

- Jo S.H., Son M.K., Koh H.J., Lee S.M., Song I.H., Kim Y.O., Lee Y.S., Jeong K.S., Kim W.B., Park J.W., Song B.J., Huh T.L., Huhe T.L. (2001) Control of mitochondrial redox balance and cellular defense against oxidative damage by mitochondrial NADP+-dependent isocitrate dehydrogenase. *J. Biol. Chem.* 276(19):16168-76
- Johnson G.S. (1984) A pyrophosphatase which degrades NAD⁺ is located on the external surface of cultured fibroblasts: evidence that NAD⁺ is not extruded during treatment with N-methyl-N'-nitro-N-nitrosoguanidine. *Arch. Biochem. Biophys.* 229(2), 538-43
- Jollow D.J., McMillan D.C. (2001) Oxidative stress, glucose-6-phosphate dehydrogenase and the red cell. *Adv. Exp. Med. Biol.* 500:595-605
- Kawai S., Mori S., Mukai T., Hashimoto W., Murata K. (2001) Molecular characterization of *Escherichia coli* NAD kinase. *Eur. J. Biochem.* 268(15), 4359-65
- Kawai S., Suzuki S., Mori S., Murata K. (2001) Molecular cloning and identification of UTR1 of a yeast *Saccharomyces cerevisiae* as a gene encoding an NAD kinase. *FEMS Microbiol. Lett.* 200(2), 181-4
- Kawai S., Mori S., Mukai T., Suzuki S., Yamada T., Hashimoto W., Murata K. (2000) Inorganic Polyphosphate/ATP-NAD kinase of *Micrococcus flavus* and *Mycobacterium tuberculosis* H37Rv. *Biochem. Biophys. Res. Commun.* 276(1):57-63
- Kehrer J.P., Lund L.G. (1994) Cellular reducing equivalents and oxidative stress. *Free Radic Biol Med* 17(1), 65-75
- Kim H., Jacobson E.L., Jacobson M.K. (1993) Synthesis and degradation of cyclic ADP-ribose by NAD glycohydrolases. *Science* 261(5126), 1330-3
- Kirsch M., De Groot H. (2001) NAD(P)H, a directly operating antioxidant? *FASEB J.* 15(9), 1569-74
- Koch F., Haag F., Thiele H.G. (1990) Nucleotide and deduced amino acid sequence for the mouse homologue of the rat T-cell differentiation marker RT6. *Nucleic Acids Res.* 18(12), 3636
- Koch-Nolte F., Haag F., Braren R., Kuhl M., Hoovers J., Balasubramanian S., Bazan F., Thiele H.G. (1997) Two novel human members of an emerging mammalian gene family related to mono-ADP-ribosylating bacterial toxins. *Genomics* 39(3), 370-6
- Kornberg A. (1948) The participation of inorganic pyrophosphate in the reversible enzymatic synthesis of diphosphopyridine nucleotide. *J. Biol. Chem.* 176, 1475-1476
- Kornberg A. (1950) Reversible enzymatic synthesis of diphosphopyridine nucleotide and inorganic pyrophosphate. *J. Biol. Chem.* 182, 779-793
- Kornberg A. (1950) Enzymatic synthesis of triphosphopyridine nucleotide. *J. Biol. Chem.* 182, 805-813
- Kraft A.S., Anderson W.B., Cooper H.L., Sando J.J. (1982) Decrease in cytosolic calcium/phospholipid-dependent protein kinase activity following phorbol ester treatment of EL4 thymoma cells. *J. Biol. Chem.* 257(22), 13193-6
- Landry J., Sutton A., Tafrov S.T., Heller R.C., Stebbins J., Pillus L., Sternglanz R. (2000-A) The silencing protein SIR2 and its homologs are NAD-dependent protein deacetylases. *Proc. Natl. Acad. Sci. USA* 97(11), 5807-11

- Landry J., Slama J.T., Sternglanz R. (2000-B) Role of NAD⁽⁺⁾ in the deacetylase activity of the SIR2-like proteins. *Biochem. Biophys. Res. Commun.* 278(3):685-90
- Lansing A.L., Belkhode M.L., Lynch W.E., Lieberman I. (1967): Enzymes of plasma membranes of liver. *J. Biol. Chem.* 242, 1772-1775
- Lee H.C., Walseth T.F., Bratt G.T., Hayes R.N., Clapper D.L. (1989) Structural determination of a cyclic metabolite of NAD⁺ with intracellular Ca²⁺-mobilizing activity. *J. Biol. Chem.* 264(3), 1608-15
- Lee H.C., Aarhus R. (1991) ADP-ribosyl cyclase an enzyme that cyclizes NAD into a calcium-mobilizing metabolite. *Cell Regul.* 2, 203-209
- Lee H.C., Aarhus R. (1993) Wide distribution of an enzyme that catalyzes the hydrolysis of cyclic ADP-ribose. *Biochim. Biophys. Acta* 1164(1):68-74
- Lee H.C., Aarhus R. (1995) A derivative of NADP mobilized calcium stores insensitive to inositol trisphosphate and cyclic ADP-ribose. *J. Biol. Chem.* 270, 2152-2157
- Leno G.H., Ledford B.E. (1989) ADP-ribosylation of the 78-kDa glucose-regulated protein during nutritional stress. *Eur. J. Biochem.* 186(1-2), 205-11
- Leno G.H., Ledford B.E. (1990) Reversible ADP-ribosylation of the 78 kDa glucose-regulated protein. *FEBS Lett.* 276(1-2), 29-33
- Lin S.L., Defossez P.A., Guarente L. (2000) Requirement of NAD and SIR2 for life-span extension by calorie restriction in *Saccharomyces cerevisiae*. *Science* 289(5487), 2126-8
- Lerner F., Niere M., Ludwig A., Ziegler M. (2001) Structural and functional characterization of human NAD kinase. *Biochem. Biophys. Res. Commun.* 288(1), 69-74
- Liu Z.X., Yu Y., Dennert G. (1999) A cell surface ADP-ribosyltransferase modulates T cell receptor association and signaling. *J. Biol. Chem.* 274(25), 17399-401
- Lupi R., Corda D., Di Girolamo M. (2000) Endogenous ADP-ribosylation of the G protein beta subunit prevents the inhibition of type 1 adenylyl cyclase. *J. Biol. Chem.* 275(13), 9418-24
- Mack T.G., Reiner M., Beirowski B., Mi W., Emanuelli M., Wagner D., Thomson D., Gillingwater T., Court F., Conforti L., Fernando F.S., Tarlton A., Andressen C., Addicks K., Magni G., Ribchester R.R., Perry V.H., Coleman M.P. (2001) Wallerian degeneration of injured axons and synapses is delayed by a Ube4b/Nmnat chimeric gene. *Nat. Neurosci.* 4(12), 1199-206
- Magni G., Amici A., Emanuelli M., Raffaelli N. (1999) Enzymology of NAD synthesis. *Adv. Enzymol.* 73, 135-175
- McGuinness E.T., Butler J.R. (1985) NAD kinase - a review. *Int. J. Biochem.* 17, 1-11
- McPherson P.S., Campbell, K.P. (1993) The ryanodine receptor/Ca²⁺ release channel. *J. Biol. Chem.* 268, 13765-8
- Mehl R.A., Kinsland C., Begley T.P. (2000) Identification of the *Escherichia coli* nicotinic acid mono-nucleotide adenylyltransferase gene. *J. Bacteriol.* 182(15):4372-4

- Moss J., Zolkiewska A., Okazaki I. (1997) ADP-ribosylarginine hydrolases and ADP-ribosyltransferases. Partners in ADP-ribosylation cycles. *Adv. Exp. Med. Biol.* 419, 25-33
- Nemchinskaya V.L. (1963) The intracellular localization of synthesis of nicotinamide adenine dinucleotide phosphate. *Biokhimiia* 28, 951-957
- Nemchinskaya V.L., Bozhkov V.M., Kushner V.P. (1970) The isolation, purification and properties of rat liver NAD kinase. *Biokhim.* 35, 1067-1072
- Neri L.M., Borgatti P., Capitani S., Martelli A.M. (2002) Protein kinase C isoforms and lipid second messengers: a critical nuclear partnership? *Histol. Histopathol.* 17(4), 1311-6
- Nishizuka Y., Hayaishi O. (1963) Studies on the biosynthesis of nicotinamide adenine dinucleotide. Enzymic synthesis of niacin ribonucleotides from 3-hydroxyanthranilic acid in mammalian tissues. *J. Biol. Chem.* 238, 3369-3377
- Novas P., Minnifield N., Sun I., Morre D.J. (1986) NADP phosphatase as a marker in free-flow electrophoretic separations for cisternae of the Golgi apparatus midregion. *Biochim. Biophys. Acta* 881(1), 1-9
- Oka H., Field J.B. (1968) Inhibition of rat liver nicotinamide adenine dinucleotide kinase by reduced nicotinamide adenine dinucleotide phosphate. *J. Biol. Chem.* 243, 815-819
- Okuno E., White R.J., Schwarcz R. (1988) *J. Biochem.* 103, 1054-1059
- Palomba L., Sestili P., Cattabeni F., Azzi A., Cantoni O. (1996) Prevention of necrosis and activation of apoptosis in oxidatively injured human myeloid leukemia U937 cells. *FEBS Lett.* 390(1), 91-4
- Panozzo C., Nawara M., Suski C., Kucharczyka R., Skoneczny M., Becam A.M., Rytka J., Herbert C.J. (2002) Aerobic and anaerobic NAD⁺ metabolism in *Saccharomyces cerevisiae*. *FEBS Lett.* 517(1-3), 97-102
- Paone G., Wada A., Stevens L.A., Matin A., Hirayama T., Levine R.L., Moss J. (2002) ADP ribosylation of human neutrophil peptide-1 regulates its biological properties. *Proc. Natl. Acad. Sci. U.S.A.* 99(12), 8231-5
- Perry G., Taddeo M.A., Nunomura A., Zhu X., Zenteno-Savin T., Drew K.L., Shimohama S., Avila J., Castellani R.J., Smith M.A. (2002). Comparative biology and pathology of oxidative stress in Alzheimer and other neurodegenerative diseases: beyond damage and response. *Comp. Biochem. Physiol. C. Toxicol. Pharmacol.* 133(4), 507-13
- Perry V.H., Brown M.C., Lunn E.R., Tree P., Gordon S. (1990) Evidence that Very Slow Wallerian Degeneration in C57BL/Ola Mice is an Intrinsic Property of the Peripheral Nerve. *Eur. J. Neurosci.* 2(9), 802-808
- Pescarmona G.P., Bracone A., David O., Sartori M.L., Bosia A. (1977) Regulation of NAD and NADP synthesis in human red cell. *Acta Biol. Med. Germ.* 36, 759-763
- Preiss J., Handler P. (1958) Biosynthesis of diphosphopyridine nucleotide. *J. Biol. Chem.* 233, 488-500
- Raffaelli N., Emanuelli M., Pisani F.M., Amici A., Lorenzi T., Ruggieri S., Magni G. (1999-A) Identification of the archaeal NMN adenylytransferase gene. *Mol. Cell. Biochem.* 193(1-2), 99-102

- Raffaelli N., Lorenzi T., Mariani P.L., Emanuelli M., Amici A., Ruggieri S., Magni G. (1999-B) The *Escherichia coli* NadR regulator is endowed with nicotinamide mononucleotide adenylyl transferase activity. *J. Bacteriol.* 181(17), 5509-11
- Raffaelli N., Lorenzi T., Amici A., Emanuelli M., Ruggieri S., Magni G. (1999-C) *Synechocystis sp.* slr0787 protein is a novel bifunctional enzyme endowed with both nicotinamide mononucleotide adenylyltransferase and 'Nudix' hydrolase activities. *FEBS Lett.* 444(2-3), 222-6
- Raffaelli N., Sorci L., Amici A., Emanuelli M., Mazzola F., Magni G. (2002) Identification of a novel human nicotinamide mononucleotide adenylyltransferase. *Biochem. Biophys. Res. Commun.* 297(4):835-40
- Rajavel M., Lalo D., Gross J.W., Grubmeyer C. (1998) Conversion of a cosubstrate to an inhibitor: phosphorylation mutants of nicotinic acid phosphoribosyltransferase. *Biochemistry* 37(12), 4181-8
- Rakow T.L., Shen S.S. (1990) Multiple stores of calcium are released in the sea urchin egg during fertilization. *Proc. Natl. Acad. Sci. USA* 87, 9285-9289
- Richter C. (1987) NADP⁺ phosphatase: a novel mitochondrial enzyme. *Biochem. Biophys. Res. Commun.* 146 (1), 253-7
- Rine J., Herskowitz I. (1987) Four genes responsible for a position effect on expression from HML and HMR in *Saccharomyces cerevisiae*. *Genetics* 116(1), 9-22
- Rizzi M., Nessi C., Mattevi A., Coda A., Bolognesi N., Galizzi A. (1996) Crystal structure of NH3-dependent NAD synthase from *Bacillus subtilis*. *EMBO J.* 15, 5125-5134
- Rocchigiani M., Micheli V., Duley J.A., Simmonds H.A. (1992) Determination of nicotinamide phosphoribosyltransferase activity in human erythrocytes: high-performance liquid chromatography-linked method. *Anal. Biochem.* 205(2), 334-6
- Ruggieri S., Gregori L., Natalini P., Vita A., Emanuelli M., Raffaelli N., Magni G. (1990) Evidence for an inhibitory effect exerted by yeast NMN adenylyltransferase on poly(ADP-ribose) polymerase activity. *Biochemistry* 29(10), 2501-6
- Saridakis V., Christendat D., Kimber M.S., Dharamsi A., Edwards A.M., Pai E.F (2001) Insights into ligand binding and catalysis of a central step in NAD⁺ synthesis: structures of *Methanobacterium thermoautotrophicum* NMN adenylyltransferase complexes. *J. Biol. Chem.* 276(10), 7225-32
- Schreiber V., Hunting D., Trucco C., Gowans B., Grunwald D., De Murcia G., De Murcia J.M. (1995) A dominant-negative mutant of human poly(ADP-ribose) polymerase affects cell recovery, apoptosis, and sister chromatid exchange following DNA damage. *Proc. Natl. Acad. Sci. U S A* 92(11), 4753-7
- Schweiger M., Hennig K., Lerner F., Niere M., Hirsch-Kauffmann M., Specht T., Weise C., Oei S.L., Ziegler M. (2001) Characterization of recombinant human nicotinamide mononucleotide adenylyl transferase (NMNAT), a nuclear enzyme essential for NAD synthesis. *FEBS Lett.* 492(1-2), 95-100

- Singh S.K., Kurnasov O.V., Chen B., Robinson H., Grishin N.V., Osterman A.L., Zhang H. (2002) Crystal structure of *Haemophilus influenzae* NadR protein. A bifunctional enzyme endowed with NMN adenyltransferase and ribosylnicotinimide kinase activities. *J. Biol. Chem.* 277(36), 33291-9
- Sims J.L., Berger S.J., Berger N.A. (1983) Poly(ADP-ribose) Polymerase inhibitors preserve nicotinamide adenine dinucleotide and adenosine 5'-triphosphate pools in DNA-damaged cells: mechanism of stimulation of unscheduled DNA synthesis. *Biochemistry* 22(22), 5188-94
- Skala H., Vibert M., Kahn A., Dreyfus J.C. (1979) Phospho ADP ribosylation of human glucose 6-phosphate dehydrogenase: probable mechanism of the occurrence of hyperanodic forms. *Biochem. Biophys. Res. Commun.* 89(3), 988-96
- Smith J.S., Boeke J.D. (1997) An unusual form of transcriptional silencing in yeast ribosomal DNA. *Genes. Dev.* 11(2), 241-54
- Smith J.S., Brachmann C.B., Celic I., Kenna M.A., Muhammad S., Starai V.J., Avalos J.L., Escalante-Semerena J.C., Grubmeyer C., Wolberger C., Boeke J.D. (2000) A phylogenetically conserved NAD⁺-dependent protein deacetylase activity in the Sir2 protein family. *Proc. Natl. Acad. Sci. U.S.A.* 97(12), 6658-63
- Shibata K., Motooka K., Murata K., Iwai K. (1980) Metabolic control for maintaining NAD in rats fed on tryptophan-limiting amino acid diets. *J. Nutr. Sci. Vitaminol. (Tokyo)* 26(6), 571-84
- Shirai Y., Saito N. (2002) Activation mechanisms of protein kinase C: maturation, catalytic activation, and targeting. *J. Biochem (Tokyo)* 132(5), 663-8
- Suzuki K., Nakano H., Suzuki S. (1967) Natural occurrence and enzymatic synthesis of α -nicotinamide adenine dinucleotide phosphate. *J. Biol. Chem.* 242, 3319-3325
- Tanner K.G., Landry J., Sternglanz R., Denu J.M. (2000) Silent information regulator 2 family of NAD-dependent histone/protein deacetylases generates a unique product, 1-O-acetyl-ADP-ribose. *Proc. Natl. Acad. Sci. U.S.A.* 97(26), 14178-82
- Tanny J.C., Dowd G.J., Huang J., Hilz H., Moazed D. (1999) An enzymatic activity in the yeast Sir2 protein that is essential for gene silencing. *Cell* 99(7), 735-45
- Tanny J.C., Moazed D. (2001) Coupling of histone deacetylation to NAD breakdown by the yeast silencing protein Sir2: Evidence for acetyl transfer from substrate to an NAD breakdown product. *Proc. Natl. Acad. Sci. U.S.A.* 98(2), 415-20
- Tewari M., Quan L.T., O'Rourke K., Desnoyers S., Zeng Z., Beidler D.R., Poirier G.G., Salvesen G.S., Dixit V.M. (1995) Yama/CPP32 beta, a mammalian homolog of CED-3, is a CrmA-inhibitable protease that cleaves the death substrate poly(ADP-ribose) polymerase. *Cell* 81(5), 801-9
- Uhr M.L., Smulson M. (1982) NMN adenyllyltransferase: its association with chromatin and with poly(ADP-ribose) polymerase. *Eur. J. Biochem.* 128(2-3), 435-43
- Van Thiet N., Telepneva V.I. (1981) Quarternary structure of NAD kinase from rabbit liver. *Biokhim.* 46, 435-443
- Vestin R. (1937) Enzymic change from codehydrogenase I to codehydrogenase II. *Naturwissenschaften* 25, 667-668

- Vinitsky A., Teng H., Grubmeyer C.T. (1991) Cloning and nucleic acid sequence of the *Salmonella typhimurium* pncB gene and structure of nicotinate phosphoribosyltransferase. *J. Bacteriol.* 173(2), 536-40
- Vinitsky A., Grubmeyer C. (1993) A new paradigm for biochemical energy coupling. *Salmonelle typhimurium* nicotinate phosphoribosyltransferase. *J. Biol. Chem.* 268 (34), 26004-10
- Virag L., Salzman A.L., Szabo C. (1998-A) Poly(ADP-ribose) synthetase activation mediates mitochondrial injury during oxidant-induced cell death. *J. Immunol.* 161(7), 3753-9
- Virag L., Scott G.S., Cuzzocrea S., Marmer D., Salzman A.L., Szabo C. (1998-B) Peroxynitrite-induced thymocyte apoptosis: the role of caspases and poly (ADP-ribose) synthetase (PARS) activation. *Immunology* 94(3), 345-55
- Virag L., Szabo C. (2002) The therapeutic potential of poly(ADP-Ribose) polymerase inhibitors. *Pharmacol. Rev.* 54(3), 375-429
- von Euler H., Vestin R. (1935) Zur Kenntnis der Wirkungen der Co-Zymase. *Z. Physiol. Chem.* 237, 1-7
- von Euler H., Albers H., Schlenk F. (1936) Chemische Untersuchungen an hochgereinigter Co-Zymase. *Hoppe-Seyl. Z. Physiol. Chem.* 240, 113-126
- von Euler H., Adler E. (1938) Enzymic intertransformation of codehydrogenase I and codehydrogenase II. *Z. Physiol. Chem.* 252, 41-48
- Waller A. (1850) Experiments on the section of glossopharyngeal and hypoglossal nerves of the frog and observations of the alternatives produced thereby in the structure of their primitive fibres. *Phil. Trans. R. Soc. Lond.* 140, 423-429
- Walseth T.F., Lee H.C. (1993) Synthesis and characterization of antagonists of cyclic-ADP-ribose-induced Ca^{2+} release. *Biochim. Biophys. Acta* 1178, 235-242
- Wang T.P., Kaplan N.O. (1954) Kinases for the synthesis of coenzyme A and triphosphopyridinenucleotide. *J. Biol. Chem.* 206, 311-325
- Wang T.P., Shuster L., Kaplan N.O. (1952) Nature of monoester phosphatase group in coenzyme A. *J. Am. Chem. Soc.* 74, 3204-3205
- Watanabe M., Kono T., Matsushima-Hibiya Y., Kanazawa T., Nishisaka N., Kishimoto T., Koyama K., Sugimura T., Wakabayashi K. (1999) Molecular cloning of an apoptosis-inducing protein, pierisin, from cabbage butterfly: possible involvement of ADP-ribosylation in its activity. *Proc. Natl. Acad. Sci. U S A* 96(19), 10608-13
- Warburg O., Christian W., Griese A. (1935) Wasserstoffübertragendes Co-Ferment, seine Zusammensetzung und Wirkungsweise. *Biochem. Z.* 282, 157-165
- Warburg O., Christian W. (1936) Pyridin, der wasserstoffübertragene Bestandteil von Gärungsfermenten. *Biochem. Z.* 287,
- Werner E., Ziegler M., Lerner F., Schweiger M., Heinemann U. (2002) Crystal structure of human nicotinamide mononucleotide adenylyltransferase in complex with NMN. *FEBS Lett.* 516(1-3), 239-44

- Werner E., Ziegler M., Lerner F., Schweiger M., Muller Y.A., Heinemann U. (2002) Crystallization and preliminary X-ray analysis of human nicotinamide mononucleotide adenylyltransferase (NMNAT). *Acta Crystallogr. D. Biol. Crystallogr.* 58(1), 140-2
- Williams M.B., Jones H.P. (1984) Calmodulin-dependent NAD kinase of human neutrophiles. *Fedn. Proc.* 43, 766
- Wubbolts M.G., Terpstra P., van Beilen J.B., Kingma J., Meesters H.A.R., Witholt B. (1990) Variation of cofactor levels in *Escherichia coli*. Sequence analysis and expression of the pncB gene encoding nicotinic acid phosphoribosyl-transferase. *J. Biol. Chem.* 265, 17665-17672
- Yalowitz J.A., Jayaram H.N. (2002) Modulation of cytotoxicity of benzamide riboside by expression of NMN adenylyltransferase. *Curr. Med. Chem.* 9(7), 749-58
- Yamamoto Y. (1966) NAD-kinase in higher plants. *Plant Physiol.* 41, 523-528
- Yero I.L., Farinas B., Dietrich L.S. (1968) The purification and properties of rat liver nicotinamide adenine dinucleotide kinase. *J. Biol. Chem.* 243, 4885-4888
- Young A.B., Greenamyre J.T., Hollingsworth Z., Albin R., D'Amato C., Shoulson I., Penny J.B. (1988) NMDA receptor losses in putamen from patients with Huntington's disease. *Science* 241, 981-983
- Yusufi A.N., Cheng J., Thompson M.A., Chini E.N., Grande J.P. (2001) Nicotinic acid adenine dinucleotide phosphate (NAADP) elicits specific microsomal Ca^{2+} release from mammalian cells. *Biochem. J.* 353(3), 531-6
- Zhang H., Zhou T., Kurnasov O., Cheek S., Grishin N.V., Osterman A. (2002) Crystal structures of *E. coli* nicotinate mononucleotide adenylyltransferase and its complex with deamido-NAD. *Structure* (Camb) 10(1), 69-79
- Zhang X., Kurnasov O.V., Karthikeyan S., Grishin N.V., Osterman A.L., Zhang H. (2003) Structural characterization of a human cytosolic NMN/NaMN adenylyltransferase and implication in human NAD biosynthesis. *J. Biol. Chem.* (in press)
- Zhou G., Seibenhener M.L., Wooten M.W. (1997) Nucleolin is a protein kinase C-zeta substrate. Connection between cell surface signaling and nucleus in PC12 cells. *J. Biol. Chem.* 272(49), 31130-7
- Zhou T., Kurnasov O., Tomchick D.R., Binns D.D., Grishin N.V., Marquez V.E., Osterman A.L., Zhang H. (2002) Structure of human nicotinamide/nicotinic acid mononucleotide adenylyltransferase. Basis for the dual substrate specificity and activation of the oncolytic agent tiazofurin. *J. Biol. Chem.* 277(15), 13148-54
- Zolkiewska A., Nightingale M.S., Moss J. (1992) Molecular characterization of NAD:arginine ADP-ribosyltransferase from rabbit skeletal muscle. *Proc. Natl. Acad. Sci. U S A* 89(23), 11352-6
- Zolkiewska A., Moss J. (1993) Integrin alpha 7 as substrate for a glycosylphosphatidylinositol-anchored ADP-ribosyltransferase on the surface of skeletal muscle cells. *J. Biol. Chem.* 268(34), 25273-6