

## 10. Literaturverzeichnis

ÄMMÄLÄ, C.; Moorhouse, A.; Gribble, F.; Ashfield, R.; Proks, P, Smith, P.A.; Sakura, H.; Coles, B.; Ashcroft, S.J., Ashcroft, F.M.:

Promiscuous coupling between the sulphonylurea receptor and inwardly rectifying potassium channels  
Nature 379: 545 – 548, 1996

AGUILAR-BRYAN, L.; Nichols, C.G.; Wchsler, S.W.; Clement, J.P.; Boyd, A.E.; Gonzalez, G.; Herrera-Sosa, H.; Nguy, K.; Bryan, J.; Nelson, D.A.:

Cloning of the  $\beta$ - cell high affinity sulfonylurea receptor: a regulator of insulin secretion  
Science 268: 423 – 426, 1995

ALTMANN & Dittmer:

Metabolism

Federation of American Societies of Experimental Biology, Bethesda, Md., 1968

ASHCROFT, F.M.; Harrison, D.E.; Ashcroft, S.J.:

Glucose induces closure of single potassium channels in isolated rat pancreatic beta-cells  
Nature 312: 446 – 448, 1984

ASHCROFT , F.M. & Kakei, M. :

ATP- sensitive  $K^+$  channels in rat pancreatic beta- cells: modulation by ATP and  $Mg^{2+}$  ions  
J. Physiol. (Lond.) 416: 439 – 367, 1989

ASHFORD, M.L.J.; Sturgess, N.C.; Tront, N.J.; Jardner, N.J.; Hales, C.N.:

Adenosine- 5' triphosphate sensitive ion channels in neonatal rat cultured central neurons  
Pflügers Arch. 412: 297 – 304, 1988

ASHFORD, M.L.; Bond, C.T.; Blair; T.A.; Adelman, J.P.:

Cloning and functional expression of a rat heart KATP channel  
Nature 370: 456 – 459, 1994

BARNES, R.J.; Comline, R.S.; Dobson, A.:

Changes in the blood flow to the digestive organs of sheep induced by feeding  
Quarterly J. Exp. Physiol. 68: 77-88, 1983

BEECH, D.J.; Zhang, H.; Nakao, K.; Bolton, T.B.:

K channel activation by nucleotide diphosphates and its inhibition by glibenclamid in vascular smooth muscle cells

Br. J. Pharmacol. 110: 573 – 582, 1993a

BEECH, D.J.; Zhang, H.; Nakao, K.; Bolton, T.B.:

Single channel and whole- cell  $K^{+}$ - currents evoked by levromacalim in smooth muscle cells from the rabbit portal vein

Br. J. Pharmacol. 110: 583 – 590, 1993b

BELFRAGE, P:

Hormonal control of lipid degradation

In: A. Cryer, R.L.R. Van (Eds.); New Perspectives in Adipose Tissue

Structure, Function and Development; Butterworth, London, 1985, pp. 121 – 144, 1985

BELLES, B.; Hescheler, J.; Trube, G.:

Changes of membrane currents in cardiac cells induced by long whole- cell recordings and tolbutamide  
Pflügers Arch. 409: 582 – 588, 1987

BEQUETTE, B.J.; Kyle, C.E.; Crompton, L.A.; Buchan, V.; Hanigan, M.D.:  
Insulin regulates milk production and mammary gland and hind- leg amino acid fluxes and blood flow in lactating goats  
J. Dairy Sci. 84: 241 – 255, 2001

BERGMAN, E.N.:  
Energy contributions of volatik fatty acids from the gastrointestinal tract in various species  
Physiol. Rev. 70, 567-590, 1990

BERLAN, M.; Galitzky, J.; Bousquetmelou, D.; Lafontan, M.; Montastrus, J. :  
Beta- 3 adrenoceptor- mediated increase in cutaneous blood flow in the dog  
J. Pharmacol. Exp. Ther. 268: 1441 – 1451, 1994

BERNARDI, H.; De Weille, J.R.; Epelbaum, J.; Mourse, C.; Amoroso, S.; Slauna, A.; Fosset, M.; Lazdunski, M.:  
ATP- modulated K<sup>+</sup>- channels snsitive to antidiabetic sulfonylureas are present in adenohypophysis and are involved in growth hormone release  
Proc. Natl. Acad. Sci. USA 90: 1340 – 1344, 1993

BETHELL, H.W.; Vandenberg, J.I.; Smith, G.A.; Grace, A.A.:  
Changes in ventricular repolarization during acidosis and low-flow intemia  
Am. J. Physiol. 275: H551-H561, 1998

BIENENGRAEBER, M.; Alekscev, A.E.; Abraham, M.R.; Carrasco, A.J.; Moreau, C.; Vivandou, M.; Dzeja, P.P.; Terzic, A.:  
ATPase activity of the sulfonylurea receptor : a catalytic function for the KATP channel complex  
FASEB J. 14: 1943-1952, 2000

BRITTON, R.; Krehbiel, C.:  
Nutrient metabolism by gut tissues  
J. Dairy Sci. 76: 2125-2131, 1993

BROUWER, E.:  
Proc. 3<sup>rd</sup> Symp. On Energy Metabolism  
EAAP Publ. 11: 441 – 443, 1965

CARLISLE, H.J.; Stock, M.J.:  
Thermoregulatory responses to beta- adrenergic agonists at low ambient temperatures in the rat  
Exp. Physiol. 78: 775 – 786, 1993

CHEN, H-L.; Romsos, D.R.:  
A single intracerebroventricular injection of dexamethasone elevates food intake and plasma insulin and depresses metabolic rates in adrenalectomized obese (ob/ ob) mice  
J. Nutr. 125: 540 – 545, 1995

CHUTKOW, W.A.; Simon, M.C.; Beau, M.M.L.; Burant, C.F.:  
Cloning, tissue exprssion, and chromosomal localization of SUR2, the putative drug- binding subunit of cardiac, skeletal muscle, and vascular KATP channels  
Diabetes 45: 1439 – 1445, 1996

CHWALIBOG, A.; Jensen, K.; Thorbek, G.:  
Oxidation of nutrients in bull calves treatet with β-adrenergic agonists.  
Arch. Anim. Nutr. 49: 255-261, 1996

CLEMENT, J.P.; Kunjilwar, K.; Gonzalez, G.; Schwanstecher, M.; Panten, U.; Aguilar- Bryan, L.; Bryan, J.:  
Association and stoichiometry of K(ATP) channel subunits  
Neuron. 18: 827 – 838, 1997

CLEVELAND, J.C.Jr; Meldrum, D.R.; Cain, B.S.; Banerjee, A.; Harken, A.H.:  
 Oral sughonylurea hypoglycemic agents prevents ischemic preconditioning in human myocardium. Two paradoxes revisited.  
*Circulation* 96: 29 – 32, 1997

COOK, D.L. & Hales, C.N.:  
 Intracellular ATP directly blocks K+- channels in pancreatic  $\beta$ -cells  
*Nature* 311: 271 – 273, 1984

CUEVAS, J.; Bassett, A.L.; Cameron, J.S.; Furukawa, T.; Myerburg, R.J.; Kimura, S.:  
 Effect of H<sup>+</sup> on ATP- regulated K<sup>+</sup> channels in feline ventricular myocytes  
*Am. J. Physiol.* 261: H755 – H761, 1991

DART, C.; Standen, N.B.:  
 Adenosine- activated potassium current in smooth muscle cells isolated from the pig coronary artery  
*J. Physiol.* 471: 767 – 786, 1993

DART, C.; Standen, N.B.:  
 Activation of KATP- dependent K<sup>+</sup> channels by hypoxia in smooth muscle cells isolated from the pig coronary artery  
*J. Physiol.* 483: 29 – 39, 1995

DAUT, J.; Klieber, H.G.; Cyrys, S.; Noack, K.T.:  
 KATP channels and basal coronary vascular tone  
*Cardiovasc. Res.* 28: 811 – 817, 1994

DELLSPERGER, K.C.:  
 Potassium channels and the coronary circulation  
*Clin. Exp. Pharmacol. Physiol.* 23: 1096 – 1101, 1996

DETTRY, J.M.; Gerin, M.G.; Charlier, A.A.; Brasseur, L.A. :  
 Hemodynamic and thermal aspects of prolonged intermittent exercise  
*Int. Z. Angew. Physiol.* 30: 171 – 185, 1972

DIETRICH, H.A. & Tyml, K.:  
 Capillary as a communicating medium  
*Microvascular Research* 42: 87 – 99, 1992

DI PRAMPERO, P.E.:  
 Energetics of muscular exercise  
*Rev. Physiol. Biochem. Pharmacol.* 89: 143 – 222, 1981

DOUPNIK, C.A.; Davidson, N.; Lester, H.A.:  
 The inward rectifier potassium channel family  
*Curr. Opin. Neurobiol.* 5: 268 – 277, 1995

DUEE, P.H.; Darcy- Vrillon, B.; Blachier, F.; Morel, M.T.:  
 Fuel selection in intestinal cells  
*Proc. Nutr. Soc.* 54: 83 – 94, 1995

DUNNE, M.J. & Petersen, O.H.:  
 Intracellular ADP activates K<sup>++</sup> channels that are inhibited by ATP in an insulin- secreting cell line  
*FEBS Lett.* 208: 59 – 62, 1986

DUNNE, M.J.:  
 Protein phosphorylation is required for diazoxide to open ATP- sensitive potassium channels in insulin (RINm5F) secreting cells  
*FEBS Lett.* 250: 262 – 266, 1989

- DUNNE, M.J.; Yule, D.I.; Gallacher, D.V.; Petersen, O.H.: Comparative study of the effects of cromacalim (BRL 34915) and diazoxide on membran potential,  $[Ca^{2+}]_i$  and ATP- sensitive potassium currents in insulin- secreting cells  
J. Membr. Biol. 114: 53 – 60, 1990
- ECKMAN, D.M.; Frankovich, J.D.; Keef, K.D.: Comparison of the actions of acetylcholine and BRL38227 in the guinea- pig coronary artery  
Br. J. Pharmacol. 106: 9 – 16, 1992
- EDWARDS, G. & Weston A.H.: The pharmacology of ATP- sensitive potassium channels  
Annu. Rev. Pharmacol. Toxicol. 33: 597 – 637, 1993
- EISEMANN, J.H. & Nienaber, J.A.: (1990)  
Tissue and whole- body oxygen uptake in fed and fasted steers  
British Journal of Nutrition 64: 399 – 411, 1990
- ELIA, M.: General integration and regulation of metabolism at the organ level  
Proc. Nutr. Soc. 54: 213 – 232, 1995
- ESCANDE, D.; Thuringer, D.; Leguern, S.; Cavero, I.: The potassium channel opener cromacalim (BRL 34915) activates ATP- dependent  $K^+$  channels in solated cardiac myocytes  
Biochem. Biophys. Res. Commun. 154: 620 – 625, 1988
- FERRIER, C.P.; Kurtz, A.; Lehner, P.; Shaw, S.G.; Pusterla, C.; Saxenhofer, H.; Weidmann, P.: Stimulation of renin secretion by potassium- channel activation with cromacalim  
Eur. J. Clin. Pharmacol. 36: 443 – 447, 1989
- FRANZ, I.-W.; H.-J. Quabbe; W. Meller; Mellerwicz H.: Lipolyse und Fettverbrennung und deren hormonelle Regulation bei Marathonläufern während einer Ausdauerbelastung  
In: Kongreßbd. Dtsch. Sportärztekongreß 1982, Köln , 283 – 286, 1982
- FRIEDHOLM, B.B.: Nervous control of circulation and metabolism in white adipose tissue  
In: A. Cryer, R.L.R. Van (Eds.); New Perspectives in Adipose Tissue Structure, Function and Development; Butterworth, London, pp. 45 – 61, 1985
- FURSPAN, P.B.; Webb, R.C.: Decreased ATP- sensitivity of a  $K^+$  channel and enhanced vascular smooth muscle relaxation in genetically hypertensive rats  
J. Hypertens. 11: 1067 – 1072, 1993
- FURUKAWA, T.; Yamane, T.; Terai, T.; Katayama, Y.; Hiraoka, M.: Functinal linkage of the cardiac ATP- sensitive  $K^+$  channel to the actin cytoskeleton  
Pflügers Arch. 431: 504 – 512, 1996
- GÄBEL, G.; Marek, M.; Martens, H.: Influence of food deprivation on SCFA and electrolyte transport across sheep reticulon rumen  
J. Vet. Med. A 40: 339-344, 1993
- GILLIS, K.D.; Gee, W.M.; Hammoud, A.; Mc Daniel, M.L.; Falke, L.C.; Misler, S.: Effects of sulfonamides on metabolite- regulated ATP- sensitive  $K^+$  channel in rat pancreatic B- cells  
Am. J. Physiol. 257: C1119 – C1127, 1989

- GRIBBLE, F.M.; Tucker, S.J.; Ashcroft, F.M.:  
The essential role of the walker A motifs of SUR1 in KATP channel activation by Mg- ADP and diazoxide  
EMBO J. 16: 1145 – 1152, 1997
- GRIBBLE, F.M.; Ashfield, R.; Ämmälä, C.; Ashcroft, F.M.:  
Properties of cloned ATP- sensitive K<sup>+</sup>- channels expressed in Xenopus oocytes  
J. Physiol. (Lond.) 498: 87 – 98, 1997
- GROSS, I.; Tomass, A.; Uhde, I.; Schwanstecher, C.; Schwanstecher, M.:  
Stoichiometry of potassium channel opener action  
Mol. Pharmacol 56: 1370-1373, 1999
- GU, H.; Barron, B.A.; Gaugl, J.F.; Caffrey, J.L.:  
Dynorphin, naloxone and overflow of norepinephrine during cardiac nerve stimulation in dogs  
Am. J. Physiol. 263: H153 – H161, 1992
- HARRIS, P.M.; Skene, P.A.; Buchan, V.; Milne, E.; Calder, A.G.; Anderson, S.E.; Connell, A.; Lobley, G.E.:  
Effect of food intake on hind- limb and whole- body protein metabolism in young growing sheep: chronic studies based on arterio- venous techniques  
Br. J. Nutr. 68: 389 – 407, 1992
- HASSESSIAN, H.; Bodin, P.; Burnstock, G.:  
Blockade by glibenclamid of the flow- evoked endothelial release of ATP that contributes to vasodilatation in the pulmonary vascular bed of the rat  
Br. J. Pharmacol. 109: 466 – 472, 1993
- HEADRICK, J.P.:  
Ischemic preconditioning: bioenergetic and metabolic changes and the role of endogenous adenosine  
J. Mol. Cell. Cardiol. 28: 1227 – 1240, 1995
- HEURTEAUX, C.; Lauritzen, I.; Widmann, C.; Lazdunski, M.:  
Essential role of adenosine, adenosine A1 receptors, and ATP- sensitive K<sup>+</sup> channels in cerebral ischemic preconditioning  
Proc. Natl. Acad. Sci USA 92: 4666 – 4670, 1995
- HILGEMANN, D.W.; Ball, R.:  
Regulation of the cardiac Na<sup>+</sup>, Ca<sup>2+</sup> exchange and KATP potassium channels by PIP2  
Science 273: 956 – 959, 1996
- HO; K.; Nichols, C.G.; Lederer, W.J.; Lytton, J.; Vassilev, P.M.; Kanazirska; M.V. & Hebert, S.C.:  
Cloning and expression of an inwardly rectifying ATP- regulated potassium channel  
Nature 362: 31 – 38, 1993
- HOFFMANN, L. & Jentsch, W.:  
Einfluß der Umsetzbarkeit der Energie (Q) auf den Energieerhaltungsbedarf und die Verwertung der umsetzbaren Energie für Ansatz bei Wiederkäuern  
Arch. Anim. Nutr. 46: 72 – 92, 1994
- HOGAN, M.C.; Welch, H.G.:  
Effect of altered arterial O<sub>2</sub> tensions on muscle metabolism in dog skeletal muscle during fatiguing work  
Am. J. Physiol. 251: C216 – C222, 1986
- HOSSACK, K.F.; Kusumi, F.; Bruce, R.A.:  
Approximate normal standards of maximal cardiac output during upright exercise in women  
Am. J. Cardiol. 47: 1080 – 1086, 1981

HOY, M.; Olsen, H.L.; Bokvist, K.; Buschard, K.; Barg, S.; Rorsman, P.; Gramada, J.: Tolbutamide stimulates exocytosis of glucagon by inhibition of a mitochondrial- like ATP- sensitive K<sup>+</sup> (KATP) conductance in rat pancreatic A- cells  
J. Physiol. 527: 109 – 120, 2000

HU, H.; Duan, D.; Li, G.R.; Nattel, S.: Protein kinase C activates ATP- sensitive K<sup>+</sup> currents in human and rabbit ventricular myocytes  
Circ. Res. 78: 492 – 498, 1996

HU, H.; Sato, T.; Scharaseyton, J.; Liu, Y.; Johns, C.; O'Rourke, B.; Marban, E.: Pharmacological and histochemical distinctions between molecularly defined sarcolemma KATP channels and native cardiac mitochondrial KATP channels  
Mol. Pharmacol. 55: 1000-1005, 1999

HUNTER, M. & Giebisch, G.: Calcium- activated K<sup>+</sup>- channels of Amphiuma early distal tubule: inhibition by ATP  
Pflügers Arch. 412: 331 – 333, 1988

IMAMURA, Y.; Tomoike, H.; Narishige, T.; Takahashi, T.; Kasuya, H.; Takeshita, A.: Glibenclamid decreases basal coronary blood flow in anesthetized dogs  
Am. J. Physiol. 263: H399 – H404, 1992

INAGAKI, N.; Gono, T.; Clement, J.P.; Namba, N.; Inazawa, J.; Gonzalez, G.; Aguilar- Bryan, L.; Seino, S.; Bryan, J.: Reconstitution of IK<sub>ATP</sub>: an inward rectifier subunit plus the sulfonylurea receptor  
Science 270: 1166 – 1170, 1995

INAGAKI, N.; Gono, T.; Clement, J.P.; Wang, C.Z.; Aguilar- Bryan, L.; Bryan, J.; Seino, S.: A family of sulphonylurea receptors determines the pharmacological properties of ATP-sensitive K<sup>+</sup> channels  
Neuron 16: 1011 – 1017, 1996

INOUE, I.; Nagase, H.; Kishi, K.; Higuti, T.: ATP-sensitive K<sup>+</sup>- channel in the mitochondrial inner membran  
Nature 352: 244 – 247, 1991

ISOMOTO, S.; Kondo, C.; Yamada, M.; Matsumoto, S.; Higashiguchi, O.; Horio, Y.; Matsuzawa, Y.; Kurachi, Y.: A novel sulfonylurea receptor forms with BIR (Kir 6.2) a smooth muscle type ATP- sensitive K<sup>+</sup> channel  
J. Biol. Chem. 271: 24321 – 24324, 1996

ITO, H.; Tung, R.T.; Sugimoto, T.; Kobayashi, I.; Takahashi, K.; Katada, T.; Ui, M.; Kurachi, Y.: On the mechanism of G protein  $\beta\gamma$  subunit activation of the muscarinic K<sup>+</sup> channel in guinea pig atrial cell membrane: comparison with the ATP- sensitive K<sup>+</sup> channel  
J. Gen. Physiol. 99: 961 – 983, 1992

JACKSON, W.F.: Ateriol tone is determined by activity of ATP- sensitive potassium channels  
Am. J. Physiol. 265: H1797 – H1803, 1993

JAGADISH, M.; Raviprakash, V.; Telang, A.G.; Mishra, S.K.: Modulation of vascular KATP channels in hypothyroidism  
Eur. J. Pharmacol. 309 : 63 – 69, 1996

JANIGRO, D.; West, G.A.; Gordon, E.L.; Winn, H.R.: ATP- sensitive K<sup>+</sup> channels in rat aorta and brain microvascular endothelial cells  
Am J. Physiol. 265: C812 – 821, 1993

- JENTSCH, W.; Wittenburg, H.:  
 Ergebnisse aus vergleichenden Untersuchungen von Parametern der Pansenfermentation und zur Verdaulichkeit von Futterrationen bei Rind und Schaf  
*Arch. Anim. Nutr.* 43: 345-361, 1993
- JIANG, C. & Haddad, G.G.:  
 Modulation of K<sup>+</sup>- channels by intracellular ATP in human neocortical neurons  
*J. Neurophysiol.* 77: 93 – 102; 1997
- KAJIOKA, S.; Kitamura, K.; Kuriyama, H.:  
 Guanosine diphosphate activates an adenosine 5'- triphosphate- sensitive K<sup>+</sup> channel in the rabbit portal vein  
*J. Physiol. (Lond.)* 444: 397 – 418, 1991
- KAKEI, M.; Noma, A.; Shibasaki, T.:  
 Properties of adenosine- triphosphate- regulated potassium channels in guinea- pig ventricular cells  
*J. Physiol. (Lond.)* 363: 441 – 462, 1985
- KARSCHIN, A.; Brockhaus, J.; Ballampi, K.:  
 KATP-channel formation by the sulphonylurea receptors SUR1 with Kir6.2 subunits in rat dorsal vagal neurons in situ  
*J. Physiol. (Lond.)* 509: 339 – 346, 1998
- KATNIK, C.; Adams, D.J.:  
 Characterization of ATP- sensitive potassium channels in freshly dissociated rabbit aortic endothelial cells  
*Am. J. Physiol.* 272: H2507 – H2511, 1997
- KAYANO, T.; Kakei, M.; Nakashima, H.; Yoshinaga, M.; Matsuoka, T.; Tanaka, H.:  
 ATP- regulated K<sup>+</sup> channels are modulated by intracellular H<sup>+</sup> in guinea- pig ventricular cells  
*J. Physiol. (Lond.)* 463: 747 – 766, 1993
- KELLY, J.M.; Mc Bride, B.W. & Milligan, L.P.:  
 In vitro Quabain- sensitive respiration and protein synthesis in ruminal epithelial papillae of Hereford steers fed either alfalfa or bromegrass hay once daily  
*J. Anim. Sci.* 71: 2799 – 2808, 1993
- KIRSCH, G.E.; Codina, J.; Birnbaumer, L.; Brown, A.M.:  
 Coupling of ATP- sensitive K<sup>+</sup> channels to A1 receptors by G proteins in rat ventricular myocytes  
*Am. J. Physiol.* 259: H820 – H825, 1990
- KLOCKNER, U. & Isenberg, G.:  
 ATP suppresses activity of Ca<sup>2+</sup>- activated K<sup>+</sup> channels by Ca<sup>2+</sup> chelation  
*Pflügers Arch.* 420: 101 – 105, 1992
- KRAPIVINSKY, G.; Gordon, E.A.; Wickman, K.; Velimirovic, B.; Krapivinsky, L. & Clapham, D.E.:  
 The G- protein- gated atrial K<sup>+</sup> channel I<sub>KACH</sub> is a heteromultimer of two inwardly rectifying K<sup>+</sup> channel proteins  
*Nature* 374: 135 – 141, 1995
- KREHBIEL, CR.; Harmon, D.L.; Schnieder, J.E.:  
 Effect of increasing ruminal butyrate on portal and hepatic nutrient flux in steers  
*J. Anim. Sci.* 70: 904-914, 1992
- KUBO, M.; Nakaya, Y.; Matsuoka, S.; Sailo, K.; Kuroda, Y.:  
 Atrial natriuretic factor and isosorbide dinitrate modulate the gating of ATP- sensitive K<sup>+</sup> channels in cultured vascular smooth muscle cells  
*Circ. Res.* 74: 471 – 476, 1994

- KUO, L.; Chancellor, J.D.: Adenosine potentiates flow- induced dilatation of coronary arterioles by activating KATP channels in endothelium Am. J. Physiol. 269: H541 – H549, 1995
- LANDSBERG, L.; Young, J.B.: Autonomic regulation of thermogenesis In: Geradier, L.; Stock, M.J. (Eds): Mammalian Thermogenesis, Chapman and Hall, New York and London: 99 – 140, 1983
- LEE, K.; Dixon, A.K.; Richardson, P.J.; Pinnock, R.D.: Glucose-receptive neurones in the rat ventromedial hypothalamus express KATP channels composed of Kir6.1 and SUR1 subunits J. Physiol. 515: 439-452, 1999
- LEVIN, B.E.; Routh, V.H.: Role of the brain in energy balance and obesity Am. J. Physiol. 271: R491-R500, 1994
- LIGHT, P.E.; Sabir, A.A.; Allen, B.G.; Walsh, M.P.; French, R.J. : Protein kinase C- induced changes in the stoichiometry of ATP binding activate cardiac ATP- sensitive K<sup>+</sup> channels Circ. Res. 79: 399 – 406, 1996
- LINDE, C.; Löffler, C.; Kessler, C.; Quast, U.: Interaction between thiol-modifying agents and P1075, a KATP channel opener, in rat isolated aorta Naunyn Schmiedebergs Arch. Pharmacol. 356: 467-474, 1997
- LISS, B.; Bruns, R.; Roeper, J.: Alternative sulfonylurea receptor expression defines metabolic sensitivity of KATP channels in dopaminergic midbrain neurons EMBO J. 18: 833-846, 1999
- LIGHT, P.E.; Shimon, Y.; Harbison, S.; Giles, W.R.; French, R.J.: Hypothyroidism decreases the ATP- sensitivity of KATP channels from rat heart J. Membr. Biol. 162: 217 – 223, 1998
- LIU, Y.; Ytrehus, K.; Downey, J.M.: Evidence that translocation of protein kinase C is a key event during ischemic preconditioning of rabbit myocardium J. Mol. Cell. Cardiol. 26: 661 – 668, 1994
- LIU, Y.; Gao, W.D.; O'Rourke, B.; Marban, E.: Synergistic modulation of ATP- sensitive K<sup>+</sup> currents by protein kinase C and adenosine. Implications for ischemic preconditioning Circ. Res. 78: 443 – 454, 1996
- LÖHRKE, B.; Derno, M.; Krüger, B.; Viergutz, T.; Matthes, H.-D.; Jentsch, W.: Expression of sulphonylurea receptors in bovine monocytes from animals with a different metabolic rate Pflügers Arch – Europ. J. Physiol. 434: 712 – 720, 1997
- LÖHRKE, B.; Viergutz, T.; Shahi, S.K.; Pöhland, R.; Wollenhaupt, K.; Goldhamer, T.; Walzel, H.; Kanitz, W.: Detection and functional characterisation of the transcription factor peroxisome proliferator-activated receptor γ in lutein cells J. Endocrin. 159: 429-439, 1998
- LORENZ, J.N.; Schnermann, J.; Brosius, F.C.; Briggs, J.P.; Furspan, P.B.: Intracellular ATP can regulate afferent arteriolar tone via ATP- sensitive K<sup>+</sup> channels in the rabbit J. Clin. Invest. 90: 733 – 740, 1992

- MACHO, A.; Mishal, Z.; Uriel, J.:  
Molar quantification by flow cytometry of fatty acid binding to cells using dipyrrometheneboron difluoride derivates  
*Cytometry* 23: 166-173, 1996
- MANGEL, A.W.; Prpic, V.; Snow, N.P.; Basavappa, S.; Hurst, L.J.; Sharara, A.I.; Liddle, R.A.:  
Regulation of cholecystokinin secretion by ATP- sensitive potassium channels  
*Am J. Physiol.* 267: G595 – G600, 1994
- MATSUOKA, R.; Matsushita, K.; Katayama, Y.; Fujita, A.; Inageda, K.; Tanemoto, M.; Inanobe, A.; Yamashita, S.; Matsuzana, Y.; Kurachi, Y.:  
C-terminal tails of sulfonylurea receptors control ADP-induced activation and diazoxide modulation of ATP-sensitive K<sup>+</sup> channels  
*Circ Res.* 87: 873-880, 2000
- MC PHERSON, G.A. & Angus, J.A. :  
Evidence that acetylcholine- mediated hyperpolarization of the rat small mesenteric artery does not involve the K<sup>+</sup> channel opened by cromakalim  
*Br. J. Pharmacol.* 103: 1184 – 1190, 1991
- MISLER, S.; Falke, L.C.; Gillis, K.; Mc Daniel, M.L.:  
A metabolite- regulated potassium channel in rat pancreatic β- cells  
*Proc. Natl. Acad. Sci. USA* 83: 7119 – 7123, 1986
- MURPHY, M.E.; Brayden, J.E.:  
Nitric oxide hyperpolarizes rabbit mesenteric arteries via ATP- sensitive potassium channels  
*J. Physiol. (Lond.)* 486: 47 – 58, 1995
- MURRY, C.E.; Jennings, R.B.; Reimer, K.A.:  
Preconditioning with ischemia: a delay of lethal cell injury in ischemic myocardium  
*Circulation* 74: 1124 – 1136, 1986
- NAGAO, T.; Ibayashi, S.; Sadoshima, S.; Fujii, K.; Ohya, Y.; Fujishima, M.:  
Distribution and physiological roles of ATP- sensitive K<sup>+</sup> channels in the vertebrobasilar system of the rabbit  
*Circ. Res.* 78: 238 – 243, 1996
- NAKAYA, H.; Takeda, Y.; Tohse, N.; Morio, K.:  
Effects of ATP- sensitive k<sup>+</sup> channel blockers on the action potential shortening in hypoxic and ischemic myocardium  
*Br. J. Pharmacol.* 103: 1019 – 1026, 1991
- NELSON, M.T.; Huang, Y.; Brayden, J.E.; Hescheler, J.; Standen, N.B.:  
Arterial dilatations in response to calcitonin gene- related peptide involve activation of K<sup>+</sup> channels  
*Nature* 344 : 770 – 773, 1990
- NELSON, M.T. & Quayle, J.M. :  
Physiological role and properties of potassium channels in arterial smooth muscle  
*Am. J. Physiol.* 268: C799 – C822, 1995
- NEWGREEN, D.T.; Bray, K.M.; McHarg, A.O.; Weston, A.H.; Duty, S.; Brown; B.S.; Kay, P.B.; Edwards, G.; Longmore, J.; Southerton, J.S.:  
The action od diazoxide and minoxidil sulphate on rat blood vessels: a comparison with cromacalim  
*Br. J. Pharmacol.* 100: 605 – 613, 1990
- NICHOLS, C.G.; Shyng, S.L.; Nestorowicz, A.; Glaser, B.; Clement, J.P.; Gonzalez, G.; Aguilar- Bryan, L.; Permutt, M.A.; Bryan, J.:  
Adenosine diphosphate as an intracellular regulator of insulin secretion  
*Science* 272 : 1785 – 1787, 1996

- NOMA, A. :  
 ATP- regulated K+- channels in cardiac muscle  
*Nature* 305: 147 – 148, 1983
- OHNO-SHOSAKU, T.; Zunkler, B.J., Trube, G.:  
 Dual effects of ATP on K+ currents of mouse pancreatic beta- cells  
*Pflügers Arch.* 408: 133 – 138, 1987
- OLESEN, S.P.; Davies, P.F.; Clapham, D.E.:  
 Muscarinic- activated K+ channel in bovine aortic endothelial cells  
*Circ. Res.* 62 : 1059 – 1064, 1988
- ORER, H.S.; Clemont, M.E.; Barmean, S.M.:  
 Role of serotonergic neurons in the maintenance of the 10-Hz rhythm in sympathetic nerve discharge  
*Am. J. Physiol.* 270: R174-R181, 1996
- ORTIGUES, I.; Doreau, M.:  
 Responses of the splanchnic tissues of ruminants to changes in intake  
*Ann. Zootechnie* 44: 321-346, 1995
- ORTIGUES, J.; Visseiche, A.L.:  
 Whole-body fuel selection in ruminants: nutrient supply and utilization by major tissues  
*Proced. Nutr. Society* 54: 235-251, 1995
- PETERS, J.P.; Shen, R.Y.W.; Robinson, J.A.; Chester, S.T.:  
 Disappearance and passage of propionic acid from the rumen of beef steer  
*J. Anim. Sci.* 68: 3337-3349
- PETERS, J.P.; Shen, R.Y.W.; Robinson, J.A.:  
 Disappearance of acetic acid from the bovine reticulorumen at basal and elevated concentrations of acetic acid  
*J. Anim. Sci.* 70: 1509-1517, 1992
- PIERREFICHE, O.; Bischoff, A.M.; Richter, D.W.:  
 ATP- sensitive K+- channels are functional in expiratory neurons of normoxic cats  
*J. Physiol. (Lond.)* 494: 399 – 409, 1996
- PROKS, P.; Takano, M.; Ashcroft, F.M.:  
 Effects of intracellular pH on ATP- sensitive K+ channels in mouse pancreatic beta- cells  
*J. Physiol. (Lond.)* 475: 33 – 44, 1994
- QUAST, U.; Cook,N.:  
 In vitro and in vivo comparison of two K+ cahennel openers, diazoxide and cromacalim, and their inhibition by glibenclamid  
*J. Pharmacol. Exp. Ther.* 250: 261 – 271, 1989
- QUAST, U.:  
 Effects of potassium channel activators in isolated blood vessels  
 In: Potassium Channels and their Modulators: From Synthesis to Clinical Experience ed. Evans, J.M.; Hamilton, T.C.; Longman, S.D. & Stemp, G. pp. 173 – 195  
 London: Taylor & Francis, 1996
- QUAYLE, J.M.; Bonev, A.D.; Brayden, J.E.; Nelson, M.T.:  
 Pharmacology of ATP- sensitive K+ currents in smooth muscle cells from rabbit mesenteric artery  
*Am. J. Physiol.* 269: C1112 – C1118, 1995
- RALEVIC, V.; Khalil, Z.; Dusting, G.J.; Helme, R.D.:  
 Nitric oxide and sensory nerves are involved in the vasodilator response to acetylcholine but not calcitonin gene- related peptide in rat skin microvasculatur  
*Br. J. Pharmacol.* 106: 650 – 655, 1992

REMOND, D.; Ortigues, I.; Jounny, J.P.:  
Energy substrates for the rumen epithelium  
Proceed. Nutr. Society 54: 95-105, 1995

RORSMAN, P.; Trube, G.:  
Glukose dependent K<sup>+</sup>- channels in pанcreatic β- cells are regulated by intracellular ATP  
Pflügers Arch. 405: 305 – 309, 1985

RUBANYI, G.M.; Vanhoutte, P.M.:  
Oxygen-derived free radicals, endothelium, and responsiveness of vascular smooth muscle  
Am. J. Physiol. 250: H815 – H821, 1986

RUSS, U.; Hambrock, S.; Artunc, F.; Löffler-Walz, C.; Horio, Y.; Kurachi, Y.; Quast, U.:  
Coexpression with the inward rectifier (K<sup>+</sup>) channel Kir6.1 increases the affinity of the vascular sulfonylurea receptor SUR2B for glibenclamide  
Mol. Pharmacol. 56: 955-961, 1999

SAKURA, H.; Ammala, C.; Smith, P.A.; Gribble, F.M.; Ashcroft, F.M.:  
Cloning and functional expression of the cDNA encoding a novel ATP- sensitive potassium channel subunit expressed in pancreatic beta- cells, brain, heart and skeletal muscle  
FEBS Lett. 377: 338 – 344, 1995

SAKURA, H.; Trapp, S.; Liss, B.; Ashcroft, F.M.:  
Altered functional properties of KATP channel conferred by a novel splice variant of SUR1  
J. Physiol. 521: 237 – 250, 1999

SAMAHA, F.F.; Heineman, F.W.; Ince, C.; Fleming, J.; Balaban, R.S.:  
ATP- sensitive potassium channel is essential to maintain basal coronary vascular tone in vivo  
Am. J. Physiol. 262: C1220 – C1227, 1992

SAMRA, J.S.; Ravell, C.L.; Giles, S.C.; Arner, P.; Fragu, K.N.:  
Interstitial glycerol concentration in human skeletal muscle and adipose tissue is close to the concentration in blood  
Clin. Sci. (Lond.) 90: 453 – 456, 1996

SANTI, E.; Huupponen, R.; Rouru, J.; Hanninen, V.; Pesonen, U.; Jhanwaruniyal, M.; Koulu, M.:  
Potentiation of the anti- obesity effect of the selective beta (3)- adrenoceptor agonist BRL 35135 in obese Zucker rats by exercise  
British J. Pharmacol. 113: 1231 – 1236, 1994

SCHAFFER, P.; Pelzmann, B.; Bernhart, E.; Lang, P.; Machler, H.; Rigler, B.; Koide, B.:  
The sulphonylurea glibenclamide inhibits voltage dependent potassium currents in human atrial and ventricular myocytes  
Br. J. Pharmacol. 128: 1175 – 1180, 1999

SCHESFED, J.; Bech, J.B.; Aaes, O.; Kristensen, N.B.; Diernae, L.; Moller, D.; Shadhang, E.:  
Feed-induced changes in the transport of butyrate, sodium and chloride ions across the isolated bovine rumen epithelium  
Acta Agric. Scand. A Animal Sci. 50: 47-55, 2000

SCHULZ, R.; J. Rose & Heusch, G.:  
Involvement of activation of ATP- dependent potassium channels in ischemic preconditioning in swine  
Am. J. Physiol. 267: H1341 – H1352, 1994

SCHWANSTECHER, C.; Dickel, C.; Ebers, L.; Lins, S.; Zünkler, B.J.; Panten, U.:  
Diazoxide- sensitivity of the adenosine 5' - triphosphate dependent K<sup>+</sup> channel in mouse pancreatic β- cells  
Br. J. Pharmacol. 107: 87 – 94, 1992

- SHIMONI, Y.H.; Ewart, H.S.; and Severson, D.:  
Type I and II models of diabetes produce different modifications of K<sup>+</sup> currents in rat heart: role of insulin  
*J. Physiol. (Lond.)* 507: 485 – 496, 1998
- SHIMONI, Y.H.; Light, P.E.; French, R.J.:  
Altered ATP sensitivity of ATP- dependent K<sup>+</sup> channels in diabetic rat hearts  
*Am J. Physiol.* 275: E568 – E576, 1998
- SICILIANO-JONES, J. & Murphy, M.R.:  
Production of volatile fatty acids in the rumen and cecum- colon of steers as affected by forage: concentrate and forage physical form  
*J. Dairy Sci.* 72: 485 – 492, 1989
- SILBERBERG; S.D.; van Breesen, C.:  
An ATP, calcium and voltage sensitive potassium channel in porcine coronary artery smooth muscle cells  
*Biochem. Biophys. Res. Commun.* 172: 517 – 522, 1990
- SKATCHKOV, S.N.; Rojas, L.; Eaton, M.J.; Orkand, R.K.; Biedermann, B.; Bringmann, A.; Pannicke, T.; Veh, R.W.; Reichenbach, A.:  
Functional expression of Kir6.1/SUR1- K(ATP) channels in frog retinal Muller glial cells  
*Glia* 38: 256 – 267, 2002
- SMIESKO, V.; Kozik, J.; Dolezel, S.:  
Role of endothelium in the control of arterial diameter by blood flow  
*Blood Vessel* 22: 247 – 251, 1985
- SMITH, J.M.; Wahler, G.M.:  
ATP- sensitive potassium channels are altered in ventricular myocytes from diabetic rats  
*Mol. Cell. Biochem.* 158: 43 – 51, 1996
- SONG, H. & Tyml, K.:  
Evidence for sensing and intergration of biological signals by the capillary network  
*Am. J. Physiol.* 265: H1235 – H1242, 1993
- SPRUCE, A.E.; Standen, N.B.; Standfield, P.R.:  
Voltage-dependet ATP- sensitive potassium channels of skeletal muscle membran  
*Nature* 316: 736 – 738, 1985
- STANDEN, N.B.; Quayle, J.M.; Davies, N.W.; Brayden, J.E.; Hyang, Y.; Nelson, M.T.:  
Hyperpolarizing vasodilation active ATP- sensitive K<sup>+</sup>- channels in arterial smooth muscle  
*Science* 245: 177 – 180, 1989
- SURAH-NARWAL, S.; Xu, S.Z.; Mc Hugh, D.; Mc Donald, R.L.; Hough, E.; Cheong, A.; Partridge, C.; Sivaprasadarao, A.; Beech, D.J.:  
Block of human aorta Kir6.1 by the vascular KATP channel inhibitor U37883A  
*Br. J. Pharmacol.* 128: 667 – 672, 1999
- TERZIC, A.; R.T. Tung; A. Inanobe; T. Katada; and Kurachi, Y.:  
G proteins activate ATP- sensitive K<sup>+</sup> channels by antagonizing ATP- dependent gating  
*Neuron.* 12: 885 – 893, 1994b
- TERZIC, A.; Jahangir, A.; Kurachi, Y.:  
Cardiac ATP- sensitive K<sup>+</sup> channels: regulation by intracellular nucleotides an K<sup>+</sup> channel opening drugs  
*Am. J. Physiol.* 269: C525 – C545, 1995
- TOMAI, F.; Crea, F.; Gaspardone, A.; Versaci, F.; De Paulis, R.; Penta de Peppo, A.; Chiariello, L.; Gioffre, P.A.:  
Ischemia preconditioning during coronary angioplasty is prevented by glibenclamide, a selective ATP- sensitive K<sup>+</sup> channel blocker  
*Circulation* 90: 700 – 705, 1994

- THEUTH, M.S.; Adveph, A.L.; Butte, N.F.:  
 Energy expenditure in children predicted from heart rate and activity calibrated against respiration calorimetry  
*Am. J. Physiol.* 275: E12-E18, 1998
- TRUBE, G. & Hescheler, J.:  
 Inward-rectifying channels in isolated patches of the heart cell membrane: ATP- dependence and comparison with cell- attached patches  
*Pflügers Arch.* 401: 178 – 184, 1984
- TRUBE, G.; Rorsman, P.; Ohno- Shosaku, T.:  
 Opposite effects of tolbutamide and diazoxide on the ATP- dependent K<sup>+</sup> - channel in mouse pancreatic beta- cells  
*Pflügers Arch.* 407: 493 – 499, 1986
- TUNG, R. & Kurachi, Y.:  
 On the mechanism of nucleotide diphosphate activation of the ATP- sensitiveK<sup>+</sup> channel in ventricular cell of guinea pig  
*J. Physiol. (Lond.)* 437: 239 – 256, 1991
- VERGAUWEN, L.; Hespel, P.; Richter, E.A.:  
 Adenosine receptors mediate synergistic stimulation of glucose uptake and transport by insulin and by contractions in rat skeletal muscle  
*J. Clin. Invest.* 93: 974 – 981, 1994
- WEI, E.P.; Randad, R.S.; Levasseur, J:E.; Abraham, D.J. & Kontos, H.A.:  
 Effect of local change in O<sub>2</sub> saturation of hemoglobin on cerebral vasodilatation from hypoxia and hypotension  
*Am. J. Physiol.* 265: H1439 – H1443, 1993
- WEIDELT, T.; Boldt, W.; Markwardt, F.:  
 Acetylcholine- induced K<sup>+</sup> currents in smooth muscle cells of intact rat small arteries  
*J. Physiol. (Lond.)* 500: 617 – 630, 1997
- WELLMAN, G.C.; Barrett- Jolley, R.; Koppel, H.; Everitt, D.; Quayle, J.M.:  
 Inhibition of vascular KATP channels by U37883A: a comparison with cardiac and skeletal muscle  
*Br. J. Pharmacol.* 128: 909 – 916, 1999
- WHEATLY, D.N. & Malone, P.C.:  
 Heat conductance, diffusion theory and intracellular metabolic regulation  
*Biol. Cell* 79: 1 – 5, 1993
- WIRTH, K.J.; Rosenstein, B.; Uhde, J.; Englert, H.C.; Busch, A.E.; Scholkens, B.A.:  
 ATP-sensitive potassium channel blocker HMR 1883 reduces mortality and inhemia-associated electrocardiographic changes in pigs with coronary occlusion  
*J. Pharmacol. Exp. Ther.* 291: 474-481, 1999
- WU, E.Y.; Smith, M.T.; Bellomo, G.; Di Monte, D.:  
 Elationships between the mitochondrial transmembrane potential, ATP concentration, and cytotoxicity in isolated rat hepatocytes  
*Arch. Biochem. Biophys.* 282: 358-362, 1990
- YAMADA, M.; Isomoto, S.; Matsumoto, S.; Kondo, C.; Shindo, T.; Hotio, Y.; Kurachi, Y.:  
 Sulfonylurea receptor 2B and Kir6.1 form a sulfonylurea- sensitive but ATP- insensitive K<sup>+</sup> channel  
*J. Physiol. (Lond.)* 499: 715 – 720, 1997
- YE, J.M.; Clark,M.G.; Colguhoun, E.Q.:  
 Constant pressure perfusion of rat hindlimb shows α- and β- adrenergic stimulation of oxygen consumption  
*Am. J. Physiol.* 269: E960 – E968, 1995

YOKOSHIKI, H.; Katsume, Y.; Sunagawa, M.; Seki, T.; Sperelakis, N.:  
Disruption of actin cytoskeleton attenuates sulfonylurea inhibition of cardiac ATP- sensitive K<sup>+</sup> channels  
*Pflügers Arch.* 434: 203 – 205, 1997

YOKOSHIKI, H.; Katsume, Y.; Sunagawa, M.; Sperelakis, N.:  
The novel calcium sensitizer levosimendan activates the ATP- sensitive K<sup>+</sup> channel in rat ventricular cells  
*J. Pharmacol. Exp. Ther.* 283: 375 – 383, 1997

YOKOSHIKI, H.; Katsume, Y.; Sunagawa, M.; Sperelakis, N.:  
Levosimendan, a novel Ca<sup>2+</sup> sensitizer, activates the glibenclamide- sensitive K<sup>+</sup> channel in rat arterial myocytes  
*Eur. J. Pharmacol.* 333 : 249 – 259, 1997

YOKOSHIKI, H.; Sunagawa, M.; Seki, T.; Sperelakis, N.:  
ATP- sensitive K<sup>+</sup> channels in pancreatic, cardiac, and vascular smooth muscle cells  
*Am. J. Physiol.* 274: C25 – C37, 1998

ZAWAR, L.; Plant, T.D.; Schirra, C.; Konnerth, A.; Neumcke, B.:  
Cell-type specific expression of ATP- sensitive potassium channels in the rat hippocampus  
*J. Physiol. (Lond.)* 514: 327 – 341, 1999

ZHANG, H. & Bolton, T.B.:  
Activation by intracellular GDP, metabolic inhibition and pinacidil of a glibenclamid- sensitive K<sup>+</sup> channel in smooth muscle cells of rat mesenteric artery  
*Br. J. Pharmacol.* 114: 662 – 672, 1995

ZHANG, H. & Bolton, T.B.:  
Two types of ATP- sensitive potassium channels in rat portal vein smooth muscle cells  
*Br. J. Pharmacol.* 118: 105 – 114, 1996