

## 7 Literaturverzeichnis

Abraham, E., K. Minoshima, H. Matsumoto (2000): Femtosecond laser-induced breakdown in water: time-resolved shadow imaging and two-colour interferometric imaging, *Opt. Commun.* **173**, p. 441-452

Adams, F. (1994): Chemical characterisation of atmospheric particles, in: *Topics in atmospheric and interstellar physics and chemistry*, C. F. Boutron (Hrsg), *Les edition de physique, Les Uli*, p. 271-288

Armstrong, R. L. (1984): Aerosol heating and vaporization by pulsed light beams, *Appl. Opt.* **23**, p. 148-155

Asaki M. T., C. P. Huang, D. Garvey, J. Zhou, H. C. Kapteyn, M. M. Murnane (1993): Generation of 11 femtosecond pulses from a mode locked ti:sapphir laser, *Opt. Lett.* **18**, p. 977-979

Barber, P. W., S. C. Hill (1990): Light Scattering by Particles: Computational Method, *World Scientific, Singapore*

Barnes, P. A., K. E. Rieckhoff (1968): Laser induced underwater sparks, *Appl. Phys. Lett.* **13**, p. 282-284

Barnes, M. D., W. B. Whitten, J. M. Ramsey (1994): Enhanced fluorescence yields through cavity quantum-electrodynamic effects in microdroplets, *J. Opt. Soc. Am. B* **11**, p. 1297-1304

Bergmann, Schaefer (1993): Lehrbuch der Experimentalphysik, Optik, *Walter de Gruyter, Berlin, New York*

Blom, F. C., A. Driessen, H. Hoekstra, J. van Schoot, T. J. A. Popma (1999): Third harmonic generation as a rapid selection tool for organic materials for nonlinear integrated optics devices, *Opt. Mat.* **12**, p. 327-331

Bohren, C. F., D. R. Huffman (1983): Absorption and Scattering of Light by Small Particles, *John Wiley, New York*, chap. 4

Boyd, R. W. (1992): Nonlinear Optics, *Academic Press INC.*

Braun A., G. Korn, X. Liu, D. Du J. Squier, G. Mourou (1995): Self-channeling of high-peak-power femtosecond laser pulses in air, *Opt. Lett.* **20**, p. 73-75

Brodeur, A., S. L. Chin (1998) : Band-Gap Dependence of the Ultrafast White-Light Continuum, *Phys. Rev. Lett.* **80**, p. 4406-4409

Busolt, U. (1995): Winkelaufgelöste Beobachtung der Mie-Streuung an einzelnen Partikeln, *Diplomarbeit FU-Berlin*

Butcher, P. N., D. Cotter (1990): The Elements of Nonlinear Optics, *Cambridge University Press*

Campillo, A. J., J. D. Eversole, H. B. Lin (1991): Cavity quantum electrodynamic enhancement of stimulated emission in microdroplets, *Phys. Rev. Lett.* **67**, p. 437-440

Carroll, D., X. H. Zheng (1998): Modelling third harmonic generation from microdroplets, *Pure Appl. Opt.* **7**, p. L49-L55

Carroll, D. (1999): Theoretical Studies of Nonlinear Light Scattering from Microscopic Spheres, *PhD Thesis, Queen's University, Belfast*

Carls, J. C., Y. Seo, J. R. Brock (1991): Laser-induced breakout and detonation waves in droplets. II Model, *J. Opt. Soc. Am. B* **8**, p. 329-336

- Chang, R. K., J. H. Eickmanns, W.-F. Hsieh, C. F. Wood, J.-Z. Zhang, J. Zheng (1988): Laser-induced breakdown in large transparent water droplets, *Appl. Opt.* **27**, p. 2377-2385
- Chang, R. K., R. A. Campillo (1996): Optical processes in microcavities, *World Scientific, Singapore*
- Cheung, J. L., J. M. Hartings, R. K. Chang (1997): Nonlinear Optics of Microdroplets Illuminated by Picosecond Laser Pulses, in *Handbook of OPTICAL PROPERTIES Vol II, Optics of Small Particles, Interfaces, and Surfaces*, edited by R. E. Hummel, P. Wißmann CRC Press
- Chew, H. (1987): Transition rates of atoms near spherical surfaces, *J. Chem. Phys.* **87**, p. 1355-1360
- Cremers, D. A., L. J. Radziemski, T. R. Loree (1984): Spectrochemical Analysis of Liquids Using the Laser Spark, *Appl. Spectrosc.* **38**, p. 721-729
- Daum, P. H., S. E. Schwartz, L. Newman (1984): Acidic and related constituents in liquid-water clouds, *J. Geophys. Res.*, **89**, p. 1447-1459
- Demtröder W. (2000): Laserspektroskopie, *Springer Verlag Berlin Heidelberg, New York*, 4. Auflage
- Dewitz, J. P., W. Hübner, K. H. Bennemann (1996): Theory for nonlinear Mie-scattering from spherical metal clusters *Z. Phys. D* **28**, 169-175
- Dickerson, R. R., K. P. Rhoads, T. P. Carsey, S. J. Oltmans, P. J. Crutzen (1999): Ozone in the remote marine boundary layer: a possible role for halogens, *J. Geophys. Res.* **104**, p. 21385-21395
- Diels J.-C., W. Rudolph (1996): Ultrashort Laser Pulse Phenomena, Academic Press, *Inc. optics and photonics*
- Docchio, F., P. Regondi, M. R. C. Capon, J. Mellerio (1988): Study of the temporal and spatial dynamics of plasmas, *Appl. Opt.* **27**, p. 3661-3674
- Eichler J., H. J. Eichler (1998): Laser, *Springer Verlag Berlin Heidelberg, New York*, 3. Auflage
- Eickmans, H. E., W. F. Hsieh, R. K. Chang (1987): Laser induced explosion of H<sub>2</sub>O droplets: spatially resolved spectra, *J. Opt. Soc. Am. B* **12**, p. 22-24
- Eickmans, H. E., W. F. Hsieh, R. K. Chang (1987): Plasma spectroscopy of H, Li, Na, in plumes resulting from laser-induced droplet explosion, *Appl. Opt.* **26**, p. 3721-3725
- Eickmans, H. E., S. X. Qian, R. K. Chang (1987): Detection of water droplet size and Anion species by nonlinear optical scattering, *Opt. Lett.* **10**, p. 37-41
- Elsa, Y. C. Y., Y. Liu, K. B. Eisenthal (1998): New Method for Determination of Surface Potential of Microscopic Particles by Second Harmonic Generation, *J. Phys. Chem.* **102**, p. 6331-6336
- Fields M. H., J. Popp, R. K. Chang (1996): External seeding of stimulated Raman scattering in microdroplets, *Opt. Lett.* **21**, p. 1457-1459
- Fix, A. (1995): Untersuchung der spektralen Eigenschaften von optischen parametrischen Oszillatoren aus dem nichtlinearen Material Betabariumborat, *Shaker Verlag GmbH*
- Franken, P. A., A. E. Hill, C. W. Peters, G. Weinreich (1961): Generation of optical harmonics *Phys. Rev. Lett.* **7**, p. 118-119
- Fréjafon, E., J. Kasparian, P. Rambaldi, J. Yu, B. Vezin, J. P. Wolf (1997): 3D-Analysis of Urban Aerosols using a combined LIDAR-SEM-X-Ray Method, *Appl. Opt.* **37**, p. 2231-2235
- Glezer, E. N., C. B. Schaffner, N. Nishimura, E. Mazur (1997): Minimally disruptive laser-induced breakdown in water, *Opt. Lett.* **22**, p. 1817-1819

- Goh, M. C., J. M. Hicks, R. G. Pinto, K. Bhattacharyya, K. B. Eisenthal, T. F. Heinz (1988): Absolute orientation of water molecules at the near water surface, *J. Phys. Chem.* **92**, p. 5074-5079
- Gordon, J. P., W. H. Louisell, L. R. Walker (1963): Quantum fluctuations and noise in parametric processes, *Phys. Rev.* **129**, p. 481-486
- Gouesbet G. (1999) : Validity of the localized approximation for arbitrary shaped beams in the generalized Lorenz-Mie theory for spheres, *J. Opt. Am. A* **16**, p. 1641-1650
- Griem, H. G. (1964): Plasma Spectroscopy, *McGraw-Hill Book Company, New York*
- Haken, H., H. C. Wolf (1993): Atom- und Quantenphysik. Einführung in die theoretischen und experimentellen Grundlagen, *Springer Verlag, Berlin Heidelberg*, 5. Auflage, p. 43-48
- Hale, G. M., M. R. Querry (1973) : Optical Constants of Water in the 200-nm to 200- $\mu$ m Wavelength Region, *Appl. Opt.* **12**, p. 555-563
- Hammer, D. X., R. J. Thomas, G. D. Noojin, B. A. Rockwell, P. K. Kennedy, W. P. Roach (1996): Experimental Investigation of Ultrashort Pulse Laser-induced Breakdown Thresholds in Aqueous Media, *IEEE J. Quantum. Elektron.* **32**, p. 670-677
- Hammer, D. X., G. D. Noojin, R. J. Thomas, C. E. Clary, B. A. Rockwell, C. A. Toth, W. P. Roach (1997): Shielding properties of laser-induced breakdown in water for pulse duration from 5 ns to 125 fs, *Appl. Opt.* **37**, p. 5630-5640
- Hartings, J. M., A. Poon, X. Pu, R. K. Chang, T. M. Leslie (1997): Second harmonic generation and fluorescence images from surfactants on hanging droplets, *Chem. Phys. Lett.* **281**, p. 389-393
- Heintzenberg, J. (1994): The life cycle of the atmospheric aerosol, in: *Topics in atmospheric and interstellar physics and chemistry*, C. F. Boutron (Hrsg), *Les edition de physique, Les Uli*, p. 251-267
- Hill, S. C., D. H. Leach, R. K. Chang (1993): Third-order sum-frequency generation in droplets: model with numerical results for third-harmonic generation, *J. Opt. Soc. Am. B* **10**, p. 16-33
- Hill, S. C., H. I. Saleheen, M. D. Barnes, W. B. Whitten, J. M. Ramsey (1996): Modeling fluorescence collection from single molecules in microspheres: effects of position, orientation, and frequency, *Appl. Opt.* **35**, p. 6278-6288
- Hill, S. C., G. Videen, J. D. Pendleton (1997): Reciprocity method for obtaining the far fields generated by a source inside or near a microparticle, *J. Opt. Soc. Am. B* **10**, p. 2522-2529
- Hill, S. C., V. Boutou, J. Yu, S. Ramstein, J.P. Wolf, Y. Pan, S. Holler, R. K. Chang (2000): Enhanced Backward-Directed Multi-Photon-Excited Fluorescence from Dielectric Microcavities, *Phys. Rev. Lett.* **85**, p. 54-57
- Hsieh, W. F., J. H. Eickmanns, R. K. Chang (1987): Internal and external laser-induced avalanche breakdown of single droplets in an argon atmosphere, *J. Opt. Soc. Am B* **4**, p. 1816-1820
- Immler, F. (1999): Lidar-Fernerkundung von troposphärischem Ozon und Aerosol in urbaner Atmosphäre, *Dissertation FU-Berlin*
- IPCC (1996): Climate Change 1995. The Science of Climate Change, *University Press Cambridge*
- Jacob, J. D. (2000): Heterogeneous chemistry and tropospheric ozone, *Atmos. Environ.* **34**, p. 2131-2159
- Kafalas, P., A. P. Ferdinand (1973): Fog Droplet Vaporization and Fragmentation by a 10.6  $\mu$ m Laser Pulse, *Appl. Opt.* **12**, p. 772-779
- Kajzar, F., J. Messier (1985): Third-harmonic generation in liquids, *Phys. Rev. A* **32**, p. 2353-2363

- Kasparian, J., B. Krämer, J. P. Dewitz, S. Vajda, P. Rairoux, B. Vezin, V. Boutou, T. Leisner, W. Hübner, J. P. Wolf, L. Wöste, K. H. Bennemann (1997): Angular Dependences of Third Harmonic Generation from Microdroplets, *Phys. Rev. Lett.* **78**, p. 2952-2955
- Kasparian, J., J. P. Wolf (1998): A new transient SRS analysis method of aerosols and application to a nonlinear femtosecond lidar, *Opt. Commun.* **152**, p. 355-360
- Kasparian, J., R. Sauerbrey, D. Mondelain, S. Niedermeyer, J. Yu, J. P. Wolf, Y. B. André, M. Franco, B. Prade, S. Tzortzakis, A. Mysyrowicz, M. Rodriguez, H. Wille, L. Wöste (2000): Infrared extension of the supercontinuum generated by femtosecond terawatt laser pulses propagating in the atmosphere, *Opt. Lett.* **25**, p. 1397-1399
- Kennedy, P. K., D. X. Hammer, B. A. Rockwell (1997): Laser-induced breakdown in aqueous media, *Prog. Quant. Electr.*, **21**, p. 155-248
- Kerminen, V. M., K. Teinilä, R. Hillamo, T. Pakkanen (1998): Substitution of chloride in sea-salt particles by inorganic and organic anions, *J. Aerosol. Sci.*, **29**, p. 929-942
- Khaled, E. E. M., D. Q. Chowdhury, S. C. Hill, P. W. Barber (1994): Internal and scattered time-dependent intensity of a dielectric sphere illuminated with a pulsed Gaussian beam, *J. Opt. Soc. Am. A* **11**, p. 2065-2071
- Kotzick, R., U. Panne, R. Niessner (1997): Changes in condensation properties of ultrafine carbon particles subjected to oxidation by ozone, *J. Aerosol. Sci.* **28**, p. 725-735
- Leach, D. H., R. K. Chang, W. P. Acker, S. C. Hill (1993): Third-order sum-frequency generation in droplets: experimental results, *J. Opt. Soc. Am. B* **10**, p. 34-45
- Le Blanc, C., P. Curley, F. Salin (1999) : Gain-narrowing and gain-shifting of ultra-short pulses in Ti :sapphire amplifiers, *Opt. Commun.* **131**, p. 391-398
- Ledoux, I., J. Zyss (1982): Influence of the molecular environment in solution measurements of the second-order optical susceptibility for urea and derivatives, *Chem. Phys.* **73**, p. 203-213
- Lenschow, P., M. Pesch (2000): Feinstaub - Die Situation in Deutschland nach der EU-Tochterrichtlinie, *Bericht der Tagung des Vereins für Wasser- Boden- und Lufthygiene e. V.*, p. 1-2
- Lupulescu C. (1999): Fragmentation on Homogenous and Heterogeneous Alkali Clusters, *Master Thesis, FU- Berlin*
- Manassah, J. T. (1989): Simple Models of Self-Phase and Induced-Phase Modulation, in: *The Supercontinuum Laser Source, R. R. Alfano (Hrsg.), Springer-Verlag Berlin, Heidelberg, New York*
- Marcus, G., A. Zigler, Z. Henis (1999): Third-harmonic generation at atmospheric pressure in methane by use of intense femtosecond pulses in the tight-focusing limit, *J. Opt. Soc. Am. B* **16**, p. 792-800
- Meschede D. (1999): *Optik, Licht und Laser, B. G. Teubner Studienbücher Stuttgart, Leipzig*
- Mie, Gustav (1908): Beiträge zur Optik trüber Medien, speziell kolloidaler Metallösungen, *Ann. d. Phys.* **32**, p. 2780
- Phuoc, T. X., C. M. White (2000): Experimental studies of the absorption and emission from laser-induced spark in combustible gases, *Opt. Commun.* **181**, p. 353-359
- Poulain, D. E., D. R. Alexander (1995) : Influences on Concentration Measurements of Liquid Aerosol by Laser-Induced Breakdown Spectroscopy, *Appl. Spectrosc.* **49**, p. 569-579
- Raes, F., R. van Dingenen, E. Vignati, J. Wilson, J. P. Putaud, S. H. Seinfeld, P. Adams (2000): Formation and cycling of aerosols in the global troposphere, *Atmos. Environ.* **34**, p. 4215-4240

- Rairoux, P., H. Schillinger, S. Niedermeier, M. Rodriguez, F. Ronneberger, R. Sauerbrey, B. Stein, D. Waite, C. Wedekind, H. Wille, L. Wöste, .C. Ziener (2000): Remote sensing of the atmosphere using ultrashort laser pulses, *Appl. Phys. B* **7**, p. 573-580
- Roedel, W. (1994): Physik unserer Umwelt: Die Atmosphäre, *Springer Verlag, Berlin*
- Roman, V. E., J. Popp, M. H. Mitchell, H. Fields, W. Kiefer (1999): Minority species detection in aerosols by stimulated anti-Stokes-Raman scattering and external seeding, *Appl. Opt.* **38**, p. 1418-1422
- Sbanski, O., V. E. Roman, W. Kiefer, J. Popp (2000): Elastic light scattering from single microparticles on a femtosecond timescale, *J. Opt. Soc. Am. A* **17**, p. 313-319
- TERAMOBILE (1999): Deutsch-französisches Projekt zur Entwicklung eines Femtosekunden-Lidars gefördert durch DFG und CNRS, Projektpartner: Mysyrowicz/Palaiseau, Sauerbrey/Jena, Wolf/Lyon, Wöste/Berlin, [www.physik.uni-jena.de/~teramobi/](http://www.physik.uni-jena.de/~teramobi/)
- Umwelt 1999: Europäische Luftqualitätsrichtlinie, *Umwelt* **9**, p. 423-426
- Weber, S., P. Hoffmann, J. Enslin, A. N. Dedik, S. Weinbruch, G. Miehe, P. Gütlich, H. M. Ortner (2000): Characterization of iron compounds from urban and rural aerosol sources, *J. Aerosol. Sci.* **31**, p. 987-997
- Wolf, J. P., Y. L. Pan, S. Holler, G. M. Turner, M. C. Beard, C. A. Schmuttenmaer, R. K. Chang (2000): Ballistic Trajectories of Optical Wavepackets within Microdroplets, erscheint 2001 in *Phys. Rev. Lett.*
- Zhang, J. Z., J. K. Lam, C. F. Wood, B. T. Chu, R. K. Chang: Explosive vaporisation of a large transparent droplet irradiated by a high intensity laser, *Appl. Opt.* **26**, p. 4731-4737
- Zhang, J. Z., R. K. Chang (1989): Generation and suppression of stimulated Brillouin scattering in single liquid droplets, *J. Opt. Soc. Am. B* **6**, 151-153
- Zheng, J. B., W. F. Hsieh, S. C. Chen, R. K. Chang (1991): Laser-induced breakout and detonation waves in droplets. I. Experiments, *J. Opt. Soc. Am. B* **8**, p. 319-328
- Zürl, R., H. Graener (1998): High-harmonic generation of mid-IR pulses in simple liquids, *Appl. Phys. B* **66**, p. 213-216
- Zysset, B., J. G. Fujimoto, T. F. Deutsch (1989): Time resolved measurements of picosecond optical breakdown, *Appl. Phys. B* **48**, p. 139-147