

7 Literaturverzeichnis

- Allison, L.A. (2000). The role of sigma factors in plastid transcription. *Biochimie* **82**, 537-548.
- Allison, L.A. und Maliga, P. (1995). Light-responsive and transcription-enhancing elements regulate the plastid *psbD* core promoter. *EMBO J.* **14**, 3721-3730.
- Allison, L.A., Simon, L.D. und Maliga, P. (1996). Deletion of *rpoB* reveals a second distinct transcription system in plastids of higher plants. *EMBO J.* **15**, 2802-2809.
- Allsopp, A. (1969). Phylogenetic relationships of the prokaryota and the origin of the eukaryotic cell. *New Phytol.* **68**, 591-612.
- An, Y-Q., McDowell, J.M., Huang, S., McKinney, E.C., Chambliss, S. und Meagher, R.B. (1996). Strong, constitutive expression of the *Arabidopsis ACT2/ACT8* actin subclass in vegetative tissues. *Plant J.* **10**, 107-121.
- Baba, K., Schmidt, J., Espinosa-Ruiz, A., Villarejo, A., Shiina, T., Gardeström, P., Sane, A.P. und Bhalerao, R.P. (2004). Organellar gene transcription and early seedling development are affected in the *rpoT;2* mutant of *Arabidopsis*. *Plant J.* **38**, 38-48.
- Baldauf, S.L., Roger, A.J., Wenk-Siefert, I. und Doolittle, W.F. (2000). A Kingdom-Level Phylogeny of Eukaryotes Based on Combined Protein Data. *Science* **290**, 972-977.
- Beardslee TA., Roy-Chowdhury S., Jaiswal P., Buhot L., Lerbs-Mache S., Stern DB., Allison L.A. (2002). A nucleus-encoded maize protein with sigma factor activity accumulates in mitochondria and chloroplasts. *Plant Journal*. **31**, 199-209.
- Bechtold, N., Ellis, J., und Pelletier, G. (1993). In planta Agrobacterium mediated gene transfer by infiltration of adult *Arabidopsis thaliana* plants. *Comptes Rendus de L'Academie des Sciences - Serie III, Sciences de la Vie*. **316**, 1194-1199.
- Becker, D. (1990). Binary vectors which allow the exchange of plant selectable markers and reporter genes. *Nucleic Acids Res.* **18**, 203.
- Bent, A.F., Kunkel, B.N., Dahlbeck, D., Brown, K.L., Schmidt, R., Giraudat, J., Leung, J., Staskawicz, B.J. (1994). *RPS2* of *Arabidopsis thaliana*: A Leucin-Rich Repeat Class of Plant Disease Resistance Genes. *Science* **265**, 1856-1860.
- Binder, S. und Brennicke A. (1993). A tRNA gene transcription initiation site is similar to mRNA and rRNA promoters in plant mitochondria. *Nucl. Acids Res.* **21**, 5012-5019.
- Birnboim, H.C., Doly, J. (1979). A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucl. Acids Res.* **7**, 1513-1523.
- Biswas, T.K., Edwards, J.C., Rabinowitz, M. und Getz, G.S. (1985). Characterization of a yeast mitochondrial promoter by deletion mutagenesis. *Proc. Natl. Acad. Sci. USA* **82**, 1594-1598.
- Bligny, M., Courtois, F., Thaminy, S., Chang, C.-C., Lagrange, T., Baruah-Wolff, J., Stern, D. und Lerbs-Mache, S. (2000). Regulation of plastid rDNA transcription by interaction of CDF2 with two different RNA polymerases. *The EMBO J.* **19**, 1851-1860.
- Bock, R. (2000). Sense from nonsense: How the genetic information of chloroplasts is altered by RNA editing. *Biochimie* **82**, 549-557.
- Bock, R. und Koop, H.-U. (1997). Extroplastidic site-specific factors mediate RNA editing in chloroplasts. *EMBO J.* **16**, 3282-3288.
- Bock, R., Kössel, H. und Maliga, P. (1994). Introduction of a heterologous editing site into the tobacco plastid genome: the lack of RNA editing leads to a mutant phenotype. *EMBO J.* **13**, 4623-4628.
- Bogorad, L. (1991). Replication and transcription of plastid DNA. In: Bogorad, L. und Vasil, I.K. (eds). *The molecular biology of plastids*. Academic Press, Inc. San Diego, California, pp. 93-124.

- Bonnard, G., Gualberto, J.M., Lamattina, L., Grienberger, J.-M. und Brennicke, A. (1992). RNA Editing in Plant Mitochondria. *Crit. Rev. Plant Sci.* **10**, 503-524.
- Börner, T., Hettke, B., Hess, W.R., Legen, J., Herrmann, R.G. und Weihe, A. (1999). Phage-type RNA polymerases in higher plants. In: Argyroudi, J.H. und Senger, H. (eds). *The Chloroplast: from Molecular Biology to Biotechnology*. Dordrecht, Deutschland, Kluwer Academic Publisher, pp. 73-78.
- Bourque, J.E. (1995). Antisense strategies for genetic manipulations in plants. *Plants Science* **105**, 125-149.
- Bozner, P. (1996). The heat shock response and major heat shock proteins of *Tritrichomonas mobilensis* and *Tritrichomonas augusta*. *J.Parasitol.* **82**, 103-11.
- Brennicke, A., Grohmann, L., Hiesel, R., Knoop, V., Schuster, W. (1993). The mitochondrial genome on its way to the nucleus: different stages of gene transfer in higher plants. *FEBS Lett* **325**, 140-145.
- Brennicke, A., Klein, M., Binder, S., Knoop, V., Grohmann, L., Malek, O., Marchfelder, A., Marinfeld, J. und Unseld, M. (1996). Molecular Biology of Plant Mitochondria. *Naturwissenschaften* **83**, 339-346.
- Brinkmann, H. und Martin, W. (1996). Higher plant chloroplast and cytosolic 3-phosphoglycerate kinases: a case of endosymbiotic gene replacement. *Plant. Mol. Biol.* **30**, 65-75.
- Brown, G.G., Auchincloss, A.H., Covello, P.S., Gray, M.W., Menassa, R. und Singh, M. Characterization of transcription initiation sites on the soybean mitochondrial genome allows identification of a transcription-associated sequence motif. (1991). *Mol. Gen. Genet.* **228**, 345-355.
- Brugerolle, G., und Mignot, J.-P. (1990). Phylum zoomastigina, class Retortamonadida. In: Margulis, L., Corliss, J.O., Melkonian, M., Chapman, D.J. (eds) *Handbook of Protocista*. Jones and Bartlett, Boston, MA, pp 259-265.
- Bui, E.T.N., Bradley, P.J. und Johnson, P.J. (1996). A common evolutionary origin for mitochondria and hydrogenosomes. *Proc.Natl. Acad.Sci. USA* **93**, 9651-9656.
- Burger, G., Saint-Louis, D., Gray, M.W. und Lang, B.F. (1999). Complete Sequence of the Mitochondrial DNA of the Red Alga *Porphyra purpurea*: Cyanobacterial Introns and Shared Ancestry of Red and Green Algae. *Plant Cell* **11**, 1675-1694.
- Cahoon, A.B. und Stern, D.B. (2001). Plastid transcription: a menage à trois ? *Trends in Plant Science* **6**, 45-46.
- Caoile, A.G.F.S. und Stern, D.B. (1997). A conserved core element is functionally important for maize mitochondrial promoter activity *in vitro*. *Nucl. Acids Res.* **25**, 4055-4060.
- Cavalier-Smith, T. (1987). Eukaryotes with no mitochondria. *Nature*, **326**, 332-333.
- Cermakian, N., Ikeda, M.T., Cedergren, R. und Gray, M.W. (1996). Sequences homologous to yeast mitochondrial and bacteriophage T3 and T7 RNA polymerases are widespread throughout the eukaryotic lineage. *Nucl. Acids Res.* **24**, 648-654.
- Cermakian, N., Ikeda, T.M., Miramontes, P., Lang, B.F., Gray, M.W. und Cedergren, R. (1997). On the Evolution of the Single-Subunit RNA Polymerases. *J Mol Evol* **45**, 671-681.
- Chamberlin, M.J. und Ryan, T. (1983). In: *The Enzymes*. Boyer, P.D. (ed). Bacteriophage DNA-dependent RNA polymerases. New York, Academic Press, pp 87-108.
- Chambon, P. (1975). Eukaryotic nuclear RNA polymerases. Snell, Esmonde E. (ed). *Annual Review of Biochemistry* **44**, 1039p. Illus. Annual Reviews, Inc. Palo Alto, California, USA. pp 613-638.
- Chang, C.-C., Sheen, J., Bligny, M., Niwa, Y., Lerbs-Mache, S. und Stern, D.B. (1999). Functional Analysis of Two Maize cDNAs Encoding T7-like RNA Polymerases. *Plant Cell* **11**, 911-926.

- Chaudhuri, S., Carrer, H. und Maliga, P. (1995). Site-specific factor involved in the editing of the *psbL* mRNA in tobacco plastids. *EMBO J.* **14**, 2951-2957.
- Clark-Walker, G.D., McArthur, C.R. und Sriprakash, K.S. (1985). Location of transcriptional control signals and transfer RNA sequences in *Torulopsis-glabrata* mitochondrial DNA. *EMBO J.* **4**, 465-474.
- Clayton D.A. (1991). In: Palade, G.E. (ed). Replication and transcription of vertebrate mitochondrial DNA. Annual Review of Cell Biology, Vol.7.XIII+752p. Annual Reviews, Inc.: Palo Alto, California, USA. Illus. 453-478.
- Cohen, S.N., Chang, A.C.Y. und Hsu, L. (1972). Nonchromosomal antibiotic resistance in bacteria: genetic transformation of *Escherichia coli* by R-factor DNA. *Proc. Natl. Acad. Sci. USA*, **69**, 2110-2114.
- Covello, P.S. und Gray, M.W. (1989). RNA editing in plant mitochondria. *Nature* **341**, 662-666.
- Covello, P.S. und Gray, M.W. (1991). Sequence analysis of wheat mitochondrial transcripts capped in vitro: definitive identification of transcription initiation sites. *Curr. Genet.* **20**, 245-251.
- Covello, P.S. und Gray, M.W. (1993). On the evolution of RNA editing. *Trends Genet.* **9**, 265-268.
- Dayhoff, M.O. (1969). Atlas of Protein Sequence and Structure. Bethesda, Md.: National Biochemical Research Foundation.
- Deblaere, R., Bytebier, B., De Greve, H., Deboeck, F., Schell, J., Van Montagu, M. und Leemans, J. (1985). Efficient octopine Ti plasmid vectors for *Agrobacterium*-mediated gene transfer to plants. *Nucl. Acids Res.* **13**, 4777-4788.
- Delwiche, C.F. und Palmer J.D. (1997). The origin of plastids and their spread via secondary endosymbiosis. In: Bhattacharya D. Vienna (ed). *Origins of Algae and Their Plastids*. New York: Springer-Verlag; pp. 53-86.
- Doolittle, W.F. und Brown, J.R. (1994). Tempo, mode, the progenote, and the universal root. *Proc. Natl. Acad. Sci. USA* **91**, 6721-6728.
- Douglas, S.E. (1992). Eukaryote-eukaryote endosymbioses: Insights from studies of a cryptomonad alga. *Biosystems*. **28**, 57-68.
- Douglas, S.E. und Gray, M.W. (1991). *Nature* **352**, 290 (lett.).
- Douglas, S.E. und Penny, S.L. (1999). The plastid genome of the cryptophyte alga, *Guillardia theta*: Complete sequence and conserved synteny groups confirm its common ancestry with red algae. *J. Mol. Evol.* **48**, 236-244.
- Douglas, S.E., Murphy, C.A., Spencer, D.F. und Gray, M.W. (1991). Cryptomonad algae are evolutionary chimeras of two phylogenetically distinct unicellular eukaryotes. *Nature*, **350**, 148-151.
- Edwards, J.C., Leevens, D. und Rabinowitz, M. (1982). Analysis of Transcriptional Initiation of Yeast Mitochondrial DNA in a Homologous In Vitro Transcription System. *Cell* **31**, 337-346.
- Escoubas, J.-M., Lomas, M., LaRoche, J. und Falkowski, P.G. (1995). Light intensity regulation of *cab* gene transcription is signaled by the redox state of the plastoquinone pool. *Proc. Natl. Acad. Sci. USA* **92**, 10237-10241.
- Falbel, T.G. und Staehelin, L.A. (1994). Characterization of a family of chlorophyll-deficient wheat and barley mutants with defects in the Mg-insertion step on chlorophyll biosynthesis. *Plant Physiol.* **104**, 639-648.
- Feinberg, A.P. und Vogelstein, B. (1983). A technique for radiolabeling DNA restriction endonuclease fragments to high specific activity. *Analytical Biochemistry*, **132**, 6-13.
- Felsenstein, J. (1993). PHYLIP. (Phylogen Inference Package), version 3.5c (Department of Genetics, University of Wahington, Seattle, WA).

- Fenchel, T. und Finlay, B.J (1995). Ecology and Evolution in Anoxic Worlds (Oxford Univ. Press, Oxford), pp. 1-276.
- Fenchel, T. und Finlay, B.J. (1995). The evolution of life without oxygen. In: Slatkin, M (ed). Exploring evolutionary biology: Readings from American Scientist. pp. 123-130.
- Fisher, R.P. und Clayton, D.A. (1985). A transcription factor required for promoter recognition by human mitochondrial RNA polymerase. Accurate initiation at the heavy- and light-strand promoters dissected and reconstituted *in vitro*. J. Biol. Chem. **260**, 11330-11338.
- Fisher, R.P., Topper, J.N. und Clayton, D.A. (1987). Promoter selection in human mitochondria involves binding of a transcription factor to orientation-independent upstream regulatory elements. Cell **50**, 247-258.
- Florkin, M. und Mason, H.S. (1960-1964). Comparative Biochemistry. A Comprehensive Treatise, vols. 1-7. New York: Academic Press.
- Genetics Computer Group (1994). Program Manual for the Wisconsin Package Version 8. Genetics Computer Group, University of Wisconsin, Madison WI.
- Germot, A., Philippe, H. und Le Guyader, H. (1996). Presence of a mitochondrial-type 70kDa heat shock protein in *Trichomonas vaginalis* suggests a very early mitochondrial endosymbiosis in eukaryotes. Proc. Natl. Acad. Sci. USA **93**, 14614-14617.
- Giegé, P. und Brennicke, A. (1999). RNA editing in *Arabidopsis* mitochondria effects 441 C to U changes in ORFs. Proc. Natl. Acad. Sci. **96**, 15324-15329.
- Gray, M.W. (1989). The evolutionary origins of organelles. Trends Genet **5**, 294-299.
- Gray, M.W. (1992). The endosymbiont hypothesis revisited. Int. Rev. Cytol. **141**, 233-357.
- Gray, M.W. (1999). Evolution of organellar genomes. Curr. Opin. Genet. Dev. **9**, 678-687.
- Gray, M.W. und Doolittle, W.F. (1982). Has the Endosymbiont Hypothesis Been Proven ? Microbiological Reviews **46**, 1-42.
- Gray, M.W. und Lang, B.F. (1998). Transcription in chloroplasts and mitochondria: a tale of two polymerases. Trends in Microbiol. **6**, 1-3.
- Gray, M.W. und Spencer, D.F. (1996). In: Evolution of Microbial Life. Roberts, D.M., Sharp, P., Alderson, G., Collins, M. (eds) Cambridge Univ. Press, Cambridge, pp. 107-126.
- Gray, M.W., Hanic-Joyce, P.J. und Covello, P.S. (1992). Transcription, processing and editing in plant mitochondria. Annu Rev Plant Physiol Plant Mol. Biol. **43**, 145-175.
- Greenleaf, A.L., Kelly, J.L. und Lehman, I.R. (1986). Yeast *RPO41* gene product is required for transcription and maintenance of the mitochondrial genome. Proc. Natl. Acad. Sci. USA **83**, 3391-3394.
- Gruisse, W. und Zurawski, G. (1985a). Identification and mutational analysis of the promoter for a spinach chloroplast transfer RNA gene. EMBO J. **4**, 1637-1644.
- Gruisse, W. und Zurawski, G. (1985b). Analysis of promoter regions for the spinach chloroplast *rbcL*, *atpB* and *psbA* genes. EMBO J. **4**, 3375-3383.
- Gruissen, W., Elsner-Menzel, C., Latshaw, S., Narita, J.O., Schaffer, M.A. und Zurawski, G. (1986). A subpopulation of spinach chloroplast tRNA genes does not require upstream promoter elements for transcription. Nucl. Acids Res. **14**, 7541-7556.
- Gualberto, J.M., Lamattina, L., Bonnard, G., Weil, J.-H. und Grienberger, J.-M. (1989). RNA editing in wheat mitochondria results in the conservation of protein sequences. Nature **341**, 660-662.
- Gupta, R.S. (1995). Evolution of the chaperonin families (*Hsp60*, *Hsp10*, and *Tcp1*) of proteins and the origin of eukaryotic cells. Mol. Microbiol. **15**, 1-11.
- Hajdukiewicz, P.T.J., Allison, L.A. und Maliga, P. (1997). The two RNA polymerases encoded by the nuclear and the plastid compartments transcribe distinct groups of genes in tobacco plastids. EMBO J. **16**, 4041-4048.
- Hannon, G.J. (2002). RNA interference. Nature **418**, 244-251.

- Hanson, M.R., Sutton, C.A. und Lu, B. (1996). Plant organelle gene expression: altered by RNA editing. *Trends Plant Sci.* **1**, 57-64.
- Harrison, M.A., Nemson, J.A. und Melis, A. (1993). Assembly and composition of the chlorophyll *a-b* light harvesting complex of barley: immunochemical analysis of the chlorophyll *b*-less and chlorophyll *b*-deficient mutants. *Photosynth. Res.* **38**, 141-51.
- Haseloff, J., Siemering, K.R., Prasher, D.C. und Hodge, S. (1997). Removal of a cryptic intron and subcellular localization of green fluorescent protein are required to mark transgenic *Arabidopsis* plants brightly. *Proc. Natl. Acad. Sci. USA* **94**, 2122-2127.
- Hausmann, R. (1988). The T7 group. In: Calendar R (ed). *The bacteriophages*, vol 1. Plenum Press, New York pp. 259-289.
- Hedtke B., Legen J., Weihe A., Herrmann RG., Börner T. (2002). Six active phage-type RNA polymerase genes in *Nicotiana tabacum*. *Plant Journal.* **30**, 625-637.
- Hedtke, B., Börner, T. und Weihe, A. (2000). One RNA polymerase serving two genomes. *EMBO reports* **1**, 435-440.
- Hedtke, B., Börner, T., Weihe, A. (1997). Mitochondrial and chloroplast phage-type RNA polymerases in *Arabidopsis*. *Science* **277**, 809-811.
- Hedtke, B., Meixner, M., Gillandt, S., Tichter, E., Börner, T. und Weihe, A. (1999). Green fluorescent protein as a marker to investigate targeting of organellar RNA polymerases of higher plants *in vivo*. *Plant J.* **17**, 557-561.
- Hess, W.R., Hoch, B., Zeltz, P., Hübschmann, T., Kössel, H. und Börner, T. (1994). Inefficient *rpl2* splicing in barley mutants with ribosome-deficient plastids. *Plant Cell* **6**, 1455-1465.
- Hess, W.R., Prombona, A., Fieder, B., Subramanian, A.R. und Börner, T. (1993). Chloroplast rps15 and the rpoB/C1/C2 gene cluster are strongly transcribed in ribosome-deficient plastids: evidence for a cuntingion non-chloroplast-encoded RNA polymerase. *EMBO J.* **12**, 563-571.
- Hiesel, R., Wissinger, B., Schuster, W. und Brennicke, A. (1989). RNA editing in Plant Mitochondria. *Science* **246**, 1632-1634.
- Hoch, B., Maier, R.M., Appel, K., Igloi, G.L. und Kössel, H. (1991). Editing of a chloroplast mRNA by creation of an initiation codon. *Nature* **353**, 178-180.
- Hoekema, A., Hirsch, P.R., Hooykaas P.J.J., Schilperoort, R.A. (1983). A binary vector strategy based on separation of *vir*-and T-region of the *Agrobacterium tumefaciens* Ti-plasmid. *Nature* **303**, 179-180.
- Höfgen, R. und Willmitzer, L. (1988). Storage of competent cells for *Agrobacterium* transformation. *Nucleic Acids Research* **16**, 9877.
- Hood, E.E., Gelvin, S.B., Melchers, L.S. und Hoekema, A. (1993). New *Agrobacterium* helper plasmids for gene transfer to plants. *Transgenic Research*, **2**, 208-218.
- Horner, D.S., Hirt, R.P., Kilvington, S., Lloyd, D. und Embley, T.M. (1996). Molecular data suggest an early acquisition of the mitochondrion endosymbiont. *Proc. R. Soc. Lond. B* **263**, 1053-1059.
- Hudson, A., Carpenter, R., Doyle, S. und Coen, E.S. (1993). *Olive*: a key gene required for chlorophyll biosynthesis in *Antirrhinum majus*. *EMBO J.* **12**, 3711-3719.
- Igloi, G.L. und Kössel, H. (1992). The transcriptional apparatus of chloroplasts. *Crit. Rev. Plant Sci.* **10**, 525-558.
- Igloi, G.L., Meinke, A., Döry, I. und Kössel, H. (1990). Nucleotide sequence of the maize chloroplast *rpo* B/C1/C2 operon: Comparison between the derived protein primary structures from various organisms with respect to functional domains. *Mol. Gen. Genet.* **221**: 379-394.
- Ikeda, T.M. und Gray, M.W. (1999a). Identification and characterization of T3/T7 bacteriophage-like RNA polymerase sequences in wheat. *Plant Mol. Biol.* **40**, 567-578.

- Ikeda, T.M. und Gray, M.W. (1999b). Characterization of a DNA-Binding Protein Implicated in Transcription in Wheat Mitochondria. *Mol Cell Biol* **19**, 8113-8122.
- Iratni, R., Baeza, L., Andreeva, A., Mache, R. und Lerbs-Mache, S. (1994). Regulation of rDNA transcription in chloroplasts: promoter exclusion by constitutive repression. *Genes Dev.* **8**, 2928-2938.
- Isono, K., Shimizu, M., Yoshimoto, K., Niwa, Y., Satoh, K., Yokota, A. und Kobayashi, H. (1997). Leaf-specifically expressed genes for polypeptides destined for chloroplasts with domains of σ^{70} factors of bacterial RNA polymerases in *Arabidopsis thaliana*. *Proc. Natl. Acad. Sci.* **94**, 14948-14953.
- Jahn, D. (1992). Expression of the *Chlamydomonas reinhardtii* chloroplast tRNA^{glu} gene in a homologous *in vitro* transcription system is independent of upstream promoter elements. *Arch. Biochem. Biophys.* **298**, 505-513.
- Kapoor, S., Suzuki, J.Y. und Sugiura, M. (1997). Identification and functional significance of a new class of non-consensus-type plastid promoters. *Plant J.* **11**, 327-337.
- Karakashian, S.J. (1963). Growth of Paramecium bursaria as influenced by the presence of algal symbionts. *Physiol. Zool.* **36**, 52-68.
- Karakashian, S.J. und Siegel, R.W. (1965). A genetic approach to endocellular symbiosis. *Experiment. Parasit. Rev.* **17**, 103-122.
- Karcher, D. und Bock, R. (1998). Site-selective inhibition of plastid RNA editing by heat shock and antibiotics: a role for plastid translation in RNA editing. *Nucl. Acids Res.* **26**, 1185-1190.
- Karcher, D. und Bock, R. (2002). The Amino Acid Sequence of a Plastid Protein Is Developmentally Regulated by RNA Editing. *J. Biol. Chem.* **277**, 5570-5574.
- Karpinski, S., Escobar, C., Karpinska, B., Creissen, G. und Mullineaux, P.M. (1997). Photosynthetic Electron Transport Regulates the Expression of Cytosolic Ascorbate Peroxidase Genes in *Arabidopsis* during Excess Light Stress. *Plant Cell* **9**, 627-640.
- Kelly, J.L. und Lehmann, I.R. (1986). Yeast Mitochondrial RNA Polymerase. *J. Biol. Chem.* **261**, 10340-10347.
- Kelly, J.L., Greenleaf, A.L. und Lehman, I.R. (1986). Isolation of the nuclear gene encoding a subunit of the yeast mitochondrial RNA polymerase. *J. Biol. Chem.* **261**, 10348-10351.
- Kessler, C., Hoeltke, H.-J., Seibl, R., Burg, J. und Muehlegger, K. (1990). Non-radioactive labeling and detection of nucleic acids I. a novel DNA labeling and detection system based on Digoxigenin anti-digoxigenin ELISA principle digoxigenin system. *Biological Chemistry Hoppe-Seyler.* **371**, 917-928.
- Kim, M. und Mullet, J.E. (1995). Identification of a sequence-specific DNA binding factor required for transcription of the barley chloroplast blue light-responsive *psbD-psbC* promoter. *Plant Cell* **7**, 1445-1457.
- Klein, U., DeCamp, J.D. und Bogorad, L. (1992). Two types of chloroplast gene promoters in *Chlamydomonas reinhardtii*. *Proc. Natl. Acad. Sci. USA* **89**, 3453-3457.
- Klein, U., Salvador, M.L. und Bogorad, L. (1994). Activity of the *Chlamydomonas* chloroplast *rbcL* gene promoter is enhanced by a remote sequence element. *Proc. Natl. Acad. Sci. USA* **91**, 10819-10823.
- Klink, V.P. und Wolniak, S.M. (2000). The Efficacy of RNAi in the Study of the Plant Cytoskeleton. *J Plant Growth Regul* **19**, 371-384.
- Kobayashi, Y., Dokiya, Y. und Sugita, M. (2001). Dual Targeting of Phage-Type RNA Polymerase to both Mitochondria and Plastids Is Due to Alternative Translation Initiation in Single Transcripts. *Biochemical and Biophysical Research Communications* **289**, 1106-1113.
- Kössel, H., Hoch, B., Maier, R.M., Igloi, G.L., Kudla, J., Zeltz, P., Freyer, R., Neckermann, K. und Ruff, S. (1993). In: Brennicke, A. und Kück, U. (eds) *Plant Mitochondria*. VCH Publishers, Weinheim, Germany, pp. 93-102.

- Kotani, H., Ishizaki, Y., Hiraoka, N. und Obayashi, A. (1987). Nucleotide sequence and expression of the cloned gene of bacteriophage SP6 RNA polymerase. *Nucl. Acids Res.* **15**, 2653-2664.
- Koulintchenko, M., Konstantinov, Y. und Dietrich, A. (2003). Plant mitochondria actively import DNA via the permeability transition pore complex. *EMBO J.* **22**, 1245-1254.
- Król, M., Spangfort, M.D., Huner, N.P.A., Öquist, G., Gustafsson, P. und Jansson, S. (1995). Chlorophyll *a/b* binding proteins, pigment conversions and early light induced proteins in a chlorophyll *b*-less barley mutant. *Plant Physiol.* **107**, 873-83.
- Kudla, J., Igloi, G.L., Metzlaff, M., Hagemann, R. und Kössel, H. (1992). RNA editing in tobacco chloroplasts leads to the formation of a translatable *psbL* mRNA by a C to U substitution within the initiation codon. *EMBO J.* **11**, 1099-1103.
- Lang, F., Burger, G., O'Kelly, C.J., Cedergren, R., Golding, G.B., Lemieux, C., Sankoff, D., Tuirmel, M. und Gray, M.W. (1997). An ancestral mitochondrial DNA resembling a eubacterial genome in miniature. *Nature*, **387**, 493-497.
- Lange, R., (1966). Bacterial symbioses with plants. In *Symbiosis*, Vol.1. S.M.Henry (ed). New York: Academic Press, pp.99-170.
- Larsen, N., Olsen, G.J., Maidak, B.L., McCaughey, M.J., Overbeek, R., Macke, T.J., Marsh, T.L. und Woese, C.R. (1993). The ribosomal database project. *Nucl. Acids Res.* **21**, 3021-3023.
- Lazo, G.R., Stein, P.A. und Ludwig, R.A. (1991). A DNA transformation-competent *Arabidopsis* genomic library in *Agrobacterium*. *Biotechnology* **9**, 963-967.
- Lederberg, J. (1952). Cell genetics and hereditary symbiosis. *Physiol. Rev.* **32**, 403-430.
- Leon, P., und Arroyo, A., Mackenzie, S. (1998). Nuclear control of plastid and mitochondrial development in higher plants. *Annu. Rev. Plant Physiol. Plant Mol. Biol.* **49**, 453-480.
- Lerbs-Mache, S. (1993). The 110-kDa polypeptide of spinach plastid DNA-dependent RNA polymerase: Single-subunit enzyme or catalytic core of multimeric enzyme complexes ? *Proc. Natl. Acad. Sci. USA* **90**, 5509-5513.
- Lerbs-Mache, S. (1999). Biochemical analysis of plant sigma factors, Direct submission to Genbank, Accession number AJ250812.
- Levens, D. und Howley, P.M. (1985). Novel Method for Identifying Sequence-Specific DNA-Binding Proteins. *Mol. Cell. Biol.* **5**, 2307-2315.
- Lewis, M.K. und Burgess, R.R. (1982). In: *The Enzymes*. Academic New York, Vol. 15 pp. 109-153.
- Link, G. (1984). DNA sequence requirements for the accurate transcription of a protein-coding plastid gene in a plastid *in vitro* system from mustard (*Sinapis alba* L.). *EMBO J.* **3**, 1697-1704.
- Link, G. (1994). Plastid differentiation: Organelle promoters and transcription factors. In: *Plant Promoters and Transcription Factors*. L. Nover (ed), Heidelberg:Springer Verlag, pp. 63-83.
- Liu, B. und Troxler, R.F. (1996). Molecular characterization of a positively photoregulated nuclear gene for a chloroplast RNA polymerase σ factor in *Cyanidium caldarium*. *Proc. Natl. Acad. Sci. USA* **93**, 3313-3318.
- Maier, R.M., Hoch, B., Zeltz, P. und Kössel, H. (1992). Internal Editing of the Maize Chloroplast *ndhA* Transcript Restores Codons for Conserved Amino Acids. *Plant Cell* **4**, 609-616.
- Maier, R.M., Neckermann, K., Igloi, G.L. und Kössel, H. (1995). Complete sequence of the maize chloroplast genome - gene content, hotspots of divergence and fine tuning of genetic information by transcript editing. *J. Mol. Biol.* **251**, 614-628.
- Maier, R.M., Zeltz, P., Kössel, H., Bonnard, G., Gualberto, J.M. und Grienberger, J.-M. (1996). RNA editing in plant mitochondria and chloroplasts. *Plant Mol. Biol.* **32**, 343-365.

- Margulis, L. (1970). Origin of Eukaryotic Cells. Yale University Press, New Haven und London.
- Martin, W. und Herrmann, R.G. (1998). Gene Transfer from Organelles to the Nucleus: How Much, What Happens, and Why ? *Plant Physiol.* **118**, 9-17.
- Martin, W. und Müller, M. (1998). The hydrogen hypothesis for the first eukaryote. *Nature* **392**, 37-41.
- Masters, B.S., Stohl, L.L., und Clayton, D.A. (1987). Yeast Mitochondrial RNA Polymerase is homologous to those encoded by bacteriophages T3 and T7. *Cell* **51**, 89-99.
- Matzke, M. und Matzke, A.J.M. (1993). Genomic imprinting in plants: Parental effects and trans-inactivation phenomena. In *Ann. Rev. of Plant Physiol. Plant Mol. Biol.*, **44**, 53-76.
- Maxwell, D.P., Laudenbach, D.E. und Huner, N.P.A. (1995). Redox Regulation of Light-Harvesting Complex II und *cab* mRNA Abundance in *Dunaliella salina*. *Plant Physiol.* **109**, 787-795.
- McFadden, G.I. (2001). Primary and Secondary Endosymbiosis and the Origin of Plastids. *J. Phycol.* **37**, 951-959.
- McGraw, N.J., Bailey, J.N., Cleaves, G.R., Dembinski, D.R., Gocke, C.R., Joliffe, L.K., MacWright, R.S. und McAllister, W.T. (1985). Sequence and analysis of the gene for bacteriophage T3 RNA polymerase. *Nucl. Acids Res.* **13**, 6753-6766.
- Moffatt, B.A., Dunn, J.J. und Studier, F.W. (1984). Nucleotide Sequence of the Gene for Bacteriophage T7 RNA Polymerase. *J. Mol. Biol.* **173**, 265-269.
- Morden, C.W., Wolfe, K.H., de Pamphilis, C.W., Palmer, J.D. (1991). Plastid translation and transcription genes in a nonphotosynthetic plant: intact, missing and pseudo genes. *EMBO J.* **10**: 3281-3288.
- Moreira, D., LeGuyader, H. und Phillippe, H. (2000). The origin of red algae and the evolution of chloroplasts. *Nature* **405**, 69-72.
- Mozo, T., Fischer, S., Meier-Ewert, S., Lehrach, H. und Altmann, T. (1998). Use of the IGF-BAC library for physical mapping of the *Arabidopsis thaliana* genome. *Plant J.* **16**, 377-384.
- Müller, M. (1997). Evolutionary origins of trichomonad hydrogenosomes. *Parasitol. Today* **13**, 166-167.
- Mullet, J.E. (1993). Dynamic regulation of chloroplast transcription. *Plant Physiol.* **103**, 309-313.
- Mulligan, R.M., Lau, G.T. und Walbot, V. (1988). Numerous transcription initiation sites exist for the maize mitochondrial genes for subunit 9 of the ATP synthase and subunit 3 of cytochrome oxidase. *Proc. Natl. Acad. Sci. USA* **85**, 7998-8002.
- Mulligan, R.M., Williams, M.A. und Shanahan, M.T. (1999). RNA editing site recognition in higher plant mitochondria. *J. Hered.* **90**, 338-344.
- Murashige T, Skoog F (1962) A revised medium for rapid growth and bioassays with tobacco tissue cultures. *Plant Physiol.* **15**, 473-479
- Neuhaus, H., Scholtz, A. und Link, G. (1989). Structure and expression of a split chloroplast gene from mustard (*Sinapis alba*): ribosomal protein gene *rps16* reveals unusual transcriptional features and complex RNA maturation. *Curr. Genet.* **15**, 63-70.
- Newton, K.J., Winberg, B., Yamato, K., Lupold, S. und Stern, D.B. (1995). Evidence for a novel mitochondrial promoter preceding the *cox2* gene of perennial teosintes. *EMBO J.* **14**, 585-593.
- Nielen, S. (1993). Nicht-radioaktive quantitative Bestimmung der DNA-Gehalte in somatischen Brassica-Hybriden unter Verwendung Spezies-spezifischer DNA-Sonden. Diplomarbeit, Institut für Angewandte Genetik, Freie Universität Berlin.

- Nielen, S., Gerdemann-Knörck, M. und Schieder, O. (1995). Analysis of nuclear DNA in somatic *Brassica napus* (+) *B.nigra* hybrids by quantification of chemiluminescentDNA porbes. In: Murphjy D. (ed). Proceedings of the 9th International Rapeseed Congress, Rapeseed Today and Tomorrow. Henry Ling Limited, The Dorset Press, Dorchester UK, Vol.4, 1163-1165.
- O'Kelly, C.J. (1993). The jakobid flagellates: Structural features of Jakoba, Reclinomonas and Histiona and implications for the early diversification of eukaryotes. *J. Euk. Microbiol.* **40**, 627-636.
- Ochman, H., Medhora, M.M., Garza, D., und Hartl, D.L. (1990). Amplification of flanking sequences by inverse PCR. In: Innis, M.A., Gelfand, DH., Sninsky, J.J. und White, T.J. (eds). *PCR Protocols: A guide to methods and application*. XVIII, Academic Press, Inc. San Diego, California, USA; London, England, UK. pp. 219-227.
- Oeser, B. (1988). S2 plasmid from *Zea mays* encodes specific RNA polymerase: an alternative alignment. *Nucl. Acids Res.* **16**, 8729.
- Ohme, M., Tanaka, M., Chunwongse, J., Shinozaki, K. und Sugiura, M. (1986). A tobacco chloroplast DNA sequence possibly coding for a polypeptide similar to *E. coli* RNA polymerase β subunit. *FEBS Lett* **200**, 87-90.
- Ohyama, K., Fukuzawa, H., Kohchi, T., Shirai, H., Sano, T., Sano, S., Umesono, K., Shiki, Y., Takeuchi, M., Chang, Z., Aota, S-I., Inokuchi, H. und Ozeki, H. (1986). Chloroplast gene organization deduced from complete sequence of liverwort *Marchantia polymorpha* chloroplast DNA. *Nature* **322**, 572-574.
- Olsen, G.J. und Woese, C.R. (1997). Archaeal Genomics: An Overview. *Cell* **89**, 991-994.
- Osinga, K.A., De Haan, M., Christianson, T. und Tabak, H.F. (1982). A nonanucleotide sequence involved in promotion of ribosomal RNA synthesis and RNA priming of DNA replication in yeast mitochondria. *Nucleic Acids Res.* **10**, 7993-8006.
- Paule, M.R. (1981). Comparative subunit composition of the eukaryotic nuclear RNA polymerases. *Trends in Biochem. Sci.* **6**, 128-131.
- Pfannschmidt, T. und Link, G. (1994). Separation of two classes of plastid DNA-dependent RNA polymerases that are differentially expressed in mustard (*Sinapis alba* L.) seedlings. *Plant Mol. Biol.* **25**, 69-81.
- Pfannschmidt, T. und Link, G. (1997). The A and B forms of plastid DNA-dependent RNA polymerase from mustard (*Sinapis alba* L.) transcribe the same gene in a different developmental context. *Mol. Gen. Genet.* **257**, 35-44.
- Pfannschmidt, T., Ogrzewalla, K., Baginsky, S., Sickmann, Al, Meyer, H. und Link, G. (2000). The multisubunit chloroplast RNA Polymerase A from mustard (*Sinapis alba* L.). *Eur. J. Biochem.* **267**, 253-261.
- Portier, P. (1918). *Les Symbiotes*. Paris: Masson et Cie.
- Rapp, W.D., Lupold, D.S., Mack, S. und Stern, D.B. (1993). Architecture of the maize mitochondrial atp1 promoter as determined by linker-scanning and point mutagenesis. *Mol. Cell. Biol.* **13**, 7232-7238.
- Richter, U., Kiessling, J., Hedtke, B., Decker, E., Reski, R., Börner, T. und Weihe, A. (2002). The *RpoT* genes of *Physcomitrella patens* encode phage-type RNA polymerases with dual targeting to mitochondria and plastids. *Gene* **290**, 95-105.
- Robison, M.M., Royer, J.C. und Horgen, P.A. (1991). Homology between mitochondrial DNA of *Agaricus bisporus* and an internal portion of a linear mitochondrial plasmid of *Agaricus bitorquis*. *Curr. Genet.* **19**, 495-502.
- Roeder, R.G. (1976). In: *RNA-Polymerase*. Losick, H. und Chamberlin, M. (eds). Cold Spring Harbor Press, New York, pp. 285-329.
- Roger, A.J., Clark, C.G. und Doolittle, W.F. (1996). A possible mitochondrial gene in the early-branching amitochondriate protist *Trichomonas vaginalis*. *Proc. Natl. Acad. Sci. USA* **93**, 14618-14622.

- Rousvoal, S., Oudot, M.-P., Fontaine, J.-M., Kloareg, B. und Loiseaux-de Goér, S. (1998). Witnessing the Evolution of Transcription in Mitochondria : The Mitochondrial Genome of the Primitive Brown Alga *Pylaiella littoralis* (L.) Kjellm. Encodes a T7-like RNA-Polymerase. *J. Mol. Biol.* **277**, 1047-1057.
- Runge, S., van Cleve, B., Lebedev, N., Armstrong, G. und Apel, K. (1995). Isolation and classification of chlorophylldeficient *xantha* mutants of *Arabidopsis thaliana*. *Planta* **197**, 490–500.
- Sambrook, J., Fritsch, E.F. und Maniatis, T. (1989). Molecular Cloning: A Laboratory Manual, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY.
- Sánchez, H. und Schuster, W. (1997). Cloning of three single-subunit RNA polymerases from *Arabidopsis thaliana*. GenBank accession number AJ001037.
- Sanger, F., Nicklen, S., und Coulson, A.R. (1977). DNA sequencing with chain terminating inhibitors. *Proc. Natl. Acad. Sci. USA* **74**, 5463-5467.
- Schinkel, A.H. und Tabak, H.F. (1989). Mitochondrial RNA polymerase: dual role in transcription and replication. *Trends in Genetic* **5**, 149-154.
- Schinkel, A.H., Groot Koerkamp, M.J.A., Van der Horst, G.T.J., Touw, E.P.W., Osinga, K.A., Van der Bliek, A.M., Veeneman, G.H., Van Boom, J.H. und Tabak, H.F. (1986). Characterization of the promoter of the large ribosomal RNA gene in yeast mitochondria and separation of mitochondrial RNA polymerase into two different functional components. *EMBO J.* **5**, 1041-1047.
- Schönheit, P. und Schäfer, T. (1995). Metabolism of hyperthermophiles. *World. J. Microbiol. Biotechnol.* **11**, 26-57.
- Schuster, W. und Brennicke, A. (1991). RNA editing in ATPase subunit 6 mRNAs in *Oenothera* mitochondria. *FEBS* **295**, 97-101.
- Seibl, R., Hoeltke, H.-J., Rueger, R., Meindl, A., Zachau, H.G., Rasshofer, R., Roggendorf, M., Wolf, H., Arnold, N., Weimberg, J. und Kessler, C. (1990). Non-radioactive labeling and detection of nucleic acids III. Applications of the digoxigenin system. *Biological Chemistry Hoppe-Seyler*. **371**, 939-952.
- Sentenac, A. und Kedinger, C. (1985). Eukaryotic RNA polymerases EC-2.7.7.6. *CRC Crit. Rev. Biochem.* **18**, 31-90.
- Shimada, H., Fukuta, M., Ishikawa, M. und Sugiura, M. (1990). Rice chloroplast RNA polymerase genes: The absence of an intron in *rpoC1* and the presence of an extra sequence in *rpoC2*. *Mol. Gen. Genet.* **221**, 305-402.
- Shinozaki, K., Ohme, M., Tanaka, M., Wakasugi, T., Hayashida, N., Matsubayashi, T., Zaita, N., Chunwongse, J., Obokata, J., Yamaguchi-Shinozaki, K., Ohto, C., Torazawa, K., Meng, B.Y., Sugita, M., Deno, H., Kamogashira, T., Yamada, K., Kusuda, J., Takaiwa, F., Kato, A., Tohdoh, N., Shimada, H. und Sugiura, M. (1986). The complete nucleotide sequence of the tobacco chloroplast genome: its gene organization and expression. *EMBO J.* **5**, 2043-2049.
- Sijben-Müller, G., Hallick, R.B., Alt, J., Westhoff, P. und Herrmann, R.G. (1986). Spinach plastid genes coding for initiation factor IF-1, ribosomal protein S11 and RNA polymerase α-subunit. *Nucl. Acids Res.* **14**, 1029-1044.
- Silver, J. (1991). Inverse polymerase chain reaction. In: PCR: A practical approach. McPherson, M.J., Quirke, P. und Taylor, G.R. (eds). Oxford University Press, New York. pp. 137-146.
- Small, I., Wintz, H., Akashi, K. and Mireau, H. (1998). Two birds with one stone: genes that encodes products targeted to two or more compartments. *Plant Mol. Biol.* **38**, 265-277.
- Somerville, C.R. (1986). Analysis of photosynthesis with mutants of higher plants and algae. *Annu. Rev. Plant Physiol.* **37**, 467–507.
- Sousa, R., Chung, Y.J., Rose, J.P. und Wang, B.-C. (1993). Crystal structure of bacteriophage T7 RNA polymerase at 3.3 Å resolution. *Nature* **364**, 593-599.

- Southern, E.M. (1975). Detection of specific sequences among DNA fragments separated by gel electrophoresis. *Journal of Mol. Biol.* **98**, 503-517.
- Stern, D.B., Higgs, D.C. und Yang, J. (1997). Transcription and translation in chloroplasts. *Trends in Plant Science reviews* **2**, 308-315.
- Stockhaus, J., Hoefer, M., Renger, G., Westhoff, P., Wydrzynski, T., Willmitzer, L. (1990). Anti-sense RNA efficiently inhibits formation of the 10KD polypeptide of photosystem II in transgenic potato plants analysis of the role of the 10KD protein. *EMBO J.* **9**, 3013-3021.
- Strimmer, K., und von Haeseler, A. (1996). Quartet puzzling: a quartet maximum-likelihood method for reconstructing tree topologies. *Mol. Biol. Evol.* **13**, 964-969.
- Sun, E., Wu, B.-W. und Tewari, K.K. (1989). In Vitro Analysis of the Pea Chloroplast 16S rRNA Gene Promoter. *Mol. Cell. Biol.* **9**, 5650-5659.
- Surpin, M., Larkin, R.M. und Chory, J. (2002). Signal Transduction between the Chloroplast and the Nucleus. *Plant Cell Supplement*, S327-S338.
- Tanaka, K., Oikawa, K., Ohta, N., Kuroiwa, H., Kuroiwa, T., Takahashi, H. (1996). Nuclear Encoding of a Chloroplast RNA Polymerase Sigma Subunit in a Red Alga. *Science* **272**, 1932-1935.
- Tanaka, K., Tozawa, Y., Mochizuki, N., Shinozaki, K., Nagatani, A., Wakasa, K. und Takahashi, H. (1997). Characterization of three cDNA species encoding plastid RNA polymerase sigma factors in *Arabidopsis thaliana* - Evidence for the sigma factor heterogeneity in higher plant plastids. *FEBS Lett.* **413**, 309-313.
- Thauer, R.K., Hedderich, R. und Fischer, R. (1993). In: *Methanogenesis: Ecology, Physiology, Biochemistry and Genetics*. Ferry, J.G. (ed). Chapman und Hall, New York, pp. 209-252.
- Tijsterman, M., Ketting, R.F. und Plasterk, R.H.A. (2002). The Genetics of RNA Silencing. *Annu. Rev. Genet.* **36**, 489-519.
- Tiranti, V., Savoia, A., Forti, F., d'Apolito, M.-F., Centra, M., Rocchi, M. und Zeviani, M. (1997). Identification of the gene encoding the human mitochondrial RNA polymerase (h-mtRPOL) by cyberscreening of the Expressed Sequence Tags database. *Human Mol. Genet.* **6**, 615-625.
- Tracy, R.L. und Stern, D.B. (1995). Mitochondrial transcription initiation: promoter structures and RNA polymerases. *Curr. Genet.* **28**, 205-216.
- Turmel, M., Otis, C. und Lemieux, C. (1999). The complete chloroplast DNA sequence of the green alga *Nephroselmis olivacea*: Insights into the architecture of ancestral chloroplast genomes. *Proc.Natl.Acad.Sci. USA* **96**, 10248-10253.
- Vera, A. und Sugiura, M. (1995). Chloroplast rRNA transcription from structurally different tandem promoters: an additional novel-type promoter. *Curr. Genet.* **27**, 280-284.
- Viale, A.M. und Arakaki, A.K. (1994). The chaperone connection to the origins of the eukaryotic organelles. *FEBS Lett.* **341**, 146-151.
- Wakasugi, T., Hirose, T., Horihata, M., Tsudzuki, T., Kössel, H. und Sugiura, M. (1996). Creation of a Novel Protein-Coding Region at the RNA Level in Black Pine Chloroplasts: The Pattern of RNA Editing in the Gymnosperm Chloroplast is Different from that in Angiosperms. *Proc. Natl. Acad. Sci. USA* **93**, 8766-8770.
- Wallin, J.E. (1927). *Symbiontism and the Origin of Species*. Baltimore: Williams and Wilkins.
- Watson, J.C. und Surzycki, S.J. (1983). Both the chloroplast and nuclear genomes of *Chlamydomonas reinhardtii* share homology with *Escherichia coli* genes for transcriptional and translational components. *Curr. Genet.* **7**, 201-210.
- Watson, J.D. (1965). *Molecular Biology of the Gene*. New York: W.A. Benjamin Co.
- Weber, B., Börner, T. und Weihe, A. (1995). Remnants of a DNA polymerase gene in the mitochondrial DNA of *Marchantia polymorpha*. *Curr. Genet.* **27**, 488-490.

- Weihe, A. und Börner T. (1999). Transcription and the architecture of promoters in chloroplasts. *Trends Plant Sci.* **4**, 169-170.
- Weihe, A., Hettke, B. und Börner, T. (1997). Cloning and characterization of a cDNA encoding a bacteriophage-type RNA polymerase from the higher plant *Chenopodium album*. *Nucl. Acids Res.* **25**, 2319-2325.
- Wilcoxen, S.E., Peterson, C.R., Winkley, C.S., Keller, M.J. und Jaehning, J.A. (1988). Two Forms of RPO41-dependent RNA Polymerase. *J. Biol. Chem.* **263**, 12346-12351.
- Wilson, E.B. (1925). *The Cell in Development and Heredity*. New York: Macmillan.
- Winkley, C.S., Keller, M.J. und Jaehning, J.A. (1985). A Multicomponent Mitochondrial RNA Polymerase from *Saccharomyces cerevisiae*. *Journal of Biological Chem.* **260**, 14214-14223.
- Yang, D., Oyaizu, Y., Olsen, G.J. und Woese, C.R. (1985). Mitochondrial origins. *Proc. Natl. Acad. Sci. USA* **82**, 4443-4447.
- Yao, J. und Allison, L.A. (1998). The cDNA Sequence of AtSIG4, a new member of the nuclear-encoded sigma-like factor gene family in *Arabidopsis thaliana* (accession no. AF101075), (PGR98-212), *Plant Physiol.* **118**, 1533.
- Yao, J., Roy-Chowdhury, S. und Allison, L.A. (2003). AtSig5 Is an Essential Nucleus-Encoded *Arabidopsis* σ-Like Factor. *Plant Physiol.* **132**, 739-747.
- Young, D.A., Allen, R.L., Harvey, A.J. und Lonsdale, D.M. (1998). Characterization of a gene encoding a single-subunit bacteriophage-type RNA polymerase from maize which is alternatively spliced. *Mol. Gen. Genet.* **260**, 30-37.
- Zamore, P.D. (2001). RNA interference: listening to the sound of silence. *Nature structural Biol.* **8**, 746-750.