

## 8 LITERATURVERZEICHNIS

AGUILERA-TEJERO, E.; ESTEPA, J. C.; LOPEZ, I.; BAS, S.; MAYER-VALOR, R.; RODRIGUEZ, M. (2000):

Quantitative analysis of acid-base balance in show jumpers before and after exercise. *Res Vet Sci* **68**(2): S. 103-8.

ALFARO, V.; TORRAS, R.; IBANEZ, J.; PALACIOS, L. (1996):

A physical-chemical analysis of the acid-base response to chronic obstructive pulmonary disease.

*Can J Physiol Pharmacol* **74**(11): S. 1229-35.

ASCH, M. J.; DELL, R. B.; WILLIAMS, G. S. (1969):

Time course for development of respiratory compensation in metabolic acidosis.

*J Lab Clin Med* **73**: S. 610.

ASTLES, R.; WILLIAMS, C. P.; SEDOR, F. (1994):

Stability of plasma lactate in vitro in the presence of antiglycolytic agents.

*Clin Chem* **40**(7 Pt 1): S. 1327-30.

ASTRUP, P.; JORGENSEN, K.; ANDERSEN, O. S.; ENGEL, K. (1960):

The acid-base metabolism. A new approach.

*Lancet* **1**: S. 1035-9.

BAILEY, J. E.; PABLO, L. S. (1998):

Practical Approach to Acid-Base Disorders.

*Vet Clin North Am Small Anim Pract* **28**: S. 645-662.

BALASUBRAMANYAN, N.; HAVENS, P. L.; HOFFMAN, G. M. (1999):

Unmeasured anions identified by the Fencl-Stewart method predict mortality better than base excess, anion gap, and lactate in patients in the pediatric intensive care unit.

*Crit Care Med* **27**(8): S. 1577-81.

BAUE, A. E.; TRAGUS, E. T.; PARKINS, W. M. (1967):

A comparison of isotonic and hypertonic solutions and blood on blood flow and oxygen consumption in the initial treatment of hemorrhagic shock.

J Trauma **7**(5): S. 743-56.

BELLOMO, R.; RONCO, C. (1999):

New paradigms in acid-base physiology: editorial commentary.

Curr Opin Crit Care **5**: S. 452-457.

BERTONE, J. J. (1998):

Hypertonic Saline in Management of Shock.

In: Equine Internal Medicine. / S. M. Reed, and W. M. Bayly (Hrsg.).

Philadelphia: W. B. Saunders Company. S. 198-201.

BERTONE, J. J.; GOSSETT, K. A.; SHOEMAKER, K. E.; BERTONE, A. L.; SCHNEITER, H. L. (1990):

Effect of hypertonic vs isotonic saline solution on responses to sublethal Escherichia coli endotoxemia in horses.

Am J Vet Res **51**(7): S. 999-1007.

BILITZER, A. W.; JARETT, I. G. (1970):

The effect of feeding and salivation on acid-base status in carotid and jugular blood in sheep.

Biol Sci **23**: S. 915-923.

BLAND, J. M.; ALTMAN, D. G. (1986):

Statistical methods for assessing agreement between two methods of clinical measurement.

Lancet **1**(8476): S. 307-10.

BLAND, J. M.; ALTMAN, D. G. (1995):

Comparing methods of measurement: why plotting difference against standard method is misleading.

Lancet **346**(8982): S. 1085-7.

BOEMKE, W.; KREBS, M. O.; ROSSAINT, R. (2004):

Blutgasanalyse.

Anaesthesist **53**: S. 471-494.

BORON, W. F. (2003):

Acid-Base Physiology.

In: Medical Physiology. / W. F. Boron, and E. L. Boulpaep (Hrsg.).

Phyladelphia: Saunders. S. 633-653.

BRANDT, K.; SMAGEMAKERS, J. H.; BICKHART, K.; KUBIS, H. P.; GROS, G.; DEEGEN, E. (1998):

Renal tubular acidosis in Frisian stallion caused by carbonic anhydrase deficiency.

Equine vet Educ **10**: S. 250-254.

BROBST, D. (1983):

Pathophysiologic and adaptive changes in acid-base-disorders.

J. Amer. Vet. Med. Assoc. **183**: S. 773.

CARLSON, G. P. (1996):

Clinical Chemistry Tests.

In: Large Animal Internal Medicine. / B. P. Smith (Hrsg.).

St. Louis: Mosby. S. 441-469.

CARLSON, G. P. (1997):

Fluid, electrolyte and acid-base balance.

In: Clinical biochemistry of domestic animals. / J. J. Kaneko, J. W. Harvey, and M. L. Bruss (Hrsg.).

San Diego: Academic Press. S. 485-516.

CARLSON, G. P.; JONES, J. H. (1999):

Effects of frusemide on electrolyte and acid-base balance during exercise.

Equine Vet J Suppl **30**: S. 370-4.

CLARK, P.; MOGG, T. D.; TVEDTEN, H. W.; KORCAL, D. (2002):

Artifactual changes in equine blood following storage, detected using the Advia 120 hematology analyzer.

Vet Clin Pathol **31**(2): S. 90-94.

CONSTABLE, P. D. (1997):

A simplified strong ion model for acid-base equilibria: application to horse plasma.

J Appl Physiol **83**: S. 297-311.

CONSTABLE, P. D. (1999):

Clinical assessment of acid-base status. Strong ion difference theory.  
Vet Clin North Am Food Anim Pract **15**(3): S. 447-71.

CONSTABLE, P. D. (1999):

Hypertonic saline.  
Vet Clin North Am Food Anim Pract **15**(3): S. 559-85.

CONSTABLE, P. D. (2000):

Clinical assessment of acid-base status: comparison of the Henderson-Hasselbalch and strong ion approaches.  
Vet Clin Pathol **29**(4): S. 115-128.

CONSTABLE, P. D. (2001):

Total weak acid concentration and effective dissociation constant of nonvolatile buffers in human plasma.  
J Appl Physiol **91**(3): S. 1364-71.

CONSTABLE, P. D. (2002):

Calculation of variables describing plasma nonvolatile weak acids for use in the strong ion approach to acid-base balance in cattle.  
Am J Vet Res **63**(4): S. 482-90.

CONSTABLE, P. D. (2003):

Hyperchloremic acidosis: the classic example of strong ion acidosis.  
Anesth Analg **96**(4): S. 919-22.

CONSTABLE, P. D.; HINCHCLIFF, K. W.; MUIR, W. W., 3RD (1998):

Comparison of anion gap and strong ion gap as predictors of unmeasured strong ion concentration in plasma and serum from horses.  
Am J Vet Res **59**(7): S. 881-7.

CONSTABLE, P. D.; SCHMALL, L. M.; MUIR, W. W., 3RD; HOFFSIS, G. F.; SHERTEL, E. R. (1991):

Hemodynamic response of endotoxemic calves to treatment with small-volume hypertonic saline solution.  
Am J Vet Res **52**(7): S. 981-9.

CONSTABLE, P. D.; STÄMPFLI, H. R. (2005):

Experimental determination of net protein charge and A(tot) and K(a) of nonvolatile buffers in canine plasma.

J Vet Intern Med **19**(4): S. 507-14.

CONSTABLE, P. D.; STAMPFLI, H. R.; NAVETAT, H.; BERCHTOLD, J.; SCHELCHER, F. (2005):

Use of a quantitative strong ion approach to determine the mechanism for acid-base abnormalities in sick calves with or without diarrhea.

J Vet Intern Med **19**(4): S. 581-9.

COONS, T. J.; KOSCH, P. C.; CUDD, T. A. (1990):

Respiratory care.

In: Equine Neonatology. / A. M. Koterba, W. H. Drummond, and P. C. Kosch (Hrsg.).

Philadelphia: Lea and Febiger. S. 200-239.

COREY, H. E. (2003):

Stewart and beyond: new models of acid-base balance.

Kidney Int **64**(3): S. 777-87.

CORLEY, K. T. T.; MARR, C. M. (1998):

Pathophysiology, assessment and treatment of acid-base disturbances in the horse.

Equine vet Educ **10**(5): S. 255-265.

DE BARROS FILHO, I. R. (2002):

Perioperative Veränderungen im Säure-Basen- und Elektrolythaushalt von abomasopexierten oder omentopexierten Kühen mit linksseitiger Labmagenverlagerung.

Hannover, Tierärztliche Hochschule Hannover. *Dissertation*

DE MORAIS, H. S. A. (1992):

A Nontraditional Approach to Acid-Base Disorders.

In: Fluid Therapy in Small Animal Practice. / S. P. DiBartola (Hrsg.).

Philadelphia: W. B. Saunders Company. S. 297-320.

DEANE, J. C.; DAGLEISH, M. P.; BENAMOU, A. E.; WOLF, B. T.; MARLIN, D. (2004):

Effects of syringe material and temperature and duration of storage on the stability of equine arterial blood gas variables.

Vet Anaesth Analg **31**(4): S. 250-257.

DEEGEN, E. (1981):

Neuere Methoden zur Behandlung chronisch hustender Pferde.  
Der Praktische Tierarzt: S. 55-57.

DERKSEN, F. J.; ROBINSON, N. E.; SCOTT, J. S.; STICK, J. A. (1988):

Aerosolized Micropolyspora faeni antigen as a cause of pulmonary dysfunction in ponies with recurrent airway obstruction (heaves).  
Am J Vet Res **49**(6): S. 933-8.

DETLEF, E.; KÖHLER, L.; PIEPER, G. (1983):

Verhalten des Blutdrucks, der Herzfrequenz, des Hämatokrits und der Serumeiweißkonzentration während einer Hyperinfusionstherapie bei chronisch obstruktiven Bronchitikern.  
Berl Tierärztl Wschr **96**: S. 78-80.

DIBARTOLA, S. P. (1992):

Introduction to Acid-Base-Disorders.  
In: Fluid Therapy in Small Animal Practice. / S. P. DiBartola (Hrsg.).  
Philadelphia: W. B. Saunders Company. S. 193-219.

DRISCOLL, P.; BROWN, T.; GWINNUTT, C.; WARDLE, T. (1997):

A simple guide to blood gas analysis.  
London: BMJ Publishing group.

DUBOSE, T. D. J. (2004):

Acid-Base Disorders.  
In: The Kidney. / B. M. Breuner, and Rector's (Hrsg.).  
Philadelphia: Saunders. S. 921-994.

EMUAKPOR, D. S.; MAAS, A. H. J.; RUIGROK, T. K. C. (1976):

Acid-Base curve nomogram for dog blood.  
Pflugers Arch **363**: S. 141-147.

ESTEPA, J. C.; HERNANDEZ, M.-.; GARFIA, B.; MAYER-VALOR, R.; AGUILERA-TEJERO, E. (2000):

Estudio comparativo del estado ácido-base en sangre arterial y venosa de caballos sanos.  
Med Vet **17**(9): S. 222-228.

FIGGE, J.; MYDOSH, T.; FENCL, V. (1992):

Serum proteins and acid-base equilibria: a follow-up.

J Lab Clin Med **120**(5): S. 713-9.

FIGGE, J.; ROSSING, T. H.; FENCL, V. (1991):

The role of serum proteins in acid-base equilibria.

J Lab Clin Med **117**(6): S. 453-67.

FORSTER, H. V.; PAN, L. G. (1995):

Contribution of acid-base changes to control of breathing during exercise.

Can J Appl Physiol **20**(3): S. 380-94.

GÄBEL, G. (2005):

Säure-Basen-Haushalt.

In: Physiologie der Haustiere. / W. v. Engelhardt, and G. Breves (Hrsg.).

Stuttgart: Enke Verlag. S. 268-278.

GOFF, J. P.; HORST, R. L. (2003):

Role of acid-base physiology on the pathogenesis of parturient hypocalcaemia (milk fever)--  
the DCAD theory in principle and practice.

Acta Vet Scand Suppl **97**: S. 51-6.

GOSSETT, K. A.; FRENCH, D. D. (1983):

Effect of age on anion gap in clinically normal Quarter Horses.

Am J Vet Res **44**(9): S. 1744-5.

GRABNER, A. (2005):

Tracheobronchialsekretanalyse und bronchoalveoläre Lavage beim Pferd.

In: Klinische Labordiagnostik in der Tiermedizin. / W. Kraft, and U. M. Dürr (Hrsg.).

Stuttgart: Schattauer GmbH. S. 324-330.

GRABNER, A. (2006):

*persönliche Mitteilung*

GRAHAM-THIERS, P. M.; KRONFELD, D. S.; KLINE, K. A. (1999):

Dietary protein influences acid-base responses to repeated sprints.

Equine Vet J Suppl **30**: S. 463-7.

GRAHAM-THIERS, P. M.; KRONFELD, D. S.; KLINE, K. A.; SKLAN, D. J. (2001):

Dietary protein restriction and fat supplementation diminish the acidogenic effect of exercise during repeated sprints in horses.

J Nutr **131**(7): S. 1959-64.

GREENE, H. M.; WICKLER, S. J.; ANDERSON, T. P.; COGGER, E. A.; LEWIS, C. C.; WYLE, A. (1999):

High-altitude effects on respiratory gases, acid-base balance and pulmonary artery pressures in equids.

Equine Vet J Suppl **30**: S. 71-6.

GRIMMINGER-HEIGL, G. (1993):

Referenzbereiche in der Labordiagnostik beim Pferd (Blutglucose, Gesamteiweiß, CK, AST, AP, LDH,  $\alpha$ -HBDH, G-GT, GLDH).

München. *Dissertation*

GUNNERSON, K. J.; SAUL, M.; HE, S.; KELLUM, J. A. (2006):

Lactate versus non-lactate metabolic acidosis: a retrospective outcome evaluation of critically ill patients.

Crit Care **10**(1): S. R22.

HACKLECHNER, B. (1993):

Referenzbereich in der Labordiagnostik beim Pferd (Natrium, Kalium, Calcium, anorganisches Phosphat, Chlorid, Creatinin, Harnstoff).

München. *Dissertation*

HANNON, J. P. (1983):

Blood-acid base curve nomogram for immature domestic pigs.

Am J Vet res **44**: S. 2385-2390.

HARTMANN, H. (1994):

Störungen im Säure-Basen-Haushalt.

In: Klinische Pathologie der Haustiere. / H. Hartmann, and H. Meyer (Hrsg.).

Jena: Gustav Fischer Verlag. S. 176-194.

HARTMANN, H. (2006):

*persönliche Mitteilung*



HARTMANN, H.; BERCHTOLD, J. (1997):

Pathogenese und Diagnostik von systemischen Azidosen bei Tieren mit Schlußfolgerungen für wirksame Therapieverfahren.

Tierärztl Prax **25**: S. 611-24.

HARTMANN, H.; STAUFFENBIEL, R. (1995):

Technik, Überwachung und Komplikationen der Infusionstherapie.

In: Flüssigkeitstherapie bei Tieren. / H. Hartmann (Hrsg.).

Jena: Gustav Fischer Verlag Jena. S. 113-130.

HASSELBALCH, K. A. (1916):

Die Berechnung der Wasserstoffzahl des Blutes auf der freien und gebundenen Kohlensäuredesselben, und die Sauerstoffbindung des Blutes als Funktion der Wasserstoffzahl.

Biochem Z **78**: S. 112-114.

HEENAN, A. P.; WOLFE, L. A. (2003):

Plasma osmolality and the strong ion difference predict respiratory adaptations in pregnant and nonpregnant women.

Can J Physiol Pharmacol **81**(9): S. 839-47.

HEINS, M.; HEIL, W.; WITHOLD, W. (1995):

Storage of serum or whole blood samples? Effects of time and temperature on 22 serum analytes.

Eur J Clin Chem Clin Biochem **33**(4): S. 231-238.

HENDERSON, L. J. (1908):

The theory of neutrality regulation in animal organism.

Am J Physiol **21**: S. 427-428.

HESS, T. M.; KRONFELD, D. S.; WILLIAMS, C. A.; WALDRON, J. N.; GRAHAM-THIERS, P. M.;

GREIWE-CRANDELL, K.; LOPES, M. A.; HARRIS, P. A. (2005):

Effects of oral potassium supplementation on acid-base status and plasma ion concentrations of horses during endurance exercise.

Am J Vet Res **66**(3): S. 466-73.

HIMPE, D.; NEELS, H.; DE HERT, S.; VAN CAUWELAERT, P. (2003):

Adding lactate to the prime solution during hypothermic cardiopulmonary bypass: a quantitative acid-base analysis.

Br J Anaesth **90**(4): S. 440-5.

HODGSON, J. L.; HODGSON, D. R. (2002):

Inflammatory Airway Disease.

In: Equine Respiratory Diseases. / L. P. (Hrsg.).

Ithaca NY: International Veterinary Information Service ([www.ivis.org](http://www.ivis.org)).

HOFFMAN, R. M.; HESS, T. M.; WILLIAMS, C. A.; KRONFELD, D. S.; GRIEWE-CRANDELL, K. M.; WALDRON, J. E.; GRAHAM-THIERS, P. M.; GAY, L. S.; SPLAN, R. K.; SAKER, K. E., et al. (2002):  
Speed associated with plasma pH, oxygen content, total protein and urea in an 80 km race.  
Equine Vet J Suppl(34): S. 39-43.

JAVAHERI, S.; CORBETT, W.; WAGNER, K.; ADAMS, J. M. (1994):

Quantitative cerebrospinal fluid acid-base balance in acute respiratory alkalosis.

Am J Respir Crit Care Med **150**(1): S. 78-82.

KANEKO, J. J.; HARVEY, J. W.; BRUSS, M. L. (1997):

Clinical Biochemistry of Domestic Animals. - 5.

San Diego: Academic Press Limited.

KELLUM, J. A. (2000):

Determinants of blood pH in health and disease.

Crit Care and Res **4**: S. 6-14.

KINGSTON, J. K.; BAYLY, W. M. (1998):

Effect of exercise on acid-base status of horses.

Vet Clin North Am Equine Pract **14**(1): S. 61-73.

KLINE, K.; FREY, L. P.; FOREMAN, J. H.; LYMAN, J. T. (2005):

Effects of intravenous Sodium Bicarbonat and Sodium Acetat on equine acid-base status.

Equine vet Sci **25**: S. 349-354.

KRAFT, W.; DÜRR, U. M. (2005):

Klinische Labordiagnostik in der Tiermedizin. - 6.

Stuttgart: Schattauer.

KRONFELD, D. S.; FERRANTE, P. L.; TAYLOR, L. E.; TIEGS, W. (1999):

Partition of plasma hydrogen ion concentration changes during repeated sprints.

Equine Vet J Suppl **30**: S. 380-3.

KRZYWANEK, H.; MILNE, D. W.; GABEL, A. A.; SMITH, L. G. (1976):

Acid-base values of standardbred horses recovering from strenuous exercise.

Am J Vet Res **37**(3): S. 291-4.

KRZYWANEK, H.; MOHR, E.; MILL, J.; SCHARPENACK, M. (1996):

Veränderungen von Serumenzymen, Lactat-, und Hamoglobinkonzentrationen im Blut junger Trabrennpferde durch Trainingsbelastung.

Zentralbl Veterinarmed A **43**(6): S. 345-52.

LATSON, K. M.; NIETO, J. E.; BELDOMENICO, P. M.; SNYDER, J. R. (2005):

Evaluation of peritoneal fluid lactate as a marker of intestinal ischaemia in equine colic.

Equine Vet J **37**(4): S. 342-6.

LEBLANC, M. (2004):

Acid-base balance in acute renal failure and renal replacement therapy.

Best Pract Res Clin Anaesthesiol **18**(1): S. 113-27.

LINDERMAN, J.; FAHEY, T. D.; LAUTEN, G.; BROOKER, A. S.; BIRD, D.; DOLINAR, B.; MUSSELMAN, J.; LEWIS, S.; KIRK, L. (1990):

A comparison of blood gases and acid-base measurements in arterial, arterialized venous, and venous blood during short-term maximal exercise.

Eur J Appl Physiol Occup Physiol **61**(3-4): S. 294-301.

LÖFFLER, L. M. (2006):

Untersuchungen zum Einfluss intraruminal verabreichter "Saurer Salze" auf den systemischen Säuren-Basen-Status (Henderson-Hasselbalch-Modell) bei Kühen.

Berlin, Freie Universität Berlin. *Dissertation*

MAIR, T. S. (1996):

Obstructive pulmonary disease in 18 horses at summer pasture.

Vet Rec **138**(4): S. 89-91.

MALINOSKI, D. J.; TODD, S. R.; SLONE, S.; MULLINS, R. J.; SCHREIBER, M. A. (2005):  
Correlation of central venous and arterial blood gas measurements in mechanically ventilated trauma patients.

Arch Surg **140**(11): S. 1122-5.

MEYER, D. J.; COLES, E. H.; RICH, L. J. (1992):

Veterinary Laboratory Medicine. - 1.

Philadelphia: W. B. Saunders.

MIDDELTON, P.; KELLY, A.-M.; BROWN, J.; ROBERTSON, M. (2005):

Agreement between Arterial and Venous Values for pH, Bicarbonate, Base Excess and Lactate.

Acad Emerg Med **12**(5 suppl 5): S. 174.

MOLL, H. D.; SCHUMACHER, J.; WRIGHT, J. C.; SPANO, J. S. (1991):

Evaluation of sodium carboxymethylcellulose for prevention of experimentally induced abdominal adhesions in ponies.

Am J Vet Res **52**(1): S. 88-91.

MOORE, J. N.; OWEN, R. R.; LUMSDEN, J. H. (1976):

Clinical evaluation of blood lactate levels in equine colic.

Equine Vet J **8**(2): S. 49-54.

MORGEN, T. J. (2004):

What exactly is the Strong Ion Gap, and does anybody care?

Crit Care and Res **6**: S. 155-159.

MORIMATSU, H.; ROCKTASCHEL, J.; BELLOMO, R.; UCHINO, S.; GOLDSMITH, D.; GUTTERIDGE, G. (2003):

Comparison of point-of-care versus central laboratory measurement of electrolyte concentrations on calculations of the anion gap and the strong ion difference.

Anesthesiology **98**(5): S. 1077-84.

MUIR, W. W., 3RD; SALLY, J. (1989):

Small-volume resuscitation with hypertonic saline solution in hypovolemic cats.

Am J Vet Res **50**(11): S. 1883-8.

MUIR, W. W.; DE MORAIS, H. S. A. (1996):

Acid-Base Balance: Traditional and Modified Approaches.

In: Lumb and Jones' Veterinary Anaesthesia. / J. C. Thurmon, W. J. Tranquilli, and J. J. Benson (Hrsg.).

Baltimore: Williams & Wilkins. S. 558-571.

NAPPERT, G.; JOHNSON, P. J. (1998):

Determination of the acid-base status in 50 horses admitted with colic between December 1998 and May 1999.

Can Vet J **42**: S. 703-707.

NAVARRO, M.; MONREAL, L.; SEGURA, D.; ARMENGOU, L.; ANOR, S. (2005):

A comparison of traditional and quantitative analysis of acid-base and electrolyte imbalances in horses with gastrointestinal disorders.

J Vet Intern Med **19**(6): S. 871-7.

OHMS; CARROL, H. J. (1977):

Current concepts. The anion gap.

N Engl J Med **297**: S. 814-817.

PARKER, A. J.; HAMLIN, G. P.; COLEMAN, C. J.; FITZPATRICK, L. A. (2003):

Quantitative analysis of acid-base balance in *Bos indicus* steers subjected to transportation of long duration.

J Anim Sci **81**(6): S. 1434-9.

PICCIONE, G.; FERRANTELLI, V.; FAZIO, F.; PERCIPALLE, M.; CAOLA, G. (2004):

Blood-Gas profile in the show jumper undergoing increasing workloads during a 2-day event.

Comp Clin Path **13**: S. 43-50.

PICHLER, K. (1993):

Qualitative Untersuchung zur Blutgasanalyse. Vergleich zweier Geräte und verschiedener Verfahren zur Qualitätskontrolle unter besonderer Berücksichtigung in der Pferdepraxis.

München, Ludwig-Maximilian-Universität. *Dissertation*

PIERCE, N. F.; FEDSON, D. S.; BRIGHAM, K. L. (1970):

The ventilatory response to acute base deficit in humans: Time course during development and correction of metabolic acidosis.

Ann Intern Med **72**: S. 633.

PLONAIT, H. (1980):

Labordiagnostik für die Tierärztliche Praxis.

Hamburg: Paul Parey.

PRESTON, R. J.; HEENAN, A. P.; WOLFE, L. A. (2001):

Physicochemical analysis of phasic menstrual cycle effects on acid-base balance.

Am J Physiol Regul Integr Comp Physiol **280**(2): S. R481-7.

REHM, M.; CONZEN, P. F.; PETER, K.; FINSTERER, U. (2004):

Das Stewart-Modell: "Moderner" Ansatz zur Interpretation des Säure-Basen-Haushalts.

Anaesthesist **53**(4): S. 347-57.

RICHTER, B. R. (2005):

Prognostische Aussagekraft arterieller gegenüber venöser Blutgasparameter im wiederholten Messrhythmus hinsichtlich des Schweregrades des neonatalen Atemsyndroms beim Kalb.

Giessen, Justus-Liebig-Universität Giessen. *Dissertation*

ROBINSON, N. E. (2001):

International Workshop on Equine Chronic Airway Disease. Michigan State University 16-18 June 2000.

Equine Vet J **33**(1): S. 5-19.

ROBINSON, N. E. (2003):

Normal Clinical Pathology Data.

In: Current Therapy in Equine Medicine. / (Hrsg.).

St. Louis, MO.

- ROBINSON, N. E.; BERNEY, C.; EBERHART, S.; DEFEIJTER-RUPP, H. L.; JEFCOAT, A. M.; CORNELISSE, C. J.; GERBER, V. M.; DERKSEN, F. J. (2003):  
Coughing, mucus accumulation, airway obstruction, and airway inflammation in control horses and horses affected with recurrent airway obstruction.  
Am J Vet Res **64**(5): S. 550-7.
- RUSSELL, K. E.; HANSEN, B. D.; STEVENS, J. B. (1996):  
Strong ion difference approach to acid-base imbalances with clinical applications to dogs and cats.  
Vet Clin North Am Small Anim Pract **26**(5): S. 1185-201.
- SCHEINGRABER, S.; REHM, M.; SEHMISCH, C.; FINSTERER, U. (1999):  
Rapid saline infusion produces hyperchloremic acidosis in patients undergoing gynecologic surgery.  
Anesthesiology **90**(5): S. 1265-70.
- SCHLICHTIG, R. (1997):  
[Base excess] vs [strong ion difference]. Which is more helpful?  
Adv Exp Med Biol **411**: S. 91-5.
- SCHMALL, L. M.; MUIR, W. W.; ROBERTSON, J. T. (1990):  
Haemodynamic effects of small volume hypertonic saline in experimentally induced haemorrhagic shock.  
Equine Vet J **22**(4): S. 273-7.
- SEAHORN, J. L.; SEAHORN, T. L. (2003):  
Fluid therapy in horses with gastrointestinal disease.  
Vet Clin North Am Equine Pract **19**(3): S. 665-79.
- SEAHORN, T. L.; CORNICK-SEAHORN, J. (1994):  
Fluid therapy.  
Vet Clin North Am Equine Pract **10**(3): S. 517-25.

SEELER, D. C. (1996):

Fluid and Electrolyte Therapy.

In: Lumb and Jones' Veterinary Anaesthesia. / J. C. Thurmon, W. J. Tranquilli, and J. J. Benson (Hrsg.).

Baltimore: Williams & Wilkins. S. 558-571.

SIGGAARD-ANDERSEN, O.; FOGH-ANDERSEN, N. (1995):

Base excess or buffer base (strong ion difference) as measure of a non-respiratory acid-base disturbance.

Acta Anaesthesiol Scand Suppl **107**: S. 123-8.

SINGER, H. B.; HASTINGS, A. B. (1948):

An improved clinical method for the estimation of disturbances of the acid-base balance of human blood.

Medicine **27**: S. 223-242.

SMITH, B. P. (1996):

Large Animal Internal Medicine. - 2.

St. Louis: Mosby.

SPIER, S. J.; SNYDER, J. R.; MURRAY, M. J. (1996):

Fluid and Electrolyte Therapy for Gastrointestinal disorders.

In: Large Animal Internal Medicine. / B. P. Smith (Hrsg.).

St. Louis: Mosby. S. 775-783.

SPURLOCK, S. L.; FURR, M. (1990):

Fluid Therapy.

In: Equine Neonatology. / A. M. Koterba, W. H. Drummond, and P. C. Kosch (Hrsg.).

Philadelphia: Lea and Febiger. S. 671-700.

STÄMPFLI, H. R. (2006):

*persönliche Mitteilung*

STÄMPFLI, H. R.; CARLSON, G. P. (2001):

How to Use the Routine Serum Biochemical Profile to Understand and Interpret Acid-Base Disorders in the Horse.

AAEP Proceedings **47**: S. 257-261.



STÄMPFLI, H. R.; CONSTABLE, P. D. (2003):

Experimental determination of net protein charge and  $A_{tot}$  and  $K(a)$  of nonvolatile buffers in human plasma.

J Appl Physiol **95**(2): S. 620-30.

STÄMPFLI, H. R.; MISIASZEK, S.; LUMSDEN, J. H.; CARLSON, G. P.; HEIGENHAUSER, G. J. (1999):

Weak acid-concentration  $A_{tot}$  and dissociation constant  $K_a$  of plasma proteins in racehorses.

Equine Vet J Suppl **30**: S. 438-42.

STEWART, P. A. (1981):

How to understand acid-base: A quantitative acid-base primer for biology and medicine.

new York: Elsevier North-Holland publication (exclusive internet publication

[www.acidbase.org](http://www.acidbase.org) ).

STEWART, P. A. (1983):

Modern quantitative acid-base chemistry.

Can J Physiol Pharmacol **61**(12): S. 1444-61.

STEWART, R. H. (1998):

Considerations in Fluid and Electrolyte Therapy.

In: Equine Internal Medicine. / S. M. Reed, and W. M. Bayly (Hrsg.).

Philadelphia: W. B. Saunders Company. S. 192-198.

STOCKER, H.; LUTZ, H.; KAUFMANN (1999):

Acid-base disorders in milk-fed calves with chronic indigestion.

Vet Rec **145**: S. 340-346.

SVENDSEN, C. K.; HJORTKJAER, R. K.; HESSELHOLT, M. (1979):

Colic in the horse. A clinical and clinical chemical study of 42 cases.

Nord Vet Med **31**(10): S. Suppl 1-32.

TAYLOR, F. G. R.; HILLYER, M. H. (2001):

Klinische Diagnostik in der Pferdepraxis.

Hannover: Schlütersche.

VAN DEN WOLLENBERG, L.; PELLICAAN, C. H.; MULLER, K. (2000):

Intoxication with propylene glycol in two horses.

Tijdschr Diergeneeskd **125**(17): S. 519-23.

VAN SLYKE, D. D. (1921):

Studies of acidosis. XVII. The normal and abnormal variations in the acid-base balance of the blood.

J Biol Chem **48**: S. 153-176.

VELASCO, I. T.; PONTIERI, V.; ROCHA E SILVA, M., JR.; LOPES, O. U. (1980):

Hyperosmotic NaCl and severe hemorrhagic shock.

Am J Physiol **239**(5): S. H664-73.

VELASCO, I. T.; ROCHA E SILVA, M.; OLIVEIRA, M. A.; SILVA, R. I. (1989):

Hypertonic and hyperoncotic resuscitation from severe hemorrhagic shock in dogs: a comparative study.

Crit Care Med **17**(3): S. 261-4.

WATERS, J. H.; SCANLON, T. S.; HOWARD, R. S.; LEIVERS, D. (1995):

Role of minor electrolytes when applied to Stewart's acid-base approach in an acidotic rabbit model.

Anesth Analg **81**(5): S. 1043-51.

WEINSTEIN, Y.; MAGAZANIK, A.; GRODJINOVSKY, A.; INBAR, O.; DLIN, R. A.; STEWART, P. A.

(1991):

Reexamination of Stewart's quantitative analysis of acid-base status.

Med Sci Sports Exerc **23**(11): S. 1270-5.

WHITEHAIR, K. J.; HASKINS, S. C.; WHITEHAIR, J. G.; PASCOE, P. J. (1995):

Clinical applications of quantitative acid-base chemistry.

J Vet Intern Med **9**(1): S. 1-11.

WOOTEN, E. W. (2003):

Calculation of physiological acid-base parameters in multicompartiment systems with application to human blood.

J Appl Physiology **95**: S. 2333-2344.

ZIEMER, E. L.; PARKER, H. R.; CARLSON, G. P.; SMITH, B. P. (1987):  
Clinical features and treatment of renal tubular acidosis in two horses.  
J Am vet med Ass **190**: S. 294-296.

---

Zeitschriftenabkürzung gemäss:

List of journals indexed in

Index Medicus.

Bethesda, MD:National Library of Medicine, 2000