

8. Literaturverzeichnis

Andersen H, Matthiesen M. (1967) Histochemistry of the early development of the human central face and nasal cavity with special reference to the movements and fusion of the palatine processes. *Acta anat.*, Basel 68:473-508

Aziz SR, Marchena JM, Puran A (2000) Anatomic characteristics of the infraorbital foramen: a cadaver study. *J Oral Maxillofac Surg* 58(9):992-996

Berge JK, Bergman RA (2001) Variations in size and in symmetry of foramina of the human skull. *Clin Anat* 14(6):406-413

Blechschmidt E (1960) The stages of human development before birth. An introduction of human embryology.- Die vorgeburtlichen Entwicklungsstadien des Menschen. Eine Einführung in die Humanembryologie. S. Karger, London New York Basel Freiburg i.B.

Blechschmidt E (1948) Mechanische Genwirkungen – Funktionsentwicklung. I. Musterschmidt, Göttingen

Blechschmidt E (1978) Anatomie und Ontogenese des Menschen. Biologische Arbeitsbücher 22. Quelle und Meyer, Heidelberg 1978

Bollobas E (1984) Fissures, canals, and syndesmoses in the fetal maxilla. *Acta Morphol Hungaria* 32(3-4):231-243

Born G (1883) Die Plattenmodelliermethode. *Arch Mikr Anat* 22:584-599

Canan S, Asim OM, Okan C, Alper M (1999) Anatomic variations of the infraorbital foramen. *Ann Plast Surg* 43(6):613-7

Carlson BM (1984) Patten's Foundation of Embryology. THM Edition

Chiang C, Litingtung Y, Lee E, Young KE, Cordon JL, Westphal H, Beachy PA (1996) Cyclopia and defective axial patterning in mice lacking Sonic Hedgehog gene function. *Nature(London)*383:407-413

Chung MS, Kim HJ, Kang HS, Chung IH (1995) Locational Relationship of the Supraorbital Notch or Foramen and Infraorbital and Mental Foramina in Koreans. *Acta Anat* 154:162-166

Cutright B, Quillopa N, Schubert W (2003) An anthropometric analysis of the key foramina for maxillofacial surge. J Oral Maxillofac Surg 61(3):354-357

Deutsch D, Goultchin J, Anteby S (1981) Determination of the fetal age from the length of femur, mandible and maxillary incisor. Growth 45:232-238

Ducy P, Zhang R, Geoffroy V, Ridall AL, Karsenty G (1997) Osf2/Cbfa1: a transcriptional activator of osteoblast differentiation. Cell 89:747-754

Ehrlich PJ, Lanyon LE (2002) Mechanical strain and bone cell function: a review. Osteoporosis Int. 13:688-700

Enlow DH (1989) Handbuch des Gesichtswachstums. Quintessenz, Berlin Chicago Tokio

Feneis H (1982) Anatomisches Bildwörterbuch der internationalen Nomenklatur. Thieme, Stuttgart New York

Friede H (1975) A Histological and Enzyme-Histological Study of Growth Sites of Premaxilla in the Human Foetuses and Neonates. Archs Oral Biol 809-814

Gaunt WA, Gaunt PN (1978) Three dimensional reconstruction in biology. Pitman Medical Publications London

Geoffroy V, Kneissel M, Fournier B, Boyde A, Matthias P (2002) High bone resorption in adult aging transgenic mice overexpressing Cbfa1/Runx2 in cells of the osteoblastic lineage. Mol. Cell. Biol.22:6222-6233

Goodmann AS, Stern IB (1972) Morphologic development of the human fetal salivary glands. J Dent Res 51(4):990-999

Gozdziewski S, Czeslaw N, Ryszard K (1979) The Morphological Analysis of Human Canalis infraorbitalis and Foramen infraorbitale. Anat. Anz. 145:517-527

Griffin CJ (1984) Embryology of the central part of the face, closure of palate folds and maxillo-septal syndrome. Aust Dent J 15-26

Gruber W (1874) Über die infraorbitalen Kanäle des Menschen und der Säugetiere. Mem Acad Imp Sci St Petersburg 21:1-27

Hall BK (1982) The Role of Tissue Interactions in the Growth of Bone. Factors and Mechanisms Influencing Bone Growth. Alan R Liss, Inc., 150 Fifth Avenue, New York, NY 10011:205-215

Hinrichsen KV (1990) Humanembryologie. Springer Verlag, Berlin Heidelberg 1990

Hogan BLM (1996) Bone morphogenetic proteins: multifunctional regulators of vertebrate development. *Genes and Development* 10:1580-1594

Hu D, Helms JA (1999) The role of Sonic hedgehog in normal and abnormal craniofacial morphogenesis. *Development* 126:4873-4884

Kadanoff D, Mutafov St, Jordanov J (1970) Über die Hauptöffnungen resp. Incisurae des Gesichtsschädels (Incisura frontalis seu Foramen frontale, Foramen supraorbitale seu Incisura supraorbitalis, Foramen infraorbitale, Foramen mentale). *Gegenbauers Morphol Jahrb.* 115(1):102-18

Kazkayasi M, Ergin A, Ersoy M, Bengi O, Tekdemir I, Elhan A (2001) Certain anatomical relations and the precise morphometry of the infraorbital foramen—canal and groove: an anatomical and cephalometric study. *Laryngoscope*; 111(4Pt 1):609-14.

Kjaer I (1974) Skeletal maturation of the human fetus assessed radiographically on the basis of ossification sequences in the hand and foot. *Am J Phys Anthropol* 40:257-276

Kjaer I (1989a) Prenatal Skeletal Maturation of the Human Maxilla. *J Craniofac Gen Dev Biol* 9:257-264

Kjaer I (1989b) Formation and early prenatal location of the human mental foramen. *Scand J Dent Res* 97:1-7

Kjaer I (1990) Correlated appearance of ossification and nerve tissue in human fetal jaws. *J Craniofac Genet Dev Biol* 10(3):329-36

Kjaer I (1993) The development and morphology of the incisive fissure and the transverse palatine suture in the human fetal palate. *J Craniofac Gen Dev Biol* 13:250-256

Kjaer I (1998) Neuro-osteology. *Crit Rev Oral Biol Med* 9(2):224-44

Kjaer I, Keeling JW, Fischer Hansen B (1999) The Prenatal Human Cranium-normal and pathologic development. Munksgaard, Copenhagen.

Klarkowski MC (2000) Modellierungs- und Remodellierungsvorgänge der pränatalen Entwicklung der Mandibula des Menschen. Thesis, Freie Universität Berlin

Kusu N, Laurikkala J, Imanishi M, Usui H, Konishi M, Miyake A, Thesleff I, Itoh N (2003) Sclerostin is a novel secreted osteoclast-derived bone morphogenetic protein antagonist with unique ligand specificity. *J Biol Chem* Jun 27;278(26):24113-7

Lange S (1999) Beitrag zur pränatalen Morphogenese der Maxilla des Menschen – Computergestützte 3 D-Rekonstruktion und morphometrische Untersuchungen anhand von Schnittserien menschlicher Embryonen und Feten von 12 – 76 mm SSL. Thesis, Freie Universität Berlin

Langmann J (1989) Medizinische Embryologie. Thieme

Lenhossek M v. (1922) Makroskopische Anatomie im Handbuch der Zahnheilkunde. Hrsg. von J Scheff, Bd. I. Urban & Schwarzenberg, Wien

Leo JT, Cassell MD, Bergman RA (1995) Variation in human infraorbital nerve, canal and foramen. *Ann Anat* 177:93-95

Liu et al. (2001) Overexpression of Cbfa1 in osteoblasts inhibits osteoblast maturation and causes osteopenia with multiple fractures. *J. Cell Biol.* 155:157-166

Macklin CC (1914) The skull of a human foetus of 40 mm. *Am J Anat* 16:314-423

Maher WP (1981) Atery Distribution in the Prenatal Human Maxilla. *Cleft Palate J* 51:56

Mall FP (1906) On Ossification Centers In Human Embryos Less Than One Hundred Days Old. *Am J Anat* 5:433-438

Meikle MC (2002) Craniofacial Development, Growth and Evolution. Bateson Publishing, Bressingham, Norfolk, England

Mongini F, Schmid W (1987) Treatment of mandibular asymmetries during growth. A longitudinal study. *Eur J. Orthod.*; 9 (1):51-56

Mooney MP, Siegel MI, Kimes KR, Todhunter J (1991) Premaxillary Development in Normal and Cleft Lip and Palate Human Fetuses Using Three-Dimensional Computer Reconstruction. *Cleft Palate Craniofac J* 49-54

Moore WJ (1974) Growth of the facial skeleton in the hominoidea

Moore KL (1985) Lehrbuch und Atlas der Entwicklungsgeschichte des Menschen 2. Aufl.. - Stuttgart: Schattauer

Moore KL (1977) The developing human. W.B. Saunders Company Philadelphia. London, Toronto 160-162

Montagnon J (1987) Problèmes posés par la détermination de l`âge des embryos et fœtus humaines. *Acta Anat* 130, 64

Müller U (1995) Untersuchungen zur Morphogenese des Foramen mentale des Menschen. Computergestützte 3D-Rekonstruktionen und morphometrische Untersuchungen an der Mandibula und am Foramen mentale anhand von Schnittserien menschlicher Embryonen und Feten von 19-76 mm SSL. Thesis, Freie Universität Berlin

Napoli JL (1999) Interactions of retinoid binding proteins and enzymes in retinoid metabolism. *Biochem. Biophys. Acta* 1440:139-162

Neumann G, Moegelin A, Temminghoff M, Radlanski RJ, Langford A, Unger M, Langer R, Bier (1996) 3D Computed Tomography of Human Fetal Skulls. Joint Meeting Berlin

O`Rahilly R und Gardner E (1978) The embryology of moveable Joints. In: Sokoloff, L.(ed): The Joints and Synovial Fluid. Vol.1 Academic Press, New York

Otto F et al. (1997) Cbfa1, a candidate gene for cleidocranial dysplasia syndrome, is essential for osteoblast differentiation and bone development. *Cell* 89:765-771

Pavalko FM et al. (2003) A Model for mechanotransduction in bone cells: The load-bearing mechanosomes. *J. Cell Biochem.* 88: 104 -112

Poirier P u. Charpy H (1899) Traité d`anatomie humaine. Masson et Cie. , Paris, 435, 496

Presnell JK, Schreibmann MP (1997) Humanson's Animal Tissue Techniques. Baltimore and London, The Johns Hopkins University Press

Radlanski RJ (1995) Morphogenesis of human tooth primordia: the importance of 3D computer-assisted reconstruction. *Int. J. Dev. Biol.* 39:249-256

Radlanski RJ, Renz H, Müller U, Schneider RS, Marcucio RS, Helms JA (2002) Prenatal morphogenesis of the human mental foramen. *Eur J Oral Sci* 110:452-459

Radlanski RJ, Renz H, Klarkowski MC (2003) Prenatal development of the human mandible – 3D reconstructions, morphometry and bone remodelling pattern, sizes 12-117 mm CRL. *Anat Embryol* 207:221-232

Radlanski RJ (2003) Prenatal craniofacial morphogenesis: four-dimensional visualization of morphogenetic processes. *Orthod Craniofacial Res* 6 (Suppl.1): 89-94

Radlanski RJ, Renz H, Lajvardi S, Schneider RA (2004) Bone remodelling during prenatal morphogenesis of the human mental foramen. *Eur J Oral Sci* 112:301-310

Radlanski RJ, Jäger A (1992) Computer-aided 3-D reconstructions (software: HISTOL) in human embryology applied to tooth morphogenesis. Advantages and limitations. In: P. Smith; E. Tchernov (Eds): Evolution, Structure and function of teeth. Feund Publ. London 1992

Romeis B (1989) Mikroskopische Technik. 17. Auflage Urban & Schwarzenberg, München

Rossant J, Tam PPL (2002) Mouse Development: Patterning, Morphogenesis, and Organogenesis. Academic Press, San Diego San Francisco New York Boston London Sydney Tokyo

Schneider RA, Hu D, Rubenstein JL, Maden M, Helms JA (2001) Local retinoid signalling coordinates forebrain and facial morphogenesis by maintaining FGF8 and SSH. *Development* 128:2755-2767

Schröder HE (1987) Orale Strukturbiologie. Georg Thieme Verlag Stuttgart New York

Schumacher GH (1984) Anatomie für Stomatologen. Johann Ambrosius Barth, Leipzig.

Schwartz JH (1982) Dentofacial Growth and Development in Homo sapiens: Evidence from Perinatal Individuals from Punic Carthage. *Anat. Anz.*, Jena 152:1-26

Shui C, Spelsberg TC, Riggs BL, Khosla S (2003) Changes in Runx2/Cbfa1 expression and activity during osteoblastic differentiation of human bone marrow stromal cells. *J Bone Miner Res* 18:213-221

Sobotta H (1988) *Atlas der Anatomie des Menschen*. Urban & Schwarzenberg

Sperber GH (2001) *Craniofacial Development*. Hamilton:BC Decker

Sperber GH (1989) *Embryologie des Kopfes*. Quintessenz, Berlin Chicago London Sao Paolo Tokio

Starck D (1975) *Embryologie*. Thieme, Stuttgart

Takeda S, Bonnamy JP, Owen MJ, Ducy P, Karsenty G (2001) Continuous expression of Cbfa1 in nonhypertrophic chondrocytes uncovers its ability to induce hypertrophic chondrocyte differentiation and partially rescues Cbfa1-deficient mice. *Genes Dev.* 15:467-481

Takenoshita Y (1987) Development with age of human mandibular condyl: histological study. *Cranio* 5:317-23

Trumpp A, Depew MJ, Rubenstein JL, Bishop JM, Martin GR (1999) Cre-mediated gene inactivation demonstrates that FGF8 is required for cell survival and patterning of the first branchial arch. *Genes Dev.* 13:3136-3148

Ueta C et al. (2001) Skeletal Malformations caused by overexpression of Cbfa1 or its dominant negative form in chondrocytes. *J. Cell Biol* 153:87-100

Wang EA, Rosen V, Cordes P, et al. (1988) Purification and characterization of other distinct bone inducing factors. *Proceeding of the National Academy of Science of the USA* 85:9484-9488

Warren SM, Brunet LJ, Harland RM, Economides AN, Longaker MT (2003) The BMP antagonist noggin regulates cranial suture fusion. *Nature*. Apr 10;422(6932):625-9

Williams JL (1923) Disputed points and unsolved problems in the normal and pathological histology of enamel. *J Dent Res* 5:27-115

Wood NK, Wragg LE, Stuteville OH, Oglesby RF (1969) Osteogenesis of human upper jaw: Proof of the nonexistence of a separate premaxillary center. *Arch Oral Biol* 14:1331-1341

Wozney JM, Rosen V, Celeste AJ et al. (1988) Novel regulators of bone formation: molecular clones and activities. *Science* 242:1528-1534

Wozney JM, Rosen V (1998) Bone morphogenetic protein and bone morphogenetic protein gene family in bone formation and repair. *Clin Orthop. Jan* (346):26-37

Zehentner BK, Haussmann A, Burtscher H (2001) The bone morphogenetic protein antagonist Noggin is regulated by Sox9 during endochondral differentiation. *Dev Growth Differ Feb*;44(1):1-9