### Fachbereich Erziehungswissenschaft und Psychologie

Der Freien Universität Berlin

# The Role of Personal and Social Resources and Coping For Finding Meaning in Cancer:

# A Longitudinal Study

#### Dissertation

zur Erlangung des akademischen Grades

DOKTOR DER PHILOSOPHIE (DR. PHIL.)

vorgelegt von (M.A.)

Mohamed, Nihal Elamin

Erstgutachter: Prof. Dr. Ralf Schwarzer, Freie Universität Berlin Zweitergutachter: Prof. Dr. Dieter Kleiber, Freie Universität Berlin

**Disputation:** 20.10.2004

**Berlin** 

To my mother with love

## **Table of Contents**

	Acknowledgments	XI
	Abstract	XII
	Zusammenfassung	XV
1.	Introduction	1
2.	Theoretical Background	4
2.1	Finding Meaning in Adversities	4
2.1.1.	Meaning: Definitional Issues	4
2.1.2.	Meaning: Theories, Models, and Empirical Findings	4
2.1.2.1.	The Model of Reality Construction	5
2.1.2.2.	The Theory of Cognitive Adaptation to Threat	5
2.1.2.3.	The Model of Global and Situational Meaning	6
2.1.3.	Qualitative and Quantitative Assessment of Meaning	7
2.1.4.	Factors Affecting The Initiation of Meaning	9
2.1.4.1.	Event Characteristics	10
2.1.4.2.	Personality Characteristics	11
2.1.4.3.	Coping Strategies	12
2.2.	Personal and Social Resources	13
2.2.1.	Personal Resources: Self-Efficacy Beliefs	13
2.2.2.	Social Resources	15
2.3.	Coping	18
2.3.1.	Coping: Theoretical Background	20
2.3.2.	Coping: Problems of Assessment	22
2.4.	Cancer Disease	23
2.4.1.	Cancer: Indicators of Adjustment	24
2.4.1.1.	Subjective Well-being: Negative Affect	24
2.4.1.2.	Quality of Life	25
2.4.1.3.	Pain	25
2.4.1.4.	Fatigue	26
2.4.1.5	Impairment Attributed to Cancer	27
3.	Research Questions and Hypotheses	28
3.1.	Cancer Patients: Psychological and Physical Health	28
3.1.1.	Cancer Diagnosis	28
3.1.2.	Cancer Treatment	29
3.1.3.	Cancer Recurrence	29

3.2.	Personal and Social Resources	30
3.3.	Coping with Cancer	31
3.4.	Finding Meaning in Cancer	33
3.4.1.	Finding Meaning in Cancer: the Demographic Variables	34
3.4.2.	Finding Meaning in Cancer: The Medical Data	35
3.4.3.	Finding Meaning in Cancer: Personal & Social Resources	36
3.4.3.1.	Meaning and Personal Resource	36
3.4.3.2.	Meaning and Social Resource	37
3.4.4.	Finding Meaning in and Coping with Cancer	37
3.4.5.	Does Coping Mediate the Relationships between Patients' Resources and Meaning?	38
3.4.6.	Change in Patterns of Associations between Resources, Coping, and	
	Meaning over time	39
3.4.7.	Finding Meaning in Cancer and Adjustment: Solving the Paradox	41
4.	Method	43
4.1.	Participants	43
4.2.	Recruitment Procedures and Exclusion Criteria	44
4.3	The Sample of the Study	45
4.3.1	Participation from Different Hospitals and Clinics	45
4.3.2.	Medical Variables	46
4.3.2.1.	Site of cancer	46
4.3.2.2.	Time Elapsed Since Diagnosis	46
4.3.2.3.	Cancer Recurrence	47
4.3.2.4.	Type of Surgery	47
4.3.2.5.	Comorbidity	47
4.3.2.6.	Staging	48
4.3.3.	Rate of Attrition in the Different Assessments	50
4.3.3.1.	Rate of Attrition: Age and Sex	51
4.3.3.2.	Rate of Attrition: Demographic Characteristics of Participants	52
4.3.3.3	Rate of Attrition: Medical Variables	53
4.3.3.4.	Rate of Attrition: Emotional and Physical Health Status	56
4.3.3.6.	Rate of Attrition: Psychological Variables	58
4.3.3.7.	Rate of Attrition External Resources: Functional and Structural Aspects of	50
	Support	59
4.3.3.8.	Rate of Attrition: Coping with Cancer	60
4.3.3.9.	Rate of Attrition: Finding Meaning in Cancer	61
4.4.	Measurements Used in The Study	62

4.4.1.	Socio-demographic Assessments	62
4.4.2.	Personal Resources	62
4.4.3.	Social Resources	63
4.4.3 1.	Received Social Support	63
4.4.3 2.	Number of Sources of Support	64
4.4.4.	Coping with Cancer	65
4.4.4.1.	Factor Structure of the Coping Scales.	68
4.4.4.2.	The Three Coping Subscales: Confirmatory Factor Structure	69
4.4.5.	Finding Meaning in Cancer	71
4.4.5.1.	The Meaning Scale	71
4.4.5.2.	The Benefit Finding Scale	72
4.4.5.3.	New Benefit Finding Subscales	75
4.4.6.	Emotional and Physical Health Status	77
4.4.6.1.	Quality of Life	77
4.4.6.2.	Pain, Fatigue, and Impairment Attributed to Illness	78
4.4.6.3.	Negative Affect	78
4.5.	The Study Design	80
4.6.	Missing Data and Statistical Analyses	80
5.	Results	82
<b>5.</b> 5.1.	Results  Descriptive Results: Physical and Psychological Health	82 83
		83
5.1.	Descriptive Results: Physical and Psychological Health	83 83
<ul><li>5.1.</li><li>5.1.1.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect	83 83 88
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect.  Quality of Life.	83 83 88 90
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li><li>5.1.3.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness	83 83 88 90
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li><li>5.1.3.</li><li>5.2.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness  Patients' Personal and Social Resources	83 83 88 90 95
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li><li>5.1.3.</li><li>5.2.</li><li>5.2.1.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness  Patients' Personal and Social Resources.  Personal Resources: Descriptive Results	83 83 88 90 95 95
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li><li>5.1.3.</li><li>5.2.</li><li>5.2.1.</li><li>5.2.2.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect	83 83 88 90 95 95
<ul><li>5.1.</li><li>5.1.1.</li><li>5.1.2.</li><li>5.1.3.</li><li>5.2.</li><li>5.2.1.</li><li>5.2.2.</li><li>5.2.2.1.</li></ul>	Descriptive Results: Physical and Psychological Health  Negative Affect	83 83 88 90 95 95 96
<ul> <li>5.1.</li> <li>5.1.1.</li> <li>5.1.2.</li> <li>5.1.3.</li> <li>5.2.</li> <li>5.2.1.</li> <li>5.2.2.</li> <li>5.2.2.1.</li> <li>5.3.</li> </ul>	Descriptive Results: Physical and Psychological Health  Negative Affect	83 83 88 90 95 95 96 96
<ul> <li>5.1.</li> <li>5.1.1.</li> <li>5.1.2.</li> <li>5.1.3.</li> <li>5.2.</li> <li>5.2.1.</li> <li>5.2.2.</li> <li>5.2.2.1.</li> <li>5.3.</li> <li>5.4.</li> </ul>	Descriptive Results: Physical and Psychological Health  Negative Affect  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness  Patients' Personal and Social Resources.  Personal Resources: Descriptive Results  Social Resources: Descriptive Results  Received Social Support  Coping with Cancer  Finding Meaning in Cancer	83 83 88 90 95 95 96 96 98 102
5.1. 5.1.1. 5.1.2. 5.1.3. 5.2. 5.2.1. 5.2.2. 5.2.2.1. 5.3. 5.4. 5.4.1.	Descriptive Results: Physical and Psychological Health  Negative Affect  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness  Patients' Personal and Social Resources.  Personal Resources: Descriptive Results  Social Resources: Descriptive Results  Received Social Support  Coping with Cancer  Finding Meaning in Cancer  The 7-Item Meaning Scale.	83 83 88 90 95 95 96 96 98 102 103
5.1. 5.1.1. 5.1.2. 5.1.3. 5.2. 5.2.1. 5.2.2. 5.2.2.1. 5.3. 5.4. 5.4.1. 5.4.2.	Descriptive Results: Physical and Psychological Health  Negative Affect.  Quality of Life  Pain, Fatigue, and Impairment Attributed to Illness  Patients' Personal and Social Resources.  Personal Resources: Descriptive Results  Social Resources: Descriptive Results  Received Social Support  Coping with Cancer  Finding Meaning in Cancer.  The 7-Item Meaning Scale  The 7-item Meaning Scale: Change over Time	83 83 88 90 95 95 96 96 98 102 103 105
5.1. 5.1.1. 5.1.2. 5.1.3. 5.2. 5.2.1. 5.2.2. 5.2.2.1. 5.3. 5.4. 5.4.1. 5.4.2. 5.4.3.	Descriptive Results: Physical and Psychological Health Negative Affect	83 88 90 95 95 96 96 98 102 103 105
5.1. 5.1.1. 5.1.2. 5.1.3. 5.2. 5.2.1. 5.2.2. 5.2.2.1. 5.3. 5.4. 5.4.1. 5.4.2. 5.4.3.	Descriptive Results: Physical and Psychological Health Negative Affect	83 83 88 90 95 95 96 96 98 102 103 105 106
5.1. 5.1.1. 5.1.2. 5.1.3. 5.2. 5.2.1. 5.2.2. 5.2.2.1. 5.3. 5.4. 5.4.1. 5.4.2. 5.4.3. 5.4.4 5.4.5.	Descriptive Results: Physical and Psychological Health Negative Affect	83 83 88 90 95 95 96 98 102 103 105 106 109 110

5.4.9.	Resources, Finding Meaning, and Coping: Mediation & Pattern of	121
	Associations over Time	121
5.4.10.	Finding Meaning and Adjustment: Concurrent and longitudinal	130
	Associations	130
5.4.11.	Differential Effect for Meaning on Adjustment	133
6.	Discussion	
6.1.	Cancer: Physical and Psychological Effect	137
6.1.1.	Negative Affect	137
6.1.2.	Quality of Life	139
6.1.3.	Pain	140
6.1.4.	Fatigue	142
6.1.5.	Impairment Attributed to Illness	143
6.2.	Personal and Social Resources	144
6.2.1.	Self-Efficacy Beliefs	144
6.2.2.	Social Support	145
6.3.	Coping with Cancer	147
6.4.	Finding Meaning in Cancer	151
6.4.1.	Meaning and the Demographic Variables	152
6.4.2.	Meaning and Medical Variables	153
6.4.3.	Meaning and Personal and Social Resources	154
6.4.4.	Meaning and Coping	155
6.4.5.	Meaning, Resources, and Coping: Pattern of Associations over Time	157
6.4.6.	Meaning and Well-Being: Solving the Paradox?	161
6.5.	Limitations of the Present Study and Perspectives for Future	
	Research	164
6.6.	Conclusions	165
7.	References	167
8.	Appendix A	177
9.	Appendix B	198
10.	Appendix C	
	List of Tables	
Table 1	Participation of patients from different hospital and clinics	43
Table 2	Comparisons between patients recruited from different hospital and clinics	45
Table 3	Frequency and percent of site of cancer reported	46
	1 r r	. •

Table 4	Tumor size, number of lymph nodes involved, and the presence of	49
	metastases (TNM based system)	
Table 4	Rate of participation in the five assessments	51
Table 5	Age and sex distribution among the full sample and participants in	52
	different measurements	J <b>2</b>
Table 6	Marital status, having children, and number of children among the full	54
	sample and participants in different measurements	
Table 7	Physical and biological characteristics among the five groups of	57
	participants	0,
Table 8	Emotional and Physical Health Status for the Full Sample and the Five	59
	Groups of Participants	37
Table 9	Received Social support, Quality of Resources, and Number of Resources	60
	for the Full Sample and the Five Groups of Participants	00
Table 10	English Translations of The German Scales of Coping	67
Table 11	The 7-item Meaning Scale, The 17-item Benefit Finding Scale, and Four	77
	Benefit Finding Subscales of	7 7
Table 12	The Study Design	81
Table 13	Scores on benefit finding among 136 German cancer patients at one-year	
	post-surgery assessment, and 100 American breast cancer patients at	110
	initial assessment, post-treatment, and 3- and 9 month follow-up	
Table 14	Correlations between the 7-item Meaning Scale "appreciation of life"	
	measured at the first four assessments, the total score, and the four	115
	subscales of benefit finding measured at t5	
Table 15	Fit Indices for the Direct and Mediational Models: Patients Resources	123
	(t1), Coping (t2), and Meaning measured as Appreciation of Life (t3)	123
Table 16	Fit Indices for the Direct and Mediational Models: Patients Resources	124
	(t2), Coping (t3), and Meaning measured as Appreciation of Life (t4)	124
Table 17	Fit Indices for the Direct and Mediational Models: Patients Resources	126
	(t3), Coping (t4), and Meaning measured as Appreciation of Life (t5)	120
Table 18	Fit Indices for the Direct and Mediational Models: Patients Resources	127
	(t3), Coping (t4), and Benefit Finding (t5)	127
Table 19	Fit Indices for the Direct and Mediational Models: Patients Resources	130
	(t3), Coping (t4), and the Four Facets of the Benefit Finding (t5)	130
Table 20	Hypotheses and Results	135
	List of Figures	
Figure 1	Mediator model	40
Figure 2	Means of Negative Affect at all measurement points in time	85

Figure 3	Means of Negative Affect for Men and Women	87
Figure 4	Means of Negative Affect among different age groups	87
Figure 5	Means of Negative Affect: The effect of time elapsed since diagnosis in	87
	groups with no cancer recurrence	0/
Figure 6	Means of Quality of Life at all measurement points in time	90
Figure 7	Means of pain at all measurement points in time	93
Figure 8	Means of fatigue at all measurement points in time	93
Figure 9	Means of impairment attributed to illness at all measurement points in	0.4
	time	94
Figure 10	Means of received social support at all measurement points in time	97
Figure 11	Means of received social support among men and women at all	00
	measurement points in time	98
Figure 12	Means of avoidance, accommodation, and active coping strategies	101
	reported at all assessments	101
Figure 13	The 7-item Meaning Scale: Means (+/- one standard error, range 1 to 4)	104
	at t1	104
Figure 14	The 7-item Meaning Scale: Means (+/- one standard error, range 1 to 4)	106
	at t1 among men and women	106
Figure 15	The 7-item Meaning Scale: Means across all measurement points in time	106
Figure 16	The 7-item Meaning Scale: Mean across all measurement points in time in	108
	different age groups	100
Figure 17	The Benefit Finding Subscales: Means (+/- one standard error, range 1 to	111
	5) at t5	111
Figure 18	Mean Positive changes in Family Relationships (+/- one standard error,	112
	range 1 to 5) at the one year post-surgery assessment	112
Figure 19	Mean Positive changes in Family Relationships (+/- one standard error,	113
	range 1 to 5) at the one year post-surgery assessment	113
	Mean acceptance of life imperfection and personal growth at the one year	
Figure 20	post-surgery assessment in patients who underwent another surgery and	114
	patients who did not	
Figure 21	The 7-item Meaning scale "Appreciation of life" in high self-efficacy and	118
riguic 21	low self-efficacy groups at all measurement points in time	110
Figure 22	Means for personal growth and increased sensitivity to others in high and	119
	low self-efficacy groups at t5	117
Figure 23	Standardized Path Model for the Relationships between Resources (t1),	123
	Coping (t2), and Meaning assessed as Appreciation of Life (t3)	143

Figure 24	Standardized Path Model for the Relationships between Resources (t2),	125
	Coping (t3), and Meaning assessed as Appreciation of Life (t4)	
Figure 25	Standardized Path Model for the Relationships between Resources (t3),	126
	Coping (t4), and Meaning assessed as Appreciation of Life (t5)	
Figure 26	Standardized Path Model for the Relationships between Resources (t3),	128
	Coping (t4), and Meaning assessed as Benefit Finding (t5)	
Figure 27	Standardized Path Model for the Relationships between Resources (t3),	129
	Coping (t4), and the four Facets of Benefit Finding (t5)	/
Figure 28	Means for quality of life at t5 after adjusting for initial reports of quality	133
	of life at t1 in high and low appreciation of life groups	133
Figure 29.	Means for Fatigue at t5 after adjusting for initial reports of fatigue	134
Tigure2).	measured at t1 in high and low benefit finding groups	134
	List of Tables and Figures in Appendix A and B	
	Appendix A	
Table 1	Self-Efficacy Beliefs: Item Statistics	177
Table 2	Received Support: Item Means, Standard Deviation, Scale Mean, Standard	178
	Deviation, and Internal Consistency all the five Waves	1/0
Table 3	Principal Component Analysis of Received Support Across all	189
	Measurement Points in Time	109
Table 4	Coping items: Descriptive Statistics across The Five Measurements	180
Table 5	Principal Component Analyses of the Coping Items across All The Five	101
	Measurement Points in Time	181
Table 6	The 7-Item Meaning scale Item Statistics across all assessments	182
Table 7	Principal Component analysis of the 7-item Meaning scale Component	102
	Matrix at all the five Waves	183
Table 8	Negative Affect: Item Means, Standard Deviation, Corrected Item-Total	
	Correlation, Scale Mean, Standard Deviation, and Internal Consistency	184
	all the five Waves	
Table 9	Principal Component analysis of the 8-item Negative Affect scale	107
	Component Matrix at all the five Waves	185
Figure 1	Confirmatory Factor Analysis of the Three Coping Subscales at T1 with	106
	Significant Coefficients Presented in Standardized Forms	186

Figure 2	Second Model: Confirmatory Factor Analysis of the Coping Subscales at	187
	T1 with Significant Coefficients Presented in Standardized Forms	107
Figure 3	First Model: Confirmatory Factor Analysis of the Four Benefit Finding	
	Subscales at T5 with Significant Coefficients Presented in Standardized	188
	Forms	
Figure 4	Second Model: Confirmatory Factor Analysis of the Four Benefit Finding	
	Subscales at T5 with Significant Coefficients Presented in Standardized	189
	Forms	
	Appendix B	
	Correlation between Self-efficacy, Number of Sources of Support,	
Table 1	Received Social Support, and Meaning Found in Cancer Across All	190
	Assessments	
Table 2	Correlation between Self-efficacy, Number of Sources of Support,	191
	Received Social Support, and Coping Across All Assessments	191
Table 3	Correlation between Meaning Support and Coping Across All Assessments	192
Figure 1	Frequency of the Time Elapsed Since the Initial Diagnosis	193
Article 1	Die deutsche Version der Benefit Finding Skala: Ihre	104
	psychometrischen Eigenschaften bei Tumorpatienten	194
	Appendix C	
Table 1	The German Version of the scales Used In the Present Study	209