

7 REFERENCES

- 1 Jacobson, M. D., Weil, M., and Raff, M. C. 1997. Programmed cell death in animal development. *Cell* 88:347-54.
- 2 Marsden, V. S. and Strasser, A. 2003. CONTROL OF APOPTOSIS IN THE IMMUNE SYSTEM: Bcl-2, BH3-Only Proteins and More. *Annu Rev Immunol* 21:71-105.
- 3 Cikala, M., Wilm, B., Hobmayer, E., Bottger, A., and David, C. N. 1999. Identification of caspases and apoptosis in the simple metazoan Hydra. *Curr Biol* 9:959-62.
- 4 Aravind, L., Dixit, V. M., and Koonin, E. V. 1999. The domains of death: evolution of the apoptosis machinery. *Trends Biochem Sci* 24:47-53.
- 5 James, E. R. and Green, D. R. 2002. Infection and the origins of apoptosis. *Cell Death Differ* 9:355-7.
- 6 Leist, M. and Nicotera, P. 1997. The shape of cell death. *Biochem Biophys Res Commun* 236:1-9.
- 7 Bouchon, A., Krammer, P. H., and Walczak, H. 2000. Critical role for mitochondria in B cell receptor-mediated apoptosis. *Eur J Immunol* 30:69-77.
- 8 Tschopp, J., Thome, M., Hofmann, K., and Meink, E. 1998. The fight of viruses against apoptosis. *Curr Opin Genet Dev* 8:82-7.
- 9 Thompson, C. B. 1995. Apoptosis in the pathogenesis and treatment of disease. *Science* 267:1456-62.
- 10 Ellis, R. E., Yuan, J. Y., and Horvitz, H. R. 1991. Mechanisms and functions of cell death. *Annu Rev Cell Biol* 7:663-98.
- 11 Fleury, C., Mignotte, B., and Vayssiere, J. L. 2002. Mitochondrial reactive oxygen species in cell death signaling. *Biochimie* 84:131-41.
- 12 Gottlieb, R. A., Nordberg, J., Skowronski, E., and Babior, B. M. 1996. Apoptosis induced in Jurkat cells by several agents is preceded by intracellular acidification. *Proc Natl Acad Sci U S A* 93:654-8.
- 13 Martin, S. J., Reutelingsperger, C. P., McGahon, A. J., Rader, J. A., van Schie, R. C., LaFace, D. M., and Green, D. R. 1995. Early redistribution of plasma membrane phosphatidylserine is a general feature of apoptosis regardless of the initiating stimulus: inhibition by overexpression of Bcl-2 and Abl. *J Exp Med* 182:1545-56.
- 14 Savill, J. and Fadok, V. 2000. Corpse clearance defines the meaning of cell death. *Nature* 407:784-8.
- 15 Rieux-Laucat, F., Le Deist, F., Hivroz, C., Roberts, I. A., Debatin, K. M., Fischer, A., and de Villartay, J. P. 1995. Mutations in Fas associated with human lymphoproliferative syndrome and autoimmunity. *Science* 268:1347-9.
- 16 Tsujimoto, Y., Cossman, J., Jaffe, E., and Croce, C. M. 1985. Involvement of the bcl-2 gene in human follicular lymphoma. *Science* 228:1440-3.
- 17 O'Connell, J. 2002. Fas ligand and the fate of antitumour cytotoxic T lymphocytes. *Immunology* 105:263-6.
- 18 Westendorp, M. O., Frank, R., Ochsenbauer, C., Stricker, K., Dhein, J., Walczak, H., Debatin, K. M., and Krammer, P. H. 1995. Sensitization of T cells to CD95-mediated apoptosis by HIV-1 Tat and gp120. *Nature* 375:497-500.
- 19 Smale, G., Nichols, N. R., Brady, D. R., Finch, C. E., and Horton, W. E., Jr. 1995. Evidence for apoptotic cell death in Alzheimer's disease. *Exp Neurol* 133:225-30.
- 20 Mochizuki, H., Goto, K., Mori, H., and Mizuno, Y. 1996. Histochemical detection of apoptosis in Parkinson's disease. *J Neurol Sci* 137:120-3.
- 21 Velier, J. J., Ellison, J. A., Kikly, K. K., Spera, P. A., Barone, F. C., and Feuerstein, G. Z. 1999. Caspase-8 and caspase-3 are expressed by different populations of

- cortical neurons undergoing delayed cell death after focal stroke in the rat. *J Neurosci* 19:5932-41.
- 22 Nicholson, D. W. 2000. From bench to clinic with apoptosis-based therapeutic agents. *Nature* 407:810-6.
- 23 Antonsson, B. and Martinou, J. C. 2000. The Bcl-2 protein family. *Exp Cell Res* 256:50-7.
- 24 Yin, X. M., Oltvai, Z. N., and Korsmeyer, S. J. 1994. BH1 and BH2 domains of Bcl-2 are required for inhibition of apoptosis and heterodimerization with Bax. *Nature* 369:321-3.
- 25 Weinmann, P., Bommert, K., Mapara, M. Y., Dorken, B., and Bargou, R. C. 1997. Overexpression of the death-promoting gene bax-alpha sensitizes human BL-41 Burkitt lymphoma cells for surface IgM-mediated apoptosis. *Eur J Immunol* 27:2466-8.
- 26 Choi, M. S., Boise, L. H., Gottschalk, A. R., Quintans, J., Thompson, C. B., and Klaus, G. G. 1995. The role of bcl-XL in CD40-mediated rescue from anti-mu-induced apoptosis in WEHI-231 B lymphoma cells. *Eur J Immunol* 25:1352-7.
- 27 Metzstein, M. M., Stanfield, G. M., and Horvitz, H. R. 1998. Genetics of programmed cell death in *C. elegans*: past, present and future. *Trends Genet* 14:410-6.
- 28 Eskes, R., Antonsson, B., Osen-Sand, A., Montessuit, S., Richter, C., Sadoul, R., Mazzei, G., Nichols, A., and Martinou, J. C. 1998. Bax-induced cytochrome C release from mitochondria is independent of the permeability transition pore but highly dependent on Mg²⁺ ions. *J Cell Biol* 143:217-24.
- 29 Antonsson, B., Conti, F., Ciavatta, A., Montessuit, S., Lewis, S., Martinou, I., Bernasconi, L., Bernard, A., Mermoud, J. J., Mazzei, G., Maundrell, K., Gambale, F., Sadoul, R., and Martinou, J. C. 1997. Inhibition of Bax channel-forming activity by Bcl-2. *Science* 277:370-2.
- 30 Lassus, P., Opitz-Araya, X., and Lazebnik, Y. 2002. Requirement for caspase-2 in stress-induced apoptosis before mitochondrial permeabilization. *Science* 297:1352-4.
- 31 Renuis, M., Stennicke, H. R., Scott, F. L., Liddington, R. C., and Salvesen, G. S. 2001. Dimer formation drives the activation of the cell death protease caspase 9. *Proc Natl Acad Sci U S A* 98:14250-5.
- 32 Acehan, D., Jiang, X., Morgan, D. G., Heuser, J. E., Wang, X., and Akey, C. W. 2002. Three-dimensional structure of the apoptosome: implications for assembly, procaspase-9 binding, and activation. *Mol Cell* 9:423-32.
- 33 Du, C., Fang, M., Li, Y., Li, L., and Wang, X. 2000. Smac, a mitochondrial protein that promotes cytochrome c-dependent caspase activation by eliminating IAP inhibition. *Cell* 102:33-42.
- 34 Verhagen, A. M., Ekert, P. G., Pakusch, M., Silke, J., Connolly, L. M., Reid, G. E., Moritz, R. L., Simpson, R. J., and Vaux, D. L. 2000. Identification of DIABLO, a mammalian protein that promotes apoptosis by binding to and antagonizing IAP proteins. *Cell* 102:43-53.
- 35 Susin, S. A., Lorenzo, H. K., Zamzami, N., Marzo, I., Snow, B. E., Brothers, G. M., Mangion, J., Jacotot, E., Costantini, P., Loeffler, M., Larochette, N., Goodlett, D. R., Aebersold, R., Siderovski, D. P., Penninger, J. M., and Kroemer, G. 1999. Molecular characterization of mitochondrial apoptosis-inducing factor. *Nature* 397:441-6.
- 36 Joza, N., Susin, S. A., Daugas, E., Stanford, W. L., Cho, S. K., Li, C. Y., Sasaki, T., Elia, A. J., Cheng, H. Y., Ravagnan, L., Ferri, K. F., Zamzami, N., Wakeham, A., Hakem, R., Yoshida, H., Kong, Y. Y., Mak, T. W., Zuniga-Pflucker, J. C., Kroemer, G., and Penninger, J. M. 2001. Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. *Nature* 410:549-54.

- 37 Kischkel, F. C., Hellbardt, S., Behrmann, I., Germer, M., Pawlita, M., Krammer, P. H., and Peter, M. E. 1995. Cytotoxicity-dependent APO-1 (Fas/CD95)-associated proteins form a death-inducing signaling complex (DISC) with the receptor. *Embo J* 14:5579-88.
- 38 Muzio, M., Chinnaiyan, A. M., Kischkel, F. C., O'Rourke, K., Shevchenko, A., Ni, J., Scaffidi, C., Bretz, J. D., Zhang, M., Gentz, R., Mann, M., Krammer, P. H., Peter, M. E., and Dixit, V. M. 1996. FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death-inducing signaling complex. *Cell* 85:817-27.
- 39 Irmeler, M., Thome, M., Hahne, M., Schneider, P., Hofmann, K., Steiner, V., Bodmer, J. L., Schroter, M., Burns, K., Mattmann, C., Rimoldi, D., French, L. E., and Tschopp, J. 1997. Inhibition of death receptor signals by cellular FLIP. *Nature* 388:190-5.
- 40 Scaffidi, C., Fulda, S., Srinivasan, A., Friesen, C., Li, F., Tomaselli, K. J., Debatin, K. M., Krammer, P. H., and Peter, M. E. 1998. Two CD95 (APO-1/Fas) signaling pathways. *Embo J* 17:1675-87.
- 41 Luo, X., Budihardjo, I., Zou, H., Slaughter, C., and Wang, X. 1998. Bid, a Bcl2 interacting protein, mediates cytochrome c release from mitochondria in response to activation of cell surface death receptors. *Cell* 94:481-90.
- 42 Li, H., Zhu, H., Xu, C. J., and Yuan, J. 1998. Cleavage of BID by caspase 8 mediates the mitochondrial damage in the Fas pathway of apoptosis. *Cell* 94:491-501.
- 43 Nicholson, D. W. 1999. Caspase structure, proteolytic substrates, and function during apoptotic cell death. *Cell Death Differ* 6:1028-42.
- 44 Hengartner, M. O. 2000. The biochemistry of apoptosis. *Nature* 407:770-6.
- 45 Muzio, M., Stockwell, B. R., Stennicke, H. R., Salvesen, G. S., and Dixit, V. M. 1998. An induced proximity model for caspase-8 activation. *J Biol Chem* 273:2926-30.
- 46 Zheng, T. S., Hunot, S., Kuida, K., and Flavell, R. A. 1999. Caspase knockouts: matters of life and death. *Cell Death Differ* 6:1043-53.
- 47 Thornberry, N. A., Rano, T. A., Peterson, E. P., Rasper, D. M., Timkey, T., Garcia-Calvo, M., Houtzager, V. M., Nordstrom, P. A., Roy, S., Vaillancourt, J. P., Chapman, K. T., and Nicholson, D. W. 1997. A combinatorial approach defines specificities of members of the caspase family and granzyme B. Functional relationships established for key mediators of apoptosis. *J Biol Chem* 272:17907-11.
- 48 Janicke, R. U., Walker, P. A., Lin, X. Y., and Porter, A. G. 1996. Specific cleavage of the retinoblastoma protein by an ICE-like protease in apoptosis. *Embo J* 15:6969-78.
- 49 Erhardt, P., Tomaselli, K. J., and Cooper, G. M. 1997. Identification of the MDM2 oncoprotein as a substrate for CPP32-like apoptotic proteases. *J Biol Chem* 272:15049-52.
- 50 Gervais, J. L., Seth, P., and Zhang, H. 1998. Cleavage of CDK inhibitor p21(Cip1/Waf1) by caspases is an early event during DNA damage-induced apoptosis. *J Biol Chem* 273:19207-12.
- 51 Ravi, R., Bedi, A., and Fuchs, E. J. 1998. CD95 (Fas)-induced caspase-mediated proteolysis of NF-kappaB. *Cancer Res* 58:882-6.
- 52 Rickers, A., Peters, N., Badock, V., Beyaert, R., Vandenabeele, P., Dorken, B., and Bommert, K. 1999. Cleavage of transcription factor SP1 by caspases during anti-IgM-induced B-cell apoptosis. *Eur J Biochem* 261:269-74.
- 53 Luciano, F., Ricci, J. E., and Auberger, P. 2001. Cleavage of Fyn and Lyn in their N-terminal unique regions during induction of apoptosis: a new mechanism for Src kinase regulation. *Oncogene* 20:4935-41.

- 54 Cardone, M. H., Salvesen, G. S., Widmann, C., Johnson, G., and Frisch, S. M. 1997. The regulation of anoikis: MEKK-1 activation requires cleavage by caspases. *Cell* 90:315-23.
- 55 Rudel, T. and Bokoch, G. M. 1997. Membrane and morphological changes in apoptotic cells regulated by caspase-mediated activation of PAK2. *Science* 276:1571-4.
- 56 Deveraux, Q. L., Leo, E., Stennicke, H. R., Welsh, K., Salvesen, G. S., and Reed, J. C. 1999. Cleavage of human inhibitor of apoptosis protein XIAP results in fragments with distinct specificities for caspases. *Embo J* 18:5242-51.
- 57 Cheng, E. H., Kirsch, D. G., Clem, R. J., Ravi, R., Kastan, M. B., Bedi, A., Ueno, K., and Hardwick, J. M. 1997. Conversion of Bcl-2 to a Bax-like death effector by caspases. *Science* 278:1966-8.
- 58 Clem, R. J., Cheng, E. H., Karp, C. L., Kirsch, D. G., Ueno, K., Takahashi, A., Kastan, M. B., Griffin, D. E., Earnshaw, W. C., Veluona, M. A., and Hardwick, J. M. 1998. Modulation of cell death by Bcl-XL through caspase interaction. *Proc Natl Acad Sci U S A* 95:554-9.
- 59 Mashima, T., Naito, M., Fujita, N., Noguchi, K., and Tsuruo, T. 1995. Identification of actin as a substrate of ICE and an ICE-like protease and involvement of an ICE-like protease but not ICE in VP-16-induced U937 apoptosis. *Biochem Biophys Res Commun* 217:1185-92.
- 60 Byun, Y., Chen, F., Chang, R., Trivedi, M., Green, K. J., and Cryns, V. L. 2001. Caspase cleavage of vimentin disrupts intermediate filaments and promotes apoptosis. *Cell Death Differ* 8:443-50.
- 61 Caulin, C., Salvesen, G. S., and Oshima, R. G. 1997. Caspase cleavage of keratin 18 and reorganization of intermediate filaments during epithelial cell apoptosis. *J Cell Biol* 138:1379-94.
- 62 Takahashi, A., Alnemri, E. S., Lazebnik, Y. A., Fernandes-Alnemri, T., Litwack, G., Moir, R. D., Goldman, R. D., Poirier, G. G., Kaufmann, S. H., and Earnshaw, W. C. 1996. Cleavage of lamin A by Mch2 alpha but not CPP32: multiple interleukin 1 beta-converting enzyme-related proteases with distinct substrate recognition properties are active in apoptosis. *Proc Natl Acad Sci U S A* 93:8395-400.
- 63 Shimizu, T., Cao, C. X., Shao, R. G., and Pommier, Y. 1998. Lamin B phosphorylation by protein kinase calpha and proteolysis during apoptosis in human leukemia HL60 cells. *J Biol Chem* 273:8669-74.
- 64 Sakahira, H., Enari, M., and Nagata, S. 1998. Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis. *Nature* 391:96-9.
- 65 Lazebnik, Y. A., Kaufmann, S. H., Desnoyers, S., Poirier, G. G., and Earnshaw, W. C. 1994. Cleavage of poly(ADP-ribose) polymerase by a proteinase with properties like ICE. *Nature* 371:346-7.
- 66 Han, Z., Malik, N., Carter, T., Reeves, W. H., Wyche, J. H., and Hendrickson, E. A. 1996. DNA-dependent protein kinase is a target for a CPP32-like apoptotic protease. *J Biol Chem* 271:25035-40.
- 67 Osmond, D. G., Rolink, A., and Melchers, F. 1998. Murine B lymphopoiesis: towards a unified model. *Immunol Today* 19:65-8.
- 68 Zuniga-Pflucker, J. C. and Lenardo, M. J. 1996. Regulation of thymocyte development from immature progenitors. *Curr Opin Immunol* 8:215-24.
- 69 Cella, M., Engering, A., Pinet, V., Pieters, J., and Lanzavecchia, A. 1997. Inflammatory stimuli induce accumulation of MHC class II complexes on dendritic cells. *Nature* 388:782-7.
- 70 Brocker, T. 1997. Survival of mature CD4 T lymphocytes is dependent on major histocompatibility complex class II-expressing dendritic cells. *J Exp Med* 186:1223-32.
- 71 Swain, S. L. 1999. Helper T cell differentiation. *Curr Opin Immunol* 11:180-5.

- 72 Oettinger, M. A., Schatz, D. G., Gorka, C., and Baltimore, D. 1990. RAG-1 and RAG-2, adjacent genes that synergistically activate V(D)J recombination. *Science* 248:1517-23.
- 73 Fanning, L. J., Connor, A. M., and Wu, G. E. 1996. Development of the immunoglobulin repertoire. *Clin Immunol Immunopathol* 79:1-14.
- 74 Melamed, D., Benschop, R. J., Cambier, J. C., and Nemazee, D. 1998. Developmental regulation of B lymphocyte immune tolerance compartmentalizes clonal selection from receptor selection. *Cell* 92:173-82.
- 75 Levine, M. H., Haberman, A. M., Sant'Angelo, D. B., Hannum, L. G., Cancro, M. P., Janeway, C. A., Jr., and Shlomchik, M. J. 2000. A B-cell receptor-specific selection step governs immature to mature B cell differentiation. *Proc Natl Acad Sci U S A* 97:2743-8.
- 76 Kim, S., Davis, M., Sinn, E., Patten, P., and Hood, L. 1981. Antibody diversity: somatic hypermutation of rearranged VH genes. *Cell* 27:573-81.
- 77 Martinez-Valdez, H., Guret, C., de Bouteiller, O., Fugier, I., Banchereau, J., and Liu, Y. J. 1996. Human germinal center B cells express the apoptosis-inducing genes Fas, c-myc, P53, and Bax but not the survival gene bcl-2. *J Exp Med* 183:971-7.
- 78 Smith, K. G., Light, A., O'Reilly, L. A., Ang, S. M., Strasser, A., and Tarlinton, D. 2000. bcl-2 transgene expression inhibits apoptosis in the germinal center and reveals differences in the selection of memory B cells and bone marrow antibody-forming cells. *J Exp Med* 191:475-84.
- 79 Reth, M. and Wienands, J. 1997. Initiation and processing of signals from the B cell antigen receptor. *Annu Rev Immunol* 15:453-79.
- 80 Yao, X. R., Flaswinkel, H., Reth, M., and Scott, D. W. 1995. Immunoreceptor tyrosine-based activation motif is required to signal pathways of receptor-mediated growth arrest and apoptosis in murine B lymphoma cells. *J Immunol* 155:652-61.
- 81 Bijsterbosch, M. K., Meade, C. J., Turner, G. A., and Klaus, G. G. 1985. B lymphocyte receptors and polyphosphoinositide degradation. *Cell* 41:999-1006.
- 82 Valentine, M. A., Czernik, A. J., Rachie, N., Hidaka, H., Fisher, C. L., Cambier, J. C., and Bomsztyk, K. 1995. Anti-immunoglobulin M activates nuclear calcium/calmodulin-dependent protein kinase II in human B lymphocytes. *J Exp Med* 182:1943-9.
- 83 Bonnefoy-Berard, N., Genestier, L., Flacher, M., and Revillard, J. P. 1994. The phosphoprotein phosphatase calcineurin controls calcium-dependent apoptosis in B cell lines. *Eur J Immunol* 24:325-9.
- 84 Lazarus, A. H., Kawachi, K., Rapoport, M. J., and Delovitch, T. L. 1993. Antigen-induced B lymphocyte activation involves the p21ras and ras.GAP signaling pathway. *J Exp Med* 178:1765-9.
- 85 DeFranco, A. L. 1997. The complexity of signaling pathways activated by the BCR. *Curr Opin Immunol* 9:296-308.
- 86 Ning, Z. Q. and Murphy, J. J. 1993. Calcium ionophore-induced apoptosis of human B cells is preceded by the induced expression of early response genes. *Eur J Immunol* 23:3369-72.
- 87 Nyberg, K. A., Michelson, R. J., Putnam, C. W., and Weinert, T. A. 2002. TOWARD MAINTAINING THE GENOME: DNA Damage and Replication Checkpoints. *Annu Rev Genet* 36:617-56.
- 88 Palzkill, T. G. and Newlon, C. S. 1988. A yeast replication origin consists of multiple copies of a small conserved sequence. *Cell* 53:441-50.
- 89 Marahrens, Y. and Stillman, B. 1992. A yeast chromosomal origin of DNA replication defined by multiple functional elements. *Science* 255:817-23.
- 90 Francon, P., Maiorano, D., and Mechali, M. 1999. Initiation of DNA replication in eukaryotes: questioning the origin. *FEBS Lett* 452:87-91.

- 91 Bell, S. P. and Dutta, A. 2002. DNA replication in eukaryotic cells. *Annu Rev Biochem* 71:333-74.
- 92 Ishimi, Y. 1997. A DNA helicase activity is associated with an MCM4, -6, and -7 protein complex. *J Biol Chem* 272:24508-13.
- 93 Ritzi, M. and Knippers, R. 2000. Initiation of genome replication: assembly and disassembly of replication-competent chromatin. *Gene* 245:13-20.
- 94 Ishimi, Y., Ichinose, S., Omori, A., Sato, K., and Kimura, H. 1996. Binding of human minichromosome maintenance proteins with histone H3. *J Biol Chem* 271:24115-22.
- 95 Sato, M., Gotow, T., You, Z., Komamura-Kohno, Y., Uchiyama, Y., Yabuta, N., Nojima, H., and Ishimi, Y. 2000. Electron microscopic observation and single-stranded DNA binding activity of the Mcm4,6,7 complex. *J Mol Biol* 300:421-31.
- 96 Maiorano, D., Lemaitre, J. M., and Mechali, M. 2000. Stepwise regulated chromatin assembly of MCM2-7 proteins. *J Biol Chem* 275:8426-31.
- 97 Perkins, G. and Diffley, J. F. 1998. Nucleotide-dependent prereplicative complex assembly by Cdc6p, a homolog of eukaryotic and prokaryotic clamp-loaders. *Mol Cell* 2:23-32.
- 98 Ellison, V. and Stillman, B. 2001. Opening of the clamp: an intimate view of an ATP-driven biological machine. *Cell* 106:655-60.
- 99 Schepers, A. and Diffley, J. F. 2001. Mutational analysis of conserved sequence motifs in the budding yeast Cdc6 protein. *J Mol Biol* 308:597-608.
- 100 Tye, B. K. 1999. MCM proteins in DNA replication. *Annu Rev Biochem* 68:649-86.
- 101 Madine, M. A., Swietlik, M., Pelizon, C., Romanowski, P., Mills, A. D., and Laskey, R. A. 2000. The roles of the MCM, ORC, and Cdc6 proteins in determining the replication competence of chromatin in quiescent cells. *J Struct Biol* 129:198-210.
- 102 Madine, M. A., Khoo, C. Y., Mills, A. D., Musahl, C., and Laskey, R. A. 1995. The nuclear envelope prevents reinitiation of replication by regulating the binding of MCM3 to chromatin in *Xenopus* egg extracts. *Curr Biol* 5:1270-9.
- 103 Chong, J. P., Hayashi, M. K., Simon, M. N., Xu, R. M., and Stillman, B. 2000. A double-hexamer archaeal minichromosome maintenance protein is an ATP-dependent DNA helicase. *Proc Natl Acad Sci U S A* 97:1530-5.
- 104 Labib, K., Kearsley, S. E., and Diffley, J. F. 2001. MCM2-7 proteins are essential components of prereplicative complexes that accumulate cooperatively in the nucleus during G1-phase and are required to establish, but not maintain, the S-phase checkpoint. *Mol Biol Cell* 12:3658-67.
- 105 Fujita, M., Kiyono, T., Hayashi, Y., and Ishibashi, M. 1997. In vivo interaction of human MCM heterohexameric complexes with chromatin. Possible involvement of ATP. *J Biol Chem* 272:10928-35.
- 106 Koonin, E. V. 1993. A common set of conserved motifs in a vast variety of putative nucleic acid-dependent ATPases including MCM proteins involved in the initiation of eukaryotic DNA replication. *Nucleic Acids Res* 21:2541-7.
- 107 Schwacha, A. and Bell, S. P. 2001. Interactions between two catalytically distinct MCM subgroups are essential for coordinated ATP hydrolysis and DNA replication. *Mol Cell* 8:1093-104.
- 108 Schulte, D., Burkhart, R., Musahl, C., Hu, B., Schlatterer, C., Hameister, H., and Knippers, R. 1995. Expression, phosphorylation and nuclear localization of the human P1 protein, a homologue of the yeast Mcm 3 replication protein. *J Cell Sci* 108 (Pt 4):1381-9.
- 109 Nguyen, V. Q., Co, C., and Li, J. J. 2001. Cyclin-dependent kinases prevent DNA re-replication through multiple mechanisms. *Nature* 411:1068-73.
- 110 Young, M. R. and Tye, B. K. 1997. Mcm2 and Mcm3 are constitutive nuclear proteins that exhibit distinct isoforms and bind chromatin during specific cell cycle stages of *Saccharomyces cerevisiae*. *Mol Biol Cell* 8:1587-601.

- 111 Musahl, C., Holthoff, H. P., Lesch, R., and Knippers, R. 1998. Stability of the replicative Mcm3 protein in proliferating and differentiating human cells. *Exp Cell Res* 241:260-4.
- 112 Freeman, A., Morris, L. S., Mills, A. D., Stoeber, K., Laskey, R. A., Williams, G. H., and Coleman, N. 1999. Minichromosome maintenance proteins as biological markers of dysplasia and malignancy. *Clin Cancer Res* 5:2121-32.
- 113 Rodins, K., Cheale, M., Coleman, N., and Fox, S. B. 2002. Minichromosome maintenance protein 2 expression in normal kidney and renal cell carcinomas: relationship to tumor dormancy and potential clinical utility. *Clin Cancer Res* 8:1075-81.
- 114 Saha, P., Chen, J., Thome, K. C., Lawlis, S. J., Hou, Z. H., Hendricks, M., Parvin, J. D., and Dutta, A. 1998. Human CDC6/Cdc18 associates with Orc1 and cyclin-cdk and is selectively eliminated from the nucleus at the onset of S phase. *Mol Cell Biol* 18:2758-67.
- 115 Cook, J. G., Park, C. H., Burke, T. W., Leone, G., DeGregori, J., Engel, A., and Nevins, J. R. 2002. Analysis of Cdc6 function in the assembly of mammalian prereplication complexes. *Proc Natl Acad Sci U S A* 99:1347-52.
- 116 Weinreich, M., Liang, C., Chen, H. H., and Stillman, B. 2001. Binding of cyclin-dependent kinases to ORC and Cdc6p regulates the chromosome replication cycle. *Proc Natl Acad Sci U S A* 98:11211-7.
- 117 Liang, C., Weinreich, M., and Stillman, B. 1995. ORC and Cdc6p interact and determine the frequency of initiation of DNA replication in the genome. *Cell* 81:667-76.
- 118 Petersen, B. O., Wagener, C., Marinoni, F., Kramer, E. R., Melixetian, M., Denchi, E. L., Gieffers, C., Matteucci, C., Peters, J. M., and Helin, K. 2000. Cell cycle- and cell growth-regulated proteolysis of mammalian CDC6 is dependent on APC-CDH1. *Genes Dev* 14:2330-43.
- 119 Clay-Farrace, L., Pelizon, C., Santamaria, D., Pines, J., and Laskey, R. A. 2003. Human replication protein Cdc6 prevents mitosis through a checkpoint mechanism that implicates Chk1. *Embo J* 22:704-12.
- 120 Canman, C. E. 2001. Replication checkpoint: preventing mitotic catastrophe. *Curr Biol* 11:R121-4.
- 121 Mendez, J. and Stillman, B. 2000. Chromatin association of human origin recognition complex, cdc6, and minichromosome maintenance proteins during the cell cycle: assembly of prereplication complexes in late mitosis. *Mol Cell Biol* 20:8602-12.
- 122 Delmolino, L. M., Saha, P., and Dutta, A. 2001. Multiple mechanisms regulate subcellular localization of human CDC6. *J Biol Chem* 276:26947-54.
- 123 Jiang, W., Wells, N. J., and Hunter, T. 1999. Multistep regulation of DNA replication by Cdk phosphorylation of HsCdc6. *Proc Natl Acad Sci U S A* 96:6193-8.
- 124 Herbig, U., Marlar, C. A., and Fanning, E. 1999. The Cdc6 nucleotide-binding site regulates its activity in DNA replication in human cells. *Mol Biol Cell* 10:2631-45.
- 125 Liu, J., Smith, C. L., DeRyckere, D., DeAngelis, K., Martin, G. S., and Berger, J. M. 2000. Structure and function of Cdc6/Cdc18: implications for origin recognition and checkpoint control. *Mol Cell* 6:637-48.
- 126 Jeggo, P. A. 1998. DNA breakage and repair. *Adv Genet* 38:185-218.
- 127 Grzesiuk, E. and Carroll, D. 1987. Recombination of DNAs in *Xenopus* oocytes based on short homologous overlaps. *Nucleic Acids Res* 15:971-85.
- 128 Yoo, S., Kimzey, A., and Dynan, W. S. 1999. Photocross-linking of an oriented DNA repair complex. Ku bound at a single DNA end. *J Biol Chem* 274:20034-9.
- 129 Yoo, S. and Dynan, W. S. 1999. Geometry of a complex formed by double strand break repair proteins at a single DNA end: recruitment of DNA-PKcs induces inward translocation of Ku protein. *Nucleic Acids Res* 27:4679-86.

- 130 Ochem, A. E., Skopac, D., Costa, M., Rabilloud, T., Vuillard, L., Simoncsits, A., Giacca, M., and Falaschi, A. 1997. Functional properties of the separate subunits of human DNA helicase II/Ku autoantigen. *J Biol Chem* 272:29919-26.
- 131 Lee, K. J., Huang, J., Takeda, Y., and Dynan, W. S. 2000. DNA ligase IV and XRCC4 form a stable mixed tetramer that functions synergistically with other repair factors in a cell-free end-joining system. *J Biol Chem* 275:34787-96.
- 132 Nick McElhinny, S. A., Snowden, C. M., McCarville, J., and Ramsden, D. A. 2000. Ku recruits the XRCC4-ligase IV complex to DNA ends. *Mol Cell Biol* 20:2996-3003.
- 133 Zhang, J. and Xu, M. 2002. Apoptotic DNA fragmentation and tissue homeostasis. *Trends Cell Biol* 12:84-9.
- 134 Sambrook, J., Fritsch, E.F., et al. 1989. *Molecular Cloning, 2nd Edition*. Cold Spring Harbour Laboratory Press.
- 135 Kroczeck, R. A. 1993. Southern and northern analysis. *J Chromatogr* 618:133-45.
- 136 Brockstedt, E., Rickers, A., Kostka, S., Laubersheimer, A., Dorken, B., Wittmann-Liebold, B., Bommert, K., and Otto, A. 1998. Identification of apoptosis-associated proteins in a human Burkitt lymphoma cell line. Cleavage of heterogeneous nuclear ribonucleoprotein A1 by caspase 3. *J Biol Chem* 273:28057-64.
- 137 Schwab, B. L., Leist, M., Knippers, R., and Nicotera, P. 1998. Selective proteolysis of the nuclear replication factor MCM3 in apoptosis. *Exp Cell Res* 238:415-21.
- 138 Pelizon, C., d'Adda di Fagagna, F., Farrace, L., and Laskey, R. A. 2002. Human replication protein Cdc6 is selectively cleaved by caspase 3 during apoptosis. *EMBO Rep* 3:780-4.
- 139 Waga, S., Bauer, G., and Stillman, B. 1994. Reconstitution of complete SV40 DNA replication with purified replication factors. *J Biol Chem* 269:10923-34.
- 140 Prasad, R., Singhal, R. K., Srivastava, D. K., Molina, J. T., Tomkinson, A. E., and Wilson, S. H. 1996. Specific interaction of DNA polymerase beta and DNA ligase I in a multiprotein base excision repair complex from bovine testis. *J Biol Chem* 271:16000-7.
- 141 Chen, L., Trujillo, K., Sung, P., and Tomkinson, A. E. 2000. Interactions of the DNA ligase IV-XRCC4 complex with DNA ends and the DNA-dependent protein kinase. *J Biol Chem* 275:26196-205.
- 142 Tomkinson, A. E. and Levin, D. S. 1997. Mammalian DNA ligases. *Bioessays* 19:893-901.
- 143 Anderson, C. W. 1993. DNA damage and the DNA-activated protein kinase. *Trends Biochem Sci* 18:433-7.
- 144 Lasorella, A., Nosedà, M., Beyna, M., Yokota, Y., and Iavarone, A. 2000. Id2 is a retinoblastoma protein target and mediates signalling by Myc oncoproteins. *Nature* 407:592-8.
- 145 Beals, C. R., Clipstone, N. A., Ho, S. N., and Crabtree, G. R. 1997. Nuclear localization of NF-ATc by a calcineurin-dependent, cyclosporin-sensitive intramolecular interaction. *Genes Dev* 11:824-34.
- 146 Gashler, A. and Sukhatme, V. P. 1995. Early growth response protein 1 (Egr-1): prototype of a zinc-finger family of transcription factors. *Prog Nucleic Acid Res Mol Biol* 50:191-224.
- 147 Rengarajan, J., Mittelstadt, P. R., Mages, H. W., Gerth, A. J., Kroczeck, R. A., Ashwell, J. D., and Glimcher, L. H. 2000. Sequential involvement of NFAT and Egr transcription factors in FasL regulation. *Immunity* 12:293-300.
- 148 Nakayama, Y., Iwamoto, Y., Maher, S. E., Tanaka, Y., and Bothwell, A. L. 2000. Altered gene expression upon BCR cross-linking in Burkitt's lymphoma B cell line. *Biochem Biophys Res Commun* 277:124-7.
- 149 Merino, A., Madden, K. R., Lane, W. S., Champoux, J. J., and Reinberg, D. 1993. DNA topoisomerase I is involved in both repression and activation of transcription. *Nature* 365:227-32.

- 150 Scott, J. L., Dunn, S. M., Zeng, T., Baker, E., Sutherland, G. R., and Burns, G. F. 1994. Phorbol ester-induced transcription of an immediate-early response gene by human T cells is inhibited by co-treatment with calcium ionophore. *J Cell Biochem* 54:135-44.
- 151 Mittelstadt, P. R. and DeFranco, A. L. 1993. Induction of early response genes by cross-linking membrane Ig on B lymphocytes. *J Immunol* 150:4822-32.
- 152 Pao, L. I., Bedzyk, W. D., Persin, C., and Cambier, J. C. 1997. Molecular targets of CD45 in B cell antigen receptor signal transduction. *J Immunol* 158:1116-24.
- 153 Ishibashi, T., Bottaro, D. P., Michieli, P., Kelley, C. A., and Aaronson, S. A. 1994. A novel dual specificity phosphatase induced by serum stimulation and heat shock. *J Biol Chem* 269:29897-902.
- 154 Lai, W. S. and Blackshear, P. J. 2001. Interactions of CCCH zinc finger proteins with mRNA: tristetraprolin- mediated AU-rich element-dependent mRNA degradation can occur in the absence of a poly(A) tail. *J Biol Chem* 276:23144-54.
- 155 Moratz, C., Kang, V. H., Druey, K. M., Shi, C. S., Scheschonka, A., Murphy, P. M., Kozasa, T., and Kehrl, J. H. 2000. Regulator of G protein signaling 1 (RGS1) markedly impairs Gi alpha signaling responses of B lymphocytes. *J Immunol* 164:1829-38.
- 156 Taniguchi, N., Taniura, H., Niinobe, M., Takayama, C., Tominaga-Yoshino, K., Ogura, A., and Yoshikawa, K. 2000. The postmitotic growth suppressor necdin interacts with a calcium- binding protein (NEFA) in neuronal cytoplasm. *J Biol Chem* 275:31674-81.
- 157 Grusch, M., Polgar, D., Gfatter, S., Leuhuber, K., Huettenbrenner, S., Leisser, C., Fuhrmann, G., Kassie, F., Steinkellner, H., Smid, K., Peters, G. J., Jayaram, H. N., Klepal, W., Szekeres, T., Knasmuller, S., and Krupitza, G. 2002. Maintenance of ATP favours apoptosis over necrosis triggered by benzamide riboside. *Cell Death Differ* 9:169-78.
- 158 Waterhouse, N. J., Ricci, J. E., and Green, D. R. 2002. And all of a sudden it's over: mitochondrial outer-membrane permeabilization in apoptosis. *Biochimie* 84:113-21.
- 159 Robertson, J. D., Orrenius, S., and Zhivotovsky, B. 2000. Review: nuclear events in apoptosis. *J Struct Biol* 129:346-58.
- 160 Rheaume, E., Cohen, L. Y., Uhlmann, F., Lazure, C., Alam, A., Hurwitz, J., Sekaly, R. P., and Denis, F. 1997. The large subunit of replication factor C is a substrate for caspase-3 in vitro and is cleaved by a caspase-3-like protease during Fas-mediated apoptosis. *Embo J* 16:6346-54.
- 161 Ubeda, M. and Habener, J. F. 1997. The large subunit of the DNA replication complex C (DSEB/RF-C140) cleaved and inactivated by caspase-3 (CPP32/YAMA) during Fas-induced apoptosis. *J Biol Chem* 272:19562-8.
- 162 Liu, W. and Linn, S. 2000. Proteolysis of the human DNA polymerase varepsilon catalytic subunit by caspase-3 and calpain specifically during apoptosis. *Nucleic Acids Res* 28:4180-8.
- 163 Bischof, O., Galande, S., Farzaneh, F., Kohwi-Shigematsu, T., and Campisi, J. 2001. Selective cleavage of BLM, the bloom syndrome protein, during apoptotic cell death. *J Biol Chem* 276:12068-75.
- 164 Daniel, P. T., Oettinger, U., Mapara, M. Y., Bommert, K., Bargou, R., and Dorken, B. 1997. Activation and activation-induced death of human tonsillar B cells and Burkitt lymphoma cells: lack of CD95 (Fas/APO-1) ligand expression and function. *Eur J Immunol* 27:1029-34.
- 165 Rickers, A., Brockstedt, E., Mapara, M. Y., Otto, A., Dorken, B., and Bommert, K. 1998. Inhibition of CPP32 blocks surface IgM-mediated apoptosis and D4-GDI cleavage in human BL60 Burkitt lymphoma cells. *Eur J Immunol* 28:296-304.

- 166 Slee, E. A., Adrain, C., and Martin, S. J. 2001. Executioner caspase-3, -6, and -7 perform distinct, non-redundant roles during the demolition phase of apoptosis. *J Biol Chem* 276:7320-6.
- 167 Takei, Y. and Tsujimoto, G. 1998. Identification of a novel MCM3-associated protein that facilitates MCM3 nuclear localization. *J Biol Chem* 273:22177-80.
- 168 Peter, M. E., Heufelder, A. E., and Hengartner, M. O. 1997. Advances in apoptosis research. *Proc Natl Acad Sci U S A* 94:12736-7.
- 169 Liu, X., Zou, H., Widlak, P., Garrard, W., and Wang, X. 1999. Activation of the apoptotic endonuclease DFF40 (caspase-activated DNase or nuclease). Oligomerization and direct interaction with histone H1. *J Biol Chem* 274:13836-40.
- 170 Bordone, L. and Campbell, C. 2002. DNA Ligase III Is Degraded by Calpain during Cell Death Induced by DNA-damaging Agents. *J Biol Chem* 277:26673-80.
- 171 Wang, H., Zeng, Z. C., Perrault, A. R., Cheng, X., Qin, W., and Iliakis, G. 2001. Genetic evidence for the involvement of DNA ligase IV in the DNA-PK- dependent pathway of non-homologous end joining in mammalian cells. *Nucleic Acids Res* 29:1653-60.
- 172 Walker, J. R., Corpina, R. A., and Goldberg, J. 2001. Structure of the Ku heterodimer bound to DNA and its implications for double-strand break repair. *Nature* 412:607-14.
- 173 Smith, G. C. and Jackson, S. P. 1999. The DNA-dependent protein kinase. *Genes Dev* 13:916-34.
- 174 Sawada, M., Sun, W., Hayes, P., Leskov, K., Boothman, D. A., and Matsuyama, S. 2003. Ku70 suppresses the apoptotic translocation of Bax to mitochondria. *Nat Cell Biol* 5:320-329.
- 175 Wilson, C. R., Davidson, S. E., Margison, G. P., Jackson, S. P., Hendry, J. H., and West, C. M. 2000. Expression of Ku70 correlates with survival in carcinoma of the cervix. *Br J Cancer* 83:1702-6.
- 176 Zhao, H. J., Hosoi, Y., Miyachi, H., Ishii, K., Yoshida, M., Nemoto, K., Takai, Y., Yamada, S., Suzuki, N., and Ono, T. 2000. DNA-dependent protein kinase activity correlates with Ku70 expression and radiation sensitivity in esophageal cancer cell lines. *Clin Cancer Res* 6:1073-8.
- 177 Kim, G. W., Noshita, N., Sugawara, T., and Chan, P. H. 2001. Early decrease in dna repair proteins, Ku70 and Ku86, and subsequent DNA fragmentation after transient focal cerebral ischemia in mice. *Stroke* 32:1401-7.
- 178 Morrow, M. A., Mayer, E. W., Perez, C. A., Adlam, M., and Siu, G. 1999. Overexpression of the Helix-Loop-Helix protein Id2 blocks T cell development at multiple stages. *Mol Immunol* 36:491-503.
- 179 Gleichmann, M., Buchheim, G., El-Bizri, H., Yokota, Y., Klockgether, T., Kugler, S., Bahr, M., Weller, M., and Schulz, J. B. 2002. Identification of inhibitor-of-differentiation 2 (Id2) as a modulator of neuronal apoptosis. *J Neurochem* 80:755-62.
- 180 Ranger, A. M., Hodge, M. R., Gravalles, E. M., Oukka, M., Davidson, L., Alt, F. W., de la Brousse, F. C., Hoey, T., Grusby, M., and Glimcher, L. H. 1998. Delayed lymphoid repopulation with defects in IL-4-driven responses produced by inactivation of NF-ATc. *Immunity* 8:125-34.
- 181 de Belle, I., Huang, R. P., Fan, Y., Liu, C., Mercola, D., and Adamson, E. D. 1999. p53 and Egr-1 additively suppress transformed growth in HT1080 cells but Egr-1 counteracts p53-dependent apoptosis. *Oncogene* 18:3633-42.
- 182 Nair, P., Muthukumar, S., Sells, S. F., Han, S. S., Sukhatme, V. P., and Rangnekar, V. M. 1997. Early growth response-1-dependent apoptosis is mediated by p53. *J Biol Chem* 272:20131-8.
- 183 Seyfert, V. L., Sukhatme, V. P., and Monroe, J. G. 1989. Differential expression of a zinc finger-encoding gene in response to positive versus negative signaling through receptor immunoglobulin in murine B lymphocytes. *Mol Cell Biol* 9:2083-8.

- 184 Unoki, M. and Nakamura, Y. 2001. Growth-suppressive effects of BPOZ and
EGR2, two genes involved in the PTEN signaling pathway. *Oncogene* 20:4457-65.
- 185 Svaren, J., Severson, B. R., Apel, E. D., Zimonjic, D. B., Popescu, N. C., and
Milbrandt, J. 1996. NAB2, a corepressor of NGFI-A (Egr-1) and Krox20, is induced
by proliferative and differentiative stimuli. *Mol Cell Biol* 16:3545-53.
- 186 Ehrenguber, M. U., Muhlebach, S. G., Sohrman, S., Leutenegger, C. M., Lester,
H. A., and Davidson, N. 2000. Modulation of early growth response (EGR)
transcription factor- dependent gene expression by using recombinant adenovirus.
Gene 258:63-9.
- 187 Jacq, X., Brou, C., Lutz, Y., Davidson, I., Chambon, P., and Tora, L. 1994. Human
TAFII30 is present in a distinct TFIID complex and is required for transcriptional
activation by the estrogen receptor. *Cell* 79:107-17.
- 188 Metzger, D., Scheer, E., Soldatov, A., and Tora, L. 1999. Mammalian TAF(II)30 is
required for cell cycle progression and specific cellular differentiation programmes.
Embo J 18:4823-34.
- 189 Samejima, K., Svingen, P. A., Basi, G. S., Kottke, T., Mesner, P. W., Jr., Stewart,
L., Durrieu, F., Poirier, G. G., Alnemri, E. S., Champoux, J. J., Kaufmann, S. H.,
and Earnshaw, W. C. 1999. Caspase-mediated cleavage of DNA topoisomerase I
at unconventional sites during apoptosis. *J Biol Chem* 274:4335-40.
- 190 Thomas, M. L. 1994. The regulation of B- and T-lymphocyte activation by the
transmembrane protein tyrosine phosphatase CD45. *Curr Opin Cell Biol* 6:247-52.
- 191 Chen, A. J., Zhou, G., Juan, T., Colicos, S. M., Cannon, J. P., Cabriera-Hansen,
M., Meyer, C. F., Jurecic, R., Copeland, N. G., Gilbert, D. J., Jenkins, N. A.,
Fletcher, F., Tan, T. H., and Belmont, J. W. 2002. Dual-specificity phosphatase
JKAP specifically activates the c-Jun N-terminal kinase pathway. *J Biol Chem*.
- 192 Stoecklin, G., Ming, X. F., Looser, R., and Moroni, C. 2000. Somatic mRNA
turnover mutants implicate tristetraprolin in the interleukin-3 mRNA degradation
pathway. *Mol Cell Biol* 20:3753-63.
- 193 Johnson, B. A., Geha, M., and Blackwell, T. K. 2000. Similar but distinct effects of
the tristetraprolin/TIS11 immediate- early proteins on cell survival. *Oncogene*
19:1657-64.
- 194 Raghavan, A., Robison, R. L., McNabb, J., Miller, C. R., Williams, D. A., and
Bohjanen, P. R. 2001. HuA and tristetraprolin are induced following T cell
activation and display distinct but overlapping RNA binding specificities. *J Biol
Chem* 276:47958-65.
- 195 Ning, Z. Q., Norton, J. D., Li, J., and Murphy, J. J. 1996. Distinct mechanisms for
rescue from apoptosis in Ramos human B cells by signaling through CD40 and
interleukin-4 receptor: role for inhibition of an early response gene, Berg36. *Eur J
Immunol* 26:2356-63.
- 196 Hong, J. X., Wilson, G. L., Fox, C. H., and Kehrl, J. H. 1993. Isolation and
characterization of a novel B cell activation gene. *J Immunol* 150:3895-904.
- 197 Pan, Z., Bhat, M. B., Nieminen, A. L., and Ma, J. 2001. Synergistic movements of
Ca(2+) and Bax in cells undergoing apoptosis. *J Biol Chem* 276:32257-63.
- 198 Lens, S. M., de Jong, R., Hooibrink, B., Koopman, G., Pals, S. T., van Oers, M. H.,
and van Lier, R. A. 1996. Phenotype and function of human B cells expressing
CD70 (CD27 ligand). *Eur J Immunol* 26:2964-71.