

## 8 Literaturverzeichnis

1. Martino, T. A., Liu, P., and Sole, M. J.: **Viral infection and the pathogenesis of dilated cardiomyopathy.** *Circ.Res.* 74 (2) (1994), S. 182-188
2. Richardson, P., McKenna, W., Bristow, M., Maisch, B., Mautner, B., O'Connell, J., Olsen, E., Thiene, G., Goodwin, J., Gyarfas, I., Martin, I., and Norden, P.: **Report of the 1995 World Health Organization/International Society and Federation of Cardiology Task Force on the Definition and Classification of cardiomyopathies [news] [see comments].** *Circulation* 93 (5) (1996), S. 841-842
3. Kandolf, R. and Hofsneider, P. H.: **Viral heart disease.** *Springer Semin.Immunopathol.* 11 (1) (1989), S. 1-13
4. Woodruff, J. F.: **Viral myocarditis. A review.** *Am.J.Pathol.* 101 (2) (1980), S. 425-484
5. Helin, M., Savola, J., and Lapinleimu, K.: **Cardiac manifestations during a Coxsackie B5 epidemic.** *Br.Med.J.* 3 (610) (1968), S. 97-99
6. Bowles, N. E., Richardson, P. J., Olsen, E. G., and Archard, L. C.: **Detection of Coxsackie-B-virus-specific RNA sequences in myocardial biopsy samples from patients with myocarditis and dilated cardiomyopathy.** *Lancet* 1 (8490) (1986), S. 1120-1123
7. Kandolf, R., Klingel, K., Zell, R., Selinka, H. C. , Raab, U., Schneider-Brachert, W., and Bultmann, B.: **Molecular pathogenesis of enterovirus-induced myocarditis: virus persistence and chronic inflammation.** *Intervirology* 35 (1-4) (1993), S. 140-151
8. Huber, S. A. and Lodge, P. A.: **Coxsackievirus B-3 myocarditis. Identification of different pathogenic mechanisms in DBA/2 and Balb/c mice.** *Am.J.Pathol.* 122 (2) (1986), S. 284-291
9. Henke, A., Huber, S., Stelzner, A., and Whitton, J. L.: **The role of CD8+ T lymphocytes in coxsackievirus B3-induced myocarditis.** *J.Viro.* 69 (11) (1995), S. 6720-6728

- 
10. Woodruff, J. F. and Woodruff, J. J.: **Involvement of T lymphocytes in the pathogenesis of coxsackie virus B3 heart disease.** *J.Immunol.* 113 (6) (1974), S. 1726-1734
  11. Neumann, D. A., Rose, N. R., Ansari, A. A., and Herskowitz, A.: **Induction of multiple heart autoantibodies in mice with coxsackievirus B3- and cardiac myosin-induced autoimmune myocarditis.** *J.Immunol.* 152 (1) (1994), S. 343-350
  12. Penninger, J. M., Neu, N., Timms, E., Wallace, V. A., Koh, D. R., Kishihara, K., Pummerer, C., and Mak, T. W.: **The induction of experimental autoimmune myocarditis in mice lacking CD4 or CD8 molecules.** *J.Exp.Med.* 178 (5) (1993), S. 1837-1842
  13. Rose, N. R. and Hill, S. L.: **Autoimmune myocarditis.** *Int.J.Cardiol.* 54 (2) (1996), S. 171-175
  14. Kuhl, U., Pauschinger, M., and Schultheiss, H. P.: **Etiopathogenetic differentiation of inflammatory cardiomyopathy. Immunosuppression and immunomodulation.** *Internist.(Berl.)* 38 (6) (1997), S. 590-601
  15. Hofschneider, P. H., Klingel, K., and Kandolf, R.: **Toward understanding the pathogenesis of enterovirus-induced cardiomyopathy: molecular and ultrastructural approaches.** *J.Struct.Biol.* 104 (1-3) (1990), S. 32-37
  16. Klingel, K., Stephan, S., Sauter, M., Zell, R., McManus, B. M., Bultmann, B., and Kandolf, R.: **Pathogenesis of murine enterovirus myocarditis: virus dissemination and immune cell targets.** *J.Viro.* 70 (12) (1996), S. 8888-8895
  17. Kandolf, R., Sauter, M., Aepinus, C., Schnorr, J. J., Selinka, H. C., and Klingel, K.: **Mechanisms and consequences of enterovirus persistence in cardiac myocytes and cells of the immune system.** *Virus Res.* 62 (2) (1999), S. 149-158
  18. Maisch, B.: **Immunologic regulator and effector functions in perimyocarditis, postmyocarditic heart muscle disease and dilated cardiomyopathy.** *Basic.Res.Cardiol.* 81 Suppl 1:217-41 (1986), S. 217-241
  19. Gauntt, C. J., Arizpe, H. M., Higdon, A. L., Rozek, M. M., Crawley, R., and Cunningham, M. W.: **Anti-Coxsackievirus B3 neutralizing antibodies with pathological potential.** *Eur.Heart J.* 12 Suppl D:124-9 (1991), S. 124-129

- 
20. Campbell, I. L., Oxbrow, L., Koulmanda, M., and Harrison, L. C.: **IFN-gamma induces islet cell MHC antigens and enhances autoimmune, streptozotocin-induced diabetes in the mouse.** *J.Immunol.* 140 (4) (1988), S. 1111-1116
  21. Romagnani, S.: **Human Th1 and Th2 cells.** *Allergologie* 19 (1996), S. 175-179
  22. Liao, L., Sindhwan, R., Rojkind, M., Factor, S., Leinwand, L., and Diamond, B.: **Antibody-mediated autoimmune myocarditis depends on genetically determined target organ sensitivity.** *J.Exp.Med.* 181 (3) (1995), S. 1123-1131
  23. Huber, S. A., Mortensen, A., and Moulton, G.: **Modulation of cytokine expression by CD4+ T cells during coxsackievirus B3 infections of BALB/c mice initiated by cells expressing the gamma delta + T-cell receptor.** *J.Viro.* 70 (5) (1996), S. 3039-3044
  24. Huber, S. A.: **Heat-shock protein induction in adriamycin and picornavirus-infected cardiocytes.** *Lab.Invest.* 67 (2) (1992), S. 218-224
  25. Yamamoto, M., Fujihashi, K., Beagley, K. W., McGhee, J. R., and Kiyono, H.: **Cytokine synthesis by intestinal intraepithelial lymphocytes. Both gamma/delta T cell receptor-positive and alpha/beta T cell receptor- positive T cells in the G1 phase of cell cycle produce IFN-gamma and IL- 5.** *J.Immunol.* 150 (1) (1993), S. 106-114
  26. Loudon, R. P., Moraska, A. F., Huber, S. A., Schwimmbeck, P., and Schultheiss, P.: **An attenuated variant of Coxsackievirus B3 preferentially induces immunoregulatory T cells in vivo.** *J.Viro.* 65 (11) (1991), S. 5813-5819
  27. Lane, J. R., Neumann, D. A., Lafond-Walker, A., Herskowitz, A., and Rose, N. R.: **Interleukin 1 or tumor necrosis factor can promote Coxsackie B3-induced myocarditis in resistant B10.A mice.** *J.Exp.Med.* 175 (4) (1992), S. 1123-1129
  28. Huber, S. A., Polgar, J., Schultheiss, P., and Schwimmbeck, P.: **Augmentation of pathogenesis of coxsackievirus B3 infections in mice by exogenous administration of interleukin-1 and interleukin-2.** *J.Viro.* 68 (1) (1994), S. 195-206
  29. Lutton, C. W. and Gauntt, C. J.: **Ameliorating effect of IFN-beta and anti-IFN-beta on coxsackievirus B3- induced myocarditis in mice.** *J.Interferon.Res.* 5 (1) (1985), S. 137-146

- 
30. Karupiah, G.: **Type 1 and type 2 cytokines in antiviral defense.** *Vet.Immunol.Immunopathol.* 63 (1-2) (1998), S. 105-109
  31. Horwitz, M. S., La Cava, A., Fine, C., Rodriguez, E., Ilic, A., and Sarvetnick, N.: **Pancreatic expression of interferon-gamma protects mice from lethal coxsackievirus B3 infection and subsequent myocarditis.** *Nat.Med.* 6 (6) (2000), S. 693-697
  32. Yamamoto, N., Shibamori, M., Ogura, M., Seko, Y., and Kikuchi, M.: **Effects of intranasal administration of recombinant murine interferon- gamma on murine acute myocarditis caused by encephalomyocarditis virus.** *Circulation* 97 (10) (1998), S. 1017-1023
  33. Shioi, T., Matsumori, A., Nishio, R., Ono, K., Kakio, T., and Sasayama, S.: **Protective role of interleukin-12 in viral myocarditis.** *J.Mol.Cell Cardiol.* 29 (9) (1997), S. 2327-2334
  34. Tishon, A., Lewicki, H., Rall, G., von Herrath, M., and Oldstone, M. B.: **An essential role for type 1 interferon-gamma in terminating persistent viral infection.** *Virology* 212 ( 1) (1995), S. 244-250
  35. Goch, J. H., Czernicki, J., and Offierska, M.: **Some T-cell functions in patients with viral myocarditis. The effect of levamisole.** *Arch.Immunol.Ther.Exp.(Warsz.)* 30 (5-6) (1982), S. 395-404
  36. Sahasrabudhe, D. M.: **Inhibition of suppressor T lymphocytes by murine interferon beta.** *J.Exp.Med.* 166 (5) (1987), S. 1573-1578
  37. Cunningham, M. W., Antone, S. M., Gulizia, J. M., McManus, B. M., Fischetti, V. A., and Gauntt, C. J.: **Cytotoxic and viral neutralizing antibodies crossreact with streptococcal M protein, enteroviruses, and human cardiac myosin.** *Proc.Natl.Acad.Sci.U.S.A.* 89 (4) (1992), S. 1320-1324
  38. Barnett, L. A. and Fujinami, R. S.: **Molecular mimicry: a mechanism for autoimmune injury.** *FASEB J.* 6 (3) (1992), S. 840-844
  39. Lawson, C. M., O'Donoghue, H. L., and Reed, W. D.: **Mouse cytomegalovirus infection induces antibodies which cross-react with virus and cardiac myosin:**

- a model for the study of molecular mimicry in the pathogenesis of viral myocarditis. *Immunology* 75 (3) (1992), S. 513-519
40. Gauntt, C. J., Arizpe, H. M., Higdon, A. L., Wood, H. J., Bowers, D. F., Rozek, M. M., and Crawley, R.: **Molecular mimicry, anti-coxsackievirus B3 neutralizing monoclonal antibodies, and myocarditis.** *J.Immunol.* 154 (6) (1995), S. 2983-2995
41. Caforio, A. L.: **Role of autoimmunity in dilated cardiomyopathy.** *Br.Heart J.* 72 (6 Suppl) (1994), S. S30-S34
42. Bender, J. R.: **Idiopathic dilated cardiomyopathy. An immunologic, genetic, or infectious disease, or all of the above?** *Circulation* 83 (2) (1991), S. 704-706
43. Schultheiss, H. P., Schwimmbeck, P., Bolte, H. D., and Klingenberg, M.: **The antigenic characteristics and the significance of the adenine nucleotide translocator as a major autoantigen to antimitochondrial antibodies in dilated cardiomyopathy.** *Adv.Myocardiol.* 6:311-27 (1985), S. 311-327
44. Caforio, A. L., Goldman, J. H., Haven, A. J., Baig, K. M., and McKenna, W. J.: **Evidence for autoimmunity to myosin and other heart-specific autoantigens in patients with dilated cardiomyopathy and their relatives.** *Int.J.Cardiol.* 54 (2) (1996), S. 157-163
45. Limas, C. J., Goldenberg, I. F., and Limas, C.: **Autoantibodies against beta-adrenoceptors in human idiopathic dilated cardiomyopathy.** *Circ.Res.* 64 ( 1) (1989), S. 97-103
46. Kuhl, U., Melzner, B., Schafer, B., Schultheiss, H. P., and Strauer, B. E.: **The Ca-channel as cardiac autoantigen.** *Eur.Heart J.* 12 Suppl D:99-104 (1991), S. 99-104
47. Matsumori, A., Yamada, T., Suzuki, H., Matoba, Y. , and Sasayama, S.: **Increased circulating cytokines in patients with myocarditis and cardiomyopathy.** *Br.Heart J.* 72 (6) (1994), S. 561-566
48. Limas, C. J., Goldenberg, I. F., and Limas, C.: **Soluble interleukin-2 receptor levels in patients with dilated cardiomyopathy. Correlation with disease severity and cardiac autoantibodies [see comments].** *Circulation* 91 (3) (1995), S. 631-634

49. Schulze, K., Becker, B. F., Schauer, R., and Schultheiss, H. P.: **Antibodies to ADP-ATP carrier--an autoantigen in myocarditis and dilated cardiomyopathy--impair cardiac function.** *Circulation* 81 (3) (1990), S. 959-969
50. Dorffel, W. V., Felix, S. B., Wallukat, G., Brehme, S., Bestvater, K., Hofmann, T., Kleber, F. X., Baumann, G., and Reinke, P.: **Short-term hemodynamic effects of immunoabsorption in dilated cardiomyopathy [see comments].** *Circulation* 95 (8) (1997), S. 1994-1997
51. O'Connell, J. B. and Mason, J. W.: **Diagnosing and treating active myocarditis.** *West.J.Med.* 150 (4) (1989), S. 431-435
52. Kuhl, U., Strauer, B. E., and Schultheiss, H. P.: **Methylprednisolone in chronic myocarditis.** *Postgrad.Med.J.* 70 Suppl 1:S35-42 (1994), S. S35-S42
53. Kuhl, U., Pauschinger, M., and Schultheiss, H. P.: **New concepts in the diagnosis of inflammatory myocardial disease.** *Dtsch.Med.Wochenschr.* 122 (21) (1997), S. 690-698
54. Kuhl, U., Noutsias, M., Seeberg, B., and Schultheiss, H. P.: **Immunohistological evidence for a chronic intramyocardial inflammatory process in dilated cardiomyopathy.** *Heart* 75 (3) (1996), S. 295-300
55. Jin, O., Sole, M. J., Butany, J. W., Chia, W. K. , McLaughlin, P. R., Liu, P., and Liew, C. C.: **Detection of enterovirus RNA in myocardial biopsies from patients with myocarditis and cardiomyopathy using gene amplification by polymerase chain reaction [see comments].** *Circulation* 82 (1) (1990), S. 8-16
56. Kandolf, R., Ameis, D., Kirschner, P., Canu, A., and Hofsneider, P. H.: **In situ detection of enteroviral genomes in myocardial cells by nucleic acid hybridization: an approach to the diagnosis of viral heart disease.** *Proc.Natl.Acad.Sci.U.S.A.* 84 (17) (1987), S. 6272-6276
57. Kandolf, R., Klingel, K., Mertsching, H., Canu, A., Hohenadl, C., Zell, R., Reimann, B. Y., Heim, A., McManus, B. M., and Foulis, A. K.: **Molecular studies on enteroviral heart disease: patterns of acute and persistent infections.** *Eur.Heart J.* 12 Suppl D:49-55 (1991), S. 49-55

58. Kuhl, U. and Schultheiss, H. P.: **Diagnostisches Vorgehen bei Verdacht auf Myokarditis.** *Sportmed* 47 (1996), S. 153-161
59. Aretz, H. T.: **Myocarditis: the Dallas criteria.** *Hum.Pathol.* 18 (6) (1987), S. 619-624
60. Billingham, M.: **Acute myocarditis: a diagnostic dilemma.** *Br.Heart J.* 58 (1) (1987), S. 6-8
61. Kuhl, U., Noutsias, M., Seeberg, B., Schannwell, M., Welp, L. B., and Schultheiss, H. P.: **Chronic inflammation in the myocardium of patients with clinically suspected dilated cardiomyopathy.** *J.Card.Fail.* 1 (1) (1994), S. 13-25
62. Olsen, E. G.: **The problem of viral heart disease. How often do we miss it? [editorial].** *Postgrad.Med.J.* 61 (716) (1985), S. 479-480
63. Hauck, A. J., Kearney, D. L., and Edwards, W. D.: **Evaluation of postmortem endomyocardial biopsy specimens from 38 patients with lymphocytic myocarditis: implications for role of sampling error.** *Mayo Clin.Proc.* 64 (10) (1989), S. 1235-1245
64. Shanes, J. G., Ghali, J., Billingham, M. E., Ferrans, V. J., Fenoglio, J. J., Edwards, W. D., Tsai, C. C., Saffitz, J. E., Isner, J., and Furner, S.: **Interobserver variability in the pathologic interpretation of endomyocardial biopsy results.** *Circulation* 75 (2) (1987), S. 401-405
65. Badorff, C., Noutsias, M., Kuhl, U., and Schultheiss, H. P.: **Cell-mediated cytotoxicity in hearts with dilated cardiomyopathy: correlation with interstitial fibrosis and foci of activated T lymphocytes.** *J.Am.Coll.Cardiol.* 29 (2) (1997), S. 429-434
66. Chow, L. H., Ye, Y., Linder, J., and McManus, B. M.: **Phenotypic analysis of infiltrating cells in human myocarditis. An immunohistochemical study in paraffin-embedded tissue.** *Arch.Pathol.Lab.Med.* 113 ( 12) (1989), S. 1357-1362
67. Linder, J., Cassling, R. S., Rogler, W. C., Wilson, J. E., Markin, R. S., Sears, T. D., and McManus, B. M.: **Immunohistochemical characterization of lymphocytes in uninflamed ventricular myocardium. Implications for myocarditis.** *Arch.Pathol.Lab.Med.* 109 (10) (1985), S. 917-920

68. Milei, J., Bortman, G., Fernandez-Alonso, G., Grancelli, H., and Beigelman, R.: **Immunohistochemical staining of lymphocytes for the reliable diagnosis of myocarditis in endomyocardial biopsies.** *Cardiology* 77 (2) (1990), S. 77-85
69. Mues, B., Brisse, B., Zwadlo, G., Themann, H., Bender, F., and Sorg, C.: **Phenotyping of macrophages with monoclonal antibodies in endomyocardial biopsies as a new approach to diagnosis of myocarditis.** *Eur.Heart J.* 11 (7) (1990), S. 619-627
70. Martin, A. B., Webber, S., Fricker, F. J., Jaffe, R., Demmler, G., Kearney, D., Zhang, Y. H., Bodurtha, J., Gelb, B., and Ni, J.: **Acute myocarditis. Rapid diagnosis by PCR in children.** *Circulation* 90 (1) (1994), S. 330-339
71. Schonian, U., Crombach, M., Maser, S., and Maisch, B.: **Cytomegalovirus-associated heart muscle disease .** *Eur.Heart J.* 16 Suppl O:46-9 (1995), S. 46-49
72. Matsumori, A., Matoba, Y., and Sasayama, S.: **Dilated cardiomyopathy associated with hepatitis C virus infection.** *Circulation* 92 (9) (1995), S. 2519-2525
73. Figulla, H. R., Stille-Siegener, M., Mall, G., Heim, A., and Kreuzer, H.: **Myocardial enterovirus infection with left ventricular dysfunction: a benign disease compared with idiopathic dilated cardiomyopathy.** *J.Am.Coll.Cardiol.* 25 (5) (1995), S. 1170-1175
74. Conaldi, P. G., Serra, C., Mossa, A., Falcone, V. , Basolo, F., Camussi, G., Dolei, A., and Toniolo, A.: **Persistent infection of human vascular endothelial cells by group B coxsackieviruses.** *J.Infect.Dis.* 175 (3) (1997), S. 693-696
75. Schultheiss, H. P., Schulze, K., Schauer, R., Witzenbichler, B., and Strauer, B. E.: **Antibody-mediated imbalance of myocardial energy metabolism. A causal factor of cardiac failure?** *Circ.Res.* 76 (1) (1995), S. 64-72
76. Schwimmbeck, P. L., Badorff, C., Schultheiss, H. P., and Strauer, B. E.: **Transfer of human myocarditis into severe combined immunodeficiency mice.** *Circ.Res.* 75 (1) (1994), S. 156-164
77. Eck, M., Greiner, A., Kandolf, R., Schmausser, B., Marx, A., and Muller-Hermelink, H. K.: **Active fulminant myocarditis characterized by T-lymphocytes expressing**

- the gamma-delta T-cell receptor: a new disease entity? Am.J.Surg.Pathol.** 21 (9) (1997), S. 1109-1112
78. Pichler, W. J., Peter, H. H., and hänsch, M: **Prinzipien des Immunsystems. Klinische Immunologie.** Urban und Schwarzenberg (1996), S. 3-54
79. Kupfer, A. and Singer, S. J.: **Cell biology of cytotoxic and helper T cell functions: immunofluorescence microscopic studies of single cells and cell couples.** *Annu.Rev.Immunol.* 7:309-37 (1989), S. 309-337
80. Allison, J. P. and Havran, W. L.: **The immunobiology of T cells with invariant gamma delta antigen receptors.** *Annu.Rev.Immunol.* 9:679-705 (1991), S. 679-705
81. Mosmann, T. R. and Coffman, R. L.: **Heterogeneity of cytokine secretion patterns and functions of helper T cells.** *Adv.Immunol.* 46:111-47 (1989), S. 111-147
82. Mosmann, T. R., Cherwinski, H., Bond, M. W., Giedlin, M. A., and Coffman, R. L.: **Two types of murine helper T cell clone. I. Definition according to profiles of lymphokine activities and secreted proteins.** *J.Immunol.* 136 (7) (1986), S. 2348-2357
83. Maggi, E., Parronchi, P., Manetti, R., Simonelli, C., Piccinni, M. P., Rugiu, F. S. , De Carli, M., Ricci, M., and Romagnani, S.: **Reciprocal regulatory effects of IFN-gamma and IL-4 on the in vitro development of human Th1 and Th2 clones.** *J.Immunol.* 148 (7) (1992), S. 2142-2147
84. Parronchi, P., De Carli, M., Manetti, R., Simonelli, C., Sampognaro, S., Piccinni, M. P., Macchia, D., Maggi, E., Del Prete, G., and Romagnani, S.: **IL-4 and IFN (alpha and gamma) exert opposite regulatory effects on the development of cytolytic potential by Th1 or Th2 human T cell clones.** *J.Immunol.* 149 (9) (1992), S. 2977-2983
85. Abehsira-Amar, O., Gibert, M., Joliy, M., Theze, J., and Jankovic, D. L.: **IL-4 plays a dominant role in the differential development of Th0 into Th1 and Th2 cells.** *J.Immunol.* 148 (12) (1992), S. 3820-3829
86. Manetti, R., Parronchi, P., Giudizi, M. G., Piccinni, M. P., Maggi, E., Trinchieri, G., and Romagnani, S.: **Natural killer cell stimulatory factor (interleukin 12 [IL-12])**

- induces T helper type 1 (Th1)-specific immune responses and inhibits the development of IL-4-producing Th cells.** *J.Exp.Med.* 177 (4) (1993), S. 1199-1204
87. Hsieh, C. S., Macatonia, S. E., Tripp, C. S., Wolf, S. F., O'Garra, A., and Murphy, K. M.: **Development of TH1 CD4+ T cells through IL-12 produced by Listeria-induced macrophages [see comments].** *Science* 260 (5107) (1993), S. 547-549
88. Perez, V. L., Lederer, J. A., Lichtman, A. H., and Abbas, A. K.: **Stability of Th1 and Th2 populations.** *Int.Immunol.* 7 (5) (1995), S. 869-875
89. Schmitt, E., Hoehn, P., Germann, T., and Rude, E. : **Differential effects of interleukin-12 on the development of naive mouse CD4+ T cells.** *Eur.J.Immunol.* 24 (2) (1994), S. 343-347
90. Rincon, M., Anguita, J., Nakamura, T., Fikrig, E. , and Flavell, R. A.: **Interleukin (IL)-6 directs the differentiation of IL-4-producing CD4+ T cells.** *J.Exp.Med.* 185 (3) (1997), S. 461-469
91. Magram, J., Connaughton, S. E., Warrier, R. R., Carvajal, D. M., Wu, C. Y., Ferrante, J., Stewart, C., Sarmiento, U., Faherty, D. A., and Gately, M. K.: **IL-12-deficient mice are defective in IFN gamma production and type 1 cytokine responses.** *Immunity.* 4 (5) (1996), S. 471-481
92. Wu, C., Ferrante, J., Gately, M. K., and Magram, J.: **Characterization of IL-12 receptor beta1 chain (IL-12Rbeta1)-deficient mice: IL-12Rbeta1 is an essential component of the functional mouse IL- 12 receptor.** *J.Immunol.* 159 (4) (1997), S. 1658-1665
93. Kuhn, R., Rajewsky, K., and Muller, W.: **Generation and analysis of interleukin-4 deficient mice.** *Science* 254 (5032) (1991), S. 707-710
94. Kopf, M., Le Gros, G., Bachmann, M., Lamers, M. C., Bluethmann, H., and Kohler, G.: **Disruption of the murine IL-4 gene blocks Th2 cytokine responses.** *Nature* 362 (6417) (1993), S. 245-248
95. Lichtman, A. H., Kurt-Jones, E. A., and Abbas, A. K.: **B-cell stimulatory factor 1 and not interleukin 2 is the autocrine growth factor for some helper T lymphocytes.** *Proc.Natl.Acad.Sci.U.S.A.* 84 (3) (1987), S. 824-827

96. Jeannin, P., Delneste, Y., Life, P., Gauchat, J. F., Kaiserlian, D., and Bonnefoy, J. Y.: **Interleukin-12 increases interleukin-4 production by established human Th0 and Th2-like T cell clones.** *Eur.J.Immunol.* 25 (8) (1995), S. 2247-2252
97. Wang, Z. E., Zheng, S., Corry, D. B., Dalton, D. K., Seder, R. A., Reiner, S. L., and Locksley, R. M.: **Interferon gamma-independent effects of interleukin 12 administered during acute or established infection due to Leishmania major.** *Proc.Natl.Acad.Sci.U.S.A.* 91 (26) (1994), S. 12932-12936
98. Mosmann, T. R. and Sad, S.: **The expanding universe of T-cell subsets: Th1, Th2 and more.** *Immunol.Today* 17 (3) (1996), S. 138-146
99. Abbas, A. K., Murphy, K. M., and Sher, A.: **Functional diversity of helper T lymphocytes.** *Nature* 383 (6603) (1996), S. 787-793
100. Abbas, A. K., Lichtmann, A. H. T., and Pober, J. S.: **Cytokines. Cellular and molecular immunology.** 2nd Saunders (1994),
101. Trinchieri, G.: **Interleukin-12: a proinflammatory cytokine with immunoregulatory functions that bridge innate resistance and antigen-specific adaptive immunity.** *Annu.Rev.Immunol.* 13:251-76 (1995), S. 251-276
102. Sher, A. and Coffman, R. L.: **Regulation of immunity to parasites by T cells and T cell-derived cytokines.** *Annu.Rev.Immunol.* 10:385-409 (1992), S. 385-409
103. Austrup, F., Vestweber, D., Borges, E., Lohning, M., Brauer, R., Herz, U., Renz, H., Hallmann, R., Scheffold, A., Radbruch, A., and Hamann, A.: **P- and E-selectin mediate recruitment of T-helper-1 but not T-helper-2 cells into inflamed tissues.** *Nature* 385 (6611) (1997), S. 81-83
104. Sallusto, F., Mackay, C. R., and Lanzavecchia, A.: **Selective expression of the eotaxin receptor CCR3 by human T helper 2 cells.** *Science* 277 (5334) (1997), S. 2005-2007
105. Hsieh, C. S., Heimberger, A. B., Gold, J. S., O'Garra, A., and Murphy, K. M.: **Differential regulation of T helper phenotype development by interleukins 4 and 10 in an alpha beta T-cell-receptor transgenic system.** *Proc.Natl.Acad.Sci.U.S.A.* 89 (13) (1992), S. 6065-6069

106. Seder, R. A. and Paul, W. E.: **Acquisition of lymphokine-producing phenotype by CD4+ T cells.** *Annu.Rev.Immunol.* 12:635-73 (1994), S. 635-673
107. Nakamura, T., Kamogawa, Y., Bottomly, K., and Flavell, R. A.: **Polarization of IL-4- and IFN-gamma-producing CD4+ T cells following activation of naive CD4+ T cells.** *J.Immunol.* 158 (3) (1997), S. 1085-1094
108. Trinchieri, G.: **Cytokines acting on or secreted by macrophages during intracellular infection (IL-10, IL-12, IFN-gamma).** *Curr.Opin.Immunol.* 9 (1) (1997), S. 17-23
109. Macatonia, S. E., Hosken, N. A., Litton, M., Vieira, P., Hsieh, C. S., Culpepper, J. A., Wysocka, M., Trinchieri, G., Murphy, K. M., and O'Garra, A.: **Dendritic cells produce IL-12 and direct the development of Th1 cells from naive CD4+ T cells.** *J.Immunol.* 154 (10) (1995), S. 5071-5079
110. Swain, S. L., Weinberg, A. D., English, M., and Huston, G.: **IL-4 directs the development of Th2-like helper effectors.** *J.Immunol.* 145 (11) (1990), S. 3796-3806
111. Muraille, E. and Leo, O.: **Revisiting the Th1/Th2 paradigm.** *Scand.J.Immunol.* 47 (1) (1998), S. 1-9
112. Pichler, W. J.: **[Regulation of the immune response: the TH1/TH2 concept].** *Schweiz.Med.Wochenschr.* 127 (9) (1997), S. 341-348
113. Gazzinelli, R. T., Hieny, S., Wynn, T. A., Wolf, S., and Sher, A.: **Interleukin 12 is required for the T-lymphocyte-independent induction of interferon gamma by an intracellular parasite and induces resistance in T-cell-deficient hosts.** *Proc.Natl.Acad.Sci.U.S.A.* 90 (13) (1993), S. 6115-6119
114. Wenner, C. A., Guler, M. L., Macatonia, S. E., O'Garra, A., and Murphy, K. M.: **Roles of IFN-gamma and IFN-alpha in IL-12-induced T helper cell-1 development.** *J.Immunol.* 156 (4) (1996), S. 1442-1447
115. Rogge, L., Barberis-Maino, L., Biffi, M., Passini, N., Presky, D. H., Gubler, U., and Sinigaglia, F.: **Selective expression of an interleukin-12 receptor component by human T helper 1 cells.** *J.Exp.Med.* 185 (5) (1997), S. 825-831

- 
116. Szabo, S. J., Dighe, A. S., Gubler, U., and Murphy, K. M.: **Regulation of the interleukin (IL)-12R beta 2 subunit expression in developing T helper 1 (Th1) and Th2 cells.** *J.Exp.Med.* 185 (5) (1997), S. 817-824
  117. Jacobson, N. G., Szabo, S. J., Weber-Nordt, R. M., Zhong, Z., Schreiber, R. D., Darnell, J. E. Jr, and Murphy, K. M.: **Interleukin 12 signaling in T helper type 1 (Th1) cells involves tyrosine phosphorylation of signal transducer and activator of transcription (Stat)3 and Stat4.** *J.Exp.Med.* 181 (5) (1995), S. 1755-1762
  118. Kaplan, M. H., Sun, Y. L., Hoey, T., and Grusby, M. J.: **Impaired IL-12 responses and enhanced development of Th2 cells in Stat4- deficient mice.** *Nature* 382 (6587) (1996), S. 174-177
  119. Thierfelder, W. E., van Deursen, J. M., Yamamoto, K., Tripp, R. A., Sarawar, S. R., Carson, R. T., Sangster, M. Y., Vignali, D. A., Doherty, P. C., Grosveld, G. C., and Ihle, J. N.: **Requirement for Stat4 in interleukin-12-mediated responses of natural killer and T cells.** *Nature* 382 (6587) (1996), S. 171-174
  120. Piccinni, M. P., Macchia, D., Parronchi, P., Giudizi, M. G., Bani, D., Alterini, R., Grossi, A., Ricci, M., Maggi, E., and Romagnani, S.: **Human bone marrow non-B, non-T cells produce interleukin 4 in response to cross-linkage of Fc epsilon and Fc gamma receptors.** *Proc.Natl.Acad.Sci.U.S.A.* 88 (19) (1991), S. 8656-8660
  121. Bradding, P., Feather, I. H., Howarth, P. H., Mueller, R., Roberts, J. A., Britten, K., Bews, J. P., Hunt, T. C., Okayama, Y., and Heusser, C. H.: **Interleukin 4 is localized to and released by human mast cells.** *J.Exp.Med.* 176 (5) (1992), S. 1381-1386
  122. Brunner, T., Heusser, C. H., and Dahinden, C. A.: **Human peripheral blood basophils primed by interleukin 3 (IL-3) produce IL-4 in response to immunoglobulin E receptor stimulation.** *J.Exp.Med.* 177 (3) (1993), S. 605-611
  123. Moqbel, R., Ying, S., Barkans, J., Newman, T. M. , Kimmitt, P., Wakelin, M., Taborda-Barata, L., Meng, Q., Corrigan, C. J., and Durham, S. R.: **Identification of messenger RNA for IL-4 in human eosinophils with granule localization and release of the translated product.** *J.Immunol.* 155 (10) (1995), S. 4939-4947

- 
124. Kaplan, M. H., Schindler, U., Smiley, S. T., and Grusby, M. J.: **Stat6 is required for mediating responses to IL-4 and for development of Th2 cells.** *Immunity*. 4 (3) (1996), S. 313-319
125. Shimoda, K., van Deursen, J., Sangster, M. Y., Sarawar, S. R., Carson, R. T., Tripp, R. A., Chu, C., Quelle, F. W., Nosaka, T., Vignali, D. A., Doherty, P. C., Grosveld, G., Paul, W. E., and Ihle, J. N.: **Lack of IL-4-induced Th2 response and IgE class switching in mice with disrupted Stat6 gene.** *Nature* 380 (6575) (1996), S. 630-633
126. Nakamura, T., Lee, R. K., Nam, S. Y., Podack, E. R., Bottomly, K., and Flavell, R. A.: **Roles of IL-4 and IFN-gamma in stabilizing the T helper cell type 1 and 2 phenotype.** *J.Immunol.* 158 (6) (1997), S. 2648-2653
127. Murphy, E., Shibuya, K., Hosken, N., Openshaw, P., Maino, V., Davis, K., Murphy, K., and O'Garra, A.: **Reversibility of T helper 1 and 2 populations is lost after long-term stimulation.** *J.Exp.Med.* 183 (3) (1996), S. 901-913
128. Bliss, J., Van Cleave, V., Murray, K., Wiencis, A., Ketchum, M., Maylor, R., Haire, T., Resmini, C., Abbas, A. K., and Wolf, S. F.: **IL-12, as an adjuvant, promotes a T helper 1 cell, but does not suppress a T helper 2 cell recall response.** *J.Immunol.* 156 (3) (1996), S. 887-894
129. Manetti, R., Gerosa, F., Giudizi, M. G., Biagiotti, R., Parronchi, P., Piccinni, M. P., Sampognaro, S., Maggi, E., Romagnani, S., and Trinchieri, G.: **Interleukin 12 induces stable priming for interferon gamma (IFN-gamma) production during differentiation of human T helper (Th) cells and transient IFN-gamma production in established Th2 cell clones.** *J.Exp.Med.* 179 (4) (1994), S. 1273-1283
130. Yssel, H., Fasler, S., De Vries, J. E., and de Waal, Malefyk: **IL-12 transiently induces IFN-gamma transcription and protein synthesis in human CD4+ allergen-specific Th2 T cell clones.** *Int.Immunol.* 6 (7) (1994), S. 1091-1096
131. Hosken, N. A., Shibuya, K., Heath, A. W., Murphy, K. M., and O'Garra, A.: **The effect of antigen dose on CD4+ T helper cell phenotype development in a T cell receptor-alpha beta-transgenic model.** *J.Exp.Med.* 182 (5) (1995), S. 1579-1584

132. Kelly, C. J., Frishberg, Y., and Gold, D. P.: **An appraisal of T cell subsets and the potential for autoimmune injury.** *Kidney Int.* 53 (6) (1998), S. 1574-1584
133. Meeusen, E. N.: **Differential migration of Th1 and Th2 cells--implications for vaccine and infection studies.** *Vet.Immunol.Immunopathol.* 63 (1-2) (1998), S. 157-166
134. Hsieh, C. S., Macatonia, S. E., O'Garra, A., and Murphy, K. M.: **T cell genetic background determines default T helper phenotype development in vitro.** *J.Exp.Med.* 181 (2) (1995), S. 713-721
135. Constant, S. L. and Bottomly, K.: **Induction of Th1 and Th2 CD4+ T cell responses: the alternative approaches.** *Annu.Rev.Immunol.* 15:297-322 (1997), S. 297-322
136. van der Pouw Kraan TC, Boeije, L. C., Smeenk, R. J., Wijdenes, J., and Aarden, L. A.: **Prostaglandin-E2 is a potent inhibitor of human interleukin 12 production.** *J.Exp.Med.* 181 (2) (1995), S. 775-779
137. Panina-Bordignon, P., Mazzeo, D., Lucia, P. D., D'Ambrosio, D., Lang, R., Fabbri, L. , Self, C., and Sinigaglia, F.: **Beta2-agonists prevent Th1 development by selective inhibition of interleukin 12.** *J.Clin.Invest.* 100 (6) (1997), S. 1513-1519
138. Moller, D. R., Wysocka, M., Greenlee, B. M., Ma, X., Wahl, L., Trinchieri, G., and Karp, C. L.: **Inhibition of human interleukin-12 production by pentoxifylline.** *Immunology* 91 (2) (1997), S. 197-203
139. Snijdewint, F. G., Kalinski, P., Wierenga, E. A., Bos, J. D., and Kapsenberg, M. L.: **Prostaglandin E2 differentially modulates cytokine secretion profiles of human T helper lymphocytes.** *J.Immunol.* 150 (12) (1993), S. 5321-5329
140. DeKruyff, R. H., Fang, Y., and Umetsu, D. T.: **Corticosteroids enhance the capacity of macrophages to induce Th2 cytokine synthesis in CD4+ lymphocytes by inhibiting IL-12 production.** *J.Immunol.* 160 (5) (1998), S. 2231-2237
141. Ullrich, S. E.: **Mechanism involved in the systemic suppression of antigen-presenting cell function by UV irradiation. Keratinocyte-derived IL-10 modulates**

- antigen-presenting cell function of splenic adherent cells.** *J.Immunol.* 152 (7) (1994), S. 3410-3416
142. Schmitz, J., Assenmacher, M., and Radbruch, A.: **Regulation of T helper cell cytokine expression: functional dichotomy of antigen-presenting cells.** *Eur.J.Immunol.* 23 (1) (1993), S. 191-199
143. Petrovsky, N. and Harrison, L. C.: **The chronobiology of human cytokine production.** *Int.Rev.Immunol.* 16 (5-6) (1998), S. 635-649
144. Del Prete, G., De Carli, M., Almerigogna, F., Daniel, C. K., D'Elios, M. M., Zancuoghi, G., Vinante, F., Pizzolo, G., and Romagnani, S.: **Preferential expression of CD30 by human CD4+ T cells producing Th2- type cytokines.** *FASEB J.* 9 (1) (1995), S. 81-86
145. D'Elios, M. M., Romagnani, P., Scaletti, C., Annunziato, F., Manghetti, M., Mavilia, C., Parronchi, P., Pupilli, C., Pizzolo, G., Maggi, E., Del Prete, G. F., and Romagnani, S.: **In vivo CD30 expression in human diseases with predominant activation of Th2-like T cells.** *J.Leukoc.Biol.* 61 (5) (1997), S. 539-544
146. Nakamura, T., Lee, R. K., Nam, S. Y., Al-Ramadi, B. K., Koni, P. A., Bottomly, K., Podack, E. R., and Flavell, R. A.: **Reciprocal regulation of CD30 expression on CD4+ T cells by IL-4 and IFN-gamma.** *J.Immunol.* 158 (5) (1997), S. 2090-2098
147. D'Elios, M. M., Manghetti, M., De Carli, M., Costa, F., Baldari, C. T., Burroni, D., Telford, J. L., Romagnani, S. , and Del Prete, G.: **T helper 1 effector cells specific for Helicobacter pylori in the gastric antrum of patients with peptic ulcer disease.** *J.Immunol.* 158 (2) (1997), S. 962-967
148. Yssel, H., Shanafelt, M. C., Soderberg, C., Schneider, P. V., Anzola, J., and Peltz, G.: **Borrelia burgdorferi activates a T helper type 1-like T cell subset in Lyme arthritis.** *J.Exp.Med.* 174 (3) (1991), S. 593-601
149. Parronchi, P., Romagnani, P., Annunziato, F., Sampognaro, S., Becchio, A., Giannarini, L., Maggi, E., Pupilli, C., Tonelli, F., and Romagnani, S.: **Type 1 T-helper cell predominance and interleukin-12 expression in the gut of patients with Crohn's disease.** *Am.J.Pathol.* 150 (3) (1997), S. 823-832

150. D'Elios, M. M., Josien, R., Manghetti, M., Amedei, A., De Carli, M., Cuturi, M. C., Blancho, G., Buzelin, F., Del Prete, G., and Soulillou, J. P.: **Predominant Th1 cell infiltration in acute rejection episodes of human kidney grafts.** *Kidney Int.* 51 (6) (1997), S. 1876-1884
151. Voskuhl, R. R., Martin, R., Bergman, C., Dalal, M., Ruddle, N. H., and McFarland, H. F.: **T helper 1 (Th1) functional phenotype of human myelin basic protein-specific T lymphocytes.** *Autoimmunity.* 15 (2) (1993), S. 137-143
152. Zipris, D.: **Evidence that Th1 lymphocytes predominate in islet inflammation and thyroiditis in the BioBreeding (BB) rat.** *J.Autoimmun.* 9 (3) (1996), S. 315-319
153. Del Prete, G. F., Tiri, A., De Carli, M., Mariotti, S., Pinchera, A., Chretien, I. , Romagnani, S., and Ricci, M.: **High potential to tumor necrosis factor alpha (TNF-alpha) production of thyroid infiltrating T lymphocytes in Hashimoto's thyroiditis: a peculiar feature of destructive thyroid autoimmunity.** *Autoimmunity.* 4 (4) (1989), S. 267-276
154. Piccinni, M. P. and Romagnani, S.: **Regulation of fetal allograft survival by a hormone-controlled Th1- and Th2-type cytokines.** *Immunol.Res.* 15 (2) (1996), S. 141-150
155. Sarih, M., Bouchrit, N., and Benslimane, A.: **Different cytokine profiles of peripheral blood mononuclear cells from patients with persistent and self-limited hepatitis C virus infection.** *Immunol.Lett.* 74 (2) (2000), S. 117-120
156. Fan, X. G., Liu, W. E., Li, C. Z., Wang, Z. C., Luo, L. X., Tan, D. M., Hu, G. L., and Zhang, Z.: **Circulating Th1 and Th2 cytokines in patients with hepatitis C virus infection.** *Mediators.Inflamm.* 7 (4) (1998), S. 295-297
157. Penna, A., Del Prete, G., Cavalli, A., Bertoletti, A., D'Elios, M. M., Sorrentino, R., D'Amato, M., Boni, C., Pilli, M., Fiaccadori, F., and Ferrari, C.: **Predominant T-helper 1 cytokine profile of hepatitis B virus nucleocapsid-specific T cells in acute self-limited hepatitis B.** *Hepatology* 25 (4) (1997), S. 1022-1027
158. De Carli, M., D'Elios, M. M., Mariotti, S., Marcocci, C., Pinchera, A., Ricci, M., Romagnani, S., and Del Prete, G.: **Cytolytic T cells with Th1-like cytokine profile**

- predominate in retroorbital lymphocytic infiltrates of Graves' ophthalmopathy.**  
*J.Clin.Endocrinol.Metab.* 77 ( 5) (1993), S. 1120-1124
159. Dolhain, R. J., van der Heiden, A. N., ter Haar, N. T., Breedveld, F. C., and Miltenburg, A. M.: **Shift toward T lymphocytes with a T helper 1 cytokine-secretion profile in the joints of patients with rheumatoid arthritis.** *Arthritis Rheum.* 39 (12) (1996), S. 1961-1969
160. Clerici, M. and Shearer, G. M.: **A TH1-->TH2 switch is a critical step in the etiology of HIV infection.** *Immunol.Today* 14 (3) (1993), S. 107-111
161. Caligaris-Cappio, F., Bertero, M. T., Converso, M., Stacchini, A., Vinante, F., Romagnani, S., and Pizzolo, G.: **Circulating levels of soluble CD30, a marker of cells producing Th2- type cytokines, are increased in patients with systemic lupus erythematosus and correlate with disease activity.** *Clin.Exp.Rheumatol.* 13 (3) (1995), S. 339-343
162. Cogan, E., Schandene, L., Crusiaux, A., Cochaux, P., Velu, T., and Goldman, M.: **Brief report: clonal proliferation of type 2 helper T cells in a man with the hypereosinophilic syndrome.** *N Engl.J.Med.* 330 (8) (1994), S. 535-538
163. Maggi, E., Biswas, P., Del Prete, G., Parronchi, P., Macchia, D., Simonelli, C., Emmi, L., De Carli, M., Tiri, A., and Ricci, M.: **Accumulation of Th-2-like helper T cells in the conjunctiva of patients with vernal conjunctivitis.** *J.Immunol.* 146 (4) (1991), S. 1169-1174
164. Robinson, D. S. and Kay, A. B.: **Role of Th1 and Th2 cells in human allergic disorders.** *Chem.Immunol.* 63:187-203 (1996), S. 187-203
165. Scott, P. and Kaufmann, S. H.: **The role of T-cell subsets and cytokines in the regulation of infection.** *Immunol.Today* 12 (10) (1991), S. 346-348
166. Tian, J., Atkinson, M. A., Clare-Salzler, M., Herschenfeld, A., Forsthuber, T., Lehmann, P. V., and Kaufman, D. L.: **Nasal administration of glutamate decarboxylase (GAD65) peptides induces Th2 responses and prevents murine insulin-dependent diabetes.** *J.Exp.Med.* 183 (4) (1996), S. 1561-1567
167. Piccinni, M. P., Giudizi, M. G., Biagiotti, R., Beloni, L., Giannarini, L., Sampognaro, S., Parronchi, P., Manetti, R. , Annunziato, F., and Livi, C.: **Progesterone favors the**

- development of human T helper cells producing Th2-type cytokines and promotes both IL-4 production and membrane CD30 expression in established Th1 cell clones.** *J.Immunol.* 155 (1) (1995), S. 128-133
168. Matsumori, A.: **Cytokines in myocarditis and cardiomyopathies.** *Curr.Opin.Cardiol.* 11 (3) (1996), S. 302-309
169. Neumann, D. A., Lane, J. R., Allen, G. S., Herskowitz, A., and Rose, N. R.: **Viral myocarditis leading to cardiomyopathy: do cytokines contribute to pathogenesis?** *Clin.Immunol.Immunopathol.* 68 (2) (1993), S. 181-190
170. Wolfgram, L. J., Beisel, K. W., Herskowitz, A., and Rose, N. R.: **Variations in the susceptibility to Coxsackievirus B3-induced myocarditis among different strains of mice.** *J.Immunol.* 136 (5) (1986), S. 1846-1852
171. Gauntt, C. J., Gomez, P. T., Duffey, P. S., Grant, J. A., Trent, D. W., Witherspoon, S. M., and Paque, R. E.: **Characterization and myocarditic capabilities of coxsackievirus B3 variants in selected mouse strains.** *J.Viro.* 52 (2) (1984), S. 598-605
172. Gauntt, C. J., Godeny, E. K., and Lutton, C. W.: **Host factors regulating viral clearance.** *Pathol.Immunopathol.Res.* 7 (4) (1988), S. 251-265
173. Lodge, P. A., Herzum, M., Olszewski, J., and Huber, S. A.: **Coxsackievirus B-3 myocarditis. Acute and chronic forms of the disease caused by different immunopathogenic mechanisms.** *Am.J.Pathol.* 128 (3) (1987), S. 455-463
174. Ramshaw, I. A., Ramsay, A. J., Karupiah, G., Rolph, M. S., Mahalingam, S., and Ruby, J. C.: **Cytokines and immunity to viral infections.** *Immunol.Rev.* 159:119-35 (1997), S. 119-135
175. Yamada, T., Matsumori, A., and Sasayama, S.: **Therapeutic effect of anti-tumor necrosis factor-alpha antibody on the murine model of viral myocarditis induced by encephalomyocarditis virus.** *Circulation* 89 (2) (1994), S. 846-851
176. Sharma, P., Johnson, C. A., Bonneau, R. H., Lang, C. M., and Chorney, M. J.: **Transgenic mice expressing the thymus leukemia antigen fail to control cutaneous herpes simplex virus infection.** *Cell Immunol.* 174 (1) (1996), S. 84-89

177. Karupiah, G., Fredrickson, T. N., Holmes, K. L., Khairallah, L. H., and Buller, R. M.: **Importance of interferons in recovery from mousepox.** *J.Virol.* 67 (7) (1993), S. 4214-4226
178. Smith, S. C. and Allen, P. M.: **Neutralization of endogenous tumor necrosis factor ameliorates the severity of myosin-induced myocarditis.** *Circ.Res.* 70 (4) (1992), S. 856-863
179. Xing, Z.: **Current understanding of macrophage type 1 cytokine responses during intracellular infections.** *Histol.Histopathol.* 15 (1) (2000), S. 199-205
180. Maggi, E., Giudizi, M. G., Biagiotti, R., Annunziato, F., Manetti, R., Piccinni, M. P., Parronchi, P., Sampognaro, S. , Giannarini, L., and Zuccati, G.: **Th2-like CD8+ T cells showing B cell helper function and reduced cytolytic activity in human immunodeficiency virus type 1 infection.** *J.Exp.Med.* 180 (2) (1994), S. 489-495
181. Dlugovitzky, D., Torres-Morales, A., Rateni, L., Farroni, M. A., Largacha, C., Molteni, O., and Bottasso, O.: **Circulating profile of Th1 and Th2 cytokines in tuberculosis patients with different degrees of pulmonary involvement.** *FEMS Immunol.Med.Microbiol.* 18 (3) (1997), S. 203-207
182. de Jong, R., Altare, F., Haagen, I. A., Elferink, D. G., Boer, T., van Breda, Vriesman, Kabel, P. J., Draisma, J. M. , van Dissel, J. T., Kroon, F. P., Casanova, J. L., and Ottenhoff, T. H. : **Severe mycobacterial and Salmonella infections in interleukin-12 receptor-deficient patients.** *Science* 280 (5368) (1998), S. 1435-1438
183. Monteiro, J. M., Harvey, C., and Trinchieri, G.: **Role of interleukin-12 in primary influenza virus infection.** *J.Virol.* 72 (6) (1998), S. 4825-4831
184. Schijns, V. E., Haagmans, B. L., Wierda, C. M., Kruithof, B., Heijnen, I. A., Alber, G., and Horzinek, M. C.: **Mice lacking IL-12 develop polarized Th1 cells during viral infection.** *J.Immunol.* 160 (8) (1998), S. 3958-3964
185. Mortola, E., Endo, Y., Mizuno, T., Ohno, K., Watari, T., Tsujimoto, H., and Hasegawa, A.: **Effect of interleukin-12 and interleukin-10 on the virus replication and apoptosis in T-cells infected with feline immunodeficiency virus.** *J.Vet.Med.Sci.* 60 (11) (1998), S. 1181-1185

186. Izumi, T., Takehana, H., Matsuda, C., Yokoyama, H., Kohno, K., Suzuki, K., and Inomata, T.: **Experimental autoimmune myocarditis and its pathomechanism.** *Herz* 25 (3) (2000), S. 274-278
187. Marriott, J. B., Goldman, J. H., Keeling, P. J., Baig, M. K., Dagleish, A. G., and McKenna, W. J.: **Abnormal cytokine profiles in patients with idiopathic dilated cardiomyopathy and their asymptomatic relatives.** *Heart* 75 (3) (1996), S. 287-290
188. Okura, Y., Yamamoto, T., Goto, S., Inomata, T., Hirono, S., Hanawa, H., Feng, L., Wilson, C. B., Kihara, I., Izumi, T., Shibata, A., Aizawa, Y., Seki, S., and Abo, T.: **Characterization of cytokine and iNOS mRNA expression in situ during the course of experimental autoimmune myocarditis in rats.** *J.Mol.Cell Cardiol.* 29 (2) (1997), S. 491-502
189. Trinchieri, G., Peritt, D., and Gerosa, F.: **Acute induction and priming for cytokine production in lymphocytes.** *Cytokine.Growth Factor.Rev.* 7 (2) (1996), S. 123-132
190. Lafaille, J. J.: **The role of helper T cell subsets in autoimmune diseases.** *Cytokine.Growth Factor.Rev.* 9 (2) (1998), S. 139-151
191. Seko, Y., Takahashi, N., Yagita, H., Okumura, K. , and Yazaki, Y.: **Expression of cytokine mRNAs in murine hearts with acute myocarditis caused by coxsackievirus b3.** *J.Pathol.* 183 (1) (1997), S. 105-108
192. Durkop, H., Latza, U., Hummel, M., Eitelbach, F. , Seed, B., and Stein, H.: **Molecular cloning and expression of a new member of the nerve growth factor receptor family that is characteristic for Hodgkin's disease.** *Cell* 68 (3) (1992), S. 421-427
193. Alzona, M., Jack, H. M., Fisher, R. I., and Ellis, T. M.: **CD30 defines a subset of activated human T cells that produce IFN-gamma and IL-5 and exhibit enhanced B cell helper activity .** *J.Immunol.* 153 (7) (1994), S. 2861-2867
194. Hamann, D., Hilkens, C. M., Grogan, J. L., Lens, S. M., Kapsenberg, M. L., Yazdanbakhsh, M., and van Lier, R. A.: **CD30 expression does not discriminate between human Th1- and Th2-type T cells.** *J.Immunol.* 156 (4) (1996), S. 1387-1391

195. Bengtsson, A., Johansson, C., Linder, M. T., Hallden, G., van der Ploeg, I., and Scheynius, A.: **Not only Th2 cells but also Th1 and Th0 cells express CD30 after activation.** *J.Leukoc.Biol.* 58 (6) (1995), S. 683-689
196. Torre-Amione, G., Kapadia, S., Benedict, C., Oral, H., Young, J. B., and Mann, D. L. : **Proinflammatory cytokine levels in patients with depressed left ventricular ejection fraction: a report from the Studies of Left Ventricular Dysfunction (SOLVD).** *J.Am.Coll.Cardiol.* 27 (5) (1996), S. 1201-1206
197. Roig, E., Orus, J., Pare, C., Azqueta, M., Filella, X., Perez-Villa, F., Heras, M., and Sanz, G.: **Serum interleukin-6 in congestive heart failure secondary to idiopathic dilated cardiomyopathy.** *Am.J.Cardiol.* 82 (5) (1998), S. 688-90, A8
198. Freeman, G. L., Colston, J. T., Zabalgoitia, M., and Chandrasekar, B.: **Contractile depression and expression of proinflammatory cytokines and iNOS in viral myocarditis.** *Am.J.Physiol.* 274 (1 Pt 2 ) (1998), S. H249-H258
199. Stein, B., Frank, P., Schmitz, W., Scholz, H., and Thoenes, M.: **Endotoxin and cytokines induce direct cardiodepressive effects in mammalian cardiomyocytes via induction of nitric oxide synthase.** *J.Mol.Cell Cardiol.* 28 (8) (1996), S. 1631-1639
200. Finkel, M. S., Oddis, C. V., Jacob, T. D., Watkins, S. C., Hattler, B. G., and Simmons, R. L.: **Negative inotropic effects of cytokines on the heart mediated by nitric oxide.** *Science* 257 (5068) (1992), S. 387-389
201. Sobotka, P. A., McMannis, J., Fisher, R. I., Stein, D. G., and Thomas, J. X. Jr: **Effects of interleukin 2 on cardiac function in the isolated rat heart.** *J.Clin.Invest.* 86 (3) (1990), S. 845-850
202. Yokoyama, T., Vaca, L., Rossen, R. D., Durante, W., Hazarika, P., and Mann, D. L. : **Cellular basis for the negative inotropic effects of tumor necrosis factor-alpha in the adult mammalian heart.** *J.Clin.Invest.* 92 (5) (1993), S. 2303-2312
203. Gulick, T., Chung, M. K., Pieper, S. J., Lange, L. G., and Schreiner, G. F.: **Interleukin 1 and tumor necrosis factor inhibit cardiac myocyte beta- adrenergic responsiveness.** *Proc.Natl.Acad.Sci.U.S.A.* 86 (17) (1989), S. 6753-6757

204. Schulz, R., Nava, E., and Moncada, S.: **Induction and potential biological relevance of a Ca(2+)-independent nitric oxide synthase in the myocardium.** *Br.J.Pharmacol.* 105 (3) (1992), S. 575-580
205. Balligand, J. L., Ungureanu, D., Kelly, R. A., Kobzik, L., Pimental, D., Michel, T., and Smith, T. W.: **Abnormal contractile function due to induction of nitric oxide synthesis in rat cardiac myocytes follows exposure to activated macrophage-conditioned medium.** *J.Clin.Invest.* 91 (5) (1993), S. 2314-2319
206. Ungureanu-Longrois, D., Balligand, J. L., Simmons, W. W., Okada, I., Kobzik, L., Lowenstein, C. J., Kunkel, S. L., Michel, T., Kelly, R. A., and Smith, T. W.: **Induction of nitric oxide synthase activity by cytokines in ventricular myocytes is necessary but not sufficient to decrease contractile responsiveness to beta-adrenergic agonists.** *Circ.Res.* 77 (3) (1995), S. 494-502
207. Woodley, S. L., McMillan, M., Shelby, J., Lynch, D. H., Roberts, L. K., Ensley, R. D., and Barry, W. H.: **Myocyte injury and contraction abnormalities produced by cytotoxic T lymphocytes.** *Circulation* 83 (4) (1991), S. 1410-1418
208. Seko, Y., Ishiyama, S., Nishikawa, T., Kasajima, T., Hiroe, M., Kagawa, N., Osada, K., Suzuki, S., Yagita, H., and Okumura, K.: **Restricted usage of T cell receptor V alpha-V beta genes in infiltrating cells in the hearts of patients with acute myocarditis and dilated cardiomyopathy.** *J.Clin.Invest.* 96 (2) (1995), S. 1035-1041
209. Fyfe, A., Daly, P., Galligan, L., Pirc, L., Feindel, C., and Cardella, C.: **Coronary sinus sampling of cytokines after heart transplantation: evidence for macrophage activation and interleukin-4 production within the graft [see comments].** *J.Am.Coll.Cardiol.* 21 (1) (1993), S. 171-176
210. Seko, Y., Shinkai, Y., Kawasaki, A., Yagita, H., Okumura, K., Takaku, F., and Yazaki, Y.: **Expression of perforin in infiltrating cells in murine hearts with acute myocarditis caused by coxsackievirus B3.** *Circulation* 84 (2) (1991), S. 788-795
211. Munger, M. A., Johnson, B., Amber, I. J., Callahan, K. S., and Gilbert, E. M.: **Circulating concentrations of proinflammatory cytokines in mild or moderate heart failure secondary to ischemic or idiopathic dilated cardiomyopathy.** *Am.J.Cardiol.* 77 (9) (1996), S. 723-727