

Literatur

Airas, L., Hellman, J., Salmi, M., Bobo, P., Puurunen, T., Smith, D. J. & Jalkanen, S. (1995). CD73 is involved in lymphocyte binding to the endothelium: characterization of lymphocyte-vascular adhesion protein 2 identifies it as CD73. *J. Exp. Med.* **182**, 1603-1608.

Artymiuk, P. J., Blake, C. C. F., Frace, D. E. P., Oatley, S. J., Phillips, D. C. & Sternberg, M. J. E. (1979). Crystallographic studies of dynamic properties of lysozyme. *Nature*, **280**, 563-568.

Atack, J. R., Broughton, H. B. & Pollack, S. J. (1995). Structure and mechanism of inositol monophosphatase. *FEBS Lett.* **361**, 1-7.

Bachmann, B. J. (1972). Pedigrees of some mutant strains of *Escherichia coli* K12. *Bacteriol. Rev.* **36**, 525-557.

Bahar, I., Erman, B., Jernigan, R. L., Atilgan, A. R. & Covell, D. G. (1999). Collective motions in HIV-1 reverse transcriptase: Examination of flexibility and enzyme function. *J. Mol. Biol.* **285**, 1023-1037.

Baker, E. N., Anderson, B. F., Baker, H. M., Haridas, M., Jameson, G. B., Norris, G. E., Rumball, S. V. & Smith, C. A. (1991). Structure, function and flexibility of human lactoferrin. *Int. J. Biol. Macromol.* **13**, 122-129.

Barton, G. J. & Sternberg, M. J. E. (1987). Evaluation and improvement in the automatic alignment of protein sequences. *Prot. Eng.* **1**, 89-94.

Barton, G. J. (1993). ALSCRIPT: a tool to format multiple sequence alignments. *Prot. Eng.* **6**, 37-40.

Beese, L. S. & Steitz, T. A. (1991). Structural basis for the 3'-5' exonuclease activity of *Escherichia coli* DNA polymerase I: a two metal ion mechanism. *EMBO J.* **10**, 25-33.

Bennett, W. S. & Huber, R. (1984). Structural and functional aspects of domain motion in proteins. *Crit. Rev. Biochem.* **15**, 291-384.

Benning, M. M., Kuo, J. M., Raushel, F. M. & Holden, H. M. (1995). Three-dimensional structure of the binuclear metal center of phosphotriesterase. *Biochemistry* **34**, 7934-7938.

Bernstein, F. C., Koetzle, T. F., Williams, G. J., Meyer, E. E. Jr., Brice, M. D., Rodgers, J. R., Kennard, O., Shimanouchi, T. & Tasumi, M. (1977). The Protein Data Bank: a computer-based archival file for macromolecular structures. *J. Mol. Biol.* **112**, 535-542.

Bradford, M. (1976). A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal. Biochem.* **72**, 248-254.

Brünger, A. T. (1992). X-PLOR: A system for crystallography and NMR (Version 3.1). Yale University, New Haven, Connecticut.

Brünger, A. T., Adams, P. D., Clore, G. M., DeLano, W. L., Gros, P., Grosse-Kunstleve, R. W., Jiang, J. S., Kuszewski, J., Nilges, M., Pannu, N. S., Read, R. J., Rice, L. M., Simonson, T. & Warren, G. L. (1998). Crystallography & NMR System: A new software suite for macromolecular structure determination. *Acta Crystallogr. D* **54**, 905-921.

Burns, D. M. & Beacham, I. R. (1986). Nucleotide sequence and transcriptional analysis of the *E. coli ushA* gene, encoding periplasmic UDP-sugar hydrolase (5'-nucleotidase): regulation of the *ushA* gene, and the signal sequence of its encoded protein product. *Nucleic Acids Res.* **14**, 4325-4342.

Busing W. R. & Levy, H. A. (1961). Computing methods and phase problems in X-ray crystal analysis. Pergamon, Oxford.

CCP4 (1994). The CCP4 suite: programs for protein crystallography. *Acta Crystallogr. D* **50**, 760-763.

Collaborative Computational Project Number 4. (1994). The CCP4 suite: programs for protein crystallography. *Acta Crystallogr. D* **50**, 760-767.

Cotan, K. D. (1994). Joint CCP4 and ESF-EACBM newsletter on protein crystallography, 31, 34-38.

Das, A. K., Helps, N. R., Cohen, P. T. W. & Barford, D. (1996). Crystal structure of the protein serine/threonine phosphatase 2C at 2.0 Å resolution. *EMBO J.* **15**, 6798-6809.

Dauter, Z. (1999). Data-collection strategies. *Acta Crystallogr. D*, **55**, 1703-1717.

Davies 2nd., J. F., Hostomaska, Z., Jordan, S. R. & Matthews, D. A. (1991). Crystal structure of the ribonuclease H domain of HIV-1 reverse transcriptase. *Science* **252**, 88-94.

De La Fortelle, E & Bricogne, G. (1997). Maximum-likelihood heavy-atom parameter refinement for multiple isomorphous replacement and multiwavelength anomalous diffraction methods. *Methods Enzymol.* **276**, 472-494.

Deacon, A. M. & Ealick, S. E. (1999). Selenium-based MAD phasing: setting the sites on larger structures. *Structure* **7**, 161-166.

Dickerson, R. E., Goodsell, D. S. & Neidle, S. (1994). The Tyranny of the lattice. *Proc. Natl. Acad. Sci. USA*, **91**, 3579-3583.

Dixon, M. M., Nicholson, H., Shewchuk, L., Baase, W. A. and Matthews, B. W. (1992). Structure of a hinge-bending bacteriophage T4 lysozyme mutant, Ile3 → Pro. *J. Mol. Biol.* **227**, 917-933.

Dodson, E., Kleywegt, G. J. & Wilson, K. (1996). Report of a workshop on the use of statistical validators on protein X-ray crystallography. *Acta Crystallogr.*, **D52**, 228-234.

Ducruix, A. & Giegé, R. (1992). Crystallization of nucleic acids and proteins. A practical approach. Oxford University Press.

Dvorak, H. F. & Heppel, L. A. (1968). Metallo-enzymes released from Escherichia coli by osmotic shock. *J. Biol. Chem.* **243**, 2647-2653.

Egloff, M.-P., Cohen, P. T. W., Reinemer, P. & Barford, D. (1995). Crystal structure of the catalytic subunit of human protein phosphatase 1 and its complex with tungstate. *J. Mol. Biol.* **254**, 942-959.

Engh, R. A. & Huber, R. (1991). Accurate bond and angle parameters for X-ray protein structure refinement. *Acta Crystallogr. A* **47**, 392-400.

Esnouf, R. M. (1997). An extensively modified version of Molscript that includes greatly enhanced coloring capabilities. *J. Mol. Graph.* **15**, 133-138.

Faber, H. R. & Matthews, B. W. (1990). A mutant T4 lysozyme displays five different crystal conformations. *Nature*, **348**, 263-266.

Garnier, J., Gibrat, J. F. & Robson, B. (1996). GOR method for predicting secondary structure from amino acid sequence. *Methods Enzymol.* **266**, 540-553.

Gerstein, M., Anderson, B. F., Norris, G. E., Baker, E. N., Lesk, A. M. and Chothia, C. (1993). Domain closure in lactoferrin: Two hinges produce a see-saw motion between alternative close-packed interfaces. *J. Mol. Biol.* **234**, 357-372.

Gerstein, M., Lesk, A. M. & Chothia, C. (1994). Structural mechanisms for domain movements in proteins. *Biochemistry* **33**, 6739-6749.

Gerstein, M. & Levitt, M. (1996). "Using iterative dynamic programming to obtain accurate pairwise and multiple alignments of protein structures," in Proceedings of the Fourth International Conference on Intelligent Systems in Molecular Biology, 59-67 (Menlo Park, CA, AAAI Press, June 12-15).

Gerstein, M., Jansen, R., Johnson, T., Tsai, J. and Krebs, W. (1999). Studying macromolecular motions in a database framework: From structure to sequence. Rigidity theory and applications (ed. M. F. Thorpe and P. M. Dursbury, Kluwer Academic/Plenum Publishers), pp. 401-442.

Gilson, M. K., Sharp, K. A. & Honig, B. H. (1987). Calculating electrostatic interactions in biomolecules: method and error assessment. *J. Comp. Chem.* **9**, 327-335.

Glaser, L., Melo, A. & Paul, R. (1967). Uridine diphosphate sugar hydrolase. Purification of enzyme and protein inhibitor. *J. Biol. Chem.* **242**, 1944-1954.

Goldberg, J., Huang, H., Kwon, Y., Greengard, P., Nairn, A. C. & Kuriyan, J. (1995). Three-dimensional structure of the catalytic subunit of protein serine/threonine phosphatase-1. *Nature* **367**, 745-753.

Griffith, J. P., Kim, J. L., Kim, E. E., Sintchak, M. D., Thomson, J. A., Fitzgibbon, M. J., Caron, P. R., Hsiao, K. & Navia, M. A. (1995). X-ray structure of calcineurin inhibited by the immunophilin-immunosuppressant FKBP12-FK506 complex. *Cell* **82**, 507-522.

Guddat, L. W., McAlpine, A. S., Hume, D., Hamilton, S., de Jersey, J. & Martin, J. L. (1999). Crystal structure of mammalian purple acid phosphatase. *Structure* **7**, 757-767.

Hayward, S., Kitao, A. & Berendsen, H. J. C. (1997). Model-free methods of analyzing domain motions in proteins from simulations: A comparison of normal mode analysis and molecular dynamics simulation. *Proteins*, **27**, 425-437.

Hayward, S. & Berendsen, H. J. C. (1998). Systematic analysis of domain motions in proteins from conformational change: New results on citrate synthase and T4 lysozyme. *Proteins*, **30**, 144-154.

Hayward, S. (1999). Structural principles governing domain motions in proteins. *Proteins*, **36**, 425-435.

Hendrickson, W. A., Horton, J. R. & LeMaster, D. M. (1990). Selenomethionyl proteins produced for analysis by multiwavelength anomalous diffraction (MAD): a vehicle for direct determination of three-dimensional structure. *EMBO J.* **9**, 1665-1672.

Hinsen, K. (1998). Analysis of domain motions by approximate normal mode calculations. *Proteins*, **33**, 417-429.

Hinsen, K., Thomas, A. & Field, M. J. (1999). Analysis of domain motions in large proteins. *Proteins*, **34**, 369-382.

Holm, L. & Sander, C. (1993). Protein structure comparison by alignment of distance matrices. *J. Mol. Biol.* **233**, 123-138.

Hough, E., Hansen, L. K., Birkness, B., Jynge, K., Hansen, S., Hordvik, A., Little, C., Dodsén, E. & Derewenda, Z. (1989). High-resolution (1.5 Å) crystal structure of phospholipase C from *Bacillus cereus*. *Nature* **338**, 357-360.

International Union of Biochemistry and Molecular Biology (1992). Enzyme nomenclature: recommendations of the nomenclature committee of the International Union of Biochemistry and Molecular Biology. Academic Press, San Diego.

Jancarik, J. & Kim, S.H (1991). Sparse matrix sampling: a screening method for crystallization of proteins. *J. Appl. Cryst.*, **24**, 409-411.

Janin, J. & Wodak, S. (1983). Structural domains in proteins and their role in the dynamics of protein function. *Prog. Biophys. Mol. Biol.* **42**, 21-78.

Jones, T.A., Zou, J.Y., Cowan, S.W. & Kjeldgaard, M. (1991). Improved methods for the building of protein models. In *Crystallographic Computing*. (Moras, D., Podany, A.D. & Thierry, J.C., eds), pp. 413-432, Oxford Univ. Press, Oxford.

Jones, T.A., Zou, J.Y., Cowan, S.W. & Kjeldgaard, M. (1991a). Improved methods for binding protein models in electron density maps and the location of errors in these models. *Acta Crystallogr. A* **47**, 110-119.

Ke, H. M., Zhang, Y. P. & Lipscomb, W. N. (1990). Crystal structure of fructose-1,6-bisphosphatase complexed with fructose 6-phosphate, AMP, and magnesium. *Proc. Natl. Acad. Sci. U.S.A.* **87**, 5243-5247.

Kennedy, C., Todorov, L. D., Mihaylova-Todorova, S. & Sneddon, P. (1997). Release of soluble nucleotidases: a novel mechanism for neurotransmitter inactivation? *TIPS* **18**, 263-266.

Kissinger, C. R., Parge, H. E., Knighton, D. R., Lewis, C. T., Pelletier, L. A., Tempczyk, A., Kalish, V. J., Tucker, K. D., Showalter, R. E., Moomaw, E. W., Gastinel, L. N., Habuka, N., Chen, X., Maldonado, F., Barker, J. E., Bacquet, R. & Villafranca, E. (1995). Crystal structure of human calcineurin and the human FKBP12-FK506-calcineurin complex. *Nature* **378**, 641-644.

Klabunde, T., Sträter, N., Fröhlich, R., Witzel, H. & Krebs, B. (1996). Mechanism of Fe(III)-Zn(II) purple acid phosphatase based on crystal structures. *J. Mol. Biol.* **259**, 737-748.

Klabunde, T. & Krebs, B. (1997). The dimetal center in purple acid phosphatases. *Struct. Bonding* **89**, 177-198.

Kleywegt, G. J. & Jones, T. A. (1993). Masks made easy. CCP4/ESF-EACBM Newsletter on Protein Crystallography 28, 56-59.

Kleywegt, G. J. (1999). Experimental assessment of differences between related protein crystal structures. *Acta Crystallogr. D.* **55**, 1878-1884.

Kleywegt, G. J. (2000). Validation of protein crystal structures. *Acta Crystallogr. D* **56**, 249-265.

Koonin, E., V. (1994). Conserved sequence pattern in a wide variety of phosphoesterases. *Protein Sci.* **3**, 356-358.

Kraulis, P. J. (1991). MOLSCRIPT: a program to produce both detailed and schematic plots of protein structures. *J. Appl. Crystallogr.* **24**, 946-950.

Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**, 680-685.

Laskowski, R. A., MacArthur, M. W., Moss, D. & Thornton, J. M. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Crystallogr.* **26**, 283-291.

Lindqvist, Y., Johansson, E., Kaija, H., Vihko, P. & Schneider, G. (1999). Three-dimensional structure of a mammalian purple acid phosphatase at 2.2 Å resolution with a μ -(Hydr)oxo bridged di-iron center. *J. Mol. Biol.* **291**, 135-147.

McCulloch, R., Burke, M. E. & Sherratt, D. J. (1994). Peptidase activity of *Escherichia coli* aminopeptidase A is not required for its role in Xer site-specific recombination. *Mol. Microbiol.* **12**, 241-251.

Meritt, E. A. & Murphy, M. E. P. (1994). *Raster 3D* Version 2.0. A program for photorealistic molecular graphics. *Acta Crystallogr. D* **50**, 869-873.

Mueller, E. G., Crowder, M. W., Averill, B. A. & Knowles, J. R. (1993). Purple acid phosphatase: a diiron enzyme that catalyzes a direct phospho group transfer to water. *J. Am. Chem. Soc.* **115**, 2974-2975.

Navaza, J. (1994). AMoRe: an automated package for molecular replacement. *Acta Crystallogr. A* **50**, 157-163.

Neu, H. C. (1967). 5'-nucleotidase of *Escherichia coli*. Purification and properties. *J. Biol. Chem.* **242**, 3896-3904.

Neu, H. C. (1968). The 5'-nucleotidase (uridine diphosphate sugar hydrolase) of the Enterobacteriaceae. *Biochemistry* **7**, 3766-3773.

Nicholls, A., Sharp, K. A. & Honig, B. (1991). Protein folding and association: insights from the interfacial and thermodynamic properties of hydrocarbons. *Proteins* **11**, 281-296.

Nichols, W. L., Rose, G. D., Ten Eyck, L. F. & Zimm, B. H. (1995). Rigid domains in proteins: An algorithmic approach to their identification. *Proteins*, **23**, 38-48.

Otwinowski, Z. (1993). Oscillation data reduction program. In Proceedings of the CCP4 Study Weekend: Data Collection and Processing. (Sawyer, L., Isaacs, N. & Bailey, S., ed.), pp.56-62, SERC, Daresbury Laboratory, Warrington, UK.

Pearson, J. D., Charleton, J. S. & Gordon, J. L. (1987). Metabolism of adenine nucleotides by ectoenzymes of vascular endothelial and smooth-muscle cells in culture. *Biochem. J.* **190**, 421-429.

Richardson, P. J., Brown, S. J., Bailyes, E. M. & Luzio, J. P. (1987). Ectoenzymes control adenosine modulation of immunisolated cholinergic synapses. *Nature* **327**, 232-234.

Richardson, P. J. & Brown, S. J. (1987a). ATP release from affinity-purified rat cholinergic nerve terminals. *J. Neurochem.* **48**, 622-630.

Riuz, A., Hurtado, C., Ribeiro, J. M., Sillero, A. & Sillero, M. A. G. (1989). Hydrolysis of bis(5'-nucleosidyl) polyphosphates by *Escherichia coli* 5'-nucleotidase. *J. Bacteriol.* **171**, 6703-6709.

Rodgers, D. W (1994). Cryocrystallography. *Structure* **2**, 1135-1140.

Rost, B. & Sander, C. (1993). Prediction of protein structure at better than 70 % accuracy. *J. Mol. Biol.* **232**, 584-599.

Rost, B. & Sander, C. (1994). Conservation and prediction of solvent accessibility in protein families. *Proteins*, **20**, 216-226.

Smith, J. L. (1991). Determination of three-dimensional structure by multiwavelength anomalous diffraction. *Curr. Opin. Struc. Biol.* **1**, 1002-1011.

Sowadski, J. M., Handschuhmacher, M. D., Murthy, H. M. K., Foster, B. A. & Wyckoff, H. W. (1985). Refined structure of alkaline phosphatase from *Escherichia coli* at 2.8 Å resolution. *J. Mol. Biol.* **186**, 417-433.

Sträter, N., Klabunde, T., Tucker, P., Witzel, H. & Krebs, B. (1995). Crystal structure of a purple acid phosphatase containing a dinuclear Fe(III)-Zn(II) active site. *Science* **268**, 1489-1492.

Sträter, N., Lipscomb, W. N., Klabunde, T. & Krebs, B. (1996). Two-metal ion catalysis in enzymatic acyl- and phosphoryl-transfer reactions. *Angew. Chem. Int. Ed. Engl.* **35**, 2024-2055.

- Teng, T.-Y. & Moffat, K. (1998). Cooling rates during flash cooling. *J. Appl. Cryst.* **31**, 252-257.
- Thompson, L. F., Ruedi, J. M., Glass, A., Low, M. G. & Lucas, A. H. (1989). Antibodies to 5'-nucleotidase (CD73), a glycosyl-phosphatidylinositol-anchored protein, cause human peripheral blood T cells to proliferate. *J. Immunol.* **143**, 1815-1821.
- Thompson, J.D., Higgins, D.G. & Gibson, T.J. (1994). CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res.* **22**, 4673-4680.
- Todorov, L. D., Mihalylova-Todorova, S., Westfall, T. D., Sneddon, P., Kennedy, C., Bjur, R. A. & Westfall, D. P. (1997). Neuronal release of soluble nucleotidase and their role in neurotransmitter inactivation. *Nature* **387**, 76-79.
- Uppenberg, J., Lindqvist, F., Svensson, C., Ek-Rylander, B. & Andersson, G. (1999). Crystal structure of a mammalian purple acid phosphatase. *J. Mol. Biol.* **290**, 201-211.
- Volbeda, A., Lahm, A., Sakiyama, F. & Suck, D. (1991). Crystal structure of *Penicillium citrinum* P1 nuclease at 2.8 Å resolution. *EMBO J.* **10**, 1607-1618.
- Volkand, W., Vogel, M., Pevsner, J., Misumi, Y., Ikehara, Y. & Zimmermann, H. (1991). 5'-nucleotidase from electric ray electric lobe. Primary structure and relation to mammalian and procaryotic enzymes. *Eur. J. Biochem.* **202**, 855-861.
- Vriend, G. (1990). WHAT IF: a molecular modelling and drug design program. *J. Mol. Graph.* **8**, 52-56.
- Wallace A. C., Laskowski, R. A. & Thornton J. M. (1995). LIGPLOT: A program to generate schematic diagrams of protein-ligand interactions. *Prot. Eng.* **8**, 127-134.
- Wriggers, W. & Schulten, K. (1997). Protein domain movements: Detection of rigid domains and visualization of hinges in comparisons of atomic coordinates. *Proteins* **29**, 1-14.
- Yon, J. M., Perahia, D. & Ghélis, C. (1998). Conformational dynamics and enzyme activity. *Biochimie* **80**, 33-42.
- Zhang, X., Woznik, J. A. & Matthews, B. W. (1995). Protein flexibility and adaptability seen in 25 crystal forms of T4 lysozyme. *J. Mol. Biol.* **250**, 527-552.

Zimmermann, H., Dowdall, M. J. & Lane, D. A. (1979). Purine salvage at the cholinergic nerve endings of the Torpedo electric organ: the central role of adenosine. *Neuroscience* **4**, 979-993.

Zimmermann, H. (1992). 5'-Nucleotidase: molecular structure and functional aspects. *Biochem. J.* **285**, 345-365.

Zuho, S., Clemens, J. C., Hakes, D. J., Barford, D. & Dixon, J. E. (1993). Expression, purification, crystallization, and biochemical characterization of a recombinant protein phosphatase. *J. Biol Chem.* **268**, 17754-17761.