

## **5. References**

1. **Adams S., Mellor J., Gull K., Sim R., Tuite M., Kingsman S., and Kingsman A.** 1987. The functions and relationships of Ty-VLP proteins in yeast reflect those of mammalian retroviral proteins. *Cell.* **49**:111-9.
2. **Aidinis V., Bonaldi T., Beltrame M., Santagata S., Bianchi M. , Spanopoulou E.** 1999. The RAG1 homeodomain recruits HMG1 and HMG2 to facilitate recombination signal sequence binding and to enhance the intrinsic DNA-bending activity of RAG1-RAG2. *Mol. Cell. Biol.* **19**:6532-42.
3. **Aravind L., Landsman D.** 1998. AT-hook motifs identified in a wide variety of DNA-binding proteins. *Nucleic Acids Res.* **26**:4413-21.
4. **Baker T., Luo L.** 1994. Identification of residues in the Mu transposase essential for catalysis. *Proc Natl Acad Sci U S A.* **91**:6654-8.
5. **Beall E., Mahoney M., Rio D.** 2002. Identification and analysis of a hyperactive mutant form of Drosophila P-element transposase. *Genetics.* **162**:217-27.
6. **Berg D., Berg C., Sasakawa C.** 1984. Bacterial transposon Tn5: evolutionary inferences. *Mol Biol Evol.* **1**:411-22.
7. **Bianchi M., Falcioia L., Ferrari S., Lilley D.** 1992. The DNA binding site of HMG1 protein is composed of two similar segments (HMG boxes), both of which have counterparts in other eukaryotic regulatory proteins. *EMBO J.* **11**:1055-63.
8. **Bianchi M., Beltrame M., Pavonessa G.** 1989. Specific recognition of cruciform DNA by nuclear protein HMG1. *Science.* **243**:1056-9.
9. **Bianchi M., Beltrame M.** 2000. Upwardly mobile proteins. Workshop: the role of HMG proteins in chromatin structure, gene expression and neoplasia. *EMBO Rep.* **1**:109-14.

10. **Bolland S., Kleckner N.** 1996. The three chemical steps of Tn10/IS10 transposition involve repeated utilization of a single active site. *Cell*. **84**:223-33.
11. **Boonyaratanaornkit V., Melvin V., Prendergast P., Altmann M., Ronfani L., Bianchi M., Taraseviciene L., Nordeen S., Allegretto E., Edwards D.** 1998. High-mobility group chromatin proteins 1 and 2 functionally interact with steroid hormone receptors to enhance their DNA binding in vitro and transcriptional activity in mammalian cells. *Mol. Cell. Biol.* **18**:4471-87.
12. **Bushman F., Engelman A., Palmer I., Wingfield P., Craigie R.** 1993. Domains of the integrase protein of human immunodeficiency virus type 1 responsible for polynucleotidyl transfer and zinc binding. *Proc Natl Acad Sci U S A*. **90**:3428-32.
13. **Bustin M.** 1999. Regulation of DNA-dependent activities by the functional motifs of the high-mobility-group chromosomal proteins. *Mol. Cell. Biol.* **19**:5237-5246.
14. **Bustin M.** 2001. Revised nomenclature for high mobility group (HMG) chromosomal proteins. *Trends Biochem Sci.* **26**:152-3.
15. **Bustin M., Reeves R.** 1996. High-mobility-group chromosomal proteins: architectural components that facilitate chromatin function. *Prog Nucleic Acid Res Mol Biol.* **54**:35-100.
16. **Calogero S., Grassi F., Aguzzi A., Voigtlander T., Ferrier P., Ferrari S., Bianchi M.** 1999. The lack of chromosomal protein Hmg1 does not disrupt cell growth but causes lethal hypoglycaemia in newborn mice. *Nat Genet.* 1999. **22**: 276-280.
17. **Chaconas G.** 1999. Studies on a "jumping gene machine": higher-order nucleoprotein complexes in Mu DNA transposition. *Biochem Cell Biol.* **77**:487-91.
18. **Costello E., Saudan P., Winocour E., Pizer L., Beard P.** 1997. High mobility group chromosomal protein 1 binds to the adeno-associated virus replication protein (Rep) and promotes Rep-mediated site-specific cleavage of DNA, ATPase activity and transcriptional repression. *EMBO J.* **16**: 5943-54.

19. **Craig N.** 1995. Unity in Transposition Reactions. *Science*. **270**:253-4.
20. **Craigie R.** 1996. Quality control in Mu DNA transposition. *Cell*. **85**:137-40.
21. **Crameri A., Whitehorn E., Tate E., Stemmer W.** 1996. Improved green fluorescent protein by molecular evolution using DNA shuffling. *Nat Biotechnol*. **14**:315-9.
22. **Cui Z., Geurts A., Liu G., Kaufman C., Hackett P.** 2002. Structure-function analysis of the inverted terminal repeats of the *sleeping beauty* transposon. *J. Mol. Biol.* **318**:1221-1235.
23. **Czerny T., Schaffner G., Busslinger M.** 1993. DNA sequence recognition by Pax proteins: bipartite structure of the paired domain and its binding site. *Genes Dev.* **7**:2048-61.
24. **Davies D., Goryshin I., Reznikoff W., Rayment I.** 2000. Three-dimensional structure of the Tn5 synaptic complex transposition. *Science*. **289**:77-85.
25. **Doak T., Doerder F., Jahn C., Herrick G.** 1994. A proposed superfamily of transposase genes: transposon-like elements in ciliated protozoa and a common "D35E" motif. *Proc. Natl. Acad. Sci. U.S.A.* **91**:942-6.
26. **Dodson K., Berg D.** 1989. Factors affecting transposition activity of IS50 and Tn5 ends. *Gene*. **76**:207-13.
27. **Dupuy A., Clark K., Carlson C., Fritz S., Davidson A., Markley K., Finley K., Fletcher C., Ekker S., Hackett P., Horn S., Largaespada D.** 2002. Mammalian germ-line transgenesis by transposition. *Proc Natl Acad Sci U S A.* **99**: 4495-4499.
28. **Echols H.** 1986. Multiple DNA-protein interactions governing high-precision DNA transactions. *Science*. **233**:1050-6.
29. **Eickbush T.** 1992. Transposing without ends: the non-LTR retrotransposable elements. *New Biol.* **4**:430-40.

30. **Einck L., Bustin M.** 1985. The intracellular distribution and function of the high mobility group chromosomal proteins. *Exp Cell Res.* **156**:295-310.
31. **Emmons S., Yesner L., Ruan K., Katzenberg D.** 1983. Evidence for a transposon in *Caenorhabditis elegans*. *Cell.* **32**:55-65.
32. **Fayet O., Ramond P., Polard P., Prere M., Chandler M.** 1990. Functional similarities between retroviruses and the IS3 family of bacterial insertion sequences. *Mol Microbiol.* **4**:1771-7.
33. **Fischer S., Van Luenen H., Plasterk R.** 1999. Cis requirements for transposition of Tc1-like transposons in *C. elegans*. *Mol Gen Genet.* **262**:268-74.
34. **Fischer S., Wienholds E., Plasterk R.** 2001. Regulated transposition of a fish transposon in the mouse germ line. *Proc. Natl. Acad. Sci. U.S.A.* **98**:6759-64.
35. **Gellert M.** 2002. V(D)J recombination: RAG proteins, repair factors, and regulation. *Annu Rev Biochem.* **71**:101-32.
36. **Goodman S., Nash H.** 1989. Functional replacement of a protein-induced bend in a DNA recombination site. *Nature.* **341**:251-4.
37. **Goodwin G., Johns E.** 1973. Isolation and characterisation of two calf-thymus chromatin non-histone proteins with high contents of acidic and basic amino acids. *Eur J Biochem.* **40**:215-9.
38. **Goosen N., van de Putte P.** 1995. The regulation of transcription initiation by integration host factor. *Mol. Microbiol.* **16**:1-7.
39. **Goryshin I., Reznikoff W.** 1998. Tn5 in vitro transposition. *J Biol Chem.* **273**:7367-74.
40. **Haren L., Ton-Hoang B., Chandler M.** 1999. Integrating DNA: Transposases and Retroviral Integrase. *Annu. Rev. Microbiol.* **53**: 245-81.

41. **Haring M., Rommens C., Nijkamp H., Hille J.** 1991. The use of transgenic plants to understand transposition mechanisms and to develop transposon tagging strategies. *Plant Mol Biol.* **16**: 449-61.
42. **Hartl D., Lohe A., Lozovskaya E.** 1997. Modern thoughts on an acent marinere: function, evolution, regulation. *Annu Rev Genet.* **31**:337-58.
43. **Haykinson M., Johnson R.** 1993. DNA looping and the helical repeat in vitro and in vivo: effect of HU protein and enhancer location on Hin invertasome assembly. *EMBO J.* **12**:2503-12.
44. **Haymer D., Marsh J.** 1986. Germ line and somatic instability of a white mutation in *Drosophila mauritiana* due to a transposable genetic element. *Dev Genet.* **6**:281-91.
45. **Heim R., Prashe D., Tsien R.** 1994. Wavelength mutations and posttranslational autoxidation of green fluorescent protein. *Proc Natl Acad Sci U S A.* **91**:12501-4.
46. **Hindmarsh P., Ridky T., Reeves R., Andrake M., Skalka A., Leis J.** 1999. HMG protein family members stimulate human immunodeficiency virus type 1 and avian sarcoma virus concerted DNA integration in vitro. *J. Virol.* **73**:2994-3003.
47. **Hindmarsh P., Leis J.** 1999. Retroviral DNA integration. *Microbiol Mol Biol Rev.* **63**:836-43.
48. **Hiom K., Gellert M.** 1998. Assembly of a 12/23 paired signal complex: a critical control point in V(D)J recombination. *Mol. Cell. Biol.* **1**:1011-9.
49. **Ivics Z., Izsvák Z., Minter A., Hackett P.** 1996. Identification of functional domains and evolution of Tc1-like transposable elements. *Proc. Natl. Acad. Sci. U.S.A.* **93**:5008-13.
50. **Ivics Z., Hackett P., Plasterk R., Izsvák Z.** 1997. Molecular reconstruction of *Sleeping Beauty*, a Tc1-like transposon from fish, and its transposition in human cells. *Cell.* **91**:501-10.

51. **Izsvák Z., Ivics Z, and Plasterk R.** 2000. *Sleeping Beauty*, a wide host-range transposon vector for genetic transformation in vertebrates. *J Mol Biol.* **302**:93-102.
52. **Izsvák Z., Ivics Z., Hackett P.** 1995. Characterization of a Tc1-like transposable element in zebrafish (*Danio rerio*). *Mol. Gen. Genet.* **247**:312-22.
53. **Izsvák Z., Khare D., Behlke J., Heinemann U., Plasterk R., and Ivics Z.** 2002. Involvement of a bifunctional, paired-like DNA-binding domain and a transpositional enhancer in *Sleeping Beauty* transposition. *J. Biol. Chem.* **277**:34581-34588.
54. **Jacobson J., Hartland D.** 1985. Coupled instability of two X-linked genes in *Drosophila mauritiana*: germinal and somatic mutability. *Genetics.* **111**:57-65.
55. **Johnson R., Yin J., Reznikoff W.** 1982. Control of Tn5 transposition in *Escherichia coli* is mediated by protein from the right repeat. *Cell.* **30**:873-82.
56. **Jones J., Gellert M.** 2002. Ordered assembly of the V(D)J synaptic complex ensures accurate recombination. *EMBO J.* **21**:4162-4171.
57. **Kafri T., Blomer U., Peterson D., Gage F., Verma I.** 1997. Sustained expression of genes delivered directly into liver and muscle by lentiviral vectors. *Nat Genet.* **17**:314-7.
58. **Kaufman P., and Rio D.** 1992. P element transposition in vitro proceeds by a cut-and-paste mechanism and uses GTP as a cofactor. *Cell.* **69**:27-39.
59. **Kim D., Dai Y., Mundy C., Yang W., Oettinger M.** 1999. Mutations of acidic residues in RAG1 define the active site of the V(D)J recombinase. *Genes Dev.* **13**:3070-80.
60. **Kleckner N., Chalmers R., Kwon D., Sakai J., Bolland S.** 1996. Tn10 and IS10 transposition and chromosome rearrangements: mechanism and regulation in vivo and in vitro. *Curr Top Microbiol Immunol.* **204**:49-82.
61. **Labrador M., Corces V.** 1997. Transposable element-host interactions: regulation of insertion and excision. *Annu Rev Genet.* **31**:381-404.

62. **Lamberg A., Nieminan S., Qiao M., Savilahti H.** 2002. Efficient insertion mutagenesis strategy for bacterial genomes involving electroporation of in vitro-assembled DNA transposition complexes of bacteriophage Mu. *Appl Environ Microbiol.* **68**:705-12.
63. **Lampe D., Akerley B., Rubin E., Mekalanos J., Robertson H.** 1999. Hyperactive transposase mutants of the Himar1 mariner transposon. *Proc Natl Acad Sci U S A.* **96**: 11428-33.
64. **Lavoie B., Chaconas G.** 1990. Immunoelectron microscopic analysis of the A, B, and HU protein content of bacteriophage Mu transpososomes. *J. Biol. Chem.* **265**:1623-7.
65. **Lehn D., Elton T., Johnson K., Reeves R.** 1988. A conformational study of the sequence specific binding of HMG-I (Y) with the bovine interleukin-2 cDNA. *Biochem Int.* **16**:963-71.
66. **Li L., Yoder K., Hansen M., Olvera J., Miller M., Bushman F.** 2000. Retroviral cDNA integration: stimulation by HMG I family proteins. *J. Virol.* **74**:10965-74.
67. **Li S., Huang L.** 2000. Nonviral gene therapy: promises and challenges. *Gene Therapy.* **7**:31-34.
68. **Lidholm D., Lohe A., Hartl D.** 1993. The transposable element mariner mediates germline transformation in *Drosophila melanogaster*. *Genetics.* **134**:859-68.
69. **Lim J., Simmons M.** 1994. Cross chromosome rearrangement mediated by transposable elements in *Drosophila melanogaster*. *BioEssays.* **16**:269-275.
70. **Lohe A., De Aguiar D., Hartl D.** 1997. Mutations in the mariner transposase: the D,D(35)E consensus sequence is nonfunctional. *Proc Natl Acad Sci U S A.* **94**:1293-7.
71. **Lund T., Holtlund J., Fredriksen M., Laland S.** 1983. On the presence of two new high mobility group-like proteins in HeLa S3 cells. *FEBS Lett.* **152**:163-7.

72. **Luo G., Ivics Z., Izsvak Z., Bradley A.** 1998. Chromosomal transposition of a Tc1/mariner-like element in mouse embryonic. *Proc Natl Acad Sci U S A.* **95:** 10769-73.
73. **Mahillon J., Chandler M.** 1998. Insertion sequences. *Microbiol Mol Biol Rev.* **62:**725-74.
74. **Makris J., Nordmann P., Reznikoff W.** 1990. Integration host factor plays a role in IS50 and Tn5 transposition. *J Bacteriol.* **172:**1368-73.
75. **McClintock B.** 1987. The Discovery and Characterisation of Transposable Elements. The collected papers of Barbara McClintock. Garland. New York.
76. **Melillo R., Pierantoni G., Scala S., Battista S., Fedele M., Stella A., De Biasio M., Chiappetta G., Fidanza V., Condorelli G., Santoro M., Croce C., Viglietto G., Fusco A.** 2001. Critical role of the HMGI(Y) proteins in adipocytic cell growth and differentiation. *Mol. Cell. Biol.* **21:**2485-95.
77. **Montini E., Held P., Noll M., Morcinek N., Al Dhalimy M., Finegold M., Yant S., Kay M., Grompe M.** 2002. In Vivo Correction of Murine Tyrosinemia Type I by DNA-Mediated Transposition. *Mol Ther.* **6:**759-69.
78. **Muller S., Scaffidi P., Degryse B., Bonaldi T., Ronfani L., Agresti A., Beltrame M., Bianchi M.** 2001. New EMBO members' review: the double life of HMGB1 chromatin protein: architectural factor and extracellular signal. *EMBO J.* **20:**4337-40.
79. **Namgoong S., Sankaralingam S., Harshey R.** 1998. Altering the DNA-binding specificity of Mu transposase in vitro. *Nucleic Acids Res.* **26:**3521-7.
80. **Naumann T., and Reznikoff W.** 2002. Tn5 transposase active site mutants. *J Biol Chem.* **277:**17623-9.
81. **Ostertag E., Kazazian H.** 2001. Biology of mammalian L1 retrotransposons. *Annu Rev Genet.* **35:**501-38.

82. **Patsey R., Bruist M.** 1995. Characterization of the interaction between the lambda intasome and attB. *J. Mol. Biol.* **252**:47–58.
83. **Paull T., Haykinson M., Johnson R.** 1993. The nonspecific DNA-binding and -bending proteins HMG1 and HMG2 promote the assembly of complex nucleoprotein structures. *Genes Dev.* **7**:1521-34.
84. **Peters J., Craig N.** 2001. Tn7: smarter than we thought. *Nat Rev Mol Cell Biol.* **2**:806-14.
85. **Pietrokowski S., Henikoff J.** 1997. A helix-turn-helix DNA-binding motif predicted for transposases of DNA transposons. *Mol Gen Genet.* **254**:689-95.
86. **Pil P., Chow C., Lippard S.** 1993. High-mobility-group 1 protein mediates DNA bending as determined by ring closures. *Proc. Natl. Acad. Sci. U.S.A.* **90**:9465-9.
87. **Plasterk R., Izsvák Z., Ivics Z.** 1999. Resident aliens: the Tc1/mariner superfamily of transposable elements. *Trends Genet* 1999. **15**:326-32.
88. **Pohler J., Norman D., Bramham J., Bianchi M., Lilley D.** 1998. HMG box proteins bind to four-way DNA junctions in their open conformation. *EMBO J.* **17**:817-26.
89. **Polard P., Chandler M.** 1995. Bacterial transposases and retroviral integrases. *Mol Microbiol.* **15**:13-23.
90. **Radice A., Bugaj B., Fitch D., Emmons S.** 1994. Widespread occurrence of the Tc1 transposon family: Tc1-like transposons from teleost fish. *Mol Gen Genet.* **244**:606-12.
91. **Reznikoff W.** 1993. The Tn5 Transposon. *Annu. Rev. Microbiol.* **47**: 945-63.
92. **Reznikoff W., Bhasin A., Davies D., Goryshin I., Mahnke L., Naumann T., Rayment I., Steiniger White M., Twining S.** 1999. Tn5: A molecular window on transposition. *Biochem Biophys Res Commun.* **266**:729-34.

93. **Richet E., Abcarian P., Nash H.** 1986. Synapsis of attachment sites during lambda integrative recombination involves capture of a naked DNA by a protein-DNA complex. *Cell*. **46**:1011–1021.
94. **Rio, D., Barnes G., Laski F., Rine J., and Rubin G.** 1988. Evidence for *Drosophila* P elementtransposase activity in mammalian cells and yeast. *J. Mol. Biol.* **200**: 411-415
95. **Robertson H.** 1995. The Tc1-mariner superfamily of Transposons in Animals. *J. Insect Physiol.* **41**:99-105.
96. **Romano G., Michell P., Pacilio C., Giordano A.** 2000. Latest developments in gene transfer technology: achievements, perspectives, and controversies over therapeutic applications. *Stem Cells*. **18**:19-39.
97. **Rosenzweig B., Liao L., Hirsh D.** 1983. Target sequences for the *C. elegans* transposable element Tc1. *Nucleic Acids Res.* **11**:7137-40.
98. **Sakai J., Kleckner N.** 1996. Two classes of Tn10 transposase mutants that suppress mutations in the Tn10 terminal inverted repeat. *Genetics*. **144**:861-70.
99. **Sakai J., Chalmer R., Kleckner N.** 1995. Identification and characterization of a pre-cleavage synaptic complex that is an early intermediate in Tn10 transposition. *EMBO J.* **14**:4374-83.
100. **Sarnovsky R., May E., Craig N.** 1996. The Tn7 transposase is a heteromeric complex in which DNA breakage and joining activities are distributed between different gene products. *EMBO J.* **15**:6348-61.
101. **Spradling A., Stern D., Kiss I., Roote J., Laverty T., Rubin G.** 1995. Gene disruption using P transposable element: an integral component of the *Drosophila* genome project . *Proc. Nat. Acad. Sci. USA*. **92**: 10824-30.
102. **Fugmann D., Lee A., Shockett P., Villey I., Schatz D.** 2000. The RAG proteins and V(D)J recombination: complexes, ends, and transposition. *Annu Rev Immunol*. **18**:495-527.

103. **Segall A., Goodman S., Nash H.** 1994. Architectural elements in nucleoprotein complexes: interchangeability of specific and non-specific DNA binding proteins. *EMBO J.* **13**:4536-48.
104. **Sherratt D.** 1995. *Mobile Genetic Elements*. oxford university press.
105. **Steiniger-White M., Bhasin A., Lovell S., Rayment I., Reznikoff W.** 2002. Evidence for "unseen" transposase-DNA contacts. *J Mol Biol.* **322**: 971-82.
106. **Stros M.** 1998. DNA bending by the chromosomal protein HMG1 and its high mobility group box domains, effect of flanking sequences. *J. Biol. Chem.* **273**:10355-61.
107. **Stros M., Cherny D., Jovin T.** 2000. HMG1 protein stimulates DNA end joining by promoting association of DNA molecules via their ends. *Eur. J. Biochem.* **267**:4088-97.
108. **Sutrias-Grau M., Bianchi M., Bernues J.** 1999. High mobility group protein 1 interacts specifically with the core domain of human TATA box-binding protein and interferes with transcription factor IIB within the pre-initiation complex. *J. Biol. Chem.* **274**:1628-34.
109. **Thomas J., Travers A.** 2001. HMG1 and 2, and related 'architectural' DNA-binding proteins. *Trends Biochem. Sci.* **26**:167-74.
110. **Van Gent D., Mizuuchi K., Gellert M.** 1996. Similarities between initiation of V(D)J recombination and retroviral integration. *Science.* **271**:1592-4.
111. **Van Gent D., Ramsden D., Gellert M.** 1996. The RAG1 and RAG2 proteins establish the 12/23 rule in V(D)J recombination. *Cell.* **85**:107-13.
112. **Van Gent D., Hiom K., Paull T., Gellert M.** 1997. Stimulation of V(D)J cleavage by high mobility group proteins. *EMBO J.* **16**:2665-70.
113. **Van Luenen H., Colloms S., Plasterk R.** 1994. The mechanism of transposition of Tc3 in *C. elegans*. *Cell.* **79**:293-301.

114. **Van Luenen H., Colloms S., Plasterk R.** 1993. Mobilization of quiet, endogenous Tc3 transposons of *C. elegans* by forced expression of Tc3 transposase. *EMBO J.* **12**:2513.
115. **Vigdal T., Kaufman C., Izsvak Z., Voytas D., Ivics Z.** 2002. Common physical properties of DNA affecting target site selection of *sleeping beauty* and other Tc1/mariner transposable elements. *J. Mol. Biol.* **323**:441-452.
116. **Vos J., Plasterk R.** 1994. Tc1 transposase of *Caenorhabditis elegans* is an endonuclease with a bipartite DNA binding domain. *EMBO J.* **13**:6125-32.
117. **Vos J., Van Luenen H., Plasterk R.** 1993. Characterization of the *C. elegans* Tc1 transposase in vivo and in vitro. *Genes Dev.* **7**:1244.
118. **Weiner A.** 2002. SINEs and LINEs: the art of biting the hand that feeds you. *Curr Opin Cell Biol.* **14**:343-50.
119. **Weinreich M., Gasch A., Reznikoff W.** 1994. Evidence that the cis preference of the Tn5 transposase is caused by nonproductive multimerization. *Genes Dev.* **8**:2363-74.
120. **Wiegand T., Reznikoff W.** 1992. Characterization of two hypertransposing Tn5 mutants. *J Bacteriol.* **174**:1229-39.
121. **Wiles M., Vauti F., Otte J., Fuchtbauer E., Ruiz P., Fuchtbauer A., Arnold H., Lehrach H., Metz T., Von Melchner H., Wurst W.** 2000. Establishment of a gene-trap sequence tag library to generate mutant mice from embryonic stem cells. *Nat Genet.* **24**:13-4.
122. **Xiao X., Li J., Samulski R.** 1998. Production of high-titer recombinant adeno-associated virus vectors in the absence of helper adenovirus. *J Virol.* **72**:2224-32.
123. **Xiong Y., and Eickbush T.** 1990. Origin and evolution of retroelements based upon their reverse transcriptase sequences. *EMBO J.* **9**:3353-62.
124. **Yang J., Dai C., Liu Y.** 2001. Systemic administration of naked plasmid encoding hepatocyte growth factor ameliorates chronic renal fibrosis in mice. *Gene Ther.* **8**:1470-9.

125. **Yano T., and Kagamiyama H.** 2001. Directed evolution of ampicillin-resistant activity from a functionally unrelated DNA fragment: A laboratory model of molecular evolution. *Proc Natl Acad Sci U S A.* **98**:903-7.
126. **Yano T., Oue S., Kagamiyama H.** 1998. Directed evolution of an aspartate aminotransferase with new substrate specificities. *Proc Natl Acad Sci U S A.* **95**:5511-5.
127. **Yant S., Meuse L., Chiu W., Ivics Z., Izsvak Z., Kay M.** 2000. Somatic integration and long-term transgene expression in normal and haemophilic mice using a DNA transposon system. *Nat. Genet.* **25**: 35-41.
128. **Yazgan, A., Ozcengiz G., Marahiel M.** 2001. Tn10 insertional mutations of *Bacillus subtilis* that block the biosynthesis of bacylysin. *Biochim Biophys Acta.* **19**:1-2.
129. **Zambrowicz B., Friedrich G.** 1998. Comprehensive mammalian genetics: history and future prospects of gene trapping in the mouse. *Int J Dev Biol.* **42**:1025-36.
130. **Zappavigna V., Falciola L., Helmer-Citterich M., Mavilio F., Bianchi M.** 1996. HMG1 interacts with HOX proteins and enhances their DNA binding and transcriptional activation. *EMBO J.* **15**:4981-91.
131. **Zayed H., Izsvak Z., Khare D., Heinemann U., Ivics Z.** 2003. The DNA-bending protein HMGB1 is a cellular cofactor of *Sleeping Beauty* transposition. *Nucleic Acids Res.* **31**:2313-22.
132. **Zhou M., Reznikoff W.** 1997. Tn5 transposase mutants that alter DNA binding specificity. *J Mol Biol.* **271**:362-73.
133. **Zwilling S., Konig H., Wirth T.** 1995. High mobility group protein 2 functionally interacts with the POU domains of octamer transcription factors. *EMBO J.* **14**:1198-208.