

6. LITERATURVERZEICHNIS

1. statistisches Bundesamt, *Gesundheitsbericht für Deutschland*. 1998.
2. Köhler, T., *Biologische Grundlagen affektiver Störungen*. Verhaltenstherapie und Verhaltensmedizin, 2000. **21**(3): p. 229-259.
3. Loomer, H., *A clinical and pharmacodynamic evaluation of iproniazid as a psychic energizer*. Psychiatr Res Publ Am Psychiatr Assoc, 1957. **8**: p. 129.
4. Kuhn, R., *Über die Behandlung depressiver Zustände mit einem Imonodibenzyl-Derivat (G22355)*. Schweiz Med Wochenschri, 1957. **35/36**: p. 1135-1140.
5. Bauer, M. and A. Berghöfer, *Therapieresistente Depressionen*, ed. M.a.B.A. Bauer. 1997, Berlin, Heidelberg: Springer.
6. Montgomery, S.A. and A.F. Schatzberg, *Introduction. Reboxetine: a new selective antidepressant for the treatment of depression*. J Clin Psychiatry, 1998. **59**(Suppl 14): p. 3.
7. Scates, A.C. and P.M. Doraiswamy, *Reboxetine: a selective norepinephrine reuptake inhibitor for the treatment of depression*. Ann Pharmacother, 2000. **34**(11): p. 1302-12.
8. Schou, M., *Prophylactic lithium treatment of unipolar and bipolar manic-depressive illness*. Psychopathology, 1995. **28**(Suppl 1): p. 81-5.
9. Bschor, T., et al., *Predictors of response to lithium augmentation in tricyclic antidepressant-resistant depression*. J Affect Disord, 2001. **64**(2-3): p. 261-5.
10. Benkert, O. and H. Hippius, *Psychiatrische Pharmakotherapie*. 1996, Berlin, Heidelberg, New York: Springer.
11. Nelson, J.C. and M.B. Bowers, Jr., *Delusional unipolar depression: description and drug response*. Arch Gen Psychiatry, 1978. **35**(11): p. 1321-8.
12. Bundesverband der Pharmazeutischen Industrie e.V., *Rote Liste*. 2001: ECV Editio Cantor Verlag Aulendorf.
13. Burrows, G., T. Norman, and F. Judd, *Definition and differential diagnosis of treatment-resistant depression*. Int Clin Psychopharmacol, 1994. **9**(Suppl 2): p. 5-10.
14. Helmchen, H., *Therapieresistente Depressionen*, ed. M. Bauer and A. Berghöfer. 1997, Berlin, Heidelberg: Springer. 4.

15. Davison and Neale, *Klinische Psychologie*. 1998, Weinheim: Psychologie Verlags Union.
16. Elkin, I., et al., *National Institute of Mental Health Treatment of Depression Collaborative Research Program. General effectiveness of treatments*. Arch Gen Psychiatry, 1989. **46**(11): p. 971-82; discussion 983.
17. Hamilton, M., *Electroconvulsive therapy. Indications and contraindications*. Ann N Y Acad Sci, 1986. **462**: p. 5-11.
18. Schott, K., et al., [Results of electroconvulsive therapy in restrictive indications. A retrospective study of 15 years]. Nervenarzt, 1992. **63**(7): p. 422-5.
19. Markowitz, J., et al., *Reduced length and cost of hospital stay for major depression in patients treated with ECT*. Am J Psychiatry, 1987. **144**(8): p. 1025-9.
20. Folkerts, H.W., et al., *Electroconvulsive therapy vs. paroxetine in treatment-resistant depression - a randomized study*. Acta Psychiatr Scand, 1997. **96**(5): p. 334-42.
21. Wu, J.C. and W.E. Bunney, *The biological basis of an antidepressant response to sleep deprivation and relapse: review and hypothesis*. Am J Psychiatry, 1990. **147**(1): p. 14-21.
22. Partonen, T. and J. Lonnqvist, *Seasonal affective disorder*. Lancet, 1998. **352**(9137): p. 1369-74.
23. Morgan, W.P. and D.L. Costill, *Selected psychological characteristics and health behaviors of aging marathon runners: a longitudinal study*. Int J Sports Med, 1996. **17**(4): p. 305-12.
24. Paffenbarger, R.S., Jr., I.M. Lee, and R. Leung, *Physical activity and personal characteristics associated with depression and suicide in American college men*. Acta Psychiatr Scand Suppl, 1994. **377**: p. 16-22.
25. Skirka, N., *The relationship of hardiness, sense of coherence, sports participation, and gender to perceived stress and psychological symptoms among college students*. J Sports Med Phys Fitness, 2000. **40**(1): p. 63-70.
26. Stein, P.N. and R.W. Motta, *Effects of aerobic and nonaerobic exercise on depression and self-concept*. Percept Mot Skills, 1992. **74**(1): p. 79-89.
27. Roth, D.L., *Acute emotional and psychophysiological effects of aerobic exercise*. Psychophysiology, 1989. **26**(5): p. 593-602.

28. Hogervorst, E., et al., *Cognitive performance after strenuous physical exercise*. Percept Mot Skills, 1996. **83**(2): p. 479-88.
29. Kennedy, M.M. and M. Newton, *Effect of exercise intensity on mood in step aerobics*. J Sports Med Phys Fitness, 1997. **37**(3): p. 200-4.
30. Berger, B.G. and D.R. Owen, *Mood alteration with swimming--swimmers really do "feel better"*. Psychosom Med, 1983. **45**(5): p. 425-33.
31. Blumenthal, J.A., et al., *Psychological changes accompany aerobic exercise in healthy middle-aged adults*. Psychosom Med, 1982. **44**(6): p. 529-36.
32. DiLorenzo, T.M., et al., *Long-term effects of aerobic exercise on psychological outcomes*. Prev Med, 1999. **28**(1): p. 75-85.
33. Hayward, L.M., A.C. Sullivan, and J.R. Libonati, *Group exercise reduces depression in obese women without weight loss*. Percept Mot Skills, 2000. **90**(1): p. 204-8.
34. Lane, A.M. and D.J. Lovejoy, *The effects of exercise on mood changes: the moderating effect of depressed mood*. J Sports Med Phys Fitness, 2001. **41**(4): p. 539-45.
35. Lennox, S.S., J.R. Bedell, and A.A. Stone, *The effect of exercise on normal mood*. J Psychosom Res, 1990. **34**(6): p. 629-36.
36. Dua, J. and L. Hargreaves, *Effect of aerobic exercise on negative affect, positive affect, stress, and depression*. Percept Mot Skills, 1992. **75**(2): p. 355-61.
37. Williams, J.M. and D. Getty, *Effect of levels of exercise on psychological mood states, physical fitness, and plasma beta-endorphin*. Percept Mot Skills, 1986. **63**(3): p. 1099-105.
38. Cooper-Patrick, L., et al., *Exercise and depression in midlife: a prospective study*. Am J Public Health, 1997. **87**(4): p. 670-3.
39. Folkins, C.H., *Effects of physical training on mood*. J Clin Psychol, 1976. **32**(2): p. 385-8.
40. Kugler, J., H. Seelbach, and G.M. Kruskemper, *Effects of rehabilitation exercise programmes on anxiety and depression in coronary patients: a meta-analysis*. Br J Clin Psychol, 1994. **33**(Pt 3): p. 401-10.
41. Carney, R.M., et al., *Exercise training reduces depression and increases the performance of pleasant activities in hemodialysis patients*. Nephron, 1987. **47**(3): p. 194-8.

42. Shalom, R., et al., *Feasibility and benefits of exercise training in patients on maintenance dialysis*. Kidney Int, 1984. **25**(6): p. 958-63.
43. Bingisser, R.M., et al., *Pulmonary rehabilitation in outpatients with asthma or chronic obstructive lung disease. A pilot study of a "modular" rehabilitation programme*. Swiss Med Wkly, 2001. **131**(27-28): p. 407-11.
44. Nixon, S., et al., *Aerobic exercise interventions for people with HIV/AIDS (Cochrane Review)*. Cochrane Database Syst Rev, 2001. **1**.
45. Courneya, K.S. and C.M. Friedenreich, *Physical exercise and quality of life following cancer diagnosis: a literature review*. Ann Behav Med, 1999. **21**(2): p. 171-9.
46. Dimeo, F.C., et al., *Effects of physical activity on the fatigue and psychologic status of cancer patients during chemotherapy*. Cancer, 1999. **85**(10): p. 2273-7.
47. Courneya, K.S., M.R. Keats, and A.R. Turner, *Physical exercise and quality of life in cancer patients following high dose chemotherapy and autologous bone marrow transplantation*. Psychooncology, 2000. **9**(2): p. 127-36.
48. Courneya, K.S. and C.M. Friedenreich, *Physical exercise and quality of live in postsurgical colorectal cancer patients*. Psychology, Health and Medicine,, 1999. **4**(181-187).
49. Friedenreich, C.M. and K.S. Courneya, *Exercise as Rehabilitation for Cancer Patients*. Clinical Journal of Sport Medicine, 1996. **6**: p. 237-244.
50. Broocks, A., et al., *Comparison of aerobic exercise, clomipramine, and placebo in the treatment of panic disorder*. Am J Psychiatry, 1998. **155**(5): p. 603-9.
51. Brown, S.W., et al., *Aerobic exercise in the psychological treatment of adolescents*. Percept Mot Skills, 1992. **74**(2): p. 555-60.
52. Rief, W. and M. Hermanutz, *Responses to activation and rest in patients with panic disorder and major depression*. Br J Clin Psychol, 1996. **35**(Pt 4): p. 605-16.
53. Greist, J.H., et al., *Running as treatment for depression*. Compr Psychiatry, 1979. **20**(1): p. 41-54.
54. McCann, I.L. and D.S. Holmes, *Influence of aerobic exercise on depression*. J Pers Soc Psychol, 1984. **46**(5): p. 1142-7.
55. Martinsen, E.W., A. Medhus, and L. Sandvik, *Effects of aerobic exercise on depression: a controlled study*. Br Med J (Clin Res Ed), 1985. **291**(6488): p. 109.

56. Martinsen, E.W., A. Hoffart, and O. Solberg, *Comparing aerobic with nonaerobic forms of exercise in the treatment of clinical depression: a randomized trial*. Compr Psychiatry, 1989. **30**(4): p. 324-31.
57. Doyne, E.J., et al., *Running versus weight lifting in the treatment of depression*. J Consult Clin Psychol, 1987. **55**(5): p. 748-54.
58. Veale, D., et al., *Aerobic exercise in the adjunctive treatment of depression: a randomized controlled trial*. J R Soc Med, 1992. **85**(9): p. 541-4.
59. Singh, N.A., K.M. Clements, and M.A. Fiatarone, *A randomized controlled trial of progressive resistance training in depressed elders*. J Gerontol A Biol Sci Med Sci, 1997. **52**(1): p. M27-35.
60. McNeil, J.K., E.M. LeBlanc, and M. Joyner, *The effect of exercise on depressive symptoms in the moderately depressed elderly*. Psychol Aging, 1991. **6**(3): p. 487-8.
61. Blumenthal, J.A., et al., *Effects of exercise training on older patients with major depression*. Arch Intern Med, 1999. **159**(19): p. 2349-56.
62. Babyak, M., et al., *Exercise treatment for major depression: maintenance of therapeutic benefit at 10 months*. Psychosom Med, 2000. **62**(5): p. 633-8.
63. Lawlor, D.A. and S.W. Hopker, *The effectiveness of exercise as an intervention in the management of depression: systematic review and meta-regression analysis of randomised controlled trials*. BMJ, 2001. **322**(7289): p. 763-7.
64. de Coverley Veale, D.M., *Exercise and mental health*. Acta Psychiatr Scand, 1987. **76**(2): p. 113-20.
65. Broocks, A., et al., *[Value of sports in treatment of psychiatric illness]*. Psychother Psychosom Med Psychol, 1997. **47**(11): p. 379-93.
66. Singh, N.A., K.M. Clements, and M.A. Singh, *The efficacy of exercise as a long-term antidepressant in elderly subjects: a randomized, controlled trial*. J Gerontol A Biol Sci Med Sci, 2001. **56**(8): p. M497-504.
67. North, T.C., P. McCullagh, and Z.V. Tran, *Effect of exercise on depression*. Exerc Sport Sci Rev, 1990. **18**: p. 379-415.
68. Craft, L. and D. Landers, *The effect of exercise on clinical depression and depression resulting from mental illness: a meta-analysis*. Journal of Sport and Exercise Psychology, 1998. **20**: p. 339-357.

69. Dimeo, F., et al., *Benefits from aerobic exercise in patients with major depression: a pilot study*. Br J Sports Med, 2001. **35**(2): p. 114-7.
70. CIPS, C.I.P.S., *Internationale Skalen für Psychiatrie*, ed. Beltz. 1980, Weinheim.
71. Bech, P.R., O.J., *The Melancholia Scale: Development, validity and utility*. In: Sartorius,N.; Ban,T.A.: *Assessment of depression*, ed. Springer. 1986, Berlin, Heidelberg, New York. 263.
72. Maier, W., et al., *Improving depression severity assessment--I. Reliability, internal validity and sensitivity to change of three observer depression scales*. J Psychiatr Res, 1988. **22**(1): p. 3-12.
73. Radloff, L., *The CES-D Scale: A Self-Report Depression Scale for Research in the General Population*. Applied Psychological Measurement, 1977. **1**(3): p. 385-401.
74. Hautzinger, M., *Die CES-D Skala. Ein Depressionsmessinstrument für Untersuchungen in der Allgemeinbevölkerung*. Diagnostica, 1988. **34**(2): p. 167-173.
75. Byrne, A. and D.G. Byrne, *The effect of exercise on depression, anxiety and other mood states: a review*. J Psychosom Res, 1993. **37**(6): p. 565-74.
76. Beneke, R.a.M.K., *Walking performance and economy in chronic heart failure patients pre and post exercise training*. Eur J Appl Physiol Occup Physiol, 1997. **75**: p. 246-51.
77. Desharnais, R., et al., *Aerobic exercise and the placebo effect: a controlled study*. Psychosom Med, 1993. **55**(2): p. 149-54.
78. Pagliari, R. and L. Peyrin, *Norepinephrine release in the rat frontal cortex under treadmill exercise: a study with microdialysis*. J Appl Physiol, 1995. **78**(6): p. 2121-30.
79. Dishman, R.K., *Brain monoamines, exercise, and behavioral stress: animal models*. Med Sci Sports Exerc, 1997. **29**(1): p. 63-74.
80. Chaouloff, F., *Effects of acute physical exercise on central serotonergic systems*. Med Sci Sports Exerc, 1997. **29**(1): p. 58-62.
81. Ransford, C.P., *A role for amines in the antidepressant effect of exercise: a review*. Med Sci Sports Exerc, 1982. **14**(1): p. 1-10.
82. Chaouloff, F., *Physical exercise and brain monoamines: a review*. Acta Physiol Scand, 1989. **137**(1): p. 1-13.

83. Struder, H.K., et al., *Effect of acute and chronic exercise on plasma amino acids and prolactin concentrations and on [³H]ketanserin binding to serotonin_{2A} receptors on human platelets*. Eur J Appl Physiol Occup Physiol, 1999. **79**(4): p. 318-24.
84. Szabo, A., E. Billett, and J. Turner, *Phenylethylamine, a possible link to the antidepressant effects of exercise?* Br J Sports Med, 2001. **35**(5): p. 342-3.
85. Janal, M.N., et al., *Pain sensitivity, mood and plasma endocrine levels in man following long-distance running: effects of naloxone*. Pain, 1984. **19**(1): p. 13-25.
86. Markoff, R.A., P. Ryan, and T. Young, *Endorphins and mood changes in long-distance running*. Med Sci Sports Exerc, 1982. **14**(1): p. 11-5.
87. Sesso, H.D., R.S. Paffenbarger, Jr., and I.M. Lee, *Physical activity and coronary heart disease in men: The Harvard Alumni Health Study*. Circulation, 2000. **102**(9): p. 975-80.
88. Lee, I.M. and R.S. Paffenbarger, Jr., *Physical activity and stroke incidence: the Harvard Alumni Health Study*. Stroke, 1998. **29**(10): p. 2049-54.
89. Paffenbarger, R.S., Jr., et al., *Physical activity and incidence of hypertension in college alumni*. Am J Epidemiol, 1983. **117**(3): p. 245-57.