

7. Literaturverzeichnis

Lehrbücher und Nachschlagewerke:

- Burmester G-R, Pezzutto A: Taschenatlas der Immunologie. Grundlagen, Labor, Klinik. Georg Thieme Verlag, Stuttgart-New York 1998.
- Cassidy JT, Petty RE: Textbook of Pediatric Rheumatology. 4. Auflage. W.B: Saunders Company, Philadelphia-London-New York-St. Louis-Sidney-Toronto 2001.
- Diamond RA, De Maggio S: In Living Color. Springer Verlag, Berlin-Heidelberg-New York-Barcelona-Hong Kong-London-Milan-Singapore-Tokyo 2000.
- Janeway CA, Travers P: Immunologie, aus dem Englischen übersetzt von Kurt Beginnen et al.. 5.Auflage. Spektrum Akademischer Verlag, Heidelberg-Berlin 2002.
- Maddison PJ, Isenberg DA, Glass DN et al.: Oxford Textbook of Rheumatology. 2.Auflage. Oxford University Press, Oxford-New York-Tokyo 1998, S.1114-1131.
- Radbruch A: Flow Cytometry and Cell sorting. 2.Auflage. Springer Verlag, Heidelberg-Berlin-New York 2000.
- Staines N, Brostoff J, James K: Immunologisches Grundwissen. 3.Auflage. Spektrum Akademischer Verlag, Heidelberg-Berlin 1999.
- Wahn U, Seger R, Wahn V et al.: Pädiatrische Allergologie und Immunologie. 3.Auflage. Urban & Fischer, München-Jena 1999.
- Zollner TM, Boehnke W-H et al.: Atopische Dermatitis. Blackwell Wissenschaftsverlag, Berlin-Wien 2002.

Artikel aus Fachzeitschriften:

- Aggarwal A, Misra R: Methotrexat inhibits interleukin-6 production in patients with juvenile rheumatoid arthritis. *Rheumatology international* 2003; 23(3): 134-137.
- Ballabh P, Simm M, Kumari J et al.: Neonatal Edition. Neutrophil and monocyte adhesion molecules in bronchopulmonary dysplasia, and effects of corticosteroid. *Archives of Disease in Childhood* 2004; 89,:F76-F83.
- Dayyani F, Belge K-U, Frankenberger M et al.: Mechanism of glucocorticoid-induced depletion of human CD14+CD16+ monocytes. *Journal of Leukocyte Biology* 2003; 74: 33-39.
- De Benedetti, Martini A: Is systemic juvenile rheumatoid arthritis an interleukin 6 mediated disease?. *Journal of Rheumatology* 1998; 25: 203-207.
- De Benedetti F, Pignatti P, Massa M et al.: Soluble tumor necrosis factor receptor levels reflect coagulation abnormalities in systemic juvenile chronic arthritis. *British Journal of Rheumatology* 1997; 36: 581-588.
- Donn RP, Shelley E, Ollier WER, Thomson W, British Paediatric Rheumatology Study Group: A novel 5'-flanking region polymorphism of macrophage migration inhibitory factor is associated with systemic-onset juvenile idiopathic arthritis. *American College of Rheumatology* 2001; 44: 1782-1785.
- Draude G, von Hundelshausen P, Frankenberger M, Ziegler-Heitbrock HWL, Weber C : Distinct scavenger receptor expression and function in the CD14+CD16+ monocyte subset. *American Journal of Physiology* 1999; 276: H1144-H1149.
- Emminger W, Zlabinger GJ, Fritsch G, Urbanek R: CD14dim/CD16bright monocytes in hemophagocytic lymphohistiocytosis. *European Journal of Immunology* 2001; 31: S.1716-1719.
- Fingerle-Rowson G, Angstwurm M, Andreesen R, Ziegler-Heitbrock HWL: Selective depletion of CD14+CD16+ monocyte by glucocorticoid therapy. *Clinical and Experimental Immunology*. 1998; 112: 501-506.
- Grage-Griebenow E, Flad H-D, Ernst M: Heterogeneity of human peripheral blood monocyte subsets. *Journal of Leukocyte Biology* 2001; 69: 11-20.

- Grage-Griebenow E, Zawatzky R, Kahlert H et al.: Identification of a novel dendritic cell-like subset of CD64+/CD16+ blood monocytes. *European Journal of Immunology* 2001; *31*: 48-56.
- Gredmark S, Britt WB, Xie X, Lindbom L, Söderberg-Nauclèr C: Human Cytomegalovirus Induces Inhibition of Macrophage Differentiation by Binding to Human Aminopeptidase N/CD13. *The Journal of Immunology* 2004; *173*: 4897-4907.
- Grisar J, Hahn P, Brosch S et al.: Phenotypic characteristics of human monocytes undergoing transendothelial migration. *Arthritis Research* 2001; *3*: 127-132.
- Grom AA, Passo M: Macrophage activation syndrome in systemic juvenile rheumatoid arthritis. *The Journal of Pediatrics* 1996; *129*: 630-632.
- Hepburn AL, Mason JC, Davies KA: Expression of Fcγ and complement receptors on peripheral blood monocytes in systemic lupus erythematosus and rheumatoid arthritis. *Rheumatology* 2004; *43*: 547-554.
- Hofer M : Classification of childhood arthritis. *Best Practice & Research Clinical Rheumatology* 2002; *16(3)*: 379-396.
- Hofer MF, Mouhy R, Prieur A-M: Juvenile idiopathic arthritides evaluated prospectively in a single center according to the Durban criteria. *The Journal of Rheumatology* 2001; *28*: 1083-1090.
- Hübl W, Ziegler-Heitbrock LHW, Bayer PM: A simple method for measurement of CD14^{weak} CD16^{strong} monocytes in peripheral Blood. *Immunobiology* 2000; *202*: 2-10.
- Kawanaka N, Yamamura M, Aita T et al.: CD14⁺, CD16⁺ blood monocytes and joint inflammation in rheumatoid arthritis. *American College of Rheumatology* 2002; *46*: 2578-2586.
- Keul R, Heinrich PC, Müller-Newen G, Müller K, Woo P: A possible role for soluble IL6 receptor in the pathogenesis of systemic onset juvenile chronic arthritis. *Cytokine* 1998; *10(9)*: 729-734.
- Kiekens RCM, Thepen T, Bihari IC et al.: Expression of Fc receptor for IgG during acute and chronic cutaneous inflammation in atopic dermatitis. *The British Journal of Dermatology* 2000; *142(6)*: 1106-1113.

- Kümmerle-Deschner JB, Hoffmann MK, Niethammer D, Dannecker GE: Pediatric rheumatology: autoimmune mechanisms and therapeutic strategies. *Trends Immunology Today* 1998; *19(6)*: 250-253.
- Lay J-D, Tsao C-J, Chen J-Y, Kadin ME, Su I-J: Upregulation of tumor necrosis factor alpha gene by Epstein-Barr virus and activation of macrophages in Epstein-Barr virus-infected T cells in the pathogenesis hemophagocytic syndrome. *Journal of Clinical Investigation* 1997; *100*: 1969-1979.
- Leung DYM, Jain N, Leo HL: New concepts in the pathogenesis of atopic dermatitis. *Current Opinion in Immunology* 2003; *15*: 634-638.
- Liotè F, Boval-Boizard B, Weill D, Kuntz D, Wautier J-L: Blood monocyte activation in rheumatoid arthritis: increased monocyte adhesiveness, integrin expression, and cytokine release. *Clinical and Experimental Immunology* 1996; *106*: 13-19.
- Maeno N, Takei S, Imanaka H et al.: Increased Interleukin-18 Expression in Bone Marrow of a Patient With Systemic Juvenile Idiopathic Arthritis and Unrecognized Macrophage-Activation Syndrome. *Arthritis and Rheumatism* 2004; *50(6)*: 1935-1938.
- Mangge H, Schauenstein K: Cytokines in juvenile rheumatoid arthritis (JRA). *Cytokine* 1998; *10(6)*: 471-480.
- Mangge H, Gallistl S, Schauenstein K: Long-Term Follow-up of cytokines and soluble cytokine receptors in peripheral blood of patients with juvenile rheumatoid arthritis. *Journal of Interferon and Cytokine Research* 1999; *19*: 1005-1010.
- Manners P, Lesslie J, Speldewinde D, Tunbridge D: Classification of juvenile idiopathic arthritis: Should family history be included in the criteria?. *The Journal of Rheumatology* 2003; *30*: 1857-1863.
- Meazza C, Travaglini P, Pignatti P et al.: Macrophage migration inhibitory factor in patients with juvenile idiopathic arthritis. *American College of Rheumatology* 2002; *46*: 232-237.
- Miller JJ 3rd, Olds LC, Silverman ED, Milgrom H, Curd JG: Different patterns of C3 and C4 activation in the varied types of juvenile arthritis. *Pediatric Research* 1986; *20(12)*: 1332-1337.
- Mock B, Hein G, Stein G: Still-Syndrom des Erwachsenen. *Medizinische Klinik* 1997; *92*: 515-520.

- Möller B, Kukoc-Zivojnov N, Okamgba S et al.: Folinic acid antagonizes methotrexate-induced differentiation of monocyte progenitors. *Rheumatology International* 2002; 22(2): 60-67.
- Morhart R, Truckenbrodt H: Makrophagenaktivierungssyndrom (MAS) . Eine ernste Komplikation bei Kindern mit rheumatischen Erkrankungen. *Monatsschrift Kinderheilkunde* 1997; 9: 918-927.
- Mouy R, Stephan J-L, Pillet P: Efficacy of Cyclosporin A in the treatment of macrophage activation syndrome in juvenile arthritis. *The Journal of Pediatrics* 1996; 129: 750-754.
- Nockler WA, Wiemer J, Scherberich JE: Haemodialysis monocytopenia: differential sequestration kinetics of CD14+CD16+ and CD14++ blood monocyte subset. *Clinical and Experimental Immunology* 2001; 123: 49-55.
- Novak N, Allam P, Geiger E, Bieber T: Characterization of monocyte subtypes in the allergic form of atopic eczema/dermatitis syndrome. *Allergy* 2002; 57: 931-935.
- Pignatti P, Vivarelli M, Meazza C et al.: Abnormal regulation of interleukin 6 in systemic juvenile idiopathic arthritis. *The Journal of Rheumatology* 2001; 28: 1670-1676.
- Ravelli A, Caria MC, Buratti S et al.: Methotrexat as a possible trigger of macrophage activation syndrome in systemic juvenile idiopathic arthritis. *The Journal of Rheumatology* 2001; 28: 865-867.
- Ravelli A, De Benedetti F, Viola S, Martini A: Macrophage activation syndrome in systemic juvenile rheumatoid arthritis successfully treated with cyclosporine. *The Journal of Pediatrics* 1996; 128: 275-278.
- Raziuddin S, Bahabri S, Al-Dalaan A, Siraj AK, Al-Sedairy S: A mixed Th1/Th2 cell cytokine response predominantes in systemic onset juvenile rheumatoid arthritis: immunoregulatory IL-10 Function. *Clinical Immunology and Immunopathology* 1998; 2 (86): 192-198.
- Riemann D, Kehlen A, Langner J: CD13 - not just a marker in leukemia typing. *Review Immunology Today*. 1999; 2(20): 83-88.
- Rivas-Carvalho A, Meraz-Rios MA, Santos-Argumedo L et al.: CD16+ human-derived dendritic cells matured with different and unrelated stimuli promote similar allogeneic Th2 responses: regulation by pro- and anti-inflammatory cytokines. *International Immunology* 2004; 16(9): 1251-1263.

- Sánchez-Torres C, Garcia-Romo GS, Cornejo-Cortès MA, Rivas-Carvalho A, Sánchez-Schmitz G: CD16+ and CD16- human blood monocyte subsets differentiate in vitro to dendritic cells with different abilities to stimulate CD4+ T cells. *International Immunology* 2001; *13(12)*: 1571-1581.
- Sawhney S, Woo P, Murray KJ: Macrophage activation syndrome: a potential fatal complication of rheumatic disorders. *Archives of Disease in Childhood* 2001; *85*: 421-426.
- Scherberich JE, Nockher WA: CD14++ monocytes, CD14+CD16+ subset and soluble CD14 as biological markers of inflammatory systemic diseases and monitoring immunosuppressive therapy. *Clinical and Chemical Laboratory Medicine* 1999; *37(3)*: 209-213.
- Schneider R, Laxer RM: Systemic onset juvenile rheumatoid arthritis. *Baillieres Clinical Rheumatology* 1998; *12(2)*: 245-271.
- Siedlar M et al.: The M-DC8-positive leukocytes are a subpopulation of CD14+CD16+ monocytes. *Immunobiology* 2000; *202*: 11-17.
- Stéphan JL, Konè-Paut I, Galambrun C et al.: Reactive haemophagocytic syndrome in children with inflammatory disorders. A retrospective study of 24 patients. *British Society of Rheumatology* 2001; *40*: 1285-1292.
- Stéphan JL, Zeller J, Hubert P et al.: Macrophage activation syndrome and rheumatic disease in childhood: a report of four new cases. *Clinical and Experimental Rheumatology* 1993; *11*: 451-456.
- Torsteinsdóttir I, Arvidson N-G, Hällgren R, Hakansson L: Monocyte activation in rheumatoid arthritis (RA): increased integrin, Fcγ and complement receptor expression and effects of glucocorticoids. *Clinical and Experimental Immunology* 1999; *115*: 554-560.
- Whisler RL, Lindsey JA, Proctor KV, Newhouse YG, Cornwell DG: The impaired ability of human monocytes to stimulate autologous and allogeneic mixed lymphocyte reactions after exposure to cyclosporine. *Transplantation* 1985; *40(1)*: 57-61.
- Yokota S: Interleukin 6 as a therapeutic target in systemic-onset juvenile idiopathic arthritis. *Current Opinion in Rheumatology* 2003; *15(5)*: 581-586.
- Ziegler-Heitbrock HWL: Heterogeneity of human blood monocytes: the CD14+CD16+ subpopulation. *Viewpoint Immunology Today* 1996; *100*: 314-318.