

5 Literaturverzeichnis

- Aggleton JP (1992): The Functional Effects of Amygdala Lesions in Humans: A Comparison With Findings From Monkeys, in: The Amygdala: Neurobiological Aspects of Emotion, Memory, and Mental Dysfunction, Wiley. Liss. Inc., pp. 485-503
- Anderson GW, Mariash CN, and Oppenheimer JH (2000): Molecular Actions of Thyroid Hormone, in: Braverman LE, Utiger RD (eds) The Thyroid, 8th ed, Lippincott: Philadelphia, pp. 174-195
- Ardail D, Lerme F, Puymirat J, and Morel G (1993): Evidence for the Presence of α - and β -related T₃ Receptors in Rat Liver Mitochondria, Eur. J. Cell Biol. 62: 105-113
- Arnold S, Goglia F, Kadenbach B (1998): 3,5-Diiodothyronine Binds to Subunit Va of Cytochrome-c Oxidase and Abolishes the Allosteric Inhibition of Respiration by ATP, Eur. J. Biochem. 252: 325-330
- Aronson R, Offman HJ, Joffe RT, Naylor CD (1996): Triiodothyronine Augmentation in the Treatment of Refractory Depression. A Meta-Analysis, Arch. Gen. Psychiatry 53 (9): 842-848
- Aubry JM, Pozolli G, and Vale WW (1999): Chronic Treatment with the Antidepressant Amitriptyline Decreases CRF-R1 Receptor mRNA Levels in the Rat Amygdala, Neurosci. Lett. 266: 197-200
- Baas D, Bourbeau D, Carre JL, Sarlieve LL, Dussault JH, and Puymirat J (1994): Expression of α β Thyroid Receptors Differentiation, NeuroReport 5: 1805-1808
- Baas D, Fressinaud C, Ittel ME, Reeber A, Dalencon D, Puymirat J, and Sarlieve (1994): Expression of Thyroid Hormone Receptor Isoforms in Rat Oligodendrocyte Cultures. Effect of 3:5:3'-Triiodo-L-Thyronine, Neurosci. Lett. 176: 47-51
- Barden N, Reul JMHM, and Holsboer F (1995): Do Antidepressants Stabilize Mood Through Actions on the Hypothalamic-Pituitary-Adrenocortical System? Trends Neurosci. 18: 6-11
- Bates JM, Germain DLST, and Galton VA (1999): Expression Profiles of the Three Iodothyronine Deiodinases, D1: D2: and D3: in the Developing Rat, Endocrinology 140: 844-851
- Bauer MS and Whybrow PC (1990): Rapid Cycling Bipolar Affective Disorder. II. Treatment of Refractory Rapid Cycling with High-dose Levothyroxine: A Preliminary Study, Arch. Gen. Psychiat. 47: 435-440
- Bauer M, Hellweg R, Gräf K-J, and Baumgartner A (1998): Treatment of Refractory Depression with High-dose Thyroxine, Neuropsychopharmacology 18: 444-455

- Bauer M, Baur H, Berghöfer A, Ströhle A, Hellweg R, Müller-Oerlinghausen B, and Baumgartner A (2002): Comparison of the Effects of Supraphysiological Doses of Thyroxine in Healthy Controls and Patients with Major Depression, *J. Affect. Disorders*, in press
- Bauer M, Berghöfer A, Bschor T, Baumgartner A, Hellweg R, Adli M, Baethge C, Müller-Oerlinghausen B (2002): Supraphysiological Doses of Thyroxine in the Maintenance Treatment of Prophylaxis Resistant Bipolar, Unipolar and Schizoaffective Disorder, *Neuropsychopharmacol.*, in press
- Baulieu EE, Schuhmacher M (1996): Synthesis and Functions of Neurosteroids, in: Genazzini AR, Petraglia F, Purdy RH (eds): *The Brain: Source and Target for Sex Steroid Hormones*, The Partenon Publishing Group, New York, London
- Baumann P, Gaillard JM, Jonzier-Perey M, Gerber C, and Bouras C (1984): Evaluation of the Levels of Free and Total Amitriptyline and Metabolites in the Plasma and Brain of the Rat After Long-term Administration of doses used in Receptor studies, *Psychopharmacology* 94: 489-495
- Baumgartner A, Gräf KJ, Kürten I, and Meinhold H (1988): The Hypothalamic Pituitary Thyroid Axis in Psychiatric Patients and Healthy Subjects. Part II. Repeated Measurements of Thyroxine, Free Thyroxine, Triiodothyronine, Free Triiodothyronine, and Reverse Triiodothyronine in Patients with Major Depressive Disorder and Schizophrenia and Healthy Subjects, *Psychiat. Res.* 24: 283-305
- Baumgartner A (1993): Schilddrüsenhormone und depressive Erkrankungen – Kritische Übersicht und Perspektiven. Teil 1: *Klinik, Nervenarzt* 64: 1-10
- Baumgartner A und Campos-Barros A (1993): Schilddrüsenhormone und depressive Erkrankungen – Kritische Übersicht und Perspektiven. Teil 2: Schilddrüsenhormone und ZNS-Ergebnisse der Grundlagenforschung, *Nervenarzt* 64: 11-20
- Baumgartner A, Dubeyko M, Campos-Barros A, Eravci M, and Meinhold H (1994): Subchronic Administration of Fluoxetine to Rats Affects Triiodothyronine Production and Deiodination in Regions of the Cortex and the Limbic Forebrain, *Brain Res.* 635: 68-74
- Baumgartner A, Bauer M, and Hellweg R (1994): Treatment of Intractable Non-Rapid-Cycling Bipolar Affective Disorder with High-dose Thyroxine: A Open Clinical Trial, *Neuropsychopharmacology* 10: 183-189
- Baumgartner A, Voelz HP, Campos-Barros A, Stieglitz RD, Mansmann U, and Mackert A (1996): Serum Concentrations of Thyroid Hormones in Patients with Nonseasonal Affective Disorders during Treatment Bright and Dim Light, *Biol. Psychiat.* 40: 899-907

- Baumgartner A, Campos-Barros A, Gaio U, Hessenius C, Eravci M, Musa A, Pinna G, Kley S, Bachmann M, Prengel H, Thoma R, and Meinhold H (1997): The Effect of Lithium and Carbamazepine on Thyroid Hormone Metabolism in Rat Brain, *Neuropsychopharmacology* 16: 25-41
- Baumgartner A, Hiedra L, Pinna G, Eravci M, Prengel H, and Meinhold H (1998): Rat Brain Type II 5'-Iodothyronine Deiodinase Activity is Extremely Sensitive to Stress, *J. Neurochem.* 71: 817-826
- Baumgartner A (2000): Thyroxine and the Treatment of Affective Disorders: An Overview of the Results of Basic and Clinical Research *Int. J. Neuropsych.* 3: 149-165
- Berridge MJ, Downes CP, and Hanley MR (1989): Neural and Developmental Actions of Lithium: A Unifying Hypothesis, *Cell* 59: 411-419
- Berry MJ, Banu L, and Larsen PR (1991): Type I Iodothyronine Deiodinase is a Selenocysteine-containing Enzyme, *Nature* 349: 438-440
- Bhat NR, Rao S, and Pieringer RA (1981): Investigations on Myelination in vitro Regulation of Sulfolipid Synthesis by Thyroid Hormone in Cultures of Dissociated Brain Cells from Embryonic Mice, *J. Biol. Chem.* 256: 1167-1171
- Black JA, Kocsis JD, and Waxman SG (1990): Ion Channel Organization of the Myelinated Fiber, *TINS* 13: 48-54
- Blier P and de Montigny C (1994): Current Advances and Trends in the Treatment of Depression, *TiPS* 15: 220-226
- Borbely AA, Neuhaus HU (1979): Sleep Deprivation: Effects on Sleep and EEG in the Rat, *J. Comp. Physiol. A.* 133: 71-78
- Boyer PA, Skolnick P, Fossum LH (1998): Chronic Administration of Imipramine and Citalopram Alters the Expression of NMDA Receptor Subunit mRNAs in Mouse Brain, *J. Mol. Neurosci.* 10: 219-233
- Bradford MM (1976): A Rapid and Sensitive Method for the Quantitation of Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding, *Anal. Biochem.* 72: 248-254
- Bradley DJ, Young III WS, and Weinberger C (1989): Differential Expression of α and β Thyroid Receptor Genes in Rat Brain and Pituitary, *Proc. Natl. Acad. Sci. USA* 86: 7250-7254
- Breiter HC, Etcoff NL, Whalen PJ, Kennedy WA, Rauch SL, Buckner RL, Strauss MM, Hyman SE, Rosen BR (1996): Response and Habituation of the Human Amygdala During Visual Processing of Facial Expression, *Neuron*. 17: 875-87.

- Burmeister LA, Pachucki J, and Germain DLST (1997): Thyroid Hormones Inhibit Type 2 Iodothyronine Deiodinase in Rat Cerebral Cortex by Both Pre- and Posttranslational Mechanisms, *Endocrinology* 138: 5231-5237
- Cade JFJ (1949): Lithium Salts in the Treatment of Psychotic Excitement. *Med. J. Australia* 14: 349-352
- Calvo RM, Roda JM, Obregón MJ, and Morreale de Escobar G (1998): Thyroid Hormones in Human Tumoral and Normal Nervous Tissues, *Brain Res.* 801: 150-157
- Campos-Barros A, Köhler R, Müller F, Eravci M, Meinhold H, Wesemann W, and Baumgartner A (1993): The Influence of Sleep Deprivation on Thyroid Hormone Metabolism in Rat Frontal Cortex, *Neurosci. Lett.* 162: 145-148
- Campos-Barros A, Stula M, Müller F, Köhler R, Putzien O, Eravci M, Meinhold H, and Baumgartner A (1994): The Influence of Desipramine on Thyroid Hormone Metabolism in Rat Brain, *J. Pharmacol. Exp. Ther.* 268: 1143-1152
- Campos-Barros A, Meinhold H, Köhler R, Müller F, Eravci M, and Baumgartner A (1995): The Effects of Desipramine on Thyroid Hormone Concentrations in Rat Brain, *Naunyn-Schmiedeberg's Arch. Pharmacol.* 351: 469-474
- Campos-Barros A, Hoell T, Stoltenburg G, Musa A, Eravci M, Pinna G, Meinhold H, and Baumgartner A (1996): Phenolic and Tyrosol Ring Iodothyronine Deiodination and Thyroid Hormone Concentrations in the Human Central Nervous System, *J. Clin. Endocr. Metab.* 81: 2179-2185
- Ceccatelli S, Giardino L, and Calzá L (1992): Response of Hypothalamic Peptide mRNAs to Thyroidectomy, *Neuroendocrinology* 56: 694-703
- Chen B, Dowlatshahi D, MacQueen GM, Wang JF, and Young LT (2001): Increased Hippocampal BDNF Immunoreactivity in Subjects Treated with Antidepressant Medication, *Biol. Psychiat.* 50: 260-265
- Clinical Society of London (1888): Report of a Committee of the Clinical Society of London, To Investigate the Subject of Myxoedema, Longmanns & Green, London
- Cole DP, Thase ME, Mallinger AG, Soares JC, Luther JF, Kupfer DJ, and Frank E (2002): Slower Treatment Response in Bipolar Depression Predicted by Lower Pretreatment Thyroid Function, *Am. J. Psychiat.* 159: 116-121
- Crantz S, Silva JE, and Larsen PR (1982): Analysis of the Sources and Quality of 3,5,3'-Triiodothyronine Specifically Bound to Nuclear Receptors in Rat Cerebral Cortex and Cerebellum, *Endocrinology* 110: 367-375

Croteau W, Davey JC, Galton VA, and Germain DLST (1996): Cloning of the Mammalian Type II Iodothyronine Deiodinase a Selenoprotein Differentially Expressed and Regulated in Human and Rat Brain and other Tissues, *J. Clin. Invest.* 98: 405-417

Davidoff RA and Ruskin HM (1972): The Effects of Microelectrophoretically Applied Thyroid Hormone on Single Cat Central Nervous System Neurons, *Neurology* 22: 467-472

Delay J, Deniker P, Harl JM (1952): Utilisation Thérapeutique psychiatrique d'une phénothiazine d'action centrale élective, *Ann. Méd. Psychol.* 110: 112-117

De Montigny C and Aghajanian GK (1978): Tricyclic Antidepressants: Long-Term Treatment Increases Responsivity of Rat Forebrain Neurons to Serotonin, *Science* 202: 1303-1306

Dodd RR, Hardy JA, Oakley AE, Edwardson JA, Perry EK, Delaunoy JP (1981): A Rapid Method for Preparing Synaptosomes: Comparison, with Alternative Procedures, *Brain Res.* 226: 107-118

Dozin B and De Nayer P (1984): Triiodothyronine Receptors in Adult Rat Brain: Topographical Distribution and Effect of Hypothyroidism, *Neuroendocrinology* 39: 261-266

Dratman MB, Crutchfield FL, Axelrod J, Colburn RW, and Thoa N (1976): Localization of Triiodothyronine in Nerve Ending Fractions of Rat Brain, *Proc. Natl. Acad. Sci. USA* 73: 941-944

Drevets WC, Videen TO, Price JL, Preskorn SH, Carmichael ST, and Raichle ME (1992): A Functional Anatomical Study of Unipolar Depression, *J. Neurosci.* 12: 3628-3641

Drevets WC (2000): Neuroimaging Studies of Mood Disorders, *Biol. Psychiatry* 43: 813-829

Duman RS, Heninger GR, and Nestler EJ (1997): A Molecular and Cellular Theory of Depression, *Arch. Gen. Psychiat.* 54: 597-606

Duman RS (1998): Novel Therapeutic Approaches Beyond the Serotonin Receptor, *Biol. Psychiat.* 44: 324-335

Duman RS, Malberg J, Nakagawa S, and D'Sa C (2000): Neuronal Plasticity and Survival in Mood Disorders, *Biol. Psychiat.* 48: 732-739

Duncan GE, Breese GR, Cruswell H, Stumpf WE, Mueller RA, and Covey JB (1986): Effects of Antidepressant Drugs Injected into the Amygdala on Behavioral Responses of Rats in the Forced Swim Test, *J. Pharmacol. Exp. Ther.* 238: 758-762

Duncan GE, Paul IA, Powell KR, Fassberg, JB, Stumpf WE, and Breese GR (1988): Neuroanatomically Selective Down-Regulation of Beta Adrenergic Receptors by Chronic Imipramine Treatment: Relationships to the Topography of [³H]Imipramine and [³H]Desipramine Binding Sites, *J. Pharmacol. Exp. Ther.* 248: 470-477

- Duncan GE, Paul IA, Powell KR, Fassberg JB, Stumpf WE, Breese GR (1989): Neuroanatomically Selective Down-Regulation of Beta Adrenergic Receptors by Chronic Imipramine Treatment: Relationships to the Topography of [³H]Imipramine and [³H] Desipramine Binding Sites, *J. Pharmacol. Exp. Ther.* 248: 470-7
- Duval F, Mokrani MC, Crocq MA, Jautz M, Bailey P, Diep TS, and Macher JP (1996): Effect of Antidepressant Medication on Morning and Evening Thyroid Function Tests during a Major Depressive Episode. *Arch. Gen. Psychiat.* 53: 833-840
- Eberhardt NL, Valcana T, and Timiras PS (1978): Triiodothyronine Nuclear Receptors: An in Vitro Comparison of the Binding of Triiodothyronine to Nuclei of Adult Rat Liver, Cerebral Hemisphere, and Anterior Pituitary, *Endocrinology* 102: 556
- Eravci M, Pinna G, Meinholt H, and Baumgartner A (2000): Effects of Pharmacological and Nonpharmacological Treatments on Thyroid Hormone Metabolism and Concentrations in Rat Brain, *141:* 1027-1040
- Evans LEJ, Hunter P, Hall R, Johnston M, Roy VM (1975): A Double-Blind trial of Intravenous Thyrotrophin-Releasing Hormone in the Treatment of Reactive Depression, *Br. J. Psychiatry* 127: 227-230
- Farsetti A, Mitsuhashi T, Desvergne B, Robbins J, Nicodem VM (1992): Molecular Basis of Thyroid Hormone Regulation of Myelin Basic Protein Gene Expression in Rodent Brain, *J. Biol. Chem.* 266: 23226-23232
- Farwell AP, Lynch RM, Okulicz WC, Comi AM, and Leonard JL (1990): The Actin Cytoskeleton Mediates the Hormonally Regulated Translocation of Type II Iodothyronine 5'-Deiodinase in Astrocytes, *J. Biol. Chem.* 265: 18546-18553
- Farwell AP, Dibenedetto DJ, and Leonard JL (1993): Thyroxine Targets Different Pathways of Internalization of Type II Iodothyronine 5'-Deiodinase in Astrocytes, *J. Biol. Chem.* 268: 5055-5062
- Fattaccini CM, Bolanos-Jimenez F, Gozlan H, and Hamon M (1990): Tianeptine Stimulates Uptake of 5-Hydroxytryptamine in Vivo in the Rat Brain, *Neuropharmacology* 29: 1-8
- Fierro-Renoy JF, Szuchet S, Falcone M, Macchia E, and DeGroot L (1995): Three Different Thyroid Hormone Receptor Isoforms Are Detected in a Pure Culture of Ovine Oligodendrocytes, *GLIO* 14: 322-328
- Ford DH, Gross J (1959): The Localization of ¹³¹I-Labelled Triiodothyronine and Thyroxine in the Pituitary and Brain of the Male Guinea Pig, *Endocrinology* 63: 549-561
- Friedman Y, Bacchus R, Raymond R, Joffe RT, and Nobrega JN (1999): Acute Stress Increases Thyroid Hormone Levels in Rat Brain, *Biol. Psychiat.* 45: 234-237

- Frye MA, Denicoff KD, Bryan AL, Smith-Jackson EE, Ali SO, Luckenbaugh D, Leverich GS, and Post RM (1999): Association Between Lower Serum Free T4 and Greater Mood Instability and Depression in Lithium-Maintained Bipolar Patients, Am. J. Psychiat. 156: 1909-1914
- Gaffan D (1992): Amygdala and the Memory of Reward, in: The Amygdala: Neurobiological Aspects of Emotion, Memory, and Mental Dysfunction, Wiley. Liss. Inc., pp. 471-483
- Gibson JG (1962): Emotions and the Thyroid Gland: a Critical Appraisal, J. Psychosom. Res. 6: 93-116
- Giordano T, Pan JB, Casuto D, Watanabe S, and Arneric SP (1992): Thyroid Hormone Regulation of NGF, NT-3 and BDNF RNA in the Adult Rat Brain, Mol. Brain. Res. 16: 239-245
- Gitlin MJ, Weiner H, Fairbanks L, Hershman JM, Friedfeld N (1987): Failure of T3 to Potentiate Tricyclic Antidepressant response, J. Affective Disord. 13: 267-272
- Glowinski J. und Axelrod J. (1965): Inhibition of Uptake of Tritiated Norepinephrine in the Intact Rat Brain by Imipramine and Structurally Related Compounds, Nature 204: 1318-1319
- Glowinski I and Iversen LL (1966): Regional Studies of Catecholamine Metabolism in the Rat Brain, I. The Disposition of (3H) Dopamine and (3H) Dopa in Various Regions of the Brain, J. Neurochem. 13: 655-669
- Gnoni GV, Geelen MJH, Bijleveld C, Quagliariello, and van den Bergh SG (1985): Short-term Stimulation of Lipogenesis by Triiodothyronine in Maintenance Cultures of Rat Hepatocytes, Biochem. Bioph. Res. Co. 128: 525-530
- Goglia F, Moreno M, and Lanni A (1999): Action of Thyroid Hormones at the Cellular Level: The Mitochondrial Target, FEBS Lett. 452: 115-120
- Gould E, Allan MD, and Mc Ewen BS (1990): Dendritic Spine Density of Adult Hippocampal Pyramidal Cells is Sensitive to Thyroid Hormone, Brain Res. 525: 327-329
- Gray EG and Whittaker VP (1962): The Isolation of Nerve Endings from Brain: an Electron-Microscopic Study of Cell Fragments Derived by Homogenization and Centrifugation, J. Anatomy 96: 79-96
- Gullo D, Sinha AK, Bashir A, Hubank M, and Ekins RP (1987): Differences in Nuclear Triiodothyronine Binding in Rat Brain Cells Suggest Phylogenetic Specialization of Neuronal Functions, Endocrinology 120: 2398-2403
- Hall R, Hunter PR, Price JS, Mountjoy CQ (1975): Thyrotrophin-Releasing Hormone in Depression, Lancet 162

- Hall RC, Stickney S, and Baerrisford TP (1986): Endocrine Disease and Behaviour, Integr. Psychiatry 4: 122-133
- Hashimoto H, Walker CH, Prange AJ, and Mason GA (1991): The Effects of Thyroid Hormones on Potassium-Stimulated Release of 3H-GABA by Synaptosomes of Rat Cerebral Cortex, Neuropsychopharmacol. 5: 49-54
- Hatterer JA, Kocsis JH, Stokes PE (1988): Thyroid Function in Patients Maintained on Lithium, Psychiatry Res. 26 (3): 249-257
- Heninger GR and Charney DS (1987): Mechanism of Action of Antidepressant Treatment: Implications for the Etiology and Treatment of Depressive Disorders, in: Meltzer HY (ed) Psychopharmacology, The Third Generation of Progress, Raven Press, New York, pp. 535-544
- Hjorth S and Auerbach B (1994): Lack of 5-HT_{1A} Autoreceptor Desensitization Following Chronic Citalopram Treatment, as Determined by In Vivo Microdialysis, Neuropharmacology 33: 221-334
- Holliday SM and Benfield P (1995): Venlafaxine: A Review of its Pharmacology and Therapeutic Potential in Depression, Drugs 49: 280-294
- Horst C, Harneit A, Seitz HJ, Rokos H (1995): 3,5-Diiodo-L-Thyronine Suppresses TSH in Rats in vivo and in Rat Pituitary Fragments in vitro, J. Endocrinol. 145: 291-297
- Ibarrola N and Rodríguez-Pena A (1997): Hypothyroidism Coordinately and Transiently Affects Myelin Protein Gene Expression in Most Rat Brain Regions During Postnatal Development, Brain Res. 752: 285-293
- Iglesias T, Caubin J, Zaballos A, Berna J, and Munoz A (1995): Identification of the Mitochondrial NADH Dehydrogenase Subunit 3 (ND3) as a Thyroid Hormone Regulated Gene by Whole Genome PCR Analysis, Biochem. Biophys. Res. Co. 210: 995-110
- Iniguez MA, Rodriguez-Pena A, Ibarrola N, Morreale de Escobar G, and Bernal J (1992): Adult Rat Brain is Sensitive to Thyroid Hormone. Regulation of RC3/Neurogranin mRNA, J. Clin. Invest. 90: 554-558
- Joffe RT and Singer W (1990): A Comparison of Triiodothyronine and Thyroxine in the Potentiation of Tricyclic Antidepressants, Psychiat. Res. 32: 241-251
- Joffe RT and Singer W (1990): The Effect of Tricyclic Antidepressants on Basal Thyroid Hormone Levels in Depressed Patients, Pharmacopsychiatry 23: 67-69
- Joffe RT, Segal Z, and Singer W (1996): Change in Thyroid Hormone Levels Following Response to Cognitive Therapy for Major Depression, Am. J. Psychiat. 153: 411-413

- Johnson AM (1989): An Overview of the Animal Pharmacology of Paroxetine, *Acta Psychiat. Scand.* 80: 14-20
- Johnson MK, Whittaker VP (1962): Lactate Dehydrogenase as a Cytoplasmatic Marker in Brain, *Biochem. J.* 88: 404-409
- Jope RS (1999): Anti-Bipolar Therapy: Mechanism of Action of Lithium, *Mol. Psychiatry* 4: 117-128
- Kandel ER, et al. (1995): Emotional states. Essential of Neural Science and Behavior, Prentice Hall, pp. 595-612: Englewood Cliffs NJ
- Kato G and Weitsch AF (1988): Neurochemical Profile of Tianeptine, A New Antidepressant Drug, *Clin. Neuropharmacol.* 11: 43-50
- Kirkegaard C, and Faber J (1981): Altered Serum Levels Thyroxine, Triiodothyronines and Diiiodothyronines in Endogenous Depression, *Acta. Endocrinol.* 96: 199-207
- Kline NS (1954): Rauwolfia serpentina Benth, in Neuropsychiatric Conditions, *Ann. N. Y. Acad. Sci.* 59: 107-132
- Kopanski C, Türk M, and Schultz JE (1983): Effects of Long-Term Treatment of Rats with Antidepressants on Adrenergic-Receptor Sensitivity in Cerebral Cortex: Structure Activity Study, *Neurochem. Int.* 5: 649-659
- Kurihara T, Takahashi Y (1973): Potentiometric and Colorimetric Methods for the Assay of 2'.3'-Cyclic Nucleotide 3'-Phosphohydrolase, *J. Neurochem.* 20: 719-727
- Lam HR and Christensen S (1992): Regional and Subcellular Localization of Li⁺ and other Cations in the Rat Brain Following Long-Term Lithium Administration, *J. Neurochem.* 59: 1372-1380
- Lambert PD, McGirr KM, Ely TD, Kilts CD, Kuhar MJ (1999): Chronic Lithium Treatment Decreases Neuronal Activity in the Nucleus Accumbens and Cingulate Cortex of the Rat, *Neuropsychopharmacology* 21: 229-37
- Lanni A, Moreno M, Lombardi A, Goglia F (1994): Rapid Stimulation in vitro of Rat Liver Cytochrome Oxidase Activity by 3,5-Diiodo-L-Thyronine and by 3,3'-Diiodo-L-Thyronine, *Mol. Cell Endocrinol.* 136: 59-64
- Larocca JN, Ledeen RW, Dvorkin B, and Makman MH (1987): Muscarinic Receptor Binding and Muscarinic Receptor-Mediated Inhibition of Adenylate Cyclase in Rat Brain Myelin, *J. Neurosci.* 7: 3869-3876
- Ledeen RW (1992): Enzymes and Receptors of Myelin, in: Martenson RE (ed) *Myelin Biology and Chemistry*, CRC Press, pp. 531-570

- LeDoux JE (1992): Emotion and the Amygdala, in: The Amygdala: Neurobiological Aspects of Emotion, Memory, and Mental Dysfunction, Wiley. Liss. Inc., pp. 339-351
- Lenox RH and Hahn CG (2000): Overview of the Mechanism of Action of Lithium in the Brain: Fifty-Year Update, *J. Clin. Psychiatry* 61: 5-15
- Leonard JL, Kaplan MM, Visser TJ, Silva JE, and Larsen PR (1981): Cerebral Cortex Responds Rapidly to Thyroid Hormones, *Science* 214: 571-573
- Leonard JL and Köhrle J (2000): Intracellular Pathways of Iodothyronine Metabolism, in: Braverman LE, Utiger RD (eds): The Thyroid, 8th Ed., Lippincott: Philadelphia, pp. 136-171
- Lovtrup-Rein H and McEwen BS (1966) Isolation and Fractionation of Rat Brain Nuclei, *J. Cell Biol.* 30: 405-415
- Manji HK, Bebchuk JM, Moore GJ, Glitz D, Hasanat KA, and Chen G (1999): Modulation of CNS Signal Transduction Pathways and Gene Expression by Mood-Stabilizing Agents: Therapeutic Implications, *J. Clin. Psychiat.* 60: 27-39
- Marangell LB, George MS, Callahan AM, Ketter TA, Pazzaglia PJ, L'Herrou TA, Leverich GS, and Post RM (1997): Effects of Intrathecal Thyrotropin-releasing Hormone (Protirelin) in Refractory Depressed Patients, *Arch. Gen. Psychiatry* 54: 214-222
- Martin JV, Williams DB, Fitzgerald RM, Im HK, and Von Voigtlander PF (1996): Thyroid Hormonal Modulation of the Binding and Activity of the GABA_A Receptor Complex of Brain, *Neuroscience* 73: 705-713
- Mashio Y, Inada M, Tanaka K, Ishii H, Naito K, Nishikawa M, Takahashi K, and Imura H (1982): High Affinity 3,5,3'-L-Triiodothyronine Binding to Synaptosomes in Rat Cerebral Cortex, *Endocrinology* 110: 1257-1261
- Mashio Y, Inada M, Tanaka K, Ishii H, Naito K, Nishikawa M, Takahashi K, Imura H (1983): Synaptosomal T3 Binding Sites in Rat Brain: their Localization on Synaptic Membrane and Regional Distribution, *Acta Endocrinologica* 104: 134-138
- Mason GA, Walker CH, and Prange AJ (1990): Depolarization-dependent 45 Ca Uptake by Synaptosomes of Rat Cerebral Cortex is Enhanced by L-Triiodothyronine, *Neuropsychopharmacol.* 3: 291-295
- McEwen BS, Plapinger L, Wallach G, Magnus C (1972): Properties of Cell Nuclei Isolated from Various Regions of Rat Brain: Divergent Characteristics of Cerebellar Cell Nuclei, *J. Neurochem.* 19: 1159-1170
- Meinholt H (1986): Radioimmunoassay of Iodothyronines, In: Hennemann G, ed. Thyroid Hormone Metabolism. New York: Marcel Dekker; 133-186

- Melcangi RC, Celotti F, Ballabio M, Poletti A, Castano P, and Martini L (1988): Testosterone 5 α -Reductase Activity in the Rat Brain is Highly Concentrated in White Matter Structures and in Purified Myelin Sheaths of Axons, *J. Steroid Biochem.* 31: 173-179
- Mennini T, Mocerino E, and Garattini S (1987): Tianeptine, a Selective Enhancer of Serotonin Uptake in Rat Brain, *Naunyn-Schmiedeberg's Arch. Pharmacol.* 336: 478-482
- Minden SL and Schiffer RB (1990): Affective Disorders in Multiple Sclerosis, *Arch. Neurol.* 47: 98-104
- Morell P, Quarles RH, and Norton WT (1994): Myelin Formation, Structure, and Biochemistry, in: Siegel GJ (ed) *Basic Neurochemistry: Molecular, Cellular, and Medical Aspects*, 5th Ed., Raven Press Ltd., New York, pp. 117-143
- Morelli M, Pinna A, Ruiu S, and Del Zompo M (1999): Induction of Fos-Like-Immunoreactivity in the Central Extended Amygdala by Antidepressant Drugs, *Synapse* 31: 1-4
- Morreale de Escobar G, Pastor R, Obregón MJ, and Escobar del Rey F (1985): Effects of Maternal Hypothyreoidism on the Weight and Thyroid Hormone Content of Rat Embryonic Tissues, Before and After Onset of Fetal Thyroid Function, *Endocrinology* 47: 543-547
- Munoz A, Rodriguez-Pena A, Perez-Castillo A, Ferreiro B, Sutcliffe JG, and Bernal J (1991): Effects of Neonatal Hypothyroidism on Rat Brain Gene Expression, *Mol. Endocrinol.* 5: 273-280
- Nakamura Y, Chopra IJ, and Solomon DH (1977): Preparation of High-Specific-Activity Radioactive Iodothyronines and their Analogues, *J. Nucl. Med.* 18: 1112-1115
- Nalepa I, Manier DH, Gillespie DD, Rossby SP, Schmidt DE, and Sulser F (1998): Lack of β Adrenoceptor Desensitization in Brain Following the Dual Noradrenaline and Serotonin Reuptake Inhibitor Venlafaxine, *Eur. Neuropsychopharmacol.* 8: 227-232
- Nibuya M, Morinobu S, and Duman RS (1995): Regulation of BDNF and trkB mRNA in Rat Brain by Chronic Electroconvulsive Seizure and Antidepressant Drug Treatments, *J. Neurosci.* 15: 7539-7547
- Nibuya M, Nestler EJ, and Duman RS (1996): Chronic Antidepressant Administration Increases the Expression of cAMP Response Element Binding Protein (CREB) in Rat Hippocampus, *J. Neurosci.* 16: 2365-2372
- Nobrega JN et al. (1993): Long-term Changes in Regional Brain Cytochrome Oxidase Activity Induced by Electroconvulsive Treatment in Rats, *Brain Res.* 606: 1-8

- Öhman R, Larsson M, Nilsson IM, Engel J, and Carlsson A (1977): Neurometabolic and Behavioural Effects of Haloperidol in Relation to Drug Levels in Serum and Brain, Naunyn-Schmiedeberg's Arch. Pharmacol. 299: 105-114
- Olpe HR, Honegger CG, Leuba G, Rabinowicz T (1974): The Morphological Characterization of Isolated Nuclei in Comparison to *in situ* Nuclei from Mouse Cortex, Exp. Brain Res. 21:131-138
- Oppenheimer JH, Schwartz HL, Surks MI (1974): Tissue Differences in the Concentration of Triiodothyronine Nuclear Binding Sites in the Rat: Liver, Kidney, Pituitary, Heart, Brain, Spleen and Testis, Endocrinology 95: 897-903
- Ordway GA, Gambarana C, Tejani-Butt SM, Areso P, Hauptmann M, and Frazer A (1991): Preferential Reduction of Binding of ^{125}I -Iodopindolol to Beta-1 Adrenoceptors in the Amygdala of Rat after Antidepressant Treatments, J. Pharmacol. Exp. Ther. 257: 681-690
- Pariante CM and Miller AH (2001): Glucocorticoid Receptors in Major Depression: Relevance to Pathophysiology and Treatment, Biol. Psychiat. 49: 391-404
- Pennington RJ (1961): Biochemistry of Dystrophic Muscle, Biochem. J. 80: 649-654
- Pineyro G, Deveault L, De Montigny C, and Blier P (1995): Effect of Prolonged Administration of Tianeptine on 5-HT Neurotransmission: An Electrophysiological Study in the Rat Hippocampus and Dorsal Raphe, Naunyn-Schmiedeberg's Arch. Pharmacol. 351: 119-125
- Pineyro G and Blier P (1999): Autoregulation of Serotonin Neurons: Role in Antidepressant Drug Action, Pharmacol. Rev. 51: 533-591
- Pinna G, Meinholt H, Hiedra L, Thoma R, Hoell T, Gräf KJ, Stoltenburg G, Eravci M, Prengel H, Brödel O, Finke R, and Baumgartner A (1997): Elevated 3,5-Diiodothyronine Concentrations in the Sera of Patients with Nonthyroidal Illness and Brain Tumors, J. Clin Endocr. Metab. 82: 1535-1542
- Pinna G, Hiedra L, Prengel H, Broedel O, Eravci M, Meinholt H, and Baumgartner A (1999): Extraction and Quantification of Thyroid Hormones in Selectes Regions and Subcellular Fractions of the Rat Brain, Brain Res. Protocols 4: 19-28
- Pinna G, Brödel O, Visser T, Jeitner A, Grau H, Eravci M, Meinholt H, and Baumgartner A (2002): Concentrations of Seven Iodothyronine Metabolites in Brain Regions and the Liver of the Adult Rat, Endocrinology, in press
- Prange AJ, Wilson IC, Rabon AM, and Lipton MA (1969): Enhancement of imipramine antidepressant activity by thyroid hormone, Am. J. Psychiat. 126: 457-469

- Prange AJ, Wilson IC, Knox A, Mc Clane TK, Lipton MA (1970): Enhancement of Imipramine by Thyroid Stimulating Hormone: Clinical and Theoretical Implications, Am. J. Psychiatry 127: 191-199
- Prengel A, Brödel O, Hiedra L, Pinna G, Eravci M, Meinhold H, and Baumgartner A (2000): Effects of Tranylcypromine on Thyroid Hormone Metabolism and Concentrations in Rat Brain, Neuropharmacol. 39: 99-104
- Rao ML, Ruhrmann S, Retey B, Liappis N, Fuger J, Kraemer M, Kasper S, and Möller HJ (1996): Low Plasma Thyroid Indices of Depressed Patients are Attenuated by Antidepressant Drugs and Influence Treatment Outcome, Pharmacopsychiatry 29: 180-186
- Redrobe JP, Bourin M, Colombel MC, and Baker GB (1998): Psychopharmacological Profile of the Selective Serotonin Reuptake Inhibitor, Paroxetine: Implication of Noradrenergic and Serotonergic Mechanisms, J. Psychopharmacol. 12: 348-355
- Rogan MT and LeDoux E (1996): Emotion: Systems, Cells, Synaptic Plasticity, Cell 85: 469-475
- Roy-Byrne PP, Joffe RT, Uhde TW, and Post RM (1984): Carbamazepine and Thyroid Function in Affectively Ill Patients, Arch. Gen. Psychiat. 41: 1150-1153
- Roseboom PH and Kalin NH (2000): Neuropharmacology of Venlafaxine, Depression and Anxiety 12: 20-29
- Rudas S, Schmitz M, Pichler P, Baumgartner A (1999): Treatment of Refractory Chronic Depression and Dystymia with High-Dose Thyroxine, Biol. Psychiatry 45: 229-233
- Ruel J, Faure R, Dussault JH (1985): Regional Distribution of Nuclear T3 Receptors in Rat Brain and Evidence for Preferential Localization in Neurons, J. Endocrinol. Invest. 8: 343-348
- Salvati S, Campeggi LM, Sorcini M, Olivieri A, and Di Biase A (1993): Effect of Prophylthiouracil-Induced Hypothyroidism on Membranes of Adult Rat Brain, LIPIDS 28: 1075-1078
- Salvatore D, Low SC, Berry M, Maia AL, Harney JW, Croteau W, Germain DLST, and Larsen PR (1995): Type 3 Iodothyronine Deiodinase: Cloning, in vitro Expression, and Functional Analysis of the Placental Selenoenzyme, J. Clin. Invest. 96: 2421-2430
- Salvatore D, Tu H, Harney JW, Larsen PR (1996): Type 2 Iodothyronine Deiodinase is highly Expressed in Human Thyroid. J. Clin. Invest. 98: 962-968

- Santini F, Pinchera A, Ceccarini G, Castagna M, Rosellini V, Mammoli C, Montanelli L, Zucchi V, Chopra IJ, Chiavato L (2001): Evidence for a role of the type III-iodothyronine deiodinase in the regulation of 3,5,3'-triiodothyronine content in the human central nervous system. *Eur. J. Endocrinol.* 144 (6): 577-583
- Sap J, Munoz A, and Damm K (1986): The C-Erb a Protein is a High-Affinity Receptor for Thyroid Hormone, *Nature* 324: 635-639
- Schmalzing G (1986): Coupling of Li⁺ Distribution to the Plasma Membrane Potential of Rat Cortical Synaptosomes, *J. Biol. Chem.* 261: 650-656
- Schneider F, Grodd W, Weiss U, Klose U, Mayer KR, Nagale T, Gur RC (1997): Functional MRI Reveals Left Amygdala Activation During Emotion, *Psychiatry Res.* 76: 75-82
- Scott AIF, Milner JB, Shering PA, and Beckett GJ (1990): Fall in Free Thyroxine after ECT: Real Effect or an Artefact of Assay? *Biol. Psychiat.* 27: 784-786
- Sellinger-Barnette MM, Mendels J, and Frazer A (1980): The Effect of Psychoactive Drugs on Beta-Adrenergic Receptor Binding Sites in Rat Brain, *Neuropharmacology* 19: 447-454
- Sheline YI, Gado MH, and Price JL (1998): Amygdala Core Nuclei Volumes are Decreased in Recurrent Major Depression, *NeuroReport* 9: 2023-2028
- Sheline YI, Barch DM, Donnelly JM, Ollinger JM, Snyder AZ, and Mintun MA (2001): Increased Amygdala Response to Masked Emotional Faces in Depressed Subjects Resolves with Antidepressant Treatment: An fMRI Study, *Biol. Psychiat.* 50: 651-658
- Soares JC and Mann JJ (1997): The Anatomy of Mood Disorders – Review of Structural Neuroimaging Studies, *Biol. Psychiatry* 41: 86-106
- Soboll S (1993): Thyroid Hormone Action on Mitochondrial Energy Transfer, *Biochem. Biophys. Acta* 1144: 1-16
- Sottocasa GL, Kylenstierna B, Ernster L, Bergstrand A (1967): An Electron-Transport-System Associated with the Outer Membrane of Liver Mitochondria, *J. Cell. Biol.* 32: 415-438
- Stancer HC and Persad E (1982): Treatment of Intractable Rapid Cycling Manic-Depressive Disorder with Levothyroxine, *Arch. Gen. Psychiat.* 39: 311-312
- Sterling K and Milch PO (1975): Thyroid Hormone Binding by a Component of Mitochondrial Membrane, *Proc. Natl. Acad. Sci. USA* 72: 3325
- Stringer BMJ, Wynford-Thomas D (1982): Importance of Maintaining Species Homology in Thyroid Hormone Radioimmunoassays: Modification of 'Human' Radioimmunoassay Kits for Use with Rat Samples, *Hormone Res.* 16: 392-402

- Surks MI and Oppenheimer JH (1977): Concentration of L-Thyroxine and L-Triiodothyronine Specifically Bound to Nuclear Receptors in Rat Liver and Kidney, *J. Clin. Invest.* 60: 555-562
- Swank MW (2000): Phosphorylation of MAP Kinase and CREB in Mouse Cortex and Amygdala During Taste Aversion Learning, *NeuroReport* 11: 1625-1630
- Szuba MP, Altshuler LL, Baxter LR Jr (1992): Thyroid Function and Partial Sleep Deprivation Response, *Arch. Gen. Psychiatry* 49 (7): 581-582
- Takezaki H and Hanaoka M (1971): The Use of Carbamazepine (Tegretol) in the Control of Manic-Depressive Psychosis and Other Manic, Depressive States, *Seishin-igaku, Clin. Psychiat.* 13: 173-183
- Tata JR, Ernster L, and Lindberg O (1963): The Action of Thyroid Hormones at the Cell Level. *Biochem. J.* 86: 408-417
- Thome J, Sakai N, Shin KH, Steffen C, Zhang YJ, Impey S, Storm D, and Duman RS (2000): cAMP Response Element-Mediated Gene Transcription Is Upregulated by Chronic Antidepressant Treatment, *J. Neurosci.* 20: 4030-4036
- Thompson CC, Weinberger C, Lebo R, and Evans RM (1987): Identification of a Novel Thyroid Hormone Receptor Expressed in the Mammalian Central Nervous System, *Science* 237: 1610-1614
- Tosic M, Torch S, Comte V, Dolivo M, Honegger P, and Matthieu JM (1992): Triiodothyronine Has Diverse and Multiple Stimulating Effects on Expression of the Major Myelin Protein Genes, *J. Neurochem.* 59: 1770-1777
- Towbin H, Staehelin T, Gordon J (1979): Electrophoretic Transfer of Proteins from Polyacrylamide Gels to Nitrocellulose Sheets: Procedure and Some Applications, *Proc. Natl. Acad. Sci. USA* 76: 4350-4
- Uzunov DP, Cooper TB, Costa E, and Guidotti A (1996): Fluoxetine-Elicited Changes in Brain Neurosteroid Content Measured by Negative Ion Mass Fragmentography, *Proc. Natl. Acad. Sci USA* 93: 12599-12604
- Vakakis N, Hearn MTW, Veitch B, Austin L (1991): Rapid Isolation of Rat Brain Nuclei on Percoll Gradients, *J. Neurochem.* 57: 307-317
- Van Doorn J, Van der Heide D, and Roelfsema F (1984): The Contribution of Local Thyroxine Monodeiodination to Intracellular 3,5,3'-Triiodothyronine in Several Tissues of Hyperthyroid Rats at Isotopic Equilibrium, *Endocrinology* 115: 174-182
- Veening JG, Coolen LM, Spooren WJPM, Joosten H, van Oorschot R, Mos J, Ronken E, and Olivier B (1998): Patterns of C-Fos Expression Induced by Fluvoxamine are Different After Acute vs. Chronic Oral Administration, *Eur. Neuropsychopharmacol.* 8: 213-226

- Vega-Núñez E, Menéndez-Hurtado A, Garesse R, Santos A, and Perez-Castillo A (1995): Thyroid Hormone-regulated Brain Mitochondrial Genes Revealed by Differential cDNA Cloning, *J. Clin. Invest.* 96: 893-899
- Ventulani J and Sulser F (1975): Action of Various Antidepressant Treatments Reduces Reactivity of Noradrenergic Cyclic AMP-Generating System in Limbic Forebrain, *Nature* 257: 495-496
- Visser TJ, Leonard JL, Kaplan MM, and Larsen PR (1982): Kinetic Evidence Suggesting Two Mechanisms for Iodothyronine 5'-Deiodination in Rat Cerebral Cortex, *Med. Sci. Proc. Natl. Acad. Sci. USA* 79: 5080-5084
- Von Gunten A, Fox NC, Cipolotti L, and Ron MA (3000): A Volumetric Study of Hippocampus and Amygdala in Depressed Patients with Subjective Memory Problems, *J. Neuropsych. Clin. N.* 12: 493-498
- Weinberger C, Thompson CC, Ong ES (1986): The C-Erb a Gene Encodes a Thyroid Hormone, *Nature* 324: 641-645
- Whittaker VP, Michaelson IA, Jeanette R, Kirkland A (1964): The Separation of Synaptic Vesicles from Nerve-Ending Particles ("Synaptosomes"), *Biochem. J.* 90: 293-303
- Whittaker VP (1965): The Application of Subcellular Fractionation Techniques to the Study of Brain Function, *Prog. Biophys. Mol. Biol.* 15: 41-96.
- Whybrow PC, Prange AJ Jr, Treadway CR (1969): Mental Changes Accompanying Thyroid Gland Dysfunction. A Reappraisal Using Objective Psychological Measurement, *Arch. Gen. Psychiatry* 20(1): 48-63
- Wong-Riley MTT (1989): Cytochrom Oxidase: an Endogenous Metabolic Marker for Neuronal Activity, *Trends Neurosci.* 12: 94-101
- Wrutniak C, Cassar-Malek I, Marchal S, Rascle A, Heusser S, Keller JM, Fléchon J, Dauca M, Samarut J, Ghysdael J, and Cabello G (1995): A 43-kDa Protein Related to C-Erb a $\alpha 1$ is Located in the Mitochondrial Matrix of Rat Liver, *J. Biol. Chem.* 270: 16347-16354
- Yamamoto T, Sako N, Sakai N, and Iwafune A (1997): Gustatory and Visceral Inputs to the Amygdala of the Rat: Conditioned Taste Aversion and Induction of C-Fos-Like Immunoreactivity, *Neurosci Lett.* 226: 127-130

