

8 Literature and references

1 K. Heinloth, "Die Energiefrage; Bedarf und Potentiale, Nutzung, Risiken und Kosten"., 2te erweiterte und aktualisierte Auflage, Friedr. Vieweg & Sohn Verlagsgesellschaft mbH, Braunschweig/Wiesbaden, 2003

2 R. Hezel, R. Meyer, A. Metz, "A new generation of crystalline silicon solar cells: Simple processing and record efficiencies for industrial-size devices", *Solar Energy Materials & Solar Cells*, Vol. 65 (2001) 311-316

3 A. J. Boorshtein, "Kinetics of internal photoeffect in organic semiconductors of anthracene type", *Journal of Catalysis*, Vol. 4, Issue 2 (1965) 313-314

4 C. W. Tang, "Two-layer organic photovoltaic cell", *Appl. Phys. Lett.*, Vol. 48 No.2 (1986) 183-185

5 P. Peumans, A. Yakimov, S. Forrest, "Small molecular weight organic thin-film photodetectors and solar cells", *J. Appl. Phys.*, Vol. 93 No. 3 (2003) 3693-3723

6 D. Gebeyehu, B. Maennig, J. Drechsel, K. Leo, M. Pfeiffer, „Bulk-heterojunction photovoltaic devices based on donor-acceptor organic small molecule blends“, *Solar Energy Materials & Solar Cells*, Vol. 79 (2003) 81-92

7 J. Bernède, H. Derouiche, V. Djara, „Organic photovoltaic devices: influence of cell configuration on its performances“, *Solar Energy Materials & Solar Cells*, 87 (2005) 261-270

8 V. Singh, B. Parsarathy, R. Singh, A. Aguilera, J. Anthony, M. Payne, "Characterisation of high-photovoltage CuPc-based solar cell structures", *Solar Energy Materials & Solar Cells*, Article in press (2005)

9 M. Muccini, "Optical properties of solid C₆₀", *Synthetic metals*, Vol. 83 (1996) 213-219

10 R. Lof, M. van Veenendaal, B. Koopmans, H. Jonkman, G. Sawatzky, „Band gap, Excitons, and Coulomb Interaction in Solid C₆₀“, *Physical Review Letters*, Vol. 68, No. 26, (1992) 3924-3927

11 O. Molodtsova, T. Schwieger, M. Knupfer, „Electronic properties of organic semiconductor hetero-interface CuPc/C₆₀“, *Applied Surface Science*, Article in press (2005)

12 C. Weisbuch, H. Benisty, R. Houdbrè, „Overview of fundamentals and applications of electrons, excitons and photons in confined structures“, *Journal of Luminescence*, Vol. 85 (2000) 271-293

13 S. Barth and H. Baessler, „Intrinsic photoconduction in PPV-Type conjugated polymers.“, *Phys. Rev. Lett.*, Vol. 79 (1997) 4445-4448

14 H. Kerp, H. Donker, R. Koehorst, T. Schaafsma, E. Van Faassen, „Exciton transport in organic dye layers for photovoltaic applications“, *Chem. Phys. Lett.*, Vol. 298 (1998) 302-308

15 Peumans, S. Forrest, “Separation of geminate charge-pairs at donor–acceptor interfaces in disordered solids” *Chem. Phys. Lett.*, Vol. 398 (2004) 27-31

16 K. Coakley, M. McGehee, “Conjugated Polymer Photovoltaic Cells” *J. Chem. Mater.*, 2004

17 Y. Wang, F. Teng, Q. Zhou, Y. Wang, „Multiple roles of bathocuproine employed as a buffer-layer in organic light-emitting diodes“, *Applied Surface Science*, Article in press (2005)

18 J. Kroon, M. Wienk, W. Verhees, J. Hummelen, „Accurate efficiency determination and stability of conjugated polymer / fullerene solar cells“, *Thin Solid Films*, Vol. 403-404 (2002) 223-228

19 D. Gebeyehu, C. Brabec, N. Sariciftci, „Solid-state organic/inorganic hybrid solar cells based on conjugated polymers and dye-sensitized TiO₂ electrodes“, *Thin Solid Films*, Vol. 403-404 (2002) 271-274

20 H. Neugebauer, C. Brabec, J. Hummelen, R. Janssen, N. Sariciftci, „Stability Studies and Degradation Analysis of Plastic Solar Cell Materials by FTIR Spectroscopy“, *Synthetic Metals*, Vol. 102 (1999) 1002-1003

21 H. Neugebauer, C. Brabec, J. Hummelen, N. Sariciftci “Stability and photodegradation mechanisms of conjugated polymer/fullerene plastic solar cells”, *Solar Energy Materials & Solar Cells*, Vol. 61 (2000) 35-42

22 T. Jeranko, H. Tributsch, N. Sariciftci, J. Hummelen “Patterns of efficiency and degradation of composite polymer solar cells”, *Solar Energy Materials & Solar Cells*, Vol. 83 (2004) 247-262

23 K. Furukawa, Y. Terasaka, H. Ueda, M. Matsumura, “Effect of plasma treatment of ITO on the performance of organic electroluminescent devices”, *Synthetic Metals*, Vol. 91 (1997) 99-101

24 K. Sugiyama, H. Ishii, Y. Ouchi “Dependence of indium-tin-oxide work function on surface cleaning, method as studied by ultraviolet and x-ray photoemission spectroscopies”, J. Appl. Phys., Vol. 87 (2000) 295-298

25 S. Karuppuchamy, K. Nonomura, T. Yoshida, T. Sugiura, H. Minoura, “Cathodic electrodeposition of oxide semiconductor thin films and their application to dye sensitized solar cells”, Solid State Ionics, Vol. 152 (2002) 19-27

26 M. Tetto “Tuning the ITO work function by surface modification with hydroxyquinoline derivatives” Princeton University Press, 2001

27 B. Johnev, “Research and modification of the contact interface of InSnO_x in organic solar cells”, Diploma work, Sofia University, October 2002

28 S. Takeda, M. Fukawa “Role of surface OH groups in surface chemical properties of metal oxide films”, Mat. Sci. and Eng., Vol. 119 (2005) 265-267

29 G. Märkl, K. Gschwendner, I. Rötzer P. Kreitmeier “Tetrakis(diethylphosphonat)-, Tetrakis(ethyl-phenylphosphinat)- und Tetrakis(diphenylphosphin-oxid)-substituierte Phthalocyanine”, Helv. Chim. Act., Vol. 87 (2004) 825

30 C. Waldauf, P. Schilinsky, J. Hauch, C. Brabec, „Material and device concepts for organic photovoltaics: towards competitive efficiencies“, Thin Solid Films, Vol. 451-452 (2004) 503-507

31 M. Vogel, „Diplomarbeit: Herstellung und Charakterisierung organischer Solarzellen auf Basis von C60 und Zink-Phthalocyanine“, FU-Berlin, October 2002

32 M. Tivanov et al., “Determination of solar cell parameters from its current-voltage and spectral characteristics”, Solar Energy Materials & Solar Cells, Vol. 87 (2005) 457-465

33 T.P. Russel, “On the reflectivity of polymers: Neutrons and X-rays”, Physica B, Vol. 221 (1996) 267-283

34 C. Himcinschi et al., “Contributions to the static dielectric constant of low-*k* xerogel films derived from ellipsometry and IR spectroscopy”, Thin Solid Films, Vol. 455-456 (2004) 433-437

35 J. Hilfiker et al., “Optical characterization in the vacuum ultraviolet with Variable Angle Spectroscopic Ellipsometry: 157 nm and below”, submitted at SPIE Microlithography 2000 Conference

36 C. Himcinschi et al. “Characterization of silica xerogel films by variable-angle spectroscopic ellipsometry and infrared spectroscopy”, *Semicond. Sci. Technol.*, 16 (2001) 806-811

37 U. Zerweck et al., “Accuracy and resolution limits of Kelvin probe force microscopy”, *Phys. Review B*, Vol. 71 (2005) 125424

38 Ch. Sommerhalter et al., “High-sensitivity quantitative Kelvin probe microscopy by noncontact ultra-high-vacuum atomic force microscopy”, *Appl. Phys. Lett.*, Vol. 75, No. 2 (1999) 286-288

39 R.G. Gordon, “Criteria for Choosing Transparent Conductors”, *MRS Bulletin*, August 2000

40 Neal R. Armstrong, C. Carter, C. Donley, A. Simmonds, P. Lee, M. Brumbach, B. Kippelen, B. Domercq, S. Yoo “Interface modification of ITO thin films: organic photovoltaic cells”, *Thin Solid Films*, Vol. 445 (2003) 342–352

41 G. Greczynski, Th. Kugler, M. Keil, W. Osikowicz, M. Fahlman, W. Salaneck, “Photoelectron spectroscopy of thin films of PEDOT–PSS conjugated polymer blend: a mini-review and some new results”, *Journal of Electron Spectroscopy and Related Phenomena*, Vol. 121 (2001) 1-17

42 PGO GmbH Website, “<http://www.pgo-online.com/intl/>”, Oct. 2005

43 F. Yang, M. Shtein, S. Forrest, „Controlled growth of a molecular bulk heterojunction photovoltaic cell“, *Nature Materials*, Vol. 4 (2005) 37-41

44 D. Zheng, Z. Gao, X. He, F. Zhang, L. Liu, “Surface and interface analysis for Copper phthalocyanine (CuPc) and indium-tin-oxide (ITO) using X-ray photoelectron spectroscopy (XPS)”, *Applied Surface Science* 211 (2003) 24–30

45 <http://telstar.ote.cmu.edu/environ/m3/s2/02sun.shtml>, Oct. 2005

46 S. Siebentritt, „Untersuchung der Mechanismen von Ladungsträgererzeugung und Ladungsträgertransport in Zink-Phthalocyanin-Dünnschichten“, Dissertation, Universität Hannover, 1992

47 P. Milani, M. Manfredini, et al., *Solid State Communications*, volume 90, issue 10, June 1994, p. 639

48 A. Richter, et al., *Appl. Phys. A* 61, p. 163-170

49 T. Russel, “On the reflectivity of polymers: Neutrons and X-rays”, *Physica B*, Vol. 221 (1996) 267-283

- 50** R. Könnenkamp et al. “Carrier mobilities and influence of oxygen in C₆₀ films”, *Physical Review B*, Vol. 60, No. 16 (1999) 11804-11808
- 51** N. Armstrong et al., “Interface modification of ITO thin films: organic photovoltaic cells”, *Thin Solid Films*, Vol. 445 (2003) 342-352
- 52** J. Kim et al., „Indium–tin oxide treatments for single- and double-layer polymeric light-emitting diodes: The relation between the anode physical, chemical, and morphological properties and the device performance“, *J. Appl. Phys.*, Vol. 84, No. 12 (1998) 6859-6870
- 53** G. Greczynski, Th. Kugler, M. Keil, W. Osikowich, M. Fahlman, W. Salaneck, “Photoelectron spectroscopy of thin films of PEDOT–PSS conjugated polymer blend: a mini-review and some new results”, *Journal of Electron Spectroscopy*, Vol.121 (2001) 1-17
- 54** S. Karuppuchamy, K. Nonomura, T. Yoshida, T. Sugiura, H. Minoura, “Cathodic electrodeposition of oxide semiconductor thin films and their application to dye-sensitized solar cells”, *Solid State Ionics*, Vol. 151 (2002) 19-27
- 55** J. Kim, N. Johansson, R. Daik, F. Cacialli “Indium–tin oxide treatments for single- and double-layer polymeric light-emitting diodes: The relation between the anode physical, chemical, and morphological properties and the device performance”, *J. Appl. Phys.*, Vol. 84, No. 12 (1998) 6859-6870
- 56** F. Nüesch, E. Forsythe, Q. Le, Y. Gao, L. Rothberg, “Importance of indium tin oxide surface acido basicity for charge injection into organic materials based light emitting diodes”, *J. App. Phys.*, Vol. 87, No. 11 (2000) 7973-7980
- 57** F. Nüesch, L. Rothberg, „A photoelectron spectroscopy study on the indium tin oxide treatment by acids and bases“, *J. Appl. Phys.*, Vol. 74, No, 6 (1999) 880-882
- 58** I. Fujiwara, M. Maeda, M. Takagi, “Preparation of Ferrocyanide-Imprinted Pyridine-Carrying Microspheres by Surface Imprinting Polymerization”, *Analytical Sciences*, Vol. 19 (2003) 617-620
- 59** M. Vogel, Dissertation: “Grenzflächen in Phthalocyanin-C₆₀-Solarzellen”, F.U.-Berlin, Oct. 2005
- 60** E. Coquet, J. Crettez, J. Pannetier, J. Bouillot, J. Damien, “Effect of Temperature on Interatomic Distances in Pyroelectric –LiIO₃”, *Acta Cryst.* Vol. 39 (1983) 408-413

- 61** M.Knupfer, H. Peisert, „Electronic properties of interfaces between model organic semiconductors and metals“, Phys. Stat. Sol., Vol. 21, No. 6 (2004) 1055-1074
- 62** C. Hamann, “Organische Festkörper und organische dünne Schichten”, Leipzig, Akademische Verlagsgesellschaft Geest & Portig K.-G. 1978
- 63** K. Gschwendner, Dissertation: “Tetra-Phosphorsubstituierte Phthalocyanine”, Uni-Regensburg, 1997
- 64** K. Gschwendner, “Tetra-Phosphorsubstituierte Phthalocyanine”, Dissertation, Uni-Regensburg 1997
- 65** M. Al-Ibrahim et al., “The influence of the optoelectronic properties of poly(3-alkylthiophenes) on the device parameters in flexible polymer solar cells”, Organic Electronics, Vol. 6 (2005) 65-77
- 66** N.P.G. Roeges, “A Guide to the Complete Interpretation of Infrared Spectra of Organic Structures”, J. Wiley & Sons, Chichester, 1993.
- 67** Fourier Transform Infrared Spectroscopy, Griffiths & de Haseth, New York:Wiley, 1986
- 68** Brabec et al., Advanced Functional Materials, Vol. 11, No.5, (2001) 374-380.
- 69** N. Lang, W. Kohn, “Theory of Metal Surfaces: Work Function”, Physical Review B, Vol. 3, No. 4 (1971) 1215-1223
- 70** J. Smith, “Self-Consistent Many-Electron Theory of Electron Work Functions and Surface Potential Characteristics for Selected Metals”, Phys. Review, Vol. 181, No 2 (1969) 522-529
- 71** K. Peter, „Optische Charakterisierung von Halbleiterschichten“, Diplomarbeit, Universität Konstanz, 1993