

7. LITERATURVERZEICHNIS

- Acuto, O. and D. Cantrell (2000). "T cell activation and the cytoskeleton." *Annu Rev Immunol* **18**: 165-84.
- Alberts, B., Johnson, Lewis, Raff, Roberts, Walter (1998). *Lehrbuch der Molekularen Zellbiologie*.
- Amara, A., S. L. Gall, O. Schwartz, J. Salamero, M. Montes, P. Loetscher, M. Baggio, J. L. Virelizier and F. Arenzana-Seisdedos (1997). "HIV coreceptor downregulation as antiviral principle: SDF-1alpha-dependent internalization of the chemokine receptor CXCR4 contributes to inhibition of HIV replication." *Journal of Experimental Medicine* **186**(1): 139-46.
- Amiel, C., E. Darcissac, M. J. Truong, J. Dewulf, M. Loyens, Y. Mouton, A. Capron and G. M. Bahr (1999). "Interleukin-16 (IL-16) inhibits human immunodeficiency virus replication in cells from infected subjects, and serum IL-16 levels drop with disease progression." *J Infect Dis* **179**(1): 83-91.
- Anonymous (1996). "Interleukin-16 (IL-16). A terminology note. IUIS/WHO Standing Committee on Interleukin Designation." *Journal of Immunological Methods* **196**(2): 103-4.
- Anonymous (1996). "Interleukin 16 (IL-16). IUIS/WHO Standing Committee on Interleukin Designation." *Bulletin of the World Health Organization* **74**(4): 451-2.
- Anonymous (1996). "Terminology: interleukin 16 (IL-16)." *Clinical Immunology & Immunopathology* **80**(1): 102-3.
- Aronheim, A., E. Zandi, H. Hennemann, S. J. Elledge and M. Karin (1997). "Isolation of an AP-1 repressor by a novel method for detecting protein-protein interactions." *Mol Cell Biol* **17**(6): 3094-102.
- Atkins, E. a. W., W. B. J. (1955). "Studies on the pathogenesis of fever. II. Identification of an endogenous pyrogen in the bloodstream following the injection of typhoid vaccine." *J Exp Med* **102**: 499-516.
- Auron, P. E., A. C. Webb, L. J. Rosenwasser, S. F. Mucci, A. Rich, S. M. Wolff and C. A. Dinarello (1984). "Nucleotide sequence of human monocyte interleukin 1 precursor cDNA." *Proc Natl Acad Sci U S A* **81**(24): 7907-11.
- Bader, A., N. Brockmeyer, E. Schnaitmann, L. Mertins, A. Otteken, R. Kurth and A. Werner (2001). "Interleukin-16 serum levels during the course of HIV-1 infection." *Aids* **15**(4): 528-9.
- Badour, K., J. Zhang and K. A. Siminovitch (2004). "Involvement of the Wiskott-Aldrich syndrome protein and other actin regulatory adaptors in T cell activation." *Semin Immunol* **16**(6): 395-407.
- Baier, M., N. Bannert, A. Werner, K. Lang and R. Kurth (1997). "Molecular cloning, sequence, expression, and processing of the interleukin 16 precursor." *Proc Natl Acad Sci U S A* **94**(10): 5273-7.
- Baier, M., A. Werner, N. Bannert, K. Metzner and R. Kurth (1995). "HIV suppression by interleukin-16 [letter; comment] [see comments]." *Nature* **378**(6557): 563.
- Balkwill, F. (2000). *The Cytokine Network*.
- Balkwill, F. R. and F. Burke (1989). "The cytokine network." *Immunol Today* **10**(9): 299-304.
- Bannert, N., H. S. Adler, A. Werner, M. Baier and R. Kurth (1998). "Molecular cloning and sequence analysis of interleukin 16 from nonhuman primates and from the mouse." *Immunogenetics* **47**(5): 390-7.

- Bannert, N., A. Avots, M. Baier, E. Serfling and R. Kurth (1999). "GA-binding protein factors, in concert with the coactivator CREB binding protein/p300, control the induction of the interleukin 16 promoter in T lymphocytes." *Proc Natl Acad Sci U S A* **96**(4): 1541-6.
- Bannert, N., M. Baier, A. Werner and R. Kurth (1996). "Interleukin-16 or not?" *Nature* **381**(6577): 30.
- Bellini, A., H. Yoshimura, E. Vittori, M. Marini and S. Mattoli (1993). "Bronchial epithelial cells of patients with asthma release chemoattractant factors for T lymphocytes." *Journal of Allergy & Clinical Immunology* **92**(3): 412-24.
- Benkirane, M., P. Corbeau, V. Housset and C. Devaux (1993). "An antibody that binds the immunoglobulin CDR3-like region of the CD4 molecule inhibits provirus transcription in HIV-infected T cells." *EMBO Journal* **12**(13): 4909-21.
- Benkirane, M., H. Schmid-Antomarchi, D. R. Littman, M. Hirn, B. Rossi and C. Devaux (1995). "The cytoplasmic tail of CD4 is required for inhibition of human immunodeficiency virus type 1 replication by antibodies that bind to the immunoglobulin CDR3-like region in domain 1 of CD4." *Journal of Virology* **69**(11): 6904-10.
- Berman, J. S., W. W. Cruikshank, D. M. Center, A. C. Theodore and D. J. Beer (1985). "Chemoattractant lymphokines specific for the helper/inducer T-lymphocyte subset." *Cellular Immunology* **95**(1): 105-12.
- Berube, P., B. Barbeau, R. Cantin, R. P. Sekaly and M. Tremblay (1996). "Repression of human immunodeficiency virus type 1 long terminal repeat-driven gene expression by binding of the virus to its primary cellular receptor, the CD4 molecule." *Journal of Virology* **70**(6): 4009-16.
- Bisset, L. R., M. Rothen, H. I. Joller-Jemelka, R. W. Dubs, P. J. Grob and M. Opravil (1997). "Change in circulating levels of the chemokines macrophage inflammatory proteins 1 alpha and 11 beta, RANTES, monocyte chemotactic protein-1 and interleukin-16 following treatment of severely immunodeficient HIV-infected individuals with indinavir." *Aids* **11**(4): 485-91.
- Blazevic, V., S. Jankelevich, S. M. Steinberg, F. Jacobsen, R. Yarchoan and G. M. Shearer (2001). "Highly active antiretroviral therapy in human immunodeficiency virus type 1-infected children: analysis of cellular immune responses." *Clin Diagn Lab Immunol* **8**(5): 943-8.
- Bleul, C. C., M. Farzan, H. Choe, C. Parolin, I. Clark-Lewis, J. Sodroski and T. A. Springer (1996). "The lymphocyte chemoattractant SDF-1 is a ligand for LESTR/fusin and blocks HIV-1 entry." *Nature* **382**(6594): 829-33.
- Bloom, B. R. and B. Bennett (1966). "Mechanism of a reaction in vitro associated with delayed-type hypersensitivity." *Science* **153**(731): 80-2.
- Bradford, M. M. (1976). "A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding." *Anal Biochem* **72**: 248-54.
- Brent, R. and M. Ptashne (1985). "A eukaryotic transcriptional activator bearing the DNA specificity of a prokaryotic repressor." *Cell* **43**(3 Pt 2): 729-36.
- Broder, Y. C., S. Katz and A. Aronheim (1998). "The ras recruitment system, a novel approach to the study of protein-protein interactions." *Curr Biol* **8**(20): 1121-4.
- Bromley, S. K., W. R. Burack, K. G. Johnson, K. Somersalo, T. N. Sims, C. Sumen, M. M. Davis, A. S. Shaw, P. M. Allen and M. L. Dustin (2001). "The immunological synapse." *Annu Rev Immunol* **19**: 375-96.
- Bromley, S. K., A. Iaboni, S. J. Davis, A. Whitty, J. M. Green, A. S. Shaw, A. Weiss and M. L. Dustin (2001). "The immunological synapse and CD28-CD80 interactions." *Nat Immunol* **2**(12): 1159-66.

- Center, D. M. and W. Cruikshank (1982). "Modulation of lymphocyte migration by human lymphokines. I. Identification and characterization of chemoattractant activity for lymphocytes from mitogen-stimulated mononuclear cells." *Journal of Immunology* **128**(6): 2563-8.
- Center, D. M., W. W. Cruikshank and Y. Zhang (2004). "Nuclear pro-IL-16 regulation of T cell proliferation: p27(KIP1)-dependent G0/G1 arrest mediated by inhibition of Skp2 transcription." *J Immunol* **172**(3): 1654-60.
- Center, D. M., H. Kornfeld, T. C. Ryan and W. W. Cruikshank (2000). "Interleukin 16: implications for CD4 functions and HIV-1 progression." *Immunol Today* **21**(6): 273-80.
- Chen, Y. R., R. Kori, B. John and T. H. Tan (2001). "Caspase-mediated cleavage of actin-binding and SH3-domain-containing proteins cortactin, HS1, and HIP-55 during apoptosis." *Biochem Biophys Res Commun* **288**(4): 981-9.
- Cheng, G., T. Ueda, F. Eda, M. Arima, N. Yoshida and T. Fukuda (2001). "A549 cells can express interleukin-16 and stimulate eosinophil chemotaxis." *Am J Respir Cell Mol Biol* **25**(2): 212-8.
- Chew, C. S., X. Chen, J. A. Parente, Jr., S. Tarrer, C. Okamoto and H. Y. Qin (2002). "Lasp-1 binds to non-muscle F-actin in vitro and is localized within multiple sites of dynamic actin assembly in vivo." *J Cell Sci* **115**(Pt 24): 4787-99.
- Cho, K. O., C. A. Hunt and M. B. Kennedy (1992). "The rat brain postsynaptic density fraction contains a homolog of the Drosophila discs-large tumor suppressor protein." *Neuron* **9**(5): 929-42.
- Cohen, S., P. E. Bigazzi and T. Yoshida (1974). "Commentary. Similarities of T cell function in cell-mediated immunity and antibody production." *Cell Immunol* **12**(1): 150-9.
- Colosimo, A., K. K. Goncz, A. R. Holmes, K. Kunzelmann, G. Novelli, R. W. Malone, M. J. Bennett and D. C. Gruenert (2000). "Transfer and expression of foreign genes in mammalian cells." *Biotechniques* **29**(2): 314-8, 320-2, 324 passim.
- Cruikshank, W. and D. M. Center (1982). "Modulation of lymphocyte migration by human lymphokines. II. Purification of a lymphotactic factor (LCF)." *Journal of Immunology* **128**(6): 2569-74.
- Cruikshank, W. W., J. S. Berman, A. C. Theodore, J. Bernardo and D. M. Center (1987). "Lymphokine activation of T4+ T lymphocytes and monocytes." *Journal of Immunology* **138**(11): 3817-23.
- Cruikshank, W. W., D. M. Center, N. Nisar, M. Wu, B. Natke, A. C. Theodore and H. Kornfeld (1994). "Molecular and functional analysis of a lymphocyte chemoattractant factor: association of biologic function with CD4 expression." *Proceedings of the National Academy of Sciences of the United States of America* **91**(11): 5109-13.
- Cruikshank, W. W., J. L. Greenstein, A. C. Theodore and D. M. Center (1991). "Lymphocyte chemoattractant factor induces CD4-dependent intracytoplasmic signaling in lymphocytes." *Journal of Immunology* **146**(9): 2928-34.
- Cruikshank, W. W., H. Kornfeld and D. M. Center (2000). "Interleukin-16." *J Leukoc Biol* **67**(6): 757-66.
- De Bie, J. J., E. H. Jonker, P. A. Henricks, J. Hoevenaars, F. F. Little, W. W. Cruikshank, F. P. Nijkamp and A. J. Van Oosterhout (2002). "Exogenous interleukin-16 inhibits antigen-induced airway hyper-reactivity, eosinophilia and Th2-type cytokine production in mice." *Clin Exp Allergy* **32**(11): 1651-8.
- DeFranco, A. L. (1997). "The complexity of signaling pathways activated by the BCR." *Curr Opin Immunol* **9**(3): 296-308.
- Dinarello, C. A. (1998). "Interleukin-1 beta, interleukin-18, and the interleukin-1 beta converting enzyme." *Ann N Y Acad Sci* **856**: 1-11.

- Dinarello, C. A., L. Renfer and S. M. Wolff (1977). "Human leukocytic pyrogen: purification and development of a radioimmunoassay." *Proc Natl Acad Sci U S A* **74**(10): 4624-7.
- Dingermann, T. (1999). *Gentechnik-Biotechnik*.
- Domin, J., I. Gaidarov, M. E. Smith, J. H. Keen and M. D. Waterfield (2000). "The class II phosphoinositide 3-kinase PI3K-C2alpha is concentrated in the trans-Golgi network and present in clathrin-coated vesicles." *J Biol Chem* **275**(16): 11943-50.
- Du, Y., S. A. Weed, W. C. Xiong, T. D. Marshall and J. T. Parsons (1998). "Identification of a novel cortactin SH3 domain-binding protein and its localization to growth cones of cultured neurons." *Mol Cell Biol* **18**(10): 5838-51.
- Dumonde, D. C., R. A. Wolstencroft, G. S. Panayi, M. Matthew, J. Morley and W. T. Howson (1969). "'Lymphokines': non-antibody mediators of cellular immunity generated by lymphocyte activation." *Nature* **224**(214): 38-42.
- Ennen, J., H. Findeklee, M. T. Dittmar, S. Norley, M. Ernst and R. Kurth (1994). "CD8+ T lymphocytes of African green monkeys secrete an immunodeficiency virus-suppressing lymphokine." *Proceedings of the National Academy of Sciences of the United States of America* **91**(15): 7207-11.
- Ennen, J., S. Norley and R. Kurth (1994). "The activated CD8 T-lymphocyte-derived immunodeficiency-virus-suppressing lymphokine in African green monkeys: evidence for a role in control of infection?" *Research in Immunology* **145**(8-9): 647-52; discussion 652-3.
- Feng, S., J. K. Chen, H. Yu, J. A. Simon and S. L. Schreiber (1994). "Two binding orientations for peptides to the Src SH3 domain: development of a general model for SH3-ligand interactions." *Science* **266**(5188): 1241-7.
- Feng, Y., C. C. Broder, P. E. Kennedy and E. A. Berger (1996). "HIV-1 entry cofactor: functional cDNA cloning of a seven-transmembrane, G protein-coupled receptor [see comments]." *Science* **272**(5263): 872-7.
- Ferland, C., N. Flamand, F. Davoine, J. Chakir and M. Laviolette (2004). "IL-16 activates plasminogen-plasmin system and promotes human eosinophil migration into extracellular matrix via CCR3-chemokine-mediated signaling and by modulating CD4 eosinophil expression." *J Immunol* **173**(7): 4417-24.
- Fields, S. and O. Song (1989). "A novel genetic system to detect protein-protein interactions." *Nature* **340**(6230): 245-6.
- Gallego, M. D., M. Santamaria, J. Pena and I. J. Molina (1997). "Defective actin reorganization and polymerization of Wiskott-Aldrich T cells in response to CD3-mediated stimulation." *Blood* **90**(8): 3089-97.
- Gietz, D., A. St Jean, R. A. Woods and R. H. Schiestl (1992). "Improved method for high efficiency transformation of intact yeast cells." *Nucleic Acids Res* **20**(6): 1425.
- Grakoui, A., S. K. Bromley, C. Sumen, M. M. Davis, A. S. Shaw, P. M. Allen and M. L. Dustin (1999). "The immunological synapse: a molecular machine controlling T cell activation." *Science* **285**(5425): 221-7.
- Gunst, S. J. (2004). "Actions by actin: reciprocal regulation of cortactin activity by tyrosine kinases and F-actin." *Biochem J* **380**(Pt 2): e7-8.
- Gyuris, J., E. Golemis, H. Chertkov and R. Brent (1993). "Cdi1, a human G1 and S phase protein phosphatase that associates with Cdk2." *Cell* **75**(4): 791-803.

- Haft, C. R., M. de la Luz Sierra, R. Bafford, M. A. Lesniak, V. A. Barr and S. I. Taylor (2000). "Human orthologs of yeast vacuolar protein sorting proteins Vps26, 29, and 35: assembly into multimeric complexes." *Mol Biol Cell* **11**(12): 4105-16.
- Haft, C. R., M. de la Luz Sierra, V. A. Barr, D. H. Haft and S. I. Taylor (1998). "Identification of a family of sorting nexin molecules and characterization of their association with receptors." *Mol Cell Biol* **18**(12): 7278-87.
- Hanada, T., L. Lin, K. G. Chandy, S. S. Oh and A. H. Chishti (1997). "Human homologue of the Drosophila discs large tumor suppressor binds to p56lck tyrosine kinase and Shaker type Kv1.3 potassium channel in T lymphocytes." *J Biol Chem* **272**(43): 26899-904.
- Harris, B. Z. and W. A. Lim (2001). "Mechanism and role of PDZ domains in signaling complex assembly." *J Cell Sci* **114**(Pt 18): 3219-31.
- Hartshorne, D. J. (1998). "Myosin phosphatase: subunits and interactions." *Acta Physiol Scand* **164**(4): 483-93.
- Horazdovsky, B. F., B. A. Davies, M. N. Seaman, S. A. McLaughlin, S. Yoon and S. D. Emr (1997). "A sorting nexin-1 homologue, Vps5p, forms a complex with Vps17p and is required for recycling the vacuolar protein-sorting receptor." *Mol Biol Cell* **8**(8): 1529-41.
- Huang, W., S. L. Wang, G. Lozano and B. de Crombrugghe (2001). "cDNA library screening using the SOS recruitment system." *Biotechniques* **30**(1): 94-8, 100.
- Hung, A. Y. and M. Sheng (2001). "PDZ domains: Structural modules for protein complex assembly." *J Biol Chem*.
- Idziorek, T., J. Khalife, O. Billaut-Mulot, E. Hermann, M. Aumercier, Y. Mouton, A. Capron and G. M. Bahr (1998). "Recombinant human IL-16 inhibits HIV-1 replication and protects against activation-induced cell death (AICD)." *Clin Exp Immunol* **112**(1): 84-91.
- Ingle, E., M. K. Sarna, J. G. Beaumont, P. A. Tilbrook, S. Tsai, Y. Takemoto, J. H. Williams and S. P. Klinken (2000). "HS1 interacts with Lyn and is critical for erythropoietin-induced differentiation of erythroid cells." *J Biol Chem* **275**(11): 7887-93.
- Irie, M., Y. Hata, M. Takeuchi, K. Ichtchenko, A. Toyoda, K. Hirao, Y. Takai, T. W. Rosahl and T. C. Sudhof (1997). "Binding of neuroligins to PSD-95." *Science* **277**(5331): 1511-5.
- Isaaks, A. and J. Lindenmann (1957). "Virus interference.1.The interferon." *PROCEEDINGS OF THE ROYAL SOCIETY OF LONDON SERIES B-BIOLOGICAL SCIENCES* **147**: 258-267.
- Itoh, M., A. Nagafuchi, S. Yonemura, T. Kitani-Yasuda, S. Tsukita and S. Tsukita (1993). "The 220-kD protein colocalizing with cadherins in non-epithelial cells is identical to ZO-1, a tight junction-associated protein in epithelial cells: cDNA cloning and immunoelectron microscopy." *Journal of Cell Biology* **121**(3): 491-502.
- Janeway, C. A., Travers, P., Walport, M. and Shlomchik, M. (2002). *Immunologie*
- Jeng, R. L. and M. D. Welch (2001). "Cytoskeleton: actin and endocytosis--no longer the weakest link." *Curr Biol* **11**(17): R691-4.
- Kaiser, F., S. H. Kaufmann and J. Zerrahn (2004). "IIGP, a member of the IFN inducible and microbial defense mediating 47 kDa GTPase family, interacts with the microtubule binding protein hook3." *J Cell Sci* **117**(Pt 9): 1747-56.
- Kaser, A., S. Dunzendorfer, F. A. Offner, O. Ludwiczek, B. Enrich, R. O. Koch, W. W. Cruikshank, C. J. Wiedermann and H. Tilg (2000). "B lymphocyte-derived IL-16 attracts dendritic cells and Th cells." *J Immunol* **165**(5): 2474-80.

- Katz, M. F., H. W. Farber, Z. Dodds-Stitt, W. W. Cruikshank and D. J. Beer (1994). "Serotonin-stimulated aortic endothelial cells secrete a novel T lymphocyte chemotactic and growth factor." *J Leukoc Biol* **55**(5): 567-73.
- Kausalya, P. J., M. Reichert and W. Hunziker (2001). "Connexin45 directly binds to ZO-1 and localizes to the tight junction region in epithelial MDCK cells." *FEBS Lett* **505**(1): 92-6.
- Kay, B. K., M. P. Williamson and M. Sudol (2000). "The importance of being proline: the interaction of proline-rich motifs in signaling proteins with their cognate domains." *Faseb J* **14**(2): 231-41.
- Kessels, M. M., A. E. Engqvist-Goldstein, D. G. Drubin and B. Qualmann (2001). "Mammalian Abp1, a signal-responsive F-actin-binding protein, links the actin cytoskeleton to endocytosis via the GTPase dynamin." *J Cell Biol* **153**(2): 351-66.
- Khatri, J. J., K. M. Joyce, F. V. Brozovich and S. A. Fisher (2001). "Role of myosin phosphatase isoforms in cGMP-mediated smooth muscle relaxation." *J Biol Chem* **276**(40): 37250-7.
- Kim, E., M. Niethammer, A. Rothschild, Y. N. Jan and M. Sheng (1995). "Clustering of Shaker-type K⁺ channels by interaction with a family of membrane-associated guanylate kinases." *Nature* **378**(6552): 85-8.
- Kitamura, D., H. Kaneko, Y. Miyagoe, T. Ariyasu and T. Watanabe (1989). "Isolation and characterization of a novel human gene expressed specifically in the cells of hematopoietic lineage." *Nucleic Acids Res* **17**(22): 9367-79.
- Kitchen, S. G., S. LaForge, V. P. Patel, C. M. Kitchen, M. C. Miceli and J. A. Zack (2002). "Activation of CD8 T cells induces expression of CD4, which functions as a chemotactic receptor." *Blood* **99**(1): 207-12.
- Kornfeld, H., W. W. Cruikshank, S. W. Pyle, J. S. Berman and D. M. Center (1988). "Lymphocyte activation by HIV-1 envelope glycoprotein." *Nature* **335**(6189): 445-8.
- Krojer, T., M. Garrido-Franco, R. Huber, M. Ehrmann and T. Clausen (2002). "Crystal structure of DegP (HtrA) reveals a new protease-chaperone machine." *Nature* **416**(6879): 455-9.
- Kurschner, C. and M. Yuzaki (1999). "Neuronal interleukin-16 (NIL-16): a dual function PDZ domain protein." *J Neurosci* **19**(18): 7770-80.
- Kurten, R. C., D. L. Cadena and G. N. Gill (1996). "Enhanced degradation of EGF receptors by a sorting nexin, SNX1." *Science* **272**(5264): 1008-10.
- Kurten, R. C., A. D. Eddington, P. Chowdhury, R. D. Smith, A. D. Davidson and B. B. Shank (2001). "Self-assembly and binding of a sorting nexin to sorting endosomes." *J Cell Sci* **114**(Pt 9): 1743-56.
- Lau, A. G. and R. A. Hall (2001). "Oligomerization of NHERF-1 and NHERF-2 PDZ domains: differential regulation by association with receptor carboxyl-termini and by phosphorylation." *Biochemistry* **40**(29): 8572-80.
- Le Bras, S., I. Foucault, A. Foussat, C. Brignone, O. Acuto and M. Deckert (2004). "Recruitment of the actin-binding protein HIP-55 to the immunological synapse regulates T cell receptor signaling and endocytosis." *J Biol Chem* **279**(15): 15550-60.
- Levy, J. A., C. E. Mackewicz and E. Barker (1996). "Controlling HIV pathogenesis: the role of the noncytotoxic anti-HIV response of CD8+ T cells." *Immunol Today* **17**(5): 217-24.
- Lim, W. A. and F. M. Richards (1994). "Critical residues in an SH3 domain from Sem-5 suggest a mechanism for proline-rich peptide recognition." *Nat Struct Biol* **1**(4): 221-5.
- Lim, W. A., F. M. Richards and R. O. Fox (1994). "Structural determinants of peptide-binding orientation and of sequence specificity in SH3 domains." *Nature* **372**(6504): 375-9.

- Little, F. F. and W. W. Cruikshank (2004). "Interleukin-16 and peptide derivatives as immunomodulatory therapy in allergic lung disease." *Expert Opin Biol Ther* **4**(6): 837-46.
- Liu, Y., W. W. Cruikshank, T. O'Loughlin, P. O'Reilly, D. M. Center and H. Kornfeld (1999). "Identification of a CD4 domain required for interleukin-16 binding and lymphocyte activation." *J Biol Chem* **274**(33): 23387-95.
- Lodish, H., Berk, A., Zipursky, S. L., Matsudaira, P., Baltimore, D. and Darnell, J. E. (2001). *Molekulare Zellbiologie*
- Lottspeich, F., Zobas, H. (1998). *Bioanalytik*.
- Lynch, E. A., C. A. Heijens, N. F. Horst, D. M. Center and W. W. Cruikshank (2003). "Cutting edge: IL-16/CD4 preferentially induces Th1 cell migration: requirement of CCR5." *J Immunol* **171**(10): 4965-8.
- Ma, J. and M. Ptashne (1987). "A new class of yeast transcriptional activators." *Cell* **51**(1): 113-9.
- Maciaszek, J. W., N. A. Parada, W. W. Cruikshank, D. M. Center, H. Kornfeld and G. A. Viglianti (1997). "IL-16 represses HIV-1 promoter activity." *Journal of Immunology* **158**(1): 5-8.
- Mantovani, A. (1996). "[The cytokines: a world apart?]." *Riv Inferm* **15**(1): 35-44.
- Mantovani, A., Dinarello, C. A., Ghezzi, P. (2000). *Pharmacology of Cytokines*.
- Mathy, N. L., N. Bannert, S. G. Norley and R. Kurth (2000). "Cutting edge: CD4 is not required for the functional activity of IL-16." *J Immunol* **164**(9): 4429-32.
- Mathy, N. L., W. Scheuer, M. Lanzendorfer, K. Honold, D. Ambrosius, S. Norley and R. Kurth (2000). "Interleukin-16 stimulates the expression and production of pro-inflammatory cytokines by human monocytes." *Immunology* **100**(1): 63-9.
- Mayer, B. J. and M. J. Eck (1995). "SH3 domains. Minding your p's and q's." *Curr Biol* **5**(4): 364-7.
- Mi, Q. S., C. Meagher and T. L. Delovitch (2003). "CD1d-restricted NKT regulatory cells: functional genomic analyses provide new insights into the mechanisms of protection against Type 1 diabetes." *Novartis Found Symp* **252**: 146-60; discussion 160-4, 203-10.
- Mibu, Y., Y. Shimokaway and H. Hayashi (1985). "Lymphocyte chemotaxis in inflammation. X. Heterogeneity of chemotactic responsiveness in human T subsets towards lymphocyte chemotactic factors from delayed hypersensitivity reaction site." *Immunology* **55**(3): 473-9.
- Middel, P., K. Reich, F. Polzien, V. Blaschke, B. Hemmerlein, J. Herms, M. Korabiowska and H. J. Radzun (2001). "Interleukin 16 expression and phenotype of interleukin 16 producing cells in Crohn's disease." *Gut* **49**(6): 795-803.
- Monks, C. R., B. A. Freiberg, H. Kupfer, N. Sciaky and A. Kupfer (1998). "Three-dimensional segregation of supramolecular activation clusters in T cells." *Nature* **395**(6697): 82-6.
- Montoya, M. C., D. Sancho, G. Bonello, Y. Collette, C. Langlet, H. T. He, P. Aparicio, A. Alcover, D. Olive and F. Sanchez-Madrid (2002). "Role of ICAM-3 in the initial interaction of T lymphocytes and APCs." *Nat Immunol* **3**(2): 159-68.
- Muhlhahn, P., M. Zweckstetter, J. Georgescu, C. Ciost, C. Renner, M. Lanzendorfer, K. Lang, D. Ambrosius, M. Baier, R. Kurth and T. A. Holak (1998). "Structure of interleukin 16 resembles a PDZ domain with an occluded peptide binding site." *Nat Struct Biol* **5**(8): 682-6.
- Mullis, K. B. and F. A. Faloona (1987). "Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction." *Methods in Enzymology* **155**: 335-50.

- Nakamura, N., G. H. Sun-Wada, A. Yamamoto, Y. Wada and M. Futai (2001). "Association of mouse sorting nexin 1 with early endosomes." *J Biochem (Tokyo)* **130**(6): 765-71.
- Nicoll, J., W. W. Cruikshank, W. Brazer, Y. Liu, D. M. Center and H. Kornfeld (1999). "Identification of domains in IL-16 critical for biological activity." *J Immunol* **163**(4): 1827-32.
- Norcross, M. A. (1984). "A synaptic basis for T-lymphocyte activation." *Ann Immunol (Paris)* **135D**(2): 113-34.
- Nothwehr, S. F. and A. E. Hindes (1997). "The yeast VPS5/GRD2 gene encodes a sorting nexin-1-like protein required for localizing membrane proteins to the late Golgi." *J Cell Sci* **110**(Pt 9): 1063-72.
- Olazabal, I. M. and L. M. Machesky (2001). "Abp1p and cortactin, new "hand-holds" for actin." *J Cell Biol* **154**(4): 679-82.
- Parada, N. A., D. M. Center, H. Kornfeld, W. L. Rodriguez, J. Cook, M. Vallen and W. W. Cruikshank (1998). "Synergistic activation of CD4+ T cells by IL-16 and IL-2." *J Immunol* **160**(5): 2115-20.
- Parada, N. A., W. W. Cruikshank, H. L. Danis, T. C. Ryan and D. M. Center (1996). "IL-16- and other CD4 ligand-induced migration is dependent upon protein kinase C." *Cellular Immunology* **168**(1): 100-6.
- Pinsonneault, S., S. El Bassam, B. Mazer, W. W. Cruikshank and S. Laberge (2001). "IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects." *J Allergy Clin Immunol* **107**(3): 477-82.
- Potter, J. W. and D. E. Van Epps (1986). "Human T-lymphocyte chemotactic activity: nature and production in response to antigen." *Cell Immunol* **97**(1): 59-66.
- Potter, J. W. and D. E. Van Epps (1987). "Separation and purification of lymphocyte chemotactic factor (LCF) and interleukin 2 produced by human peripheral blood mononuclear cells." *Cell Immunol* **105**(1): 9-22.
- Poulat, F., P. S. Barbara, M. Desclozeaux, S. Soullier, B. Moniot, N. Bonneauaud, B. Boizet and P. Berta (1997). "The human testis determining factor SRY binds a nuclear factor containing PDZ protein interaction domains." *Journal of Biological Chemistry* **272**(11): 7167-72.
- Pritchard, J., N. Horst, W. Cruikshank and T. J. Smith (2002). "Igs from patients with Graves' disease induce the expression of T cell chemoattractants in their fibroblasts." *J Immunol* **168**(2): 942-50.
- Qualmann, B., M. M. Kessels and R. B. Kelly (2000). "Molecular links between endocytosis and the actin cytoskeleton." *J Cell Biol* **150**(5): F111-6.
- Rand, T. H., W. W. Cruikshank, D. M. Center and P. F. Weller (1991). "CD4-mediated stimulation of human eosinophils: lymphocyte chemoattractant factor and other CD4-binding ligands elicit eosinophil migration." *Journal of Experimental Medicine* **173**(6): 1521-8.
- Reich, K., A. Heine, S. Hugo, V. Blaschke, P. Middel, A. Kaser, H. Tilg, S. Blaschke, C. Gutgesell and C. Neumann (2001). "Engagement of the Fc epsilon RI stimulates the production of IL-16 in Langerhans cell-like dendritic cells." *J Immunol* **167**(11): 6321-9.
- Ren, F., X. Zhan, G. Martens, J. Lee, D. Center, S. K. Hanson and H. Kornfeld (2005). "Pro-IL-16 regulation in activated murine CD4+ lymphocytes." *J Immunol* **174**(5): 2738-45.
- Ren, R., B. J. Mayer, P. Cicchetti and D. Baltimore (1993). "Identification of a ten-amino acid proline-rich SH3 binding site." *Science* **259**(5098): 1157-61.

- Rich, A. L. and M. Lewis (1932). "Explants of spleens and lymph nodes from tuberculin sensitive animals grow out poorly in the presence of tuberculin." Bulletin of the John Hopkins Hospital **50**: 115.
- Ryan, T. C., W. W. Cruikshank, H. Kornfeld, T. L. Collins and D. M. Center (1995). "The CD4-associated tyrosine kinase p56lck is required for lymphocyte chemoattractant factor-induced T lymphocyte migration." Journal of Biological Chemistry **270**(29): 17081-6.
- Sambrook, J. F., E. F. and Maniatis, T. (1989). Molecular cloning.
- Sato, T., S. Irie, S. Kitada and J. C. Reed (1995). "FAP-1: a protein tyrosine phosphatase that associates with Fas." Science **268**(5209): 411-5.
- Scala, E., G. D'Offizi, R. Rosso, O. Turziani, R. Ferrara, A. M. Mazzone, G. Antonelli, F. Aiuti and R. Paganelli (1997). "C-C chemokines, IL-16, and soluble antiviral factor activity are increased in cloned T cells from subjects with long-term nonprogressive HIV infection." J Immunol **158**(9): 4485-92.
- Schiestl, R. H. and R. D. Gietz (1989). "High efficiency transformation of intact yeast cells using single stranded nucleic acids as a carrier." Curr Genet **16**(5-6): 339-46.
- Scott, B., Nielson, K., Cline, J. and Kretz, K. (1994). "High fidelity PCR amplification with Pfu DNA Polymerase." Strategies **7**: 62-63.
- Seaman, M. N., J. M. McCaffery and S. D. Emr (1998). "A membrane coat complex essential for endosome-to-Golgi retrograde transport in yeast." J Cell Biol **142**(3): 665-81.
- Shank, B. B., H. S. Wiley and R. C. Kurten (2001). "Structural and functional characterization of the human gene for sorting nexin 1 (SNX1)." DNA Cell Biol **20**(5): 287-96.
- Sheng, M. and C. Sala (2001). "PDZ domains and the organization of supramolecular complexes." Annu Rev Neurosci **24**: 1-29.
- Shimokawa, Y., S. Harita and H. Hayashi (1984). "Lymphocyte chemotaxis in inflammation. VII. Isolation and purification of chemotactic factors for T lymphocytes from PPD-induced delayed hypersensitivity skin reaction site in the guinea-pig." Immunology **51**(2): 275-85.
- Sparks, A. B., J. E. Rider, N. G. Hoffman, D. M. Fowlkes, L. A. Quilliam and B. K. Kay (1996). "Distinct ligand preferences of Src homology 3 domains from Src, Yes, Abl, Cortactin, p53bp2, PLCgamma, Crk, and Grb2." Proc Natl Acad Sci U S A **93**(4): 1540-4.
- Stamnes, M. (2002). "Regulating the actin cytoskeleton during vesicular transport." Curr Opin Cell Biol **14**(4): 428-33.
- Stoitzner, P., G. Ratzinger, F. Koch, K. Janke, T. Scholler, A. Kaser, H. Tilg, W. W. Cruikshank, P. Fritsch and N. Romani (2001). "Interleukin-16 supports the migration of Langerhans cells, partly in a CD4-independent way." J Invest Dermatol **116**(5): 641-9.
- Takai, Y., T. Sasaki and T. Matozaki (2001). "Small GTP-binding proteins." Physiol Rev **81**(1): 153-208.
- Takemoto, Y., M. Furuta, M. Sato, P. R. Findell, W. Ramble and Y. Hashimoto (1998). "Growth factor receptor-bound protein 2 (Grb2) association with hemopoietic specific protein 1: linkage between Lck and Grb2." J Immunol **161**(2): 625-30.
- Tan, I., C. H. Ng, L. Lim and T. Leung (2001). "Phosphorylation of a novel myosin binding subunit of protein phosphatase 1 reveals a conserved mechanism in the regulation of actin cytoskeleton." J Biol Chem **276**(24): 21209-16.

- Taniuchi, I., D. Kitamura, Y. Maekawa, T. Fukuda, H. Kishi and T. Watanabe (1995). "Antigen-receptor induced clonal expansion and deletion of lymphocytes are impaired in mice lacking HS1 protein, a substrate of the antigen-receptor-coupled tyrosine kinases." *Embo J* **14**(15): 3664-78.
- Teasdale, R. D., D. Loci, F. Houghton, L. Karlsson and P. A. Gleeson (2001). "A large family of endosome-localized proteins related to sorting nexin 1." *Biochem J* **358**(Pt 1): 7-16.
- Theodore, A. C., D. M. Center, J. Nicoll, G. Fine, H. Kornfeld and W. W. Cruikshank (1996). "CD4 ligand IL-16 inhibits the mixed lymphocyte reaction." *J Immunol* **157**(5): 1958-64.
- Truong, M. J., E. C. Darcissac, E. Hermann, J. Dewulf, A. Capron and G. M. Bahr (1999). "Interleukin-16 inhibits human immunodeficiency virus type 1 entry and replication in macrophages and in dendritic cells." *J Virol* **73**(8): 7008-13.
- Tsunoda, S., J. Sierralta, Y. Sun, R. Bodner, E. Suzuki, A. Becker, M. Socolich and C. S. Zuker (1997). "A multivalent PDZ-domain protein assembles signalling complexes in a G-protein-coupled cascade." *Nature* **388**(6639): 243-9.
- Urano, T., P. Zhang, J. Liu, J. J. Hao and X. Zhan (2003). "Haematopoietic lineage cell-specific protein 1 (HS1) promotes actin-related protein (Arp) 2/3 complex-mediated actin polymerization." *Biochem J* **371**(Pt 2): 485-93.
- Van Epps, D. E., D. A. Durant and J. W. Potter (1983). "Migration of human helper/inducer T cells in response to supernatants from Con A-stimulated suppressor/cytotoxic T cells." *Journal of Immunology* **131**(2): 697-700.
- Van Epps, D. E., J. W. Potter and D. A. Durant (1983). "Production of a human T lymphocyte chemotactic factor by T cell subpopulations." *Journal of Immunology* **130**(6): 2727-31.
- Vollhardt, Karin (2002), "Charakterisierung der physiologischen Funktionen des Interleukin-16-Vorläuferproteins." Logos Verlag Berlin
- Walenta, J. H., A. J. Didier, X. Liu and H. Kramer (2001). "The Golgi-associated hook3 protein is a member of a novel family of microtubule-binding proteins." *J Cell Biol* **152**(5): 923-34.
- Walker, C. M. and J. A. Levy (1989). "A diffusible lymphokine produced by CD8+ T lymphocytes suppresses HIV replication." *Immunology* **66**(4): 628-30.
- Walker, C. M., D. J. Moody, D. P. Stites and J. A. Levy (1986). "CD8+ lymphocytes can control HIV infection in vitro by suppressing virus replication." *Science* **234**(4783): 1563-6.
- Walma, T., C. A. Spronk, M. Tessari, J. Aelen, J. Schepens, W. Hendriks and G. W. Vuister (2002). "Structure, Dynamics and Binding Characteristics of the Second PDZ Domain of PTP-BL." *J Mol Biol* **316**(5): 1101-10.
- Ward, P. A., H. G. Remold and J. R. David (1969). "Leukotactic factor produced by sensitized lymphocytes." *Science* **163**(871): 1079-81.
- Weaver, A. M., M. E. Young, W. L. Lee and J. A. Cooper (2003). "Integration of signals to the Arp2/3 complex." *Curr Opin Cell Biol* **15**(1): 23-30.
- Westerberg, L., G. Greicius, S. B. Snapper, P. Aspenstrom and E. Severinson (2001). "Cdc42, Rac1, and the Wiskott-Aldrich syndrome protein are involved in the cytoskeletal regulation of B lymphocytes." *Blood* **98**(4): 1086-94.
- Willott, E., M. S. Balda, A. S. Fanning, B. Jameson, C. Van Itallie and J. M. Anderson (1993). "The tight junction protein ZO-1 is homologous to the Drosophila discs-large tumor suppressor protein of septate junctions." *Proceedings of the National Academy of Sciences of the United States of America* **90**(16): 7834-8.

- Wilson, K. C., D. M. Center and W. W. Cruikshank (2004). "The effect of interleukin-16 and its precursor on T lymphocyte activation and growth." *Growth Factors* **22**(2): 97-104.
- Wilson, K. C., D. M. Center, W. W. Cruikshank and Y. Zhang (2003). "Binding of HTLV-1 tax oncoprotein to the precursor of interleukin-16, a T cell PDZ domain-containing protein." *Virology* **306**(1): 60-7.
- Wilson, K. C., W. W. Cruikshank, D. M. Center and Y. Zhang (2002). "Prointerleukin-16 contains a functional Ccn motif that regulates nuclear localization." *Biochemistry* **41**(48): 14306-12.
- Wojciak-Stothard, B., L. Williams and A. J. Ridley (1999). "Monocyte adhesion and spreading on human endothelial cells is dependent on Rho-regulated receptor clustering." *J Cell Biol* **145**(6): 1293-307.
- Wu, D. M., Y. Zhang, N. A. Parada, H. Kornfeld, J. Nicoll, D. M. Center and W. W. Cruikshank (1999). "Processing and release of IL-16 from CD4+ but not CD8+ T cells is activation dependent." *J Immunol* **162**(3): 1287-93.
- Yoshimoto, T., C. R. Wang, T. Yoneto, A. Matsuzawa, W. W. Cruikshank and H. Nariuchi (2000). "Role of IL-16 in delayed-type hypersensitivity reaction." *Blood* **95**(9): 2869-74.
- Yu, H., J. K. Chen, S. Feng, D. C. Dalgarno, A. W. Brauer and S. L. Schreiber (1994). "Structural basis for the binding of proline-rich peptides to SH3 domains." *Cell* **76**(5): 933-45.
- Zachariae, C. O. (1993). "Chemotactic cytokines and inflammation. Biological properties of the lymphocyte and monocyte chemotactic factors ELCF, MCAF and IL-8." *Acta Dermato-Venereologica. Supplementum* **181**: 1-37.
- Zachariae, C. O., T. Jinquan, V. Nielsen, K. Kaltoft and K. Thestrup-Pedersen (1992). "Phenotypic determination of T-lymphocytes responding to chemotactic stimulation from fMLP, IL-8, human IL-10, and epidermal lymphocyte chemotactic factor." *Archives of Dermatological Research* **284**(6): 333-8.
- Zhan, X., C. C. Haudenschild, Y. Ni, E. Smith and C. Huang (1997). "Upregulation of cortactin expression during the maturation of megakaryocytes." *Blood* **89**(2): 457-64.
- Zhan, X., X. Hu, B. Hampton, W. H. Burgess, R. Friesel and T. Maciag (1993). "Murine cortactin is phosphorylated in response to fibroblast growth factor-1 on tyrosine residues late in the G1 phase of the BALB/c 3T3 cell cycle." *J Biol Chem* **268**(32): 24427-31.
- Zhang, Y., D. Center, M. H. Wu, W. W. Cruikshank, J. Yuan, D. W. Andrews and H. Kornfeld (1998). "Processing and Activation of Pro-Interleukin-16 by Caspase-3." *The Journal of Biological Chemistry* **273**(2): 1144-1149.
- Zhang, Y., D. M. Center, D. M. Wu, W. W. Cruikshank, J. Yuan, D. W. Andrews and H. Kornfeld (1998). "Processing and activation of pro-interleukin-16 by caspase-3." *J Biol Chem* **273**(2): 1144-9.
- Zheng, B., Y. C. Ma, R. S. Ostrom, C. Lavoie, G. N. Gill, P. A. Insel, X. Y. Huang and M. G. Farquhar (2001). "RGS-PX1, a GAP for Galphas and sorting nexin in vesicular trafficking." *Science* **294**(5548): 1939-42.
- Zhou, P., S. Goldstein, K. Devadas, D. Tewari and A. L. Notkins (1997). "Human CD4+ cells transfected with IL-16 cDNA are resistant to HIV-1 infection: inhibition of mRNA expression [see comments]." *Nature Medicine* **3**(6): 659-64.
- Zinsser, H. a. T., T. (1926). "An experimental analysis of bacterial allergy." *J. Exp. Med.* **44**: 753-78.