

8 Literaturverzeichnis

- Addington, R. & N. G. Caine (1991): Factors affecting the food calls of red-bellied tamarins. *Am J Primatol* **24**: 85-86.
- Altmann, J. (1974): Observational study of behavior: sampling methods. *Behaviour* **49**: 227-267.
- Arnold, K. E. (2000): Group mobbing behaviour and nest defence in a cooperatively breeding Australian bird. *Ethology* **106**: 385-393.
- Bartecki, U. & E. W. Heymann (1987): Field Observation of snake-mobbing in a group of saddle-back tamarins, *Saguinus fuscicollis nigrifrons*. *Folia primatol* **48**: 199-202.
- Bauers, K. A. & C. T. Snowdon (1990): Discrimination of chirp vocalizations in the cotton-top tamarin. *Am J Primatol* **21**: 53-60.
- Bayart, F. & M. Anthouard (1992): Responses to a live snake by *Lemur macaco macaco* and *Lemur fulvus mayottensis* in captivity. *Folia Primatol* **58**: 41-46.
- Bednekoff, P. A. & S. L. Lima (1998): Re-examining safety in numbers: interactions between risk dilution and collective detection depend upon predator targeting behaviour. *Proc R Soc Lond* **265**: 2021-2026.
- Behne, T. (2000): Vigilance behaviour of adult Barbary macaques (*Macaca sylvanus*). Diplomarbeit, Freie Universität Berlin.
- Bennet, E. L. (1983): The banded langur: ecology of a colobine in West Malaysian rain forest. Dissertation, University of Cambridge.
- Bertram, B. C. R. (1980): Vigilance and group size in ostriches. *Anim Behav* **28**: 278-286.
- Bierregaard, R. O. (1984): Observations of the nesting biology of the Guinea crested eagle (*Morphnus guianensis*). *Wilson Bull* **96**: 1-5.
- Bond, J. (1927): Nesting of the harpy eagle (*Thrasaetus harpyia*). *Auk* **44**: 562-563.
- Bortz, J., G. A. Lienert & K. Boehnke (1990). Verteilungsfreie Methoden in der Biostatistik. Berlin: Springer Verlag.
- Brown, L. H. & D. Amadon (1968): Eagles, hawks, and falcons of the world. New York: McGraw-Hill.
- Bshary, R. (1995): Rote Stummelaffen, *Colobus badius*, und Dianameerkatzen, *Cercopithecus diana*, im Tai Nationalpark, Elfenbeinküste: Wozu assoziieren sie? Dissertation, Max-Planck-Institut für Verhalten und Physiologie, Seewiesen, Deutschland.
- Bshary, R. & R. Noë (1997a): Red colobus and Diana monkeys provide mutual protection against predators. *Anim Behav* **54**: 1461-1474.
- Bshary, R. & R. Noë (1997b): Anti-predation behaviour of red colobus monkeys in the presence of chimpanzees. *Behav Ecol Sociobiol* **41**: 321-333.
- Buchanan-Smith, H. (1990): Polyspecific association of two tamarin species, *Saguinus labiatus* and *Saguinus fuscicollis*, in Bolivia. *Amer J Primatol* **22**: 205-214.
- Buchanan-Smith, H. (1999): Tamarin polyspecific associations: forest utilization and stability of mixed-species groups. *Primates* **40**: 233-247.
- Caine, N. G. (1987): Vigilance, vocalizations, and cryptic behavior at retirement in captive groups of red-bellied tamarins (*Saguinus labiatus*). *Amer J Primatol* **12**: 241-250.

- Caine, N. G. & C. Stevens (1990): Evidence for a "monitoring call" in red-bellied tamarins. *Amer J Primatol* **22**: 251-262.
- Castro C., N. R. (1991): Behavioral ecology of two coexisting tamarin species (*Saguinus fuscicollis nigrifrons* and *Saguinus mystax mystax*, Callithrichidae, Primates) in Amazonian Peru. Dissertation, St. Louis, Washington University.
- Castro, N. A. & C. T. Snowdon (2000): Development of vocal responses in infant cotton-top tamarins. *Behaviour* **137**: 629-646.
- Chapman, C. A. (1986): *Boa constrictor* predation and group response in white-faced cebus monkeys. *Biotropica* **18**: 171-172.
- Cheney, D. L. & R. M. Seyfarth (1985): Social and non-social knowledge in vervet monkeys. *Phil Trans R Soc Lond B* **308**: 187-201.
- Cheney, D. L. & R. W. Wrangham (1987): Predation. In B. B. Smuts, D. L. Cheney, R. M. Seyfarth, R. W. Wrangham & T. T. Struhsaker (Hrsg.): Primate societies (S. 227-239). Chicago: University of Chicago Press.
- Cleveland, J. & C.T. Snowdon (1982): The complex vocal repertoire of the adult cotton-top tamarin (*Saguinus oedipus oedipus*). *Z Tierpsychol* **58**: 231-270.
- Cords, M. (1990): Vigilance and mixed-species association of some East African forest monkeys. *Behav Ecol Sociobiol* **26**: 297-300.
- Cowlshaw, G. (1998): The role of vigilance in the survival and reproductive strategies of desert baboons. *Behaviour* **135**: 431-452.
- Creswell, W. (1994): Flocking is an effective anti-predation strategy in redshanks, *Tringa totanus*. *Anim Behav* **47**: 433-442.
- Curio, E. (1978): The adaptive significance of avian mobbing I. Teleonomic hypotheses and predictions. *Z Tierpsychol* **48**: 175-183.
- Curio, E. & K. Regelman (1985): The behavioral dynamics of great tits (*Parus major*) approaching a predator. *Z Tierpsychol* **69**: 3-18.
- Dehn, M. M. (1990): Vigilance for predators: detection and dilution effects. *Behav Ecol Sociobiol* **26**: 337-342.
- Elgar, M. A. (1989): Predator vigilance and group size in mammals and birds: a critical review of the empirical evidence. *Biol Rev* **64**: 13-33.
- Emmons, L. H. (1987): Comparative feeding ecology of felids in a neotropical rainforest. *Behav Ecol Sociobiol* **20**: 271-283.
- Encarnación, F. (1985): Introducción a la flora y vegetación de la Amazonía peruana: estado actual de los estudios , medio natural y ensayo de una clave de determinación de las formaciones vegetales en la llanura amazónica. *Candollea* **40**: 237-252.
- Encarnación, F. (1993): El bosque y las formaciones vegetales en la llanura amazónica del Perú. *Alma Mater* **6**: 95-114.
- Evans, C. S. (1997): Referential signals (S. 99-143). In: D. H. Owings et al. (Hrsg.): Perspectives in ethology, Band 12. New York: Plenum Press.
- Ferrari, S. F. & M. A. Lopes Ferrari (1990): Predator avoidance behavior in the buffy-headed marmoset, *Callithrix flaviceps*. *Primates* **31**: 323-338.

- Fichtel, C. & P. M. Kappeler (2002): Anti-predator behavior of group-living Malagasy primates: mixed evidence for a referential alarm call system. *Behav Ecol Sociobiol* **51**: 262-275.
- Fischer, J., K. Hammerschmidt & D. Todt (1995): Factors affecting acoustic variation in Barbary-macaque (*Macaca sylvanus*). *Ethology* **101**: 51-66.
- Fischer, J. (1998): Barbary macaques categorize shrill barks into two call types. *Anim Behav* **55**: 799-807.
- Fischer, J., K. Hammerschmidt, D. L. Cheney & R. M. Seyfarth (2001): Acoustic features of female chacma baboon barks. *Ethology* **107**: 33-54.
- FitzGibbon, C. D. (1989): A cost to individuals with reduced vigilance in groups of Thomson's gazelles hunted by cheetahs. *Anim Behav* **37**: 508-510.
- Flasskamp, A. (1994): The adaptive significance of avian mobbing V. An experimental test of the 'move on' hypothesis. *Ethology* **96**: 322-333.
- Frankenberg, E. (1981): The adaptive significance of avian mobbing IV: 'Alerting others' and 'Perception advertisement' in blackbirds facing an owl. *Z Tierpsychol* **55**: 97-118.
- French, J. A., D. H. Abbott & C. T. Snowdon (1984): The effect of social environment on estrogen excretion scent marking, and sociosexual behavior in tamarins (*Saguinus oedipus*). *Amer J Primatol* **6**: 155-167.
- Garber, P. A. (1988): Diet, foraging patterns, and resource defense in a mixed species troop of *Saguinus mystax* and *Saguinus fuscicollis* in Amazonian Peru. *Behaviour* **105**: 18-34.
- Gautier, J.-P. & A. Gautier-Hion (1983): Vocal behaviour of adult males and superspecific organization in polyspecific troops of monkeys. *Folia Primatol* **40**: 161-174.
- Gautier-Hion, A. (1978): Food niches and coexistence in sympatric primates in Gabon. In D. J. Chivers, J. Herbert (Hrsg.): Recent Advances in primatology 1: Behaviour (S. 269-286). London: Academic Press.
- Gautier-Hion, A., R. Quris & J.-P. Gautier (1983): Monospecific vs polyspecific life: A comparative study of foraging and antipredatory tactics in a community of Cercopithecus monkeys. *Behav Ecol Sociobiol* **12**: 325-335.
- Gautier-Hion, A & C. E. G. Tutin (1988): Simultaneous attack by adult males of a polyspecific troop of monkeys against a crowned hawk eagle. *Folia Primatol* **51**: 149-151.
- Gil-da-Costa, R., A. Palleroni, M. D. Hauser, J. Touchton & J. P. Kelley (2002): Rapid acquisition of an alarm response by a neotropical primate to a newly introduced avian predator. *Proc R Soc Lond* **270**: 605-610.
- Goldizen, A. W. (1989): Social relationship in a cooperatively polyandrous group of tamarins (*Saguinus fuscicollis*). *Behav Ecol Sociobiol* **24**: 79-89.
- Hamilton, W. D. (1971): Geometry for the selfish herd. *J theor Biol* **31**: 295-311.
- Hammerschmidt, K. (1990): Individuelle Lautmuster bei Berberaffen (*Macaca sylvanus*): ein Ansatz zum Verständnis ihrer vokalen Kommunikation. Dissertation, Freie Universität Berlin.
- Hammerschmidt, K. & J. Fischer (1998): The vocal repertoire of Barbary macaques: A quantitative analysis of a graded signal system. *Ethology* **104**: 203-216.
- Hammerschmidt, K., J. D. Newman, M. Champoux & S. J. Suomi (2000): Changes in rhesus macaque 'coo' vocalizations during early development. *Ethology* **106**: 873-886.

- Hammerschmidt, K. & J. Fischer (2001): Functional referents and acoustic similarity revisited: the case of Barbary macaque alarm calls. *Anim Cogn* **4**: 29-35.
- Hammerschmidt, K., T. Freudenstein & U. Jürgens (2001): Vocal development in squirrel monkeys. *Behaviour* **138**: 1179-1204.
- Hardie, S. M. & H. M. Buchanan-Smith (1997): Vigilance in single- and mixed-species groups of tamarins (*Saguinus labiatus* and *Saguinus fuscicollis*). *Int J Primatol* **18**: 217-234.
- Hardie, S. M. (1998): Mixed-species tamarin groups (*Saguinus fuscicollis* and *Saguinus labiatus*) in northern Bolivia. *Primate Rep* **50**: 39-62.
- Hardie, S. M. & H. M. Buchanan-Smith (2000): Responses of captive single- and mixed-species groups of *Saguinus* to novel nonthreatening objects. *Int J Primatol* **21**: 629-648.
- Hauser, M. D. (1988): How infant vervet monkeys learn to recognize starling alarm calls: the role of experience. *Behaviour* **105**: 187-201.
- Hayes, S. L. & C. T. Snowdon (1990): Predator recognition in cotton-top tamarins (*Saguinus oedipus*). *Amer J Primatol* **20**: 283-291.
- Hershkovitz, P. (1977): Living New World monkeys (Platyrrhini). With an introduction to primates. Bd. 1. Chicago, University of Chicago Press.
- Heymann, E. W. (1987): A field observation of predation on a moustached tamarin (*Saguinus mystax*) by an anaconda. *Int J Primatol* **8**: 193-195.
- Heymann, E. W. (1990a): Reactions of wild tamarins, *Saguinus mystax* and *Saguinus fuscicollis* to avian predators. *Int J Primatol* **11**: 327-337.
- Heymann, E. W. (1990b): Interspecific relations in a mixed-species troop of moustached tamarins, *Saguinus mystax*, and saddle-back tamarins, *Saguinus fuscicollis* (Platyrrhini: Callitrichidae), at the Río Blanco, Peruvian Amazonia. *Amer J Primatol* **21**: 115-127.
- Heymann, E. W. & G. Hartmann (1991): Geophagy in moustached tamarins, *Saguinus mystax* (Platyrrhini: Callitrichidae), at the Río Blanco, Peruvian Amazonia. *Primates* **32**: 533-537.
- Heymann, E. W. & H. M. Buchanan-Smith (2000): The behavioural ecology of mixed-species troops of callitrichine primates. *Biol Rev* **75**: 169-190.
- Hilty, S. L. & W. L. Brown (1986): A guide to the birds of Colombia. Princeton: Princeton University Press.
- Hodun, A., C. T. Snowdon & P. Soini (1981): Subspecific variation in the long calls of the tamarin, *Saguinus fuscicollis*. *Z Tierpsychol* **57**: 97-110.
- Izawa, K. (1978): A field study of the ecology and behavior of the black-mantle tamarin (*Saguinus nigricollis*). *Primates* **19**: 241-274.
- Janson, C. H. (1984): Female choice and mating system of the brown capuchin monkey *Cebus apella* (Primates: Cebidae). *Z Tierpsychol* **65**: 177-200.
- Julliot, C. (1994): Predation of a young spider monkey (*Ateles paniscus*) by a crested eagle (*Morphnus guianensis*). *Folia Primatol* **63**: 75-77.
- Kappeler, P. M. & E. W. Heymann (1996): Nonconvergence in the evolution of primate life history and socio-ecology. *Biol J Linn Soc* **59**: 297-326.
- Karpany, S. M. & R. Grella (2001): Lemur responses to diurnal raptor calls in Ranomafana National Park, Madagascar. *Folia Primatol* **72**: 100-103.

- Kenward, R. E. (1978): Hawks and doves: factors affecting success and selection in goshawk attacks on pigeons. *J Anim Ecol* **47**: 449-460.
- Knogge, C., E.W. Heymann & E. R. Tirado Herrera (1998): Seed dispersal of *Asplundia peruviana* (Cyclanthaceae) by the primate *Saguinus fuscicollis*. *J Trop Ecol* **14**: 99-102.
- Klump, G. M. & M. D. Shalter (1984): Acoustic behaviour of birds and mammals in the predator context. I. Factors affecting the structure of alarm signals. II. The functional significance and evolution of alarm signals. *Z Tierpsychol* **66**: 189-226.
- Koenig, A. (1998): Visual scanning by common marmosets (*Callithrix jacchus*): Functional aspects and the special role of adult males. *Primates* **39**: 85-90.
- Kobayashi, T. (1994): The biological function of snake mobbing by Siberian chipmunks: I. Does it function as a signal to other specifics? *J Ethol* **12**: 89-95.
- Kobayashi, T. (1996): The biological function of snake mobbing by Siberian chipmunks: II. Functions beneficial for the mobbers themselves. *J Ethol* **14**: 9-13.
- Kruuk, H. (1964): Predators and anti-predator behaviour of the black-headed gull (*Larus ridibundus* [L.]). *Behaviour Suppl* **11**: 1-129.
- Landeau, L. & J. Terborgh (1986): Oddity and the 'confusion effect' in predation. *Anim Behav* **34**: 1372-1380.
- Lima, S. L. (1995): Back to the basics of anti-predatory vigilance: the group-size effect. *Anim Behav* **49**: 11-20.
- Lombardi, C. M. & E. Curio (1985a): Influence of environment on mobbing by zebra finches. *Bird Behaviour* **6**: 28-33.
- Lombardi, C. M. & E. Curio (1985b): Social facilitation of mobbing in the zebra finch *Taeniopygia guttata*. *Bird Behaviour* **6**: 34-40.
- Lyon, B. & A. Kuhnigk (1985): Observations on nesting ornate hawk-eagles in Guatemala. *Wilson Bull* **97**: 141-147.
- Macedonia, J. M. (1990): What is communicated in the antipredator calls of lemurs: evidence from playback experiments with ringtailed and ruffed lemurs. *Ethology* **86**: 177-190.
- Macedonia, J. M. & P. L. Yount (1991): Auditory Assessment of avian predator threat in semi-captive ringtailed lemurs (*Lemur catta*). *Primates* **32**: 169-182.
- Macedonia, J. M. & C. S. Evans (1993): Essay on contemporary issues in ethology. Variation among mammalian alarm call systems and the problem of meaning in animal signals. *Ethology* **93**: 177-197.
- Major, P. F. (1978): Predation-prey interactions in two schooling fishes, *Caranx ignobilis* and *Stolephorus perpureus*. *Anim Behav* **26**: 760-777.
- Manser, M. B. (2001): The acoustic structure of suricates' alarm calls varies with predator type and the level of response urgency. *Proc R Soc Lond* **268**: 2315-2324.
- Manser, M. B., M. B. Bell & L. B. Fletcher (2001): The information that receivers extract from alarm calls in suricates. *Proc R Soc Lond* **268**: 2485-2491.
- Marler, P., C. S. Evans & M. D. Hauser (1992): Animal signals: Motivational, referential, or both? In H. Papousek, U. Jürgens & M. Papousek (Hrsg.): Nonverbal vocal communication: Comparative and developmental approaches (S. 66-86). Cambridge: Cambridge University Press.

- Mathis, A., D. P. Chivers & R. F. F. Smith (1996): Cultural transmission of predator recognition in fishes: intraspecific and interspecific learning. *Anim Behav* **51**: 185-201.
- Melchior, H. R. (1971): Characteristics of arctic ground squirrel alarm calls. *Oecologia* **7**: 184-190.
- Milinski, M. (1984): A predator's cost of overcoming the confusion effect of swarming prey. *Anim Behav* **32**: 1157-1162.
- Moody, M. I. & E. W. Menzel, jr. (1976): Vocalizations and their behavioral contexts in the tamarin *Saguinus fuscicollis*. *Folia Primatol* **25**: 73-94.
- Moynihan, M. (1970): Some behavior patterns of platyrrhine monkeys. II. *Saguinus geoffroyi*. *Smiths Contrib Zool* **28**: 1-77.
- Mundry, R. (1999): Testing related samples with missing values: a permutation approach. *Anim Behav* **58**: 1143-1153.
- Naguib, M., R. Mundry, R. Ostreiher, H. Hultsch, L. Schrader & D. Todt (1999): Cooperatively breeding Arabian babblers call differently when mobbing in different predator-induced situations. *Behav Ecol* **10**: 636-640.
- Neill, S. R. S. J. & J. M. Cullen (1974): Experiments on whether schooling by their prey affects the hunting behaviour of cephalopods and fish predators. *J Zool Lond* **172**: 549-569.
- Nickle, D. A. & E. W. Heymann (1996): Predation on orthoptera and other orders of insects by tamarin monkeys *Saguinus mystax mystax* and *Saguinus fuscicollis nigrifrons* (Primates: Callitrichidae), in north-eastern Peru. *J Zool Lond* **239**: 799-819.
- Noë, R. & R. Bshary (1997): The formation of red colobus-diana monkey associations under predation pressure from chimpanzees. *Proc R Soc Lond* **264**: 253-259.
- Norconk, M. A. (1990): Mechanisms promoting stability in mixed *Saguinus mystax* and *S. fuscicollis* troops. *Amer J Primatol* **21**: 159-170.
- Norusis, M. J. (1994a): Discriminant Analysis. In SPSS Professional Statistics™ 6.1. (S. 1-45). Chicago: SPSS Inc.
- Norusis, M. J. (1994b): Discriminant Analysis. In SPSS Advanced Statistics™ 6.1. (S. 1-144). Chicago: SPSS Inc.
- Norusis, M. J. (1996a): GLM Repeated Measures Analysis of Variance. In SPSS Advanced Statistics™ 7.0. Update (S. 33-49). Chicago: SPSS Inc.
- Norusis, M. J. (1996b): Distribution-free tests: Nonparametric tests. In SPSS® Base 7.0 Applications Guide 7.0. Update (S. 193-204). Chicago: SPSS Inc.
- Ostreiher, R. (2003): Is mobbing altruistic or selfish behaviour? *Anim Behav* **66**: 145-149.
- Oversluijs Vasquez, M. R. & E. W. Heymann (2001): Crested eagle (*Morphnus guianensis*) predation on infant tamarins (*Saguinus mystax* and *Saguinus fuscicollis*, Callitrichinae). *Folia Primatol* **72**: 301-303.
- Owings, D. H. & R. G. Coss (1977): Snake mobbing by California ground squirrels: adaptive variation and ontogeny. *Behaviour* **62**: 50-69.
- Owings, D. H. & R. A. Virginia (1978): Alarm calls of California ground squirrels (*Spermophilus beecheyi*). *Z Tierpsychol* **46**: 58-70.
- Owings, D. H. & D. W. Leger (1980): Chatter vocalizations of California ground squirrels: Predator- and social-role specificity. *Z Tierpsychol* **54**: 164-184.

- Owren, M. J., J. A. Dieter, R. M. Seyfarth & D. L. Cheney (1993): Vocalizations of rhesus (*Macaca mulatta*) and Japanese (*M. fuscata*) macaques cross-fostered between species show evidence of only limited modification. *Develop Psychobiol* **26**: 389-406.
- Passamami, M. (1995): Field Observation of a group of Geoffroy's marmosets mobbing a margay cat. *Folia Primatol* **64**: 163-166.
- Peres, C. A. (1991): Ecology of mixed-species groups of tamarins in Amazonian terra firme forests. Dissertation, University of Cambridge.
- Pereira, M. E. & J. M. Macedonia (1991): Ringtailed lemur anti-predator calls denote predator class, not response urgency. *Anim Behav* **26**: 760-777.
- Peres, C. A. (1992a): Prey-capture benefits in a mixed-species group of Amazonian tamarins, *Saguinus fuscicollis* and *S. mystax*. *Behav Ecol Sociobiol* **31**: 339-347.
- Peres, C. A. (1992b): Consequences of joint-territoriality in a mixed-species group of tamarin monkeys. *Behaviour* **123**: 220-246.
- Peres, C. A. (1993a): Diet and feeding ecology of saddle-back (*Saguinus fuscicollis*) and moustached (*S. mystax*) tamarins in Amazonian terra firme forest. *J Zool* **230**: 567-592.
- Peres, C. A. (1993b): Anti-predation benefits in a mixed-species group of Amazonian tamarins. *Folia Primatol* **61**: 61-76.
- Pettifor, R. A. (1990): The effects of avian mobbing on a potential predator, the European kestrel, *Falco tinnunculus*. *Anim Behav* **41**: 543-544.
- Pook, A. G. & G. Pook (1982): Polyspecific association between *Saguinus fuscicollis*, *Saguinus labiatus*, *Callimico goeldii* and other primates in north-western Bolivia. *Folia Primatol* **38**: 196-216.
- Price, E. C., A.-M. McGivern & L. Ashmore (1991): Vigilance in a group of free-ranging cotton-top tamarins (*Saguinus oedipus*). *Dodo, J Jersey Wildl Preserv Trust* **27**: 41-49.
- Pulliam, H. R. (1973): On the advantages of flocking. *J theor Biol* **38**: 419-422.
- Quenette, P.-Y. (1990): Functions of vigilance behaviour in mammals: a review. *Acta Oecol* **11**: 801-818.
- Quintilius, U. & H. Hultsch (1991): Correlates of visual monitoring in Barbary macaques (*Macaca sylvanus* L.). *Primate Report* **31**: 33.
- Ramirez, M. (1984): Population recovery in the moustached tamarin (*Saguinus mystax*): Management strategies and mechanisms of recovery. *Amer J Primatol* **7**: 245-259.
- Rettig, N. L. (1978): Breeding behavior of the harpy eagle (*Harpia harpyja*). *Auk* **95**: 629-643.
- Robinson, S. R. (1980): Antipredator behaviour and predator recognition in Belding's ground squirrels. *Anim Behav* **28**: 840-852.
- Robinson, S. K. (1994): Habitat selection and foraging ecology of raptors in Amazonian Peru. *Biotropica* **26**: 443-458.
- Rogers, L. J. & D. Stafford (1993): Head cocking in galagos. *Anim Behav* **45**: 943-952.
- Rose, L. M. & L. M. Fedigan (1995): Vigilance in white-faced capuchins, *Cebus capucinus*, in Costa Rica. *Anim Behav* **49**: 63-70.
- Ross, C. (1993): Predator mobbing by an all-male band of Hanuman langurs (*Presbytis entellus*). *Primates* **34**: 105-107.

- Roush, R. S. & C. T. Snowdon (1994): Ontogeny of food associated calls in cotton-top tamarins. *Anim Behav* **47**: 263-273.
- Roush, R. S. & C. T. Snowdon (2000): Quality, quantity, distribution and audience effects on food calling in cotton-top tamarins. *Ethology* **106**: 673-690.
- Roush, R. S. & C. T. Snowdon (2001): Food transfer and development of feeding behavior and food-associated vocalizations in cotton-top tamarins. *Ethology* **107**: 415-429.
- de Ruiter, J. R. (1986): The influence of group size on predator scanning and foraging behaviour of wedge capped capuchin monkeys (*Cebus olivaceus*). *Behaviour* **98**: 240-258.
- Savage, A. (1990): The reproductive biology of the cotton-top tamarin (*Saguinus oedipus oedipus*) in Colombia. Dissertation, Univ. Microfilms Int., Ann Arbor.
- Savage, A., C. T. Snowdon, L. H. Giraldo & L. H. Soto (1996). Parental care patterns and vigilance in wild cotton-top tamarins (*Saguinus oedipus*). In M. A. Norconk, A. L. Rosenberger & P. A. Garber (Hrsg.): Adaptive radiations of Neotropical primates (S. 187-199). Plenum Press: New York.
- van Schaik, C. P., M. A. van Noordwijk, B. Warsono & E. Sutrisno (1983): Party size and early detection of predators in Sumatran forest primates. *Primates* **24**: 211-221.
- van Schaik C. P. & M. A. van Noordwijk (1989): The special role of male Cebus monkeys in predation avoidance and its effect on group composition. *Behav Ecol Sociobiol* **24**: 265-276.
- Schrader, L. & D. Todt (1993): Contact call parameters covary with social context in common marmosets (*Callithrix j. jacchus*). *Anim Behav* **46**: 1026-1028.
- Schrader, L. & K. Hammerschmidt (1997): Computer-aided analysis of acoustic parameters in animal vocalisations: a multi-parametric approach. *Bioacoustics* **7**: 247-265.
- Schradin, C. (2000): Confusion effect in a reptilian and a primate predator. *Ethology* **106**: 691-700.
- Searcy, Y. M. & N. G. Caine (2003): Hawk calls elicit alarm and defensive reactions in captive Geoffroy's marmosets (*Callithrix geoffroyi*). *Folia Primatol* **74**: 115-125.
- Seyfarth, R. M. & D. L. Cheney (1980): The ontogeny of vervet monkey alarm calling behavior: a preliminary report. *Z Tierpsychol* **54**: 37-56.
- Seyfarth, R. M., D. L. Cheney & P. Marler (1980): Vervet monkey alarm calls: semantic communication in a free-ranging primate. *Anim Behav* **28**: 1070-1094.
- Seyfarth, R. M. & D. L. Cheney (1986): Vocal development in vervet monkeys. *Anim Behav* **34**: 1640-1658.
- Seyfarth, R. M. & D. L. Cheney (1990): The assessment by vervet monkeys of their own and another species' alarm call. *Anim Behav* **40**: 754-764.
- Seyfarth, R. M. & D. L. Cheney (1997): Some features of vocal development in nonhuman primates (S. 249-273). In Snowdon, C. T. & M. Hausberger (Hrsg.): Social influences on vocal development. Cambridge: Cambridge University Press.
- Shahuano Tello, N., M. Huck & E. W. Heymann (2002): Boa constrictor attack and successful group defence in moustached tamarins, *Saguinus mystax*. *Folia Primatol* **73**: 146-148.
- Sherman, P. W. (1985): Alarm calls of Belding's ground squirrels to aerial predators: nepotism or self-preservation? *Behav Ecol Sociobiol* **17**: 313-323.
- Shultz, S. (2001): Notes on interactions between monkey and African crowned eagles in Taï National Park, Ivory Coast. *Folia Primatol* **72**: 248-250.

- Smith, A. C. (2000a): Interspecific differences in prey captured by associating saddleback (*Saguinus fuscicollis*) and moustached (*Saguinus mystax*) tamarins. *J Zool* **251**: 315-324.
- Smith, A. C. (2000b): Composition and proposed nutritional importance of exudates eaten by saddleback (*Saguinus fuscicollis*) and moustached (*Saguinus mystax*) tamarins. *Int J Primatol* **21**: 69-83.
- Snowdon, C.T. & A. Hodun (1985): Troop-specific responses to long calls of isolated tamarins (*Saguinus mystax*). *Amer J Primatol* **8**: 205-213.
- Snowdon, C. T. & T. E. Ziegler (1996): Mechanisms of reproductive inhibition in tamarins. In: Abstracts from the XVIth Congress of the International Primatological Society and the XIXth Conference of the American Society of Primatologists (S. 61). August 11-16, 1996, University of Wisconsin-Madison, Madison.
- Soini, P. (1990): Ecología y dinámica poblacional de pichico común *Saguinus fuscicollis* (Callithrichidae, Primates). In Dirección General Forestal y de Fauna, Instituto Veterinario de Investigaciones Tropicales y de Altura, Organización Panamericana de Salud (Hrsg.): La primatología en el Perú. Investigaciones primatológicas (1973-1985) (S. 202-253). Lima: Imprenta Propaceb.
- Soini, P. & M. de Soini (1990): Distribución geográfica y ecología poblacional de *Saguinus mystax* (Primates, Callithrichidae). In Dirección General Forestal y de Fauna, Instituto Veterinario de Investigaciones Tropicales y de Altura, Organización Panamericana de Salud (Hrsg.): La primatología en el Perú. Investigaciones primatológicas (1973-1985) (S. 272-313). Lima: Imprenta Propaceb.
- Srivastava, A. (1991): Cultural transmission of snake-mobbing in free-ranging Hanuman langurs. *Folia Primatol* **56**: 117-120.
- Steenbeek, R., R. C. Piek, M. van Buul & J. A. R. A. M. van Hooft (1999): Vigilance in wild Thomas's langurs (*Presbytis thomasi*): the importance of infanticide risk. *Behav Ecol Sociobiol* **45**: 137-150.
- Strier, K. B. (1994): Myth of the typical primates. *Yearb Phys Anthropol* **37**: 233-271.
- Struhsaker, T. T. (1967): Auditory communication among vervet monkeys (*Cercopithecus aethiops*). In S. A. Altmann (Hrsg.): Social communication among primates (S. 281-324). Chicago: Chicago University Press.
- Struhsaker, T. T. (1981): Polyspecific associations among tropical rainforest primates. *Z Tierpsychol* **57**: 268-304.
- Sullivan, K. A. (1984): Information exploitation by downy woodpeckers in mixed-species flocks. *Behaviour* **91**: 294-311.
- Symington, M. McFarland (1987): Ecological and social correlates of party size in the black spider monkey, *Ateles paniscus chamek*. Dissertation, Princeton University.
- Tamura, N. (1989): Snake-directed mobbing by the Formosan squirrel *Callosciurus erythraeus taiwanensis*. *Behav Ecol Sociobiol* **24**: 175-180.
- Terborgh, J. (1983): Five New World primates. A study in comparative ecology. Princeton: Princeton University Press.
- Terborgh, J. (1990): Mixed flocks and polyspecific association: costs and benefits of mixed groups to birds and monkeys. *Am J Primatol* **21**: 87-100.

- Todt, D. (1986): Hinweis-Charakter und Mittler-Funktionen von Verhalten. *Z Semiotik* **8**: 183-232.
- Todt, D. (1987): Strategies of vigilance: Forms and features of visual checking within social environments. *Int J Primatol* **8**: 450.
- Todt, D., K. Hammerschmidt, V. Ansorge & J. Fischer (1995): The vocal behaviour of Barbary macaques: Call features and their performance in infants and adults (S. 141-160). In (E. Zimmermann, J. D. Newman & U. Jürgens (Hrsg.): Current topics in primate vocal communication. New York: Plenum Press.
- Tomasello, M., B. Hare & B. Agnetta (1999): Chimpanzees, *Pan troglodytes*, follow gaze direction geometrically. *Anim Behav* **58**: 769-777.
- Treves, A. (1997): Self-protection in primates. Dissertation, Harvard University.
- Treves, A. (1998): The influence of group size and neighbors on vigilance in two species of arboreal monkeys. *Behaviour* **135**: 453-481.
- Treves, A. (1999): Within-group vigilance in red colobus and redtail monkeys. *Amer J Primatol* **48**: 113-126.
- Treves, A. (2000): Theory and method in studies of vigilance and aggregation. *Anim Behav* **60**: 711-722.
- Treves, A., A. Drescher & N. Ingrisano (2001): Vigilance and aggregation in black howler monkeys (*Alouatta pigra*). *Behav Ecol Sociobiol* **50**: 90-95.
- Vine, I. (1971): Risk of visual detection and pursuit by a predator and the selective advantage of flocking behaviour. *J theor Biol* **30**: 405-422.
- Wachter, B., M. Schabel & R. Noë (1997): Diet overlap and polyspecific associations of red colobus and Diana monkeys in the Taï National Park, Ivory Coast. *Ethology* **103**: 514-526.
- Waser, P. M. (1980): Polyspecific associations of *Cercocebus albigena*: Geographic variation and ecological correlates. *Folia Primatol* **33**: 57-76.
- Windfelder, T. L. (1997): Polyspecific association and interspecific communication between two neotropical primates: saddleback tamarins (*Saguinus fuscicollis*) and emperor tamarins (*Saguinus imperator*). Dissertation, Duke University.
- Windfelder, T. L. (2001): Interspecific communication in mixed-species groups of tamarins: evidence from playback experiments. *Anim Behav* **61**: 1193-1201.
- Yoneda, M. (1984): Comparative studies on vertical separation, foraging behavior, and traveling mode of saddle-backed tamarins (*Saguinus fuscicollis*) and red-chested moustached tamarins (*Saguinus labiatus*) in northern Bolivia. *Primates* **25**: 414-422.
- Zahavi, A. (1995): Altruism as a handicap: limitations of kin selection and reciprocity. *J Avian Biol* **26**: 1-3.
- Zahavi, A. & A. Zahavi (1997): The handicap principle: a missing piece of Darwin's puzzle. New York: Oxford University Press.
- Zuberbühler, K., R. Noë & R. M. Seyfarth (1997): Diana monkey long-distance calls: messages for conspecifics and predators. *Anim Behav* **53**: 589-604.
- Zuberbühler, K. (2001): Predator-specific alarm calls in Campbell's guenons. *Behav Ecol Sociobiol* **50**: 414-422.