

References

6 References

- Acconia, F., Ascenzi, P., Bocedi, A., Spisni, E., Tomasi, V., Trentalance, A., Visca, P. and Marino, M. (2005) Palmitoylation-dependent estrogen receptor alpha membrane localization: regulation by 17beta-estradiol. *Mol Biol Cell*, **16**, 231-237.
- Acconia, F., Barnes, C.J. and Kumar, R. (2006) Estrogen and tamoxifen induce cytoskeletal remodeling and migration in endometrial cancer cells. *Endocrinology*, **147**, 1203-1212.
- Adams, E.F., Rafferty, B. and White, M.C. (1991) Interleukin 6 is secreted by breast fibroblasts and stimulates 17 beta-oestradiol oxidoreductase activity of MCF-7 cells: possible paracrine regulation of breast 17 beta-oestradiol levels. *Int J Cancer*, **49**, 118-121.
- Afrakhte, M., Moren, A., Jossan, S., Itoh, S., Sampath, K., Westermark, B., Heldin, C.H., Heldin, N.E. and ten Dijke, P. (1998) Induction of inhibitory Smad6 and Smad7 mRNA by TGF-beta family members. *Biochem Biophys Res Commun*, **249**, 505-511.
- Ahola, T.M., Manninen, T., Alkio, N. and Ylikomi, T. (2002) G protein-coupled receptor 30 is critical for a progestin-induced growth inhibition in MCF-7 breast cancer cells. *Endocrinology*, **143**, 3376-3384.
- Ahola, T.M., Purmonen, S., Pennanen, P., Zhuang, Y.H., Tuohimaa, P. and Ylikomi, T. (2002) Progestin upregulates G-protein-coupled receptor 30 in breast cancer cells. *Eur J Biochem*, **269**, 2485-2490.
- Akhurst, R.J. (2002) TGF-beta antagonists: why suppress a tumor suppressor? *J Clin Invest*, **109**, 1533-1536.
- Akhurst, R.J. and Derynck, R. (2001) TGF-beta signaling in cancer--a double-edged sword. *Trends Cell Biol*, **11**, S44-51.
- Albini, A., Graf, J., Kitten, G.T., Kleinman, H.K., Martin, G.R., Veillette, A. and Lippman, M.E. (1986) 17 beta-estradiol regulates and v-Ha-ras transfection constitutively enhances MCF7 breast cancer cell interactions with basement membrane. *Proc Natl Acad Sci U S A*, **83**, 8182-8186.
- Alexandrow, M.G. and Moses, H.L. (1995) Transforming growth factor beta and cell cycle regulation. *Cancer Res*, **55**, 1452-1457.
- Amoroso, S.R., Huang, N., Roberts, A.B., Potter, M. and Letterio, J.J. (1998) Consistent loss of functional transforming growth factor beta receptor expression in murine plasmacytomas. *Proc Natl Acad Sci U S A*, **95**, 189-194.
- Armen, T.A. and Gay, C.V. (2000) Simultaneous detection and functional response of testosterone and estradiol receptors in osteoblast plasma membranes. *J Cell Biochem*, **79**, 620-627.
- Arnold, S.F., Obourn, J.D., Jaffe, H. and Notides, A.C. (1995) Phosphorylation of the human estrogen receptor on tyrosine 537 in vivo and by src family tyrosine kinases in vitro. *Mol Endocrinol*, **9**, 24-33.
- Aronica, S.M. and Katzenellenbogen, B.S. (1991) Progesterone receptor regulation in uterine cells: stimulation by estrogen, cyclic adenosine 3',5'-monophosphate, and insulin-like growth factor I and suppression by antiestrogens and protein kinase inhibitors. *Endocrinology*, **128**, 2045-2052.
- Arrick, B.A., Korc, M. and Derynck, R. (1990) Differential regulation of expression of three transforming growth factor beta species in human breast cancer cell lines by estradiol. *Cancer Res*, **50**, 299-303.

- Arteaga, C.L., Carty-Dugger, T., Moses, H.L., Hurd, S.D. and Pietenpol, J.A. (1993) Transforming growth factor beta 1 can induce estrogen-independent tumorigenicity of human breast cancer cells in athymic mice. *Cell Growth Differ*, **4**, 193-201.
- Arteaga, C.L., Hurd, S.D., Winnier, A.R., Johnson, M.D., Fendly, B.M. and Forbes, J.T. (1993) Anti-transforming growth factor (TGF)-beta antibodies inhibit breast cancer cell tumorigenicity and increase mouse spleen natural killer cell activity. Implications for a possible role of tumor cell/host TGF-beta interactions in human breast cancer progression. *J Clin Invest*, **92**, 2569-2576.
- Arteaga, C.L., Koli, K.M., Dugger, T.C. and Clarke, R. (1999) Reversal of tamoxifen resistance of human breast carcinomas *in vivo* by neutralizing antibodies to transforming growth factor-beta. *J Natl Cancer Inst*, **91**, 46-53.
- Ashcroft, G.S. and Ashworth, J.J. (2003) Potential role of estrogens in wound healing. *Am J Clin Dermatol*, **4**, 737-743.
- Ashcroft, G.S., Dodsworth, J., van Boxtel, E., Tarnuzzer, R.W., Horan, M.A., Schultz, G.S. and Ferguson, M.W. (1997) Estrogen accelerates cutaneous wound healing associated with an increase in TGF-beta1 levels. *Nat Med*, **3**, 1209-1215.
- Ashcroft, G.S., Yang, X., Glick, A.B., Weinstein, M., Letterio, J.L., Mizel, D.E., Anzano, M., Greenwell-Wild, T., Wahl, S.M., Deng, C. and Roberts, A.B. (1999) Mice lacking Smad3 show accelerated wound healing and an impaired local inflammatory response. *Nat Cell Biol*, **1**, 260-266.
- Attisano, L. and Wrana, J.L. (1996) Signal transduction by members of the transforming growth factor-beta superfamily. *Cytokine Growth Factor Rev*, **7**, 327-339.
- Bakin, A.V., Tomlinson, A.K., Bhowmick, N.A., Moses, H.L. and Arteaga, C.L. (2000) Phosphatidylinositol 3-kinase function is required for transforming growth factor beta-mediated epithelial to mesenchymal transition and cell migration. *J Biol Chem*, **275**, 36803-36810.
- Bandyopadhyay, A., Zhu, Y., Cibull, M.L., Bao, L., Chen, C. and Sun, L. (1999) A soluble transforming growth factor beta type III receptor suppresses tumorigenicity and metastasis of human breast cancer MDA-MB-231 cells. *Cancer Res*, **59**, 5041-5046.
- Bartolazzi, A., Cerboni, C., Nicotra, M.R., Mottolese, M., Bigotti, A. and Natali, P.G. (1994) Transformation and tumor progression are frequently associated with expression of the alpha 3/beta 1 heterodimer in solid tumors. *Int J Cancer*, **58**, 488-491.
- Belcher, S.M., Le, H.H., Spurling, L. and Wong, J.K. (2005) Rapid estrogenic regulation of extracellular signal-regulated kinase 1/2 signaling in cerebellar granule cells involves a G protein- and protein kinase A-dependent mechanism and intracellular activation of protein phosphatase 2A. *Endocrinology*, **146**, 5397-5406.
- Beningo, K.A., Dembo, M., Kaverina, I., Small, J.V. and Wang, Y.L. (2001) Nascent focal adhesions are responsible for the generation of strong propulsive forces in migrating fibroblasts. *J Cell Biol*, **153**, 881-888.
- Benten, W.P., Lieberherr, M., Stamm, O., Wrehlke, C., Guo, Z. and Wunderlich, F. (1999) Testosterone signaling through internalizable surface receptors in androgen receptor-free macrophages. *Mol Biol Cell*, **10**, 3113-3123.
- Benten, W.P., Stephan, C., Lieberherr, M. and Wunderlich, F. (2001) Estradiol signaling via sequestrable surface receptors. *Endocrinology*, **142**, 1669-1677.

- Berry, M., Metzger, D. and Chambon, P. (1990) Role of the two activating domains of the oestrogen receptor in the cell-type and promoter-context dependent agonistic activity of the anti-oestrogen 4-hydroxytamoxifen. *Embo J*, **9**, 2811-2818.
- Berthois, Y., Pourreau-Schneider, N., Gandilhon, P., Mittre, H., Tubiana, N. and Martin, P.M. (1986) Estradiol membrane binding sites on human breast cancer cell lines. Use of a fluorescent estradiol conjugate to demonstrate plasma membrane binding systems. *J Steroid Biochem*, **25**, 963-972.
- Bhowmick, N.A., Ghiassi, M., Bakin, A., Aakre, M., Lundquist, C.A., Engel, M.E., Arteaga, C.L. and Moses, H.L. (2001) Transforming growth factor-beta1 mediates epithelial to mesenchymal transdifferentiation through a RhoA-dependent mechanism. *Mol Biol Cell*, **12**, 27-36.
- Biberger, C. and von Angerer, E. (1998) 1-Benzyl-2-phenylindole- and 1,2-diphenylindole-based antiestrogens. Estimation of agonist and antagonist activities in transfection assays. *J Steroid Biochem Mol Biol*, **64**, 277-285.
- Blaukat, A., Barac, A., Cross, M.J., Offermanns, S. and Dikic, I. (2000) G protein-coupled receptor-mediated mitogen-activated protein kinase activation through cooperation of Galpha(q) and Galpha(i) signals. *Mol Cell Biol*, **20**, 6837-6848.
- Bologa, C.G., Revankar, C.M., Young, S.M., Edwards, B.S., Arterburn, J.B., Kiselyov, A.S., Parker, M.A., Tkachenko, S.E., Savchuck, N.P., Sklar, L.A., Oprea, T.I. and Prossnitz, E.R. (2006) Virtual and biomolecular screening converge on a selective agonist for GPR30. *Nat Chem Biol*, **2**, 207-212.
- Borsig, L., Wong, R., Hynes, R.O., Varki, N.M. and Varki, A. (2002) Synergistic effects of L- and P-selectin in facilitating tumor metastasis can involve non-mucin ligands and implicate leukocytes as enhancers of metastasis. *Proc Natl Acad Sci U S A*, **99**, 2193-2198.
- Bradford, M.M. (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem*, **72**, 248-254.
- Brahmbhatt, A.A. and Klemke, R.L. (2003) ERK and RhoA differentially regulate pseudopodia growth and retraction during chemotaxis. *J Biol Chem*, **278**, 13016-13025.
- Buck, M.B., Pfizenmaier, K. and Knabbe, C. (2004) Antiestrogens induce growth inhibition by sequential activation of p38 mitogen-activated protein kinase and transforming growth factor-beta pathways in human breast cancer cells. *Mol Endocrinol*, **18**, 1643-1657.
- Bukholm, I.K., Nesland, J.M., Karesen, R., Jacobsen, U. and Borresen-Dale, A.L. (1998) E-cadherin and alpha-, beta-, and gamma-catenin protein expression in relation to metastasis in human breast carcinoma. *J Pathol*, **185**, 262-266.
- Bulayeva, N.N., Gametchu, B. and Watson, C.S. (2004) Quantitative measurement of estrogen-induced ERK 1 and 2 activation via multiple membrane-initiated signaling pathways. *Steroids*, **69**, 181-192.
- Bunone, G., Briand, P.A., Miksic, R.J. and Picard, D. (1996) Activation of the unliganded estrogen receptor by EGF involves the MAP kinase pathway and direct phosphorylation. *Embo J*, **15**, 2174-2183.
- Buratowski, S. (1994) The basics of basal transcription by RNA polymerase II. *Cell*, **77**, 1-3.
- Cailleau, R., Young, R., Olive, M. and Reeves, W.J., Jr. (1974) Breast tumor cell lines from pleural effusions. *J Natl Cancer Inst*, **53**, 661-674.

- Calonge, M.J. and Massague, J. (1999) Smad4/DPC4 silencing and hyperactive Ras jointly disrupt transforming growth factor-beta antiproliferative responses in colon cancer cells. *J Biol Chem*, **274**, 33637-33643.
- Calvin, M. (2000) Oestrogens and wound healing. *Maturitas*, **34**, 195-210.
- Campbell, C.H., Bulayeva, N., Brown, D.B., Gametchu, B. and Watson, C.S. (2002) Regulation of the membrane estrogen receptor-alpha: role of cell density, serum, cell passage number, and estradiol. *Faseb J*, **16**, 1917-1927.
- Caporali, S., Imai, M., Altucci, L., Cancemi, M., Caristi, S., Cicatiello, L., Matarese, F., Penta, R., Sarkar, D.K., Bresciani, F. and Weisz, A. (2003) Distinct signaling pathways mediate stimulation of cell cycle progression and prevention of apoptotic cell death by estrogen in rat pituitary tumor PR1 cells. *Mol Biol Cell*, **14**, 5051-5059.
- Carmeci, C., Thompson, D.A., Ring, H.Z., Francke, U. and Weigel, R.J. (1997) Identification of a gene (GPR30) with homology to the G-protein-coupled receptor superfamily associated with estrogen receptor expression in breast cancer. *Genomics*, **45**, 607-617.
- Cary, L.A., Han, D.C., Polte, T.R., Hanks, S.K. and Guan, J.L. (1998) Identification of p130Cas as a mediator of focal adhesion kinase-promoted cell migration. *J Cell Biol*, **140**, 211-221.
- Castoria, G., Barone, M.V., Di Domenico, M., Bilancio, A., Ametrano, D., Migliaccio, A. and Auricchio, F. (1999) Non-transcriptional action of oestradiol and progestin triggers DNA synthesis. *Embo J*, **18**, 2500-2510.
- Centrella, M., Horowitz, M.C., Wozney, J.M. and McCarthy, T.L. (1994) Transforming growth factor-beta gene family members and bone. *Endocr Rev*, **15**, 27-39.
- Chakravarthy, D., Green, A.R., Green, V.L., Kerin, M.J. and Speirs, V. (1999) Expression and secretion of TGF-beta isoforms and expression of TGF-beta-receptors I, II and III in normal and neoplastic human breast. *Int J Oncol*, **15**, 187-194.
- Chambliss, K.L., Simon, L., Yuhanna, I.S., Mineo, C. and Shaul, P.W. (2005) Dissecting the basis of nongenomic activation of endothelial nitric oxide synthase by estradiol: role of ERalpha domains with known nuclear functions. *Mol Endocrinol*, **19**, 277-289.
- Chambliss, K.L., Yuhanna, I.S., Anderson, R.G., Mendelsohn, M.E. and Shaul, P.W. (2002) ERbeta has nongenomic action in caveolae. *Mol Endocrinol*, **16**, 938-946.
- Chen, D.B., Bird, I.M., Zheng, J. and Magness, R.R. (2004) Membrane estrogen receptor-dependent extracellular signal-regulated kinase pathway mediates acute activation of endothelial nitric oxide synthase by estrogen in uterine artery endothelial cells. *Endocrinology*, **145**, 113-125.
- Chen, F. and Weinberg, R.A. (1995) Biochemical evidence for the autophosphorylation and transphosphorylation of transforming growth factor beta receptor kinases. *Proc Natl Acad Sci U S A*, **92**, 1565-1569.
- Chen, J.Q., Delannoy, M., Cooke, C. and Yager, J.D. (2004) Mitochondrial localization of ERalpha and ERbeta in human MCF7 cells. *Am J Physiol Endocrinol Metab*, **286**, E1011-1022.
- Chen, X., Rubock, M.J. and Whitman, M. (1996) A transcriptional partner for MAD proteins in TGF-beta signalling. *Nature*, **383**, 691-696.
- Chen, Y.G., Hata, A., Lo, R.S., Wotton, D., Shi, Y., Pavletich, N. and Massague, J. (1998) Determinants of specificity in TGF-beta signal transduction. *Genes Dev*, **12**, 2144-2152.

- Cherlet, T., Murphy, L.C. (2002) Cross-talk between the TGF-beta and ER signalling pathways. *Proc. U.S. Army Department of Defence Era of Hope Breast Cancer Research Meeting*, Orlando, FL.
- Ciftci, K., Su, J. and Trovitch, P.B. (2003) Growth factors and chemotherapeutic modulation of breast cancer cells. *J Pharm Pharmacol*, **55**, 1135-1141.
- Coleman, R.E., Smith, P. and Rubens, R.D. (1998) Clinical course and prognostic factors following bone recurrence from breast cancer. *Br J Cancer*, **77**, 336-340.
- Corn, P.G., Smith, B.D., Ruckdeschel, E.S., Douglas, D., Baylin, S.B. and Herman, J.G. (2000) E-cadherin expression is silenced by 5' CpG island methylation in acute leukemia. *Clin Cancer Res*, **6**, 4243-4248.
- Couse, J.F. and Korach, K.S. (1999) Estrogen receptor null mice: what have we learned and where will they lead us? *Endocr Rev*, **20**, 358-417.
- Crespo, P., Cachero, T.G., Xu, N. and Gutkind, J.S. (1995) Dual effect of beta-adrenergic receptors on mitogen-activated protein kinase. Evidence for a beta gamma-dependent activation and a G alpha s-cAMP-mediated inhibition. *J Biol Chem*, **270**, 25259-25265.
- Curtis, S.W., Washburn, T., Sewall, C., DiAugustine, R., Lindzey, J., Couse, J.F. and Korach, K.S. (1996) Physiological coupling of growth factor and steroid receptor signaling pathways: estrogen receptor knockout mice lack estrogen-like response to epidermal growth factor. *Proc Natl Acad Sci U S A*, **93**, 12626-12630.
- Daaka, Y., Luttrell, L.M. and Lefkowitz, R.J. (1997) Switching of the coupling of the beta2-adrenergic receptor to different G proteins by protein kinase A. *Nature*, **390**, 88-91.
- Dalal, B.I., Keown, P.A. and Greenberg, A.H. (1993) Immunocytochemical localization of secreted transforming growth factor-beta 1 to the advancing edges of primary tumors and to lymph node metastases of human mammary carcinoma. *Am J Pathol*, **143**, 381-389.
- Daly, R.J., King, R.J. and Darbre, P.D. (1990) Interaction of growth factors during progression towards steroid independence in T-47-D human breast cancer cells. *J Cell Biochem*, **43**, 199-211.
- Dauvois, S., White, R. and Parker, M.G. (1993) The antiestrogen ICI 182780 disrupts estrogen receptor nucleocytoplasmic shuttling. *J Cell Sci*, **106** (Pt 4), 1377-1388.
- de Caestecker, M.P., Piek, E. and Roberts, A.B. (2000) Role of transforming growth factor-beta signaling in cancer. *J Natl Cancer Inst*, **92**, 1388-1402.
- De Goeij, A.F., van Zeeland, J.K., Beek, C.J. and Bosman, F.T. (1986) Steroid-bovine serum albumin conjugates: molecular characterization and their interaction with androgen and estrogen receptors. *J Steroid Biochem*, **24**, 1017-1031.
- De Leeuw, W.J., Berx, G., Vos, C.B., Peterse, J.L., Van de Vijver, M.J., Litvinov, S., Van Roy, F., Cornelisse, C.J. and Cleton-Jansen, A.M. (1997) Simultaneous loss of E-cadherin and catenins in invasive lobular breast cancer and lobular carcinoma in situ. *J Pathol*, **183**, 404-411.
- de Wit, P.E., Moretti, S., Koenders, P.G., Weterman, M.A., van Muijen, G.N., Gianotti, B. and Ruiter, D.J. (1992) Increasing epidermal growth factor receptor expression in human melanocytic tumor progression. *J Invest Dermatol*, **99**, 168-173.

- DeFriend, D.J., Howell, A., Nicholson, R.I., Anderson, E., Dowsett, M., Mansel, R.E., Blamey, R.W., Bundred, N.J., Robertson, J.F., Saunders, C. and et al. (1994) Investigation of a new pure antiestrogen (ICI 182780) in women with primary breast cancer. *Cancer Res*, **54**, 408-414.
- del Pozo, M.A., Price, L.S., Alderson, N.B., Ren, X.D. and Schwartz, M.A. (2000) Adhesion to the extracellular matrix regulates the coupling of the small GTPase Rac to its effector PAK. *Embo J*, **19**, 2008-2014.
- Dennler, S., Huet, S. and Gauthier, J.M. (1999) A short amino-acid sequence in MH1 domain is responsible for functional differences between Smad2 and Smad3. *Oncogene*, **18**, 1643-1648.
- Dennler, S., Itoh, S., Vivien, D., ten Dijke, P., Huet, S. and Gauthier, J.M. (1998) Direct binding of Smad3 and Smad4 to critical TGF beta-inducible elements in the promoter of human plasminogen activator inhibitor-type 1 gene. *Embo J*, **17**, 3091-3100.
- Denton, R.R., Koszewski, N.J. and Notides, A.C. (1992) Estrogen receptor phosphorylation. Hormonal dependence and consequence on specific DNA binding. *J Biol Chem*, **267**, 7263-7268.
- Deroo, B.J. and Korach, K.S. (2006) Estrogen receptors and human disease. *J Clin Invest*, **116**, 561-570.
- Deryck, R., Akhurst, R.J. and Balmain, A. (2001) TGF-beta signaling in tumor suppression and cancer progression. *Nat Genet*, **29**, 117-129.
- Deryck, R., Goeddel, D.V., Ullrich, A., Guterman, J.U., Williams, R.D., Bringman, T.S. and Berger, W.H. (1987) Synthesis of messenger RNAs for transforming growth factors alpha and beta and the epidermal growth factor receptor by human tumors. *Cancer Res*, **47**, 707-712.
- Deryugina, E.I., Luo, G.X., Reisfeld, R.A., Bourdon, M.A. and Strongin, A. (1997) Tumor cell invasion through matrigel is regulated by activated matrix metalloproteinase-2. *Anticancer Res*, **17**, 3201-3210.
- Devreotes, P. and Janetopoulos, C. (2003) Eukaryotic chemotaxis: distinctions between directional sensing and polarization. *J Biol Chem*, **278**, 20445-20448.
- Diel, P., Smolnikar, K. and Michna, H. (1999) The pure antiestrogen ICI 182780 is more effective in the induction of apoptosis and down regulation of BCL-2 than tamoxifen in MCF-7 cells. *Breast Cancer Res Treat*, **58**, 87-97.
- Duan, R., Porter, W. and Safe, S. (1998) Estrogen-induced c-fos protooncogene expression in MCF-7 human breast cancer cells: role of estrogen receptor Sp1 complex formation. *Endocrinology*, **139**, 1981-1990.
- Duan, R., Xie, W., Burghardt, R.C. and Safe, S. (2001) Estrogen receptor-mediated activation of the serum response element in MCF-7 cells through MAPK-dependent phosphorylation of Elk-1. *J Biol Chem*, **276**, 11590-11598.
- Duan, R., Xie, W., Li, X., McDougal, A. and Safe, S. (2002) Estrogen regulation of c-fos gene expression through phosphatidylinositol-3-kinase-dependent activation of serum response factor in MCF-7 breast cancer cells. *Biochem Biophys Res Commun*, **294**, 384-394.
- Dubik, D. and Shiu, R.P. (1992) Mechanism of estrogen activation of c-myc oncogene expression. *Oncogene*, **7**, 1587-1594.
- Dudley, M.W., Sheeler, C.Q., Wang, H. and Khan, S. (2000) Activation of the human estrogen receptor by the antiestrogens ICI 182,780 and tamoxifen in yeast genetic systems: implications for their mechanism of action. *Proc Natl Acad Sci U S A*, **97**, 3696-3701.

- Duffy, M.J. (2002) Urokinase plasminogen activator and its inhibitor, PAI-1, as prognostic markers in breast cancer: from pilot to level 1 evidence studies. *Clin Chem*, **48**, 1194-1197.
- Duncan, L.J., Coldham, N.G. and Reed, M.J. (1994) The interaction of cytokines in regulating oestradiol 17 beta-hydroxysteroid dehydrogenase activity in MCF-7 cells. *J Steroid Biochem Mol Biol*, **49**, 63-68.
- Edlund, S., Landstrom, M., Heldin, C.H. and Aspenstrom, P. (2002) Transforming growth factor-beta-induced mobilization of actin cytoskeleton requires signaling by small GTPases Cdc42 and RhoA. *Mol Biol Cell*, **13**, 902-914.
- Egeblad, M. and Werb, Z. (2002) New functions for the matrix metalloproteinases in cancer progression. *Nat Rev Cancer*, **2**, 161-174.
- Ehring, G.R., Kerschbaum, H.H., Eder, C., Neben, A.L., Fanger, C.M., Khoury, R.M., Negulescu, P.A. and Cahalan, M.D. (1998) A nongenomic mechanism for progesterone-mediated immunosuppression: inhibition of K⁺ channels, Ca²⁺ signaling, and gene expression in T lymphocytes. *J Exp Med*, **188**, 1593-1602.
- El-Tanani, M.K. and Green, C.D. (1997) Two separate mechanisms for ligand-independent activation of the estrogen receptor. *Mol Endocrinol*, **11**, 928-937.
- Engel, M.E., McDonnell, M.A., Law, B.K. and Moses, H.L. (1999) Interdependent SMAD and JNK signaling in transforming growth factor-beta-mediated transcription. *J Biol Chem*, **274**, 37413-37420.
- Enmark, E., Pelto-Huikko, M., Grandien, K., Lagercrantz, S., Lagercrantz, J., Fried, G., Nordenskjold, M. and Gustafsson, J.A. (1997) Human estrogen receptor beta-gene structure, chromosomal localization, and expression pattern. *J Clin Endocrinol Metab*, **82**, 4258-4265.
- Eppert, K., Scherer, S.W., Ozcelik, H., Pirone, R., Hoodless, P., Kim, H., Tsui, L.C., Bapat, B., Gallinger, S., Andrusis, I.L., Thomsen, G.H., Wrana, J.L. and Attisano, L. (1996) MADR2 maps to 18q21 and encodes a TGFbeta-regulated MAD-related protein that is functionally mutated in colorectal carcinoma. *Cell*, **86**, 543-552.
- Erbas, H. and Lai, L.C. (2000) Effect of transforming growth factor beta 2 on oestrogen metabolism in the MCF-7 breast cancer cell line. *J Clin Pathol*, **53**, 322-324.
- Etienne-Manneville, S. and Hall, A. (2002) Rho GTPases in cell biology. *Nature*, **420**, 629-635.
- Etique, N., Grillier-Vuissoz, I. and Flament, S. (2006) Ethanol stimulates the secretion of matrix metalloproteinases 2 and 9 in MCF-7 human breast cancer cells. *Oncol Rep*, **15**, 603-608.
- Evans, R.M. (1988) The steroid and thyroid hormone receptor superfamily. *Science*, **240**, 889-895.
- Evers, E.E., Zondag, G.C., Malliri, A., Price, L.S., ten Klooster, J.P., van der Kammen, R.A. and Collard, J.G. (2000) Rho family proteins in cell adhesion and cell migration. *Eur J Cancer*, **36**, 1269-1274.
- Fan, G.H., Yang, W., Wang, X.J., Qian, Q. and Richmond, A. (2001) Identification of a motif in the carboxyl terminus of CXCR2 that is involved in adaptin 2 binding and receptor internalization. *Biochemistry*, **40**, 791-800.
- Farhat, M.Y., Lavigne, M.C. and Ramwell, P.W. (1996) The vascular protective effects of estrogen. *Faseb J*, **10**, 615-624.
- Fawcett, J. and Harris, A.L. (1992) Cell adhesion molecules and cancer. *Curr Opin Oncol*, **4**, 142-148.

- Felsenfeld, D.P., Choquet, D. and Sheetz, M.P. (1996) Ligand binding regulates the directed movement of beta1 integrins on fibroblasts. *Nature*, **383**, 438-440.
- Felsenfeld, D.P., Schwartzberg, P.L., Venegas, A., Tse, R. and Sheetz, M.P. (1999) Selective regulation of integrin--cytoskeleton interactions by the tyrosine kinase Src. *Nat Cell Biol*, **1**, 200-206.
- Feng, Y. and Gregor, P. (1997) Cloning of a novel member of the G protein-coupled receptor family related to peptide receptors. *Biochem Biophys Res Commun*, **231**, 651-654.
- Filardo, E.J. (2002) Epidermal growth factor receptor (EGFR) transactivation by estrogen via the G-protein-coupled receptor, GPR30: a novel signaling pathway with potential significance for breast cancer. *J Steroid Biochem Mol Biol*, **80**, 231-238.
- Filardo, E.J., Quinn, J.A., Bland, K.I. and Frackelton, A.R., Jr. (2000) Estrogen-induced activation of Erk-1 and Erk-2 requires the G protein-coupled receptor homolog, GPR30, and occurs via trans-activation of the epidermal growth factor receptor through release of HB-EGF. *Mol Endocrinol*, **14**, 1649-1660.
- Filardo, E.J., Quinn, J.A., Frackelton, A.R., Jr. and Bland, K.I. (2002) Estrogen action via the G protein-coupled receptor, GPR30: stimulation of adenylyl cyclase and cAMP-mediated attenuation of the epidermal growth factor receptor-to-MAPK signaling axis. *Mol Endocrinol*, **16**, 70-84.
- Filardo, E.J. and Thomas, P. (2005) GPR30: a seven-transmembrane-spanning estrogen receptor that triggers EGF release. *Trends Endocrinol Metab*, **16**, 362-367.
- Freedman, L.P. (1992) Anatomy of the steroid receptor zinc finger region. *Endocr Rev*, **13**, 129-145.
- Frey, R.S. and Mulder, K.M. (1997) Involvement of extracellular signal-regulated kinase 2 and stress-activated protein kinase/Jun N-terminal kinase activation by transforming growth factor beta in the negative growth control of breast cancer cells. *Cancer Res*, **57**, 628-633.
- Friedl, P. and Wolf, K. (2003) Tumour-cell invasion and migration: diversity and escape mechanisms. *Nat Rev Cancer*, **3**, 362-374.
- Fujimoto, J., Hori, M., Ichigo, S., Morishita, S. and Tamaya, T. (1995) Estrogen activates invasiveness of endometrial cancer cells to the interstitium. *Invasion Metastasis*, **15**, 135-143.
- Fujimoto, J., Hori, M., Ichigo, S., Morishita, S. and Tamaya, T. (1996) Estrogen activates migration potential of endometrial cancer cells through basement membrane. *Tumour Biol*, **17**, 48-57.
- Fukuda, M.N., Ohyama, C., Lowitz, K., Matsuo, O., Pasqualini, R., Ruoslahti, E. and Fukuda, M. (2000) A peptide mimic of E-selectin ligand inhibits sialyl Lewis X-dependent lung colonization of tumor cells. *Cancer Res*, **60**, 450-456.
- Funaba, M., Zimmerman, C.M. and Mathews, L.S. (2002) Modulation of Smad2-mediated signaling by extracellular signal-regulated kinase. *J Biol Chem*, **277**, 41361-41368.
- Fuqua, S.A., Schiff, R., Parra, I., Friedrichs, W.E., Su, J.L., McKee, D.D., Slentz-Kesler, K., Moore, L.B., Willson, T.M. and Moore, J.T. (1999) Expression of wild-type estrogen receptor beta and variant isoforms in human breast cancer. *Cancer Res*, **59**, 5425-5428.
- Fynan, T.M. and Reiss, M. (1993) Resistance to inhibition of cell growth by transforming growth factor-beta and its role in oncogenesis. *Crit Rev Oncog*, **4**, 493-540.

- Galbraith, C.G., Yamada, K.M. and Sheetz, M.P. (2002) The relationship between force and focal complex development. *J Cell Biol*, **159**, 695-705.
- Garcia, M., Derocq, D., Freiss, G. and Rochefort, H. (1992) Activation of estrogen receptor transfected into a receptor-negative breast cancer cell line decreases the metastatic and invasive potential of the cells. *Proc Natl Acad Sci U S A*, **89**, 11538-11542.
- Garcia, M., Derocq, D., Platet, N., Bonnet, S., Brouillet, J.P., Touitou, I. and Rochefort, H. (1997) Both estradiol and tamoxifen decrease proliferation and invasiveness of cancer cells transfected with a mutated estrogen receptor. *J Steroid Biochem Mol Biol*, **61**, 11-17.
- Geiger, B., Bershadsky, A., Pankov, R. and Yamada, K.M. (2001) Transmembrane crosstalk between the extracellular matrix--cytoskeleton crosstalk. *Nat Rev Mol Cell Biol*, **2**, 793-805.
- Geraldes, P., Sirois, M.G., Bernatchez, P.N. and Tanguay, J.F. (2002) Estrogen regulation of endothelial and smooth muscle cell migration and proliferation: role of p38 and p42/44 mitogen-activated protein kinase. *Arterioscler Thromb Vasc Biol*, **22**, 1585-1590.
- Gillies, R.J., Didier, N. and Denton, M. (1986) Determination of cell number in monolayer cultures. *Anal Biochem*, **159**, 109-113.
- Goetz, R.M., Thatte, H.S., Prabhakar, P., Cho, M.R., Michel, T. and Golan, D.E. (1999) Estradiol induces the calcium-dependent translocation of endothelial nitric oxide synthase. *Proc Natl Acad Sci U S A*, **96**, 2788-2793.
- Gottardis, M.M., Robinson, S.P., Satyaswaroop, P.G. and Jordan, V.C. (1988) Contrasting actions of tamoxifen on endometrial and breast tumor growth in the athymic mouse. *Cancer Res*, **48**, 812-815.
- Greenblatt, J. (1991) Roles of TFIID in transcriptional initiation by RNA polymerase II. *Cell*, **66**, 1067-1070.
- Grosse, R., Schmid, A., Schoneberg, T., Herrlich, A., Muhn, P., Schultz, G. and Gudermann, T. (2000) Gonadotropin-releasing hormone receptor initiates multiple signaling pathways by exclusively coupling to G(q/11) proteins. *J Biol Chem*, **275**, 9193-9200.
- Guiochon-Mantel, A., Delabre, K., Lescop, P. and Milgrom, E. (1996) The Ernst Schering Poster Award. Intracellular traffic of steroid hormone receptors. *J Steroid Biochem Mol Biol*, **56**, 3-9.
- Gustafsson, J.A. (1999) Estrogen receptor beta--a new dimension in estrogen mechanism of action. *J Endocrinol*, **163**, 379-383.
- Hafner, F., Holler, E. and von Angerer, E. (1996) Effect of growth factors on estrogen receptor mediated gene expression. *J Steroid Biochem Mol Biol*, **58**, 385-393.
- Hahn, S.A., Schutte, M., Hoque, A.T., Moskaluk, C.A., da Costa, L.T., Rozenblum, E., Weinstein, C.L., Fischer, A., Yeo, C.J., Hruban, R.H. and Kern, S.E. (1996) DPC4, a candidate tumor suppressor gene at human chromosome 18q21.1. *Science*, **271**, 350-353.
- Halaban, R., Kwon, B.S., Ghosh, S., Delli Bovi, P. and Baird, A. (1988) bFGF as an autocrine growth factor for human melanomas. *Oncogene Res*, **3**, 177-186.
- Hanafusa, H., Ninomiya-Tsuji, J., Masuyama, N., Nishita, M., Fujisawa, J., Shibuya, H., Matsumoto, K. and Nishida, E. (1999) Involvement of the p38 mitogen-activated protein kinase pathway in transforming growth factor-beta-induced gene expression. *J Biol Chem*, **274**, 27161-27167.
- Hasbi, A., O'Dowd B, F. and George, S.R. (2005) A g protein-coupled receptor for estrogen: the end of the search? *Mol Interv*, **5**, 158-161.

- Hasseldine, A.R., Harper, E.A. and Black, J.W. (2003) Cardiac-specific overexpression of human beta2 adrenoceptors in mice exposes coupling to both Gs and Gi proteins. *Br J Pharmacol*, **138**, 1358-1366.
- Hayashi, H., Abdollah, S., Qiu, Y., Cai, J., Xu, Y.Y., Grinnell, B.W., Richardson, M.A., Topper, J.N., Gimbrone, M.A., Jr., Wrana, J.L. and Falb, D. (1997) The MAD-related protein Smad7 associates with the TGFbeta receptor and functions as an antagonist of TGFbeta signaling. *Cell*, **89**, 1165-1173.
- Hayashida, T., Decaestecker, M. and Schnaper, H.W. (2003) Cross-talk between ERK MAP kinase and Smad signaling pathways enhances TGF-beta-dependent responses in human mesangial cells. *Faseb J*, **17**, 1576-1578.
- Hayashido, Y., Lucas, A., Rougeot, C., Godyná, S., Argraves, W.S. and Rochefort, H. (1998) Estradiol and fibulin-1 inhibit motility of human ovarian- and breast-cancer cells induced by fibronectin. *Int J Cancer*, **75**, 654-658.
- Hayes, S.A., Zarnegar, M., Sharma, M., Yang, F., Peehl, D.M., ten Dijke, P. and Sun, Z. (2001) SMAD3 represses androgen receptor-mediated transcription. *Cancer Res*, **61**, 2112-2118.
- Helbig, G., Christopherson, K.W., 2nd, Bhat-Nakshatri, P., Kumar, S., Kishimoto, H., Miller, K.D., Broxmeyer, H.E. and Nakshatri, H. (2003) NF-kappaB promotes breast cancer cell migration and metastasis by inducing the expression of the chemokine receptor CXCR4. *J Biol Chem*, **278**, 21631-21638.
- Herman, M.E. and Katzenellenbogen, B.S. (1994) Alterations in transforming growth factor-alpha and -beta production and cell responsiveness during the progression of MCF-7 human breast cancer cells to estrogen-autonomous growth. *Cancer Res*, **54**, 5867-5874.
- Hishikawa, K., Oemar, B.S., Tanner, F.C., Nakaki, T., Luscher, T.F. and Fujii, T. (1999) Connective tissue growth factor induces apoptosis in human breast cancer cell line MCF-7. *J Biol Chem*, **274**, 37461-37466.
- Holst-Hansen, C., Johannessen, B., Hoyer-Hansen, G., Romer, J., Ellis, V. and Brunner, N. (1996) Urokinase-type plasminogen activation in three human breast cancer cell lines correlates with their in vitro invasiveness. *Clin Exp Metastasis*, **14**, 297-307.
- Horwitz, K.B., Costlow, M.E. and McGuire, W.L. (1975) MCF-7; a human breast cancer cell line with estrogen, androgen, progesterone, and glucocorticoid receptors. *Steroids*, **26**, 785-795.
- Horwitz, K.B., Jackson, T.A., Bain, D.L., Richer, J.K., Takimoto, G.S. and Tung, L. (1996) Nuclear receptor coactivators and corepressors. *Mol Endocrinol*, **10**, 1167-1177.
- Hosobuchi, M. and Stampfer, M.R. (1989) Effects of transforming growth factor beta on growth of human mammary epithelial cells in culture. *In Vitro Cell Dev Biol*, **25**, 705-713.
- Howell, A., Osborne, C.K., Morris, C. and Wakeling, A.E. (2000) ICI 182,780 (Faslodex): development of a novel, "pure" antiestrogen. *Cancer*, **89**, 817-825.
- Htun, H., Holth, L.T., Walker, D., Davie, J.R. and Hager, G.L. (1999) Direct visualization of the human estrogen receptor alpha reveals a role for ligand in the nuclear distribution of the receptor. *Mol Biol Cell*, **10**, 471-486.
- Huang, C., Jacobson, K. and Schaller, M.D. (2004) MAP kinases and cell migration. *J Cell Sci*, **117**, 4619-4628.
- Hunt, N.C., Douglas-Jones, A.G., Jasani, B., Morgan, J.M. and Pignatelli, M. (1997) Loss of E-cadherin expression associated with lymph node metastases in small breast carcinomas. *Virchows Arch*, **430**, 285-289.

- Iafrati, M.D., Karas, R.H., Aronovitz, M., Kim, S., Sullivan, T.R., Jr., Lubahn, D.B., O'Donnell, T.F., Jr., Korach, K.S. and Mendelsohn, M.E. (1997) Estrogen inhibits the vascular injury response in estrogen receptor alpha-deficient mice. *Nat Med*, **3**, 545-548.
- Ignar-Trowbridge, D.M., Pimentel, M., Parker, M.G., McLachlan, J.A. and Korach, K.S. (1996) Peptide growth factor cross-talk with the estrogen receptor requires the A/B domain and occurs independently of protein kinase C or estradiol. *Endocrinology*, **137**, 1735-1744.
- Ignar-Trowbridge, D.M., Pimentel, M., Teng, C.T., Korach, K.S. and McLachlan, J.A. (1995) Cross talk between peptide growth factor and estrogen receptor signaling systems. *Environ Health Perspect*, **103 Suppl 7**, 35-38.
- Ilic, D., Furuta, Y., Kanazawa, S., Takeda, N., Sobue, K., Nakatsuji, N., Nomura, S., Fujimoto, J., Okada, M. and Yamamoto, T. (1995) Reduced cell motility and enhanced focal adhesion contact formation in cells from FAK-deficient mice. *Nature*, **377**, 539-544.
- Imamichi, Y., Waidmann, O., Hein, R., Eleftheriou, P., Giehl, K. and Menke, A. (2005) TGF beta-induced focal complex formation in epithelial cells is mediated by activated ERK and JNK MAP kinases and is independent of Smad4. *Biol Chem*, **386**, 225-236.
- Imamura, T., Takase, M., Nishihara, A., Oeda, E., Hanai, J., Kawabata, M. and Miyazono, K. (1997) Smad6 inhibits signalling by the TGF-beta superfamily. *Nature*, **389**, 622-626.
- Impronta-Brears, T., Whorton, A.R., Codazzi, F., York, J.D., Meyer, T. and McDonnell, D.P. (1999) Estrogen-induced activation of mitogen-activated protein kinase requires mobilization of intracellular calcium. *Proc Natl Acad Sci U S A*, **96**, 4686-4691.
- Itoh, R.E., Kurokawa, K., Ohba, Y., Yoshizaki, H., Mochizuki, N. and Matsuda, M. (2002) Activation of rac and cdc42 video imaged by fluorescent resonance energy transfer-based single-molecule probes in the membrane of living cells. *Mol Cell Biol*, **22**, 6582-6591.
- Itoh, S., Itoh, F., Goumans, M.J. and ten Dijke, P. (2000) Signaling of transforming growth factor-beta family members through Smad proteins. *Eur J Biochem*, **267**, 6954-6967.
- Jonk, L.J., Itoh, S., Heldin, C.H., ten Dijke, P. and Kruijer, W. (1998) Identification and functional characterization of a Smad binding element (SBE) in the JunB promoter that acts as a transforming growth factor-beta, activin, and bone morphogenetic protein-inducible enhancer. *J Biol Chem*, **273**, 21145-21152.
- Kahlert, S., Nuedling, S., van Eickels, M., Vetter, H., Meyer, R. and Grohe, C. (2000) Estrogen receptor alpha rapidly activates the IGF-1 receptor pathway. *J Biol Chem*, **275**, 18447-18453.
- Kaiser, U.B., Conn, P.M. and Chin, W.W. (1997) Studies of gonadotropin-releasing hormone (GnRH) action using GnRH receptor-expressing pituitary cell lines. *Endocr Rev*, **18**, 46-70.
- Kalembeysi, I., Inada, H., Nishiura, R., Imanaka-Yoshida, K., Sakakura, T. and Yoshida, T. (2003) Tenascin-C upregulates matrix metalloproteinase-9 in breast cancer cells: direct and synergistic effects with transforming growth factor beta1. *Int J Cancer*, **105**, 53-60.
- Kalkhoven, E., Roelen, B.A., de Winter, J.P., Mummery, C.L., van den Eijnden-van Raaij, A.J., van der Saag, P.T. and van der Burg, B. (1995) Resistance to

- transforming growth factor beta and activin due to reduced receptor expression in human breast tumor cell lines. *Cell Growth Differ*, **6**, 1151-1161.
- Kanda, N. and Watanabe, S. (2003) 17beta-estradiol inhibits oxidative stress-induced apoptosis in keratinocytes by promoting Bcl-2 expression. *J Invest Dermatol*, **121**, 1500-1509.
- Kanda, N. and Watanabe, S. (2004) 17beta-estradiol stimulates the growth of human keratinocytes by inducing cyclin D2 expression. *J Invest Dermatol*, **123**, 319-328.
- Kang, H.Y., Huang, K.E., Chang, S.Y., Ma, W.L., Lin, W.J. and Chang, C. (2002) Differential modulation of androgen receptor-mediated transactivation by Smad3 and tumor suppressor Smad4. *J Biol Chem*, **277**, 43749-43756.
- Kato, S. (2001) Estrogen receptor-mediated cross-talk with growth factor signaling pathways. *Breast Cancer*, **8**, 3-9.
- Kato, S., Endoh, H., Masuhiro, Y., Kitamoto, T., Uchiyama, S., Sasaki, H., Masushige, S., Gotoh, Y., Nishida, E., Kawashima, H., Metzger, D. and Chambon, P. (1995) Activation of the estrogen receptor through phosphorylation by mitogen-activated protein kinase. *Science*, **270**, 1491-1494.
- Katzenellenbogen, B.S., Montano, M.M., Ekena, K., Herman, M.E. and McInerney, E.M. (1997) William L. McGuire Memorial Lecture. Antiestrogens: mechanisms of action and resistance in breast cancer. *Breast Cancer Res Treat*, **44**, 23-38.
- Katzenellenbogen, B.S. and Norman, M.J. (1990) Multihormonal regulation of the progesterone receptor in MCF-7 human breast cancer cells: interrelationships among insulin/insulin-like growth factor-I, serum, and estrogen. *Endocrinology*, **126**, 891-898.
- Katzenellenbogen, J.A., O'Malley, B.W. and Katzenellenbogen, B.S. (1996) Tripartite steroid hormone receptor pharmacology: interaction with multiple effector sites as a basis for the cell- and promoter-specific action of these hormones. *Mol Endocrinol*, **10**, 119-131.
- Kavsak, P., Rasmussen, R.K., Causing, C.G., Bonni, S., Zhu, H., Thomsen, G.H. and Wrana, J.L. (2000) Smad7 binds to Smurf2 to form an E3 ubiquitin ligase that targets the TGF beta receptor for degradation. *Mol Cell*, **6**, 1365-1375.
- Kelly, M.J., Moss, R.L., Dudley, C.A. and Fawcett, C.P. (1977) The specificity of the response of preoptic-septal area neurons to estrogen: 17alpha-estradiol versus 17beta-estradiol and the response of extrahypothalamic neurons. *Exp Brain Res*, **30**, 43-52.
- Kelly, M.J., Qiu, J. and Ronnekleiv, O.K. (2003) Estrogen modulation of G-protein-coupled receptor activation of potassium channels in the central nervous system. *Ann N Y Acad Sci*, **1007**, 6-16.
- Keshamouni, V.G., Mattingly, R.R. and Reddy, K.B. (2002) Mechanism of 17-beta-estradiol-induced Erk1/2 activation in breast cancer cells. A role for HER2 AND PKC-delta. *J Biol Chem*, **277**, 22558-22565.
- Kilts, J.D., Gerhardt, M.A., Richardson, M.D., Sreeram, G., Mackensen, G.B., Grocott, H.P., White, W.D., Davis, R.D., Newman, M.F., Reves, J.G., Schwinn, D.A. and Kwatra, M.M. (2000) Beta(2)-adrenergic and several other G protein-coupled receptors in human atrial membranes activate both G(s) and G(i). *Circ Res*, **87**, 705-709.
- Kim, E.S., Kim, M.S. and Moon, A. (2004) TGF-beta-induced upregulation of MMP-2 and MMP-9 depends on p38 MAPK, but not ERK signaling in MCF10A human breast epithelial cells. *Int J Oncol*, **25**, 1375-1382.

- Kim, I.Y., Ahn, H.J., Zelner, D.J., Shaw, J.W., Sensibar, J.A., Kim, J.H., Kato, M. and Lee, C. (1996) Genetic change in transforming growth factor beta (TGF-beta) receptor type I gene correlates with insensitivity to TGF-beta 1 in human prostate cancer cells. *Cancer Res*, **56**, 44-48.
- Kinbara, K., Goldfinger, L.E., Hansen, M., Chou, F.L. and Ginsberg, M.H. (2003) Ras GTPases: integrins' friends or foes? *Nat Rev Mol Cell Biol*, **4**, 767-776.
- Kingsley, D.M. (1994) The TGF-beta superfamily: new members, new receptors, and new genetic tests of function in different organisms. *Genes Dev*, **8**, 133-146.
- Kiosses, W.B., Shattil, S.J., Pampori, N. and Schwartz, M.A. (2001) Rac recruits high-affinity integrin alphavbeta3 to lamellipodia in endothelial cell migration. *Nat Cell Biol*, **3**, 316-320.
- Klein-Hitpass, L., Schorpp, M., Wagner, U. and Ryffel, G.U. (1986) An estrogen-responsive element derived from the 5' flanking region of the Xenopus vitellogenin A2 gene functions in transfected human cells. *Cell*, **46**, 1053-1061.
- Klemke, R.L., Leng, J., Molander, R., Brooks, P.C., Vuori, K. and Cheresh, D.A. (1998) CAS/Crk coupling serves as a "molecular switch" for induction of cell migration. *J Cell Biol*, **140**, 961-972.
- Klotz, D.M., Hewitt, S.C., Ciana, P., Raviscioni, M., Lindzey, J.K., Foley, J., Maggi, A., DiAugustine, R.P. and Korach, K.S. (2002) Requirement of estrogen receptor-alpha in insulin-like growth factor-1 (IGF-1)-induced uterine responses and in vivo evidence for IGF-1/estrogen receptor cross-talk. *J Biol Chem*, **277**, 8531-8537.
- Knabbe, C., Lippman, M.E., Wakefield, L.M., Flanders, K.C., Kasid, A., Deryck, R. and Dickson, R.B. (1987) Evidence that transforming growth factor-beta is a hormonally regulated negative growth factor in human breast cancer cells. *Cell*, **48**, 417-428.
- Knaus, P.I., Lindemann, D., DeCoteau, J.F., Perlman, R., Yankelev, H., Hille, M., Kadin, M.E. and Lodish, H.F. (1996) A dominant inhibitory mutant of the type II transforming growth factor beta receptor in the malignant progression of a cutaneous T-cell lymphoma. *Mol Cell Biol*, **16**, 3480-3489.
- Knight, B., Laukaitis, C., Akhtar, N., Hotchin, N.A., Edlund, M. and Horwitz, A.R. (2000) Visualizing muscle cell migration in situ. *Curr Biol*, **10**, 576-585.
- Kohno, T., Wada, A. and Igarashi, Y. (2002) N-glycans of sphingosine 1-phosphate receptor Edg-1 regulate ligand-induced receptor internalization. *Faseb J*, **16**, 983-992.
- Koli, K., Saharinen, J., Hytytainen, M., Penttinen, C. and Keski-Oja, J. (2001) Latency, activation, and binding proteins of TGF-beta. *Microsc Res Tech*, **52**, 354-362.
- Kolodgie, F.D., Jacob, A., Wilson, P.S., Carlson, G.C., Farb, A., Verma, A. and Virmani, R. (1996) Estradiol attenuates directed migration of vascular smooth muscle cells in vitro. *Am J Pathol*, **148**, 969-976.
- Kowalski, P.J., Rubin, M.A. and Kleer, C.G. (2003) E-cadherin expression in primary carcinomas of the breast and its distant metastases. *Breast Cancer Res*, **5**, R217-222.
- Kretzschmar, M., Doody, J. and Massague, J. (1997) Opposing BMP and EGF signalling pathways converge on the TGF-beta family mediator Smad1. *Nature*, **389**, 618-622.
- Kretzschmar, M., Doody, J., Timokhina, I. and Massague, J. (1999) A mechanism of repression of TGFbeta/ Smad signaling by oncogenic Ras. *Genes Dev*, **13**, 804-816.

- Krishnan, V., Wang, X. and Safe, S. (1994) Estrogen receptor-Sp1 complexes mediate estrogen-induced cathepsin D gene expression in MCF-7 human breast cancer cells. *J Biol Chem*, **269**, 15912-15917.
- Krsmanovic, L.Z., Mores, N., Navarro, C.E., Arora, K.K. and Catt, K.J. (2003) An agonist-induced switch in G protein coupling of the gonadotropin-releasing hormone receptor regulates pulsatile neuropeptide secretion. *Proc Natl Acad Sci U S A*, **100**, 2969-2974.
- Krueger, J.S., Keshamouni, V.G., Atanaskova, N. and Reddy, K.B. (2001) Temporal and quantitative regulation of mitogen-activated protein kinase (MAPK) modulates cell motility and invasion. *Oncogene*, **20**, 4209-4218.
- Kulkarni, A.B., Huh, C.G., Becker, D., Geiser, A., Lyght, M., Flanders, K.C., Roberts, A.B., Sporn, M.B., Ward, J.M. and Karlsson, S. (1993) Transforming growth factor beta 1 null mutation in mice causes excessive inflammatory response and early death. *Proc Natl Acad Sci U S A*, **90**, 770-774.
- Kumar, V., Green, S., Stack, G., Berry, M., Jin, J.R. and Chambon, P. (1987) Functional domains of the human estrogen receptor. *Cell*, **51**, 941-951.
- Kushner, P.J., Agard, D.A., Greene, G.L., Scanlan, T.S., Shiau, A.K., Uht, R.M. and Webb, P. (2000) Estrogen receptor pathways to AP-1. *J Steroid Biochem Mol Biol*, **74**, 311-317.
- Lagrange, A.H., Ronneklev, O.K. and Kelly, M.J. (1997) Modulation of G protein-coupled receptors by an estrogen receptor that activates protein kinase A. *Mol Pharmacol*, **51**, 605-612.
- Laiho, M., Weis, F.M., Boyd, F.T., Ignotz, R.A. and Massague, J. (1991) Responsiveness to transforming growth factor-beta (TGF-beta) restored by genetic complementation between cells defective in TGF-beta receptors I and II. *J Biol Chem*, **266**, 9108-9112.
- Lauffenburger, D.A. and Horwitz, A.F. (1996) Cell migration: a physically integrated molecular process. *Cell*, **84**, 359-369.
- Lee, A.V., Weng, C.N., Jackson, J.G. and Yee, D. (1997) Activation of estrogen receptor-mediated gene transcription by IGF-I in human breast cancer cells. *J Endocrinol*, **152**, 39-47.
- Lei, J., Silbiger, S., Ziyadeh, F.N. and Neugarten, J. (1998) Serum-stimulated alpha 1 type IV collagen gene transcription is mediated by TGF-beta and inhibited by estradiol. *Am J Physiol*, **274**, F252-258.
- Leonelli, E., Ballabio, M., Consoli, A., Roglio, I., Magnaghi, V. and Melcangi, R.C. (2006) Neuroactive steroids: A therapeutic approach to maintain peripheral nerve integrity during neurodegenerative events. *J Mol Neurosci*, **28**, 65-76.
- Levin, E.R. (2003) Bidirectional signaling between the estrogen receptor and the epidermal growth factor receptor. *Mol Endocrinol*, **17**, 309-317.
- Lewis, J.S., Thomas, T.J., Pestell, R.G., Albanese, C., Gallo, M.A. and Thomas, T. (2005) Differential effects of 16alpha-hydroxyestrone and 2-methoxyestradiol on cyclin D1 involving the transcription factor ATF-2 in MCF-7 breast cancer cells. *J Mol Endocrinol*, **34**, 91-105.
- Leygue, E., Dotzlaw, H., Watson, P.H. and Murphy, L.C. (1998) Altered estrogen receptor alpha and beta messenger RNA expression during human breast tumorigenesis. *Cancer Res*, **58**, 3197-3201.
- Lieberherr, M. and Grosse, B. (1994) Androgens increase intracellular calcium concentration and inositol 1,4,5-trisphosphate and diacylglycerol formation via a pertussis toxin-sensitive G-protein. *J Biol Chem*, **269**, 7217-7223.
- Liotta, L.A. (2001) An attractive force in metastasis. *Nature*, **410**, 24-25.

- Liu, F., Hata, A., Baker, J.C., Doody, J., Carcamo, J., Harland, R.M. and Massague, J. (1996) A human Mad protein acting as a BMP-regulated transcriptional activator. *Nature*, **381**, 620-623.
- Liu, F., Pouponnot, C. and Massague, J. (1997) Dual role of the Smad4/DPC4 tumor suppressor in TGFbeta-inducible transcriptional complexes. *Genes Dev*, **11**, 3157-3167.
- Lo, R.S. and Massague, J. (1999) Ubiquitin-dependent degradation of TGF-beta-activated smad2. *Nat Cell Biol*, **1**, 472-478.
- Long, X. and Nephew, K.P. (2006) Fulvestrant (ICI 182,780)-dependent interacting proteins mediate immobilization and degradation of estrogen receptor-alpha. *J Biol Chem*, **281**, 9607-9615.
- Lopez-Casillas, F., Cheifetz, S., Doody, J., Andres, J.L., Lane, W.S. and Massague, J. (1991) Structure and expression of the membrane proteoglycan betaglycan, a component of the TGF-beta receptor system. *Cell*, **67**, 785-795.
- MacCallum, J., Bartlett, J.M., Thompson, A.M., Keen, J.C., Dixon, J.M. and Miller, W.R. (1994) Expression of transforming growth factor beta mRNA isoforms in human breast cancer. *Br J Cancer*, **69**, 1006-1009.
- Maggiolini, M., Vivacqua, A., Fasanella, G., Recchia, A.G., Sisci, D., Pezzi, V., Montanaro, D., Musti, A.M., Picard, D. and Ando, S. (2004) The G protein-coupled receptor GPR30 mediates c-fos up-regulation by 17beta-estradiol and phytoestrogens in breast cancer cells. *J Biol Chem*, **279**, 27008-27016.
- Malet, C., Fibleuil, F., Mestayer, C., Mowszowicz, I. and Kuttenn, F. (2001) Estrogen and antiestrogen actions on transforming growth factorbeta (TGFbeta) in normal human breast epithelial (HBE) cells. *Mol Cell Endocrinol*, **174**, 21-30.
- Mangelsdorf, D.J., Thummel, C., Beato, M., Herrlich, P., Schutz, G., Umesono, K., Blumberg, B., Kastner, P., Mark, M., Chambon, P. and Evans, R.M. (1995) The nuclear receptor superfamily: the second decade. *Cell*, **83**, 835-839.
- Markowitz, S.D. and Roberts, A.B. (1996) Tumor suppressor activity of the TGF-beta pathway in human cancers. *Cytokine Growth Factor Rev*, **7**, 93-102.
- Marquez, D.C., Lee, J., Lin, T. and Pietras, R.J. (2001) Epidermal growth factor receptor and tyrosine phosphorylation of estrogen receptor. *Endocrine*, **16**, 73-81.
- Martin, M.B., Franke, T.F., Stoica, G.E., Chambon, P., Katzenellenbogen, B.S., Stoica, B.A., McLemore, M.S., Olivo, S.E. and Stoica, A. (2000) A role for Akt in mediating the estrogenic functions of epidermal growth factor and insulin-like growth factor I. *Endocrinology*, **141**, 4503-4511.
- Massague, J. (1998) TGF-beta signal transduction. *Annu Rev Biochem*, **67**, 753-791.
- Massague, J. (2000) How cells read TGF-beta signals. *Nat Rev Mol Cell Biol*, **1**, 169-178.
- Massague, J., Blain, S.W. and Lo, R.S. (2000) TGFbeta signaling in growth control, cancer, and heritable disorders. *Cell*, **103**, 295-309.
- Mathew, A.C., Rajah, T.T., Hurt, G.M., Abbas Abidi, S.M., Dmytryk, J.J. and Pento, J.T. (1997) Influence of antiestrogens on the migration of breast cancer cells using an in vitro wound model. *Clin Exp Metastasis*, **15**, 393-399.
- Matsuda, T., Yamamoto, T., Muraguchi, A. and Saatcioglu, F. (2001) Cross-talk between transforming growth factor-beta and estrogen receptor signaling through Smad3. *J Biol Chem*, **276**, 42908-42914.
- McCune, B.K., Mullin, B.R., Flanders, K.C., Jaffurs, W.J., Mullen, L.T. and Sporn, M.B. (1992) Localization of transforming growth factor-beta isotypes in lesions of the human breast. *Hum Pathol*, **23**, 13-20.

- McEarchern, J.A., Kobie, J.J., Mack, V., Wu, R.S., Meade-Tollin, L., Arteaga, C.L., Dumont, N., Besselsen, D., Seftor, E., Hendrix, M.J., Katsanis, E. and Akporiaye, E.T. (2001) Invasion and metastasis of a mammary tumor involves TGF-beta signaling. *Int J Cancer*, **91**, 76-82.
- McNeill, J.M., Reed, M.J., Beranek, P.A., Bonney, R.C., Ghilchik, M.W., Robinson, D.J. and James, V.H. (1986) A comparison of the in vivo uptake and metabolism of 3H-oestrone and 3H-oestradiol by normal breast and breast tumour tissues in post-menopausal women. *Int J Cancer*, **38**, 193-196.
- Meng, Q., Qi, M., Chen, D.Z., Yuan, R., Goldberg, I.D., Rosen, E.M., Auborn, K. and Fan, S. (2000) Suppression of breast cancer invasion and migration by indole-3-carbinol: associated with up-regulation of BRCA1 and E-cadherin/catenin complexes. *J Mol Med*, **78**, 155-165.
- Merlot, S. and Firtel, R.A. (2003) Leading the way: Directional sensing through phosphatidylinositol 3-kinase and other signaling pathways. *J Cell Sci*, **116**, 3471-3478.
- Mermelstein, P.G., Becker, J.B. and Surmeier, D.J. (1996) Estradiol reduces calcium currents in rat neostriatal neurons via a membrane receptor. *J Neurosci*, **16**, 595-604.
- Miettinen, P.J., Ebner, R., Lopez, A.R. and Derynck, R. (1994) TGF-beta induced transdifferentiation of mammary epithelial cells to mesenchymal cells: involvement of type I receptors. *J Cell Biol*, **127**, 2021-2036.
- Migliaccio, A., Castoria, G., Di Domenico, M., de Falco, A., Bilancio, A., Lombardi, M., Bottero, D., Varricchio, L., Nanayakkara, M., Rotondi, A. and Auricchio, F. (2002) Sex steroid hormones act as growth factors. *J Steroid Biochem Mol Biol*, **83**, 31-35.
- Mittra, S. and Bourreau, J.P. (2006) Gs and Gi coupling of adrenomedullin in adult rat ventricular myocytes. *Am J Physiol Heart Circ Physiol*, **290**, H1842-1847.
- Miyazono, K., Suzuki, H. and Imamura, T. (2003) Regulation of TGF-beta signaling and its roles in progression of tumors. *Cancer Sci*, **94**, 230-234.
- Mizejewski, G.J. (1999) Role of integrins in cancer: survey of expression patterns. *Proc Soc Exp Biol Med*, **222**, 124-138.
- Monno, S., Newman, M.V., Cook, M. and Lowe, W.L., Jr. (2000) Insulin-like growth factor I activates c-Jun N-terminal kinase in MCF-7 breast cancer cells. *Endocrinology*, **141**, 544-550.
- Montano, M.M., Muller, V., Trobaugh, A. and Katzenellenbogen, B.S. (1995) The carboxy-terminal F domain of the human estrogen receptor: role in the transcriptional activity of the receptor and the effectiveness of antiestrogens as estrogen antagonists. *Mol Endocrinol*, **9**, 814-825.
- Morales, A., Diaz, M., Ropero, A.B., Nadal, A. and Alonso, R. (2003) Estradiol modulates acetylcholine-induced Ca²⁺ signals in LHRH-releasing GT1-7 cells through a membrane binding site. *Eur J Neurosci*, **18**, 2505-2514.
- Morey, A.K., Pedram, A., Razandi, M., Prins, B.A., Hu, R.M., Biesiada, E. and Levin, E.R. (1997) Estrogen and progesterone inhibit vascular smooth muscle proliferation. *Endocrinology*, **138**, 3330-3339.
- Mulder, K.M. (2000) Role of Ras and Mapks in TGFbeta signaling. *Cytokine Growth Factor Rev*, **11**, 23-35.
- Mundell, S.J., Luo, J., Benovic, J.L., Conley, P.B. and Poole, A.W. (2006) Distinct Clathrin-Coated Pits Sort Different G Protein-Coupled Receptor Cargo. *Traffic*.

- Murakami, G., Watabe, T., Takaoka, K., Miyazono, K. and Imamura, T. (2003) Cooperative inhibition of bone morphogenetic protein signaling by Smurf1 and inhibitory Smads. *Mol Biol Cell*, **14**, 2809-2817.
- Muramatsu, M. and Inoue, S. (2000) Estrogen receptors: how do they control reproductive and nonreproductive functions? *Biochem Biophys Res Commun*, **270**, 1-10.
- Muraoka-Cook, R.S., Dumont, N. and Arteaga, C.L. (2005) Dual role of transforming growth factor beta in mammary tumorigenesis and metastatic progression. *Clin Cancer Res*, **11**, 937s-943s.
- Muraoka, R.S., Dumont, N., Ritter, C.A., Dugger, T.C., Brantley, D.M., Chen, J., Easterly, E., Roebuck, L.R., Ryan, S., Gotwals, P.J., Koteliansky, V. and Arteaga, C.L. (2002) Blockade of TGF-beta inhibits mammary tumor cell viability, migration, and metastases. *J Clin Invest*, **109**, 1551-1559.
- Nadal, A., Ropero, A.B., Laribi, O., Maillet, M., Fuentes, E. and Soria, B. (2000) Nongenomic actions of estrogens and xenoestrogens by binding at a plasma membrane receptor unrelated to estrogen receptor alpha and estrogen receptor beta. *Proc Natl Acad Sci U S A*, **97**, 11603-11608.
- Nagarajan, R.P. and Chen, Y. (2000) Structural basis for the functional difference between Smad2 and Smad3 in FAST-2 (forkhead activin signal transducer-2)-mediated transcription. *Biochem J*, **350 Pt 1**, 253-259.
- Nakamura, T., Kato, Y., Fuji, H., Horiuchi, T., Chiba, Y. and Tanaka, K. (2003) E-cadherin-dependent intercellular adhesion enhances chemoresistance. *Int J Mol Med*, **12**, 693-700.
- Nakao, A., Afrakhte, M., Moren, A., Nakayama, T., Christian, J.L., Heuchel, R., Itoh, S., Kawabata, M., Heldin, N.E., Heldin, C.H. and ten Dijke, P. (1997) Identification of Smad7, a TGFbeta-inducible antagonist of TGF-beta signalling. *Nature*, **389**, 631-635.
- Negulescu, O., Bognar, I., Lei, J., Devarajan, P., Silbiger, S. and Neugarten, J. (2002) Estradiol reverses TGF-beta1-induced mesangial cell apoptosis by a casein kinase 2-dependent mechanism. *Kidney Int*, **62**, 1989-1998.
- Nelson, K.G., Takahashi, T., Bossert, N.L., Walmer, D.K. and McLachlan, J.A. (1991) Epidermal growth factor replaces estrogen in the stimulation of female genital-tract growth and differentiation. *Proc Natl Acad Sci U S A*, **88**, 21-25.
- Nelson, L.R. and Bulun, S.E. (2001) Estrogen production and action. *J Am Acad Dermatol*, **45**, S116-124.
- Nethrapalli, I.S., Tinnikov, A.A., Krishnan, V., Lei, C.D. and Toran-Allerand, C.D. (2005) Estrogen activates mitogen-activated protein kinase in native, nontransfected CHO-K1, COS-7, and RAT2 fibroblast cell lines. *Endocrinology*, **146**, 56-63.
- Nicolson, G.L. (1993) Paracrine and autocrine growth mechanisms in tumor metastasis to specific sites with particular emphasis on brain and lung metastasis. *Cancer Metastasis Rev*, **12**, 325-343.
- Norfleet, A.M., Thomas, M.L., Gametchu, B. and Watson, C.S. (1999) Estrogen receptor-alpha detected on the plasma membrane of aldehyde-fixed GH3/B6/F10 rat pituitary tumor cells by enzyme-linked immunocytochemistry. *Endocrinology*, **140**, 3805-3814.
- Oft, M., Akhurst, R.J. and Balmain, A. (2002) Metastasis is driven by sequential elevation of H-ras and Smad2 levels. *Nat Cell Biol*, **4**, 487-494.
- Oft, M., Heider, K.H. and Beug, H. (1998) TGFbeta signaling is necessary for carcinoma cell invasiveness and metastasis. *Curr Biol*, **8**, 1243-1252.

- Ogawa, K., Chen, F., Kuang, C. and Chen, Y. (2004) Suppression of matrix metalloproteinase-9 transcription by transforming growth factor-beta is mediated by a nuclear factor-kappaB site. *Biochem J*, **381**, 413-422.
- Oliveira, C.A., Nie, R., Carnes, K., Franca, L.R., Prins, G.S., Saunders, P.T. and Hess, R.A. (2003) The antiestrogen ICI 182,780 decreases the expression of estrogen receptor-alpha but has no effect on estrogen receptor-beta and androgen receptor in rat efferent ductules. *Reprod Biol Endocrinol*, **1**, 75.
- Onate, S.A., Tsai, S.Y., Tsai, M.J. and O'Malley, B.W. (1995) Sequence and characterization of a coactivator for the steroid hormone receptor superfamily. *Science*, **270**, 1354-1357.
- Osada, S.I., Saijoh, Y., Frisch, A., Yeo, C.Y., Adachi, H., Watanabe, M., Whitman, M., Hamada, H. and Wright, C.V. (2000) Activin/nodal responsiveness and asymmetric expression of a *Xenopus* nodal-related gene converge on a FAST-regulated module in intron 1. *Development*, **127**, 2503-2514.
- Osborne, C.K., Shou, J., Massarweh, S. and Schiff, R. (2005) Crosstalk between estrogen receptor and growth factor receptor pathways as a cause for endocrine therapy resistance in breast cancer. *Clin Cancer Res*, **11**, 865s-870s.
- Osborne, C.K., Zhao, H. and Fuqua, S.A. (2000) Selective estrogen receptor modulators: structure, function, and clinical use. *J Clin Oncol*, **18**, 3172-3186.
- Owman, C., Blay, P., Nilsson, C. and Lolait, S.J. (1996) Cloning of human cDNA encoding a novel heptahelix receptor expressed in Burkitt's lymphoma and widely distributed in brain and peripheral tissues. *Biochem Biophys Res Commun*, **228**, 285-292.
- Ozawa, H. (2005) Steroid Hormones, their receptors and neuroendocrine system. *J Nippon Med Sch*, **72**, 316-325.
- Pace, P., Taylor, J., Suntharalingam, S., Coombes, R.C. and Ali, S. (1997) Human estrogen receptor beta binds DNA in a manner similar to and dimerizes with estrogen receptor alpha. *J Biol Chem*, **272**, 25832-25838.
- Paech, K., Webb, P., Kuiper, G.G., Nilsson, S., Gustafsson, J., Kushner, P.J. and Scanlan, T.S. (1997) Differential ligand activation of estrogen receptors ERalpha and ERbeta at AP1 sites. *Science*, **277**, 1508-1510.
- Pappas, T.C., Gametchu, B. and Watson, C.S. (1995) Membrane estrogen receptors identified by multiple antibody labeling and impeded-ligand binding. *Faseb J*, **9**, 404-410.
- Pederson, L., Winding, B., Foged, N.T., Spelsberg, T.C. and Oursler, M.J. (1999) Identification of breast cancer cell line-derived paracrine factors that stimulate osteoclast activity. *Cancer Res*, **59**, 5849-5855.
- Pedram, A., Razandi, M., Aitkenhead, M., Hughes, C.C. and Levin, E.R. (2002) Integration of the non-genomic and genomic actions of estrogen. Membrane-initiated signaling by steroid to transcription and cell biology. *J Biol Chem*, **277**, 50768-50775.
- Pedram, A., Razandi, M. and Levin, E.R. (2006) Nature of Functional Estrogen Receptors at the Plasma Membrane. *Mol Endocrinol*.
- Pedram, A., Razandi, M., Wallace, D.C. and Levin, E.R. (2006) Functional estrogen receptors in the mitochondria of breast cancer cells. *Mol Biol Cell*, **17**, 2125-2137.
- Pham, T.A., Hwung, Y.P., Santiso-Mere, D., McDonnell, D.P. and O'Malley, B.W. (1992) Ligand-dependent and -independent function of the transactivation

- regions of the human estrogen receptor in yeast. *Mol Endocrinol*, **6**, 1043-1050.
- Pietras, R.J., Arboleda, J., Reese, D.M., Wongvipat, N., Pegram, M.D., Ramos, L., Gorman, C.M., Parker, M.G., Sliwkowski, M.X. and Slamon, D.J. (1995) HER-2 tyrosine kinase pathway targets estrogen receptor and promotes hormone-independent growth in human breast cancer cells. *Oncogene*, **10**, 2435-2446.
- Pietras, R.J. and Szego, C.M. (1977) Specific binding sites for oestrogen at the outer surfaces of isolated endometrial cells. *Nature*, **265**, 69-72.
- Pignatelli, M., Hanby, A.M. and Stamp, G.W. (1991) Low expression of beta 1, alpha 2 and alpha 3 subunits of VLA integrins in malignant mammary tumours. *J Pathol*, **165**, 25-32.
- Pink, J.J. and Jordan, V.C. (1996) Models of estrogen receptor regulation by estrogens and antiestrogens in breast cancer cell lines. *Cancer Res*, **56**, 2321-2330.
- Platet, N., Cunat, S., Chalbos, D., Rochefort, H. and Garcia, M. (2000) Unliganded and liganded estrogen receptors protect against cancer invasion via different mechanisms. *Mol Endocrinol*, **14**, 999-1009.
- Prenzel, N., Zwick, E., Daub, H., Leserer, M., Abraham, R., Wallasch, C. and Ullrich, A. (1999) EGF receptor transactivation by G-protein-coupled receptors requires metalloproteinase cleavage of proHB-EGF. *Nature*, **402**, 884-888.
- Prest, S.J., May, F.E. and Westley, B.R. (2002) The estrogen-regulated protein, TFF1, stimulates migration of human breast cancer cells. *Faseb J*, **16**, 592-594.
- Purohit, A., Newman, S.P. and Reed, M.J. (2002) The role of cytokines in regulating estrogen synthesis: implications for the etiology of breast cancer. *Breast Cancer Res*, **4**, 65-69.
- Qiu, J., Bosch, M.A., Tobias, S.C., Grandy, D.K., Scanlan, T.S., Ronnekleiv, O.K. and Kelly, M.J. (2003) Rapid signaling of estrogen in hypothalamic neurons involves a novel G-protein-coupled estrogen receptor that activates protein kinase C. *J Neurosci*, **23**, 9529-9540.
- Rambo, C.O. and Szego, C.M. (1983) Estrogen action at endometrial membranes: alterations in luminal surface detectable within seconds. *J Cell Biol*, **97**, 679-685.
- Rao, B.R. (1998) Isolation and characterization of an estrogen binding protein which may integrate the plethora of estrogenic actions in non-reproductive organs. *J Steroid Biochem Mol Biol*, **65**, 3-41.
- Rau, K.M., Kang, H.Y., Cha, T.L., Miller, S.A. and Hung, M.C. (2005) The mechanisms and managements of hormone-therapy resistance in breast and prostate cancers. *Endocr Relat Cancer*, **12**, 511-532.
- Razandi, M., Alton, G., Pedram, A., Ghonshani, S., Webb, P. and Levin, E.R. (2003) Identification of a structural determinant necessary for the localization and function of estrogen receptor alpha at the plasma membrane. *Mol Cell Biol*, **23**, 1633-1646.
- Razandi, M., Oh, P., Pedram, A., Schnitzer, J. and Levin, E.R. (2002) ERs associate with and regulate the production of caveolin: implications for signaling and cellular actions. *Mol Endocrinol*, **16**, 100-115.
- Razandi, M., Pedram, A., Greene, G.L. and Levin, E.R. (1999) Cell membrane and nuclear estrogen receptors (ERs) originate from a single transcript: studies of ERalpha and ERbeta expressed in Chinese hamster ovary cells. *Mol Endocrinol*, **13**, 307-319.

- Razandi, M., Pedram, A. and Levin, E.R. (2000) Estrogen signals to the preservation of endothelial cell form and function. *J Biol Chem*, **275**, 38540-38546.
- Razandi, M., Pedram, A. and Levin, E.R. (2000) Plasma membrane estrogen receptors signal to antiapoptosis in breast cancer. *Mol Endocrinol*, **14**, 1434-1447.
- Razandi, M., Pedram, A., Merchenthaler, I., Greene, G.L. and Levin, E.R. (2004) Plasma membrane estrogen receptors exist and functions as dimers. *Mol Endocrinol*, **18**, 2854-2865.
- Razandi, M., Pedram, A., Park, S.T. and Levin, E.R. (2003) Proximal events in signaling by plasma membrane estrogen receptors. *J Biol Chem*, **278**, 2701-2712.
- Razandi, M., Pedram, A., Rosen, E.M. and Levin, E.R. (2004) BRCA1 inhibits membrane estrogen and growth factor receptor signaling to cell proliferation in breast cancer. *Mol Cell Biol*, **24**, 5900-5913.
- Reiss, M. and Barcellos-Hoff, M.H. (1997) Transforming growth factor-beta in breast cancer: a working hypothesis. *Breast Cancer Res Treat*, **45**, 81-95.
- Renoir, J.M., Buchou, T. and Baulieu, E.E. (1986) Involvement of a non-hormone-binding 90-kilodalton protein in the nontransformed 8S form of the rabbit uterus progesterone receptor. *Biochemistry*, **25**, 6405-6413.
- Revankar, C.M., Cimino, D.F., Sklar, L.A., Arterburn, J.B. and Prossnitz, E.R. (2005) A transmembrane intracellular estrogen receptor mediates rapid cell signaling. *Science*, **307**, 1625-1630.
- Rhyu, D.Y., Yang, Y., Ha, H., Lee, G.T., Song, J.S., Uh, S.T. and Lee, H.B. (2005) Role of reactive oxygen species in TGF-beta1-induced mitogen-activated protein kinase activation and epithelial-mesenchymal transition in renal tubular epithelial cells. *J Am Soc Nephrol*, **16**, 667-675.
- Ridley, A.J., Schwartz, M.A., Burridge, K., Firtel, R.A., Ginsberg, M.H., Borisy, G., Parsons, J.T. and Horwitz, A.R. (2003) Cell migration: integrating signals from front to back. *Science*, **302**, 1704-1709.
- Riggins, G.J., Kinzler, K.W., Vogelstein, B. and Thiagalingam, S. (1997) Frequency of Smad gene mutations in human cancers. *Cancer Res*, **57**, 2578-2580.
- Rishi, A.K., Shao, Z.M., Baumann, R.G., Li, X.S., Sheikh, M.S., Kimura, S., Bashirelahi, N. and Fontana, J.A. (1995) Estradiol regulation of the human retinoic acid receptor alpha gene in human breast carcinoma cells is mediated via an imperfect half-palindromic estrogen response element and Sp1 motifs. *Cancer Res*, **55**, 4999-5006.
- Roberts, A.B., Russo, A., Felici, A. and Flanders, K.C. (2003) Smad3: a key player in pathogenetic mechanisms dependent on TGF-beta. *Ann N Y Acad Sci*, **995**, 1-10.
- Rochefort, H., Platet, N., Hayashido, Y., Derocq, D., Lucas, A., Cunat, S. and Garcia, M. (1998) Estrogen receptor mediated inhibition of cancer cell invasion and motility: an overview. *J Steroid Biochem Mol Biol*, **65**, 163-168.
- Rodeck, U., Becker, D. and Herlyn, M. (1991) Basic fibroblast growth factor in human melanoma. *Cancer Cells*, **3**, 308-311.
- Rodriguez, O.C., Schaefer, A.W., Mandato, C.A., Forscher, P., Bement, W.M. and Waterman-Storer, C.M. (2003) Conserved microtubule-actin interactions in cell movement and morphogenesis. *Nat Cell Biol*, **5**, 599-609.
- Saji, S., Kawakami, M., Hayashi, S., Yoshida, N., Hirose, M., Horiguchi, S., Itoh, A., Funata, N., Schreiber, S.L., Yoshida, M. and Toi, M. (2005) Significance of

- HDAC6 regulation via estrogen signaling for cell motility and prognosis in estrogen receptor-positive breast cancer. *Oncogene*, **24**, 4531-4539.
- Sanchez, E.R., Meshinchi, S., Schlesinger, M.J. and Pratt, W.B. (1987) Demonstration that the 90-kilodalton heat shock protein is bound to the glucocorticoid receptor in its 9S nondeoxynucleic acid binding form. *Mol Endocrinol*, **1**, 908-912.
- Sargent, E.R., Gomella, L.G., Wade, T.P., Ewing, M.W., Kasid, A. and Linehan, W.M. (1989) Expression of mRNA for transforming growth factors-alpha and -beta and secretion of transforming growth factor-beta by renal cell carcinoma cell lines. *Cancer Commun*, **1**, 317-322.
- Savage, C., Das, P., Finelli, A.L., Townsend, S.R., Sun, C.Y., Baird, S.E. and Padgett, R.W. (1996) *Caenorhabditis elegans* genes sma-2, sma-3, and sma-4 define a conserved family of transforming growth factor beta pathway components. *Proc Natl Acad Sci U S A*, **93**, 790-794.
- Schadendorf, D., Moller, A., Algermissen, B., Worm, M., Sticherling, M. and Czarnetzki, B.M. (1993) IL-8 produced by human malignant melanoma cells in vitro is an essential autocrine growth factor. *J Immunol*, **151**, 2667-2675.
- Schiff, R., Massarweh, S.A., Shou, J., Bharwani, L., Mohsin, S.K. and Osborne, C.K. (2004) Cross-talk between estrogen receptor and growth factor pathways as a molecular target for overcoming endocrine resistance. *Clin Cancer Res*, **10**, 331S-336S.
- Schwartz, M.A. and Shattil, S.J. (2000) Signaling networks linking integrins and rho family GTPases. *Trends Biochem Sci*, **25**, 388-391.
- Seiler-Tuyns, A., Walker, P., Martinez, E., Merillat, A.M., Givel, F. and Wahli, W. (1986) Identification of estrogen-responsive DNA sequences by transient expression experiments in a human breast cancer cell line. *Nucleic Acids Res*, **14**, 8755-8770.
- Sekelsky, J.J., Newfeld, S.J., Raftery, L.A., Chartoff, E.H. and Gelbart, W.M. (1995) Genetic characterization and cloning of mothers against dpp, a gene required for decapentaplegic function in *Drosophila melanogaster*. *Genetics*, **139**, 1347-1358.
- Sheen-Chen, S.M., Eng, H.L., Huang, C.C. and Chen, W.J. (2004) Serum levels of soluble E-selectin in women with breast cancer. *Br J Surg*, **91**, 1578-1581.
- Sheetz, M.P., Felsenfeld, D., Galbraith, C.G. and Choquet, D. (1999) Cell migration as a five-step cycle. *Biochem Soc Symp*, **65**, 233-243.
- Shi, Y., Hata, A., Lo, R.S., Massague, J. and Pavletich, N.P. (1997) A structural basis for mutational inactivation of the tumour suppressor Smad4. *Nature*, **388**, 87-93.
- Shi, Y., Wang, Y.F., Jayaraman, L., Yang, H., Massague, J. and Pavletich, N.P. (1998) Crystal structure of a Smad MH1 domain bound to DNA: insights on DNA binding in TGF-beta signaling. *Cell*, **94**, 585-594.
- Siiitonens, S.M., Kononen, J.T., Helin, H.J., Rantala, I.S., Holli, K.A. and Isola, J.J. (1996) Reduced E-cadherin expression is associated with invasiveness and unfavorable prognosis in breast cancer. *Am J Clin Pathol*, **105**, 394-402.
- Silbiger, S., Lei, J., Ziyadeh, F.N. and Neugarten, J. (1998) Estradiol reverses TGF-beta1-stimulated type IV collagen gene transcription in murine mesangial cells. *Am J Physiol*, **274**, F1113-1118.
- Simoncini, T., Hafezi-Moghadam, A., Brazil, D.P., Ley, K., Chin, W.W. and Liao, J.K. (2000) Interaction of oestrogen receptor with the regulatory subunit of phosphatidylinositol-3-OH kinase. *Nature*, **407**, 538-541.

- Simpson, E.R. (2003) Sources of estrogen and their importance. *J Steroid Biochem Mol Biol*, **86**, 225-230.
- Singh, A., Blench, I., Morris, H.R., Savoy, L.A. and Reed, M.J. (1992) Synergistic interaction of growth factors and albumin in regulating estradiol synthesis in breast cancer cells. *Mol Cell Endocrinol*, **85**, 165-173.
- Singh, M., Setalo, G., Jr., Guan, X., Frail, D.E. and Toran-Allerand, C.D. (2000) Estrogen-induced activation of the mitogen-activated protein kinase cascade in the cerebral cortex of estrogen receptor-alpha knock-out mice. *J Neurosci*, **20**, 1694-1700.
- Smith, C.L. (1998) Cross-talk between peptide growth factor and estrogen receptor signaling pathways. *Biol Reprod*, **58**, 627-632.
- Song, C.Z., Tian, X. and Gelehrter, T.D. (1999) Glucocorticoid receptor inhibits transforming growth factor-beta signaling by directly targeting the transcriptional activation function of Smad3. *Proc Natl Acad Sci U S A*, **96**, 11776-11781.
- Song, R.X., McPherson, R.A., Adam, L., Bao, Y., Shupnik, M., Kumar, R. and Santen, R.J. (2002) Linkage of rapid estrogen action to MAPK activation by ERalpha-Shc association and Shc pathway activation. *Mol Endocrinol*, **16**, 116-127.
- Souchelnytskyi, S., ten Dijke, P., Miyazono, K. and Heldin, C.H. (1996) Phosphorylation of Ser165 in TGF-beta type I receptor modulates TGF-beta1-induced cellular responses. *Embo J*, **15**, 6231-6240.
- Soule, H.D., Vazquez, J., Long, A., Albert, S. and Brennan, M. (1973) A human cell line from a pleural effusion derived from a breast carcinoma. *J Natl Cancer Inst*, **51**, 1409-1416.
- Speirs, V., Parkes, A.T., Kerin, M.J., Walton, D.S., Carleton, P.J., Fox, J.N. and Atkin, S.L. (1999) Coexpression of estrogen receptor alpha and beta: poor prognostic factors in human breast cancer? *Cancer Res*, **59**, 525-528.
- Spruss, T., Bernhardt, G., Schickaneder, E. and Schonberger, H. (1991) Different response of murine and human mammary tumour models to a series of diastereoisomeric [1,2-bis(difluorophenyl) ethylenediamine]dichloroplatinum(II) complexes. *J Cancer Res Clin Oncol*, **117**, 435-443.
- Sreeja, S. and Thampan, R.V. (2004) Estradiol-mediated internalisation of the non-activated estrogen receptor from the goat uterine plasma membrane: identification of the proteins involved. *Mol Cell Biochem*, **259**, 131-140.
- Sreeja, S. and Thampan, R.V. (2004) Proteins which mediate the nuclear entry of goat uterine non activated estrogen receptor (naER) following naER internalization from the plasma membrane. *Mol Cell Biochem*, **259**, 141-148.
- Srinivasan, S., Wang, F., Glavas, S., Ott, A., Hofmann, F., Aktories, K., Kalman, D. and Bourne, H.R. (2003) Rac and Cdc42 play distinct roles in regulating PI(3,4,5)P3 and polarity during neutrophil chemotaxis. *J Cell Biol*, **160**, 375-385.
- Steiner, M.S., Zhou, Z.Z., Tonb, D.C. and Barrack, E.R. (1994) Expression of transforming growth factor-beta 1 in prostate cancer. *Endocrinology*, **135**, 2240-2247.
- Stevi, P.E., Deecher, D.C., Suhadolnik, L., Mallis, L.M. and Frail, D.E. (1999) Differential effects of estradiol and estradiol-BSA conjugates. *Endocrinology*, **140**, 5455-5458.
- Stoica, A., Saceda, M., Fakhro, A., Solomon, H.B., Fenster, B.D. and Martin, M.B. (1997) The role of transforming growth factor-beta in the regulation of

- estrogen receptor expression in the MCF-7 breast cancer cell line. *Endocrinology*, **138**, 1498-1505.
- Stoica, G.E., Franke, T.F., Wellstein, A., Czubayko, F., List, H.J., Reiter, R., Morgan, E., Martin, M.B. and Stoica, A. (2003) Estradiol rapidly activates Akt via the ErbB2 signaling pathway. *Mol Endocrinol*, **17**, 818-830.
- Stossi, F., Barnett, D.H., Frasor, J., Komm, B., Lytle, C.R. and Katzenellenbogen, B.S. (2004) Transcriptional profiling of estrogen-regulated gene expression via estrogen receptor (ER) alpha or ERbeta in human osteosarcoma cells: distinct and common target genes for these receptors. *Endocrinology*, **145**, 3473-3486.
- Sukocheva, O., Wadham, C., Holmes, A., Albanese, N., Verrier, E., Feng, F., Bernal, A., Derian, C.K., Ullrich, A., Vadas, M.A. and Xia, P. (2006) Estrogen transactivates EGFR via the sphingosine 1-phosphate receptor Edg-3: the role of sphingosine kinase-1. *J Cell Biol*, **173**, 301-310.
- Sukocheva, O.A., Wang, L., Albanese, N., Pitson, S.M., Vadas, M.A. and Xia, P. (2003) Sphingosine kinase transmits estrogen signaling in human breast cancer cells. *Mol Endocrinol*, **17**, 2002-2012.
- Sun, L., Wu, G., Willson, J.K., Zborowska, E., Yang, J., Rajkarunananayake, I., Wang, J., Gentry, L.E., Wang, X.F. and Brattain, M.G. (1994) Expression of transforming growth factor beta type II receptor leads to reduced malignancy in human breast cancer MCF-7 cells. *J Biol Chem*, **269**, 26449-26455.
- Taguchi, Y., Koslowski, M. and Bodenner, D.L. (2004) Binding of estrogen receptor with estrogen conjugated to bovine serum albumin (BSA). *Nucl Recept*, **2**, 5.
- Takada, Y., Kato, C., Kondo, S., Korenaga, R. and Ando, J. (1997) Cloning of cDNAs encoding G protein-coupled receptor expressed in human endothelial cells exposed to fluid shear stress. *Biochem Biophys Res Commun*, **240**, 737-741.
- Tassignon, J., Haeseleer, F. and Borkowski, A. (1997) Natural antiestrogen receptor autoantibodies in man with estrogenic activity in mammary carcinoma cell culture: study of their mechanism of action; evidence for involvement of estrogen-like epitopes. *J Clin Endocrinol Metab*, **82**, 3464-3470.
- Thomas, P., Pang, Y., Filardo, E.J. and Dong, J. (2005) Identity of an estrogen membrane receptor coupled to a G protein in human breast cancer cells. *Endocrinology*, **146**, 624-632.
- Thompson, A.M., Kerr, D.J. and Steel, C.M. (1991) Transforming growth factor beta 1 is implicated in the failure of tamoxifen therapy in human breast cancer. *Br J Cancer*, **63**, 609-614.
- Thompson, E.W., Reich, R., Shima, T.B., Albini, A., Graf, J., Martin, G.R., Dickson, R.B. and Lippman, M.E. (1988) Differential regulation of growth and invasiveness of MCF-7 breast cancer cells by antiestrogens. *Cancer Res*, **48**, 6764-6768.
- Thorne, C. and Lee, A.V. (2003) Cross talk between estrogen receptor and IGF signaling in normal mammary gland development and breast cancer. *Breast Dis*, **17**, 105-114.
- Tian, F., DaCosta Byfield, S., Parks, W.T., Yoo, S., Felici, A., Tang, B., Piek, E., Wakefield, L.M. and Roberts, A.B. (2003) Reduction in Smad2/3 signaling enhances tumorigenesis but suppresses metastasis of breast cancer cell lines. *Cancer Res*, **63**, 8284-8292.
- Tong, G.M., Rajah, T.T., Zang, X.P. and Pento, J.T. (2002) The effect of antiestrogens on TGF-beta-mediated chemotaxis of human breast cancer cells. *Anticancer Res*, **22**, 103-106.

- Toran-Allerand, C.D. (2004) Minireview: A plethora of estrogen receptors in the brain: where will it end? *Endocrinology*, **145**, 1069-1074.
- Toran-Allerand, C.D., Guan, X., MacLusky, N.J., Horvath, T.L., Diano, S., Singh, M., Connolly, E.S., Jr., Nethrapalli, I.S. and Tinnikov, A.A. (2002) ER-X: a novel, plasma membrane-associated, putative estrogen receptor that is regulated during development and after ischemic brain injury. *J Neurosci*, **22**, 8391-8401.
- Tsai, M.J. and O'Malley, B.W. (1994) Molecular mechanisms of action of steroid/thyroid receptor superfamily members. *Annu Rev Biochem*, **63**, 451-486.
- Tsukazaki, T., Chiang, T.A., Davison, A.F., Attisano, L. and Wrana, J.L. (1998) SARA, a FYVE domain protein that recruits Smad2 to the TGFbeta receptor. *Cell*, **95**, 779-791.
- Turner, C.E., West, K.A. and Brown, M.C. (2001) Paxillin-ARF GAP signaling and the cytoskeleton. *Curr Opin Cell Biol*, **13**, 593-599.
- Turner, R.T., Riggs, B.L. and Spelsberg, T.C. (1994) Skeletal effects of estrogen. *Endocr Rev*, **15**, 275-300.
- Tzukerman, M.T., Esty, A., Santiso-Mere, D., Danielian, P., Parker, M.G., Stein, R.B., Pike, J.W. and McDonnell, D.P. (1994) Human estrogen receptor transactivational capacity is determined by both cellular and promoter context and mediated by two functionally distinct intramolecular regions. *Mol Endocrinol*, **8**, 21-30.
- Umayahara, Y., Kawamori, R., Watada, H., Imano, E., Iwama, N., Morishima, T., Yamasaki, Y., Kajimoto, Y. and Kamada, T. (1994) Estrogen regulation of the insulin-like growth factor I gene transcription involves an AP-1 enhancer. *J Biol Chem*, **269**, 16433-16442.
- Valverius, E.M., Walker-Jones, D., Bates, S.E., Stampfer, M.R., Clark, R., McCormick, F., Dickson, R.B. and Lippman, M.E. (1989) Production of and responsiveness to transforming growth factor-beta in normal and oncogene-transformed human mammary epithelial cells. *Cancer Res*, **49**, 6269-6274.
- Van Den Bemd, G.J., Kuiper, G.G., Pols, H.A. and Van Leeuwen, J.P. (1999) Distinct effects on the conformation of estrogen receptor alpha and beta by both the antiestrogens ICI 164,384 and ICI 182,780 leading to opposite effects on receptor stability. *Biochem Biophys Res Commun*, **261**, 1-5.
- Vivacqua, A., Bonofiglio, D., Recchia, A.G., Musti, A.M., Picard, D., Ando, S. and Maggiolini, M. (2005) THE G PROTEIN-COUPLED RECEPTOR GPR30 MEDIATES THE PROLIFERATIVE EFFECTS INDUCED BY 17{beta}-ESTRADIOL AND HYDROXYTAMOXIFEN IN ENDOMETRIAL CANCER CELLS. *Mol Endocrinol*.
- Vladusic, E.A., Hornby, A.E., Guerra-Vladusic, F.K., Lakins, J. and Lupu, R. (2000) Expression and regulation of estrogen receptor beta in human breast tumors and cell lines. *Oncol Rep*, **7**, 157-167.
- Wakefield, L.M. and Roberts, A.B. (2002) TGF-beta signaling: positive and negative effects on tumorigenesis. *Curr Opin Genet Dev*, **12**, 22-29.
- Wakeling, A.E. (1995) Use of pure antioestrogens to elucidate the mode of action of oestrogens. *Biochem Pharmacol*, **49**, 1545-1549.
- Wakeling, A.E. and Bowler, J. (1988) Biology and mode of action of pure antioestrogens. *J Steroid Biochem*, **30**, 141-147.
- Wakeling, A.E. and Bowler, J. (1988) Novel antioestrogens without partial agonist activity. *J Steroid Biochem*, **31**, 645-653.

- Wakeling, A.E. and Bowler, J. (1992) ICI 182,780, a new antioestrogen with clinical potential. *J Steroid Biochem Mol Biol*, **43**, 173-177.
- Walker, R.A., Dearing, S.J. and Gallacher, B. (1994) Relationship of transforming growth factor beta 1 to extracellular matrix and stromal infiltrates in invasive breast carcinoma. *Br J Cancer*, **69**, 1160-1165.
- Wang, F., Van Brocklyn, J.R., Edsall, L., Nava, V.E. and Spiegel, S. (1999) Sphingosine-1-phosphate inhibits motility of human breast cancer cells independently of cell surface receptors. *Cancer Res*, **59**, 6185-6191.
- Wang, X.F., Lin, H.Y., Ng-Eaton, E., Downward, J., Lodish, H.F. and Weinberg, R.A. (1991) Expression cloning and characterization of the TGF-beta type III receptor. *Cell*, **67**, 797-805.
- Watanabe, T., Inoue, S., Ogawa, S., Ishii, Y., Hiroi, H., Ikeda, K., Orimo, A. and Muramatsu, M. (1997) Agonistic effect of tamoxifen is dependent on cell type, ERE-promoter context, and estrogen receptor subtype: functional difference between estrogen receptors alpha and beta. *Biochem Biophys Res Commun*, **236**, 140-145.
- Webb, D.J., Parsons, J.T. and Horwitz, A.F. (2002) Adhesion assembly, disassembly and turnover in migrating cells -- over and over and over again. *Nat Cell Biol*, **4**, E97-100.
- Webb, P., Lopez, G.N., Greene, G.L., Baxter, J.D. and Kushner, P.J. (1992) The limits of the cellular capacity to mediate an estrogen response. *Mol Endocrinol*, **6**, 157-167.
- Webb, P., Lopez, G.N., Uht, R.M. and Kushner, P.J. (1995) Tamoxifen activation of the estrogen receptor/AP-1 pathway: potential origin for the cell-specific estrogen-like effects of antiestrogens. *Mol Endocrinol*, **9**, 443-456.
- Welch, H.C., Coadwell, W.J., Stephens, L.R. and Hawkins, P.T. (2003) Phosphoinositide 3-kinase-dependent activation of Rac. *FEBS Lett*, **546**, 93-97.
- White, R., Sjoberg, M., Kalkhoven, E. and Parker, M.G. (1997) Ligand-independent activation of the oestrogen receptor by mutation of a conserved tyrosine. *Embo J*, **16**, 1427-1435.
- Wieser, R., Wrana, J.L. and Massague, J. (1995) GS domain mutations that constitutively activate T beta R-I, the downstream signaling component in the TGF-beta receptor complex. *Embo J*, **14**, 2199-2208.
- Wong, A.S. and Gumbiner, B.M. (2003) Adhesion-independent mechanism for suppression of tumor cell invasion by E-cadherin. *J Cell Biol*, **161**, 1191-1203.
- Worthy lake, R.A. and Burridge, K. (2003) RhoA and ROCK promote migration by limiting membrane protrusions. *J Biol Chem*, **278**, 13578-13584.
- Wrana, J.L., Attisano, L., Wieser, R., Ventura, F. and Massague, J. (1994) Mechanism of activation of the TGF-beta receptor. *Nature*, **370**, 341-347.
- Wu, G., Chen, Y.G., Ozdamar, B., Gyuricza, C.A., Chong, P.A., Wrana, J.L., Massague, J. and Shi, Y. (2000) Structural basis of Smad2 recognition by the Smad anchor for receptor activation. *Science*, **287**, 92-97.
- Wu, L., Wu, Y., Gathings, B., Wan, M., Li, X., Grizzle, W., Liu, Z., Lu, C., Mao, Z. and Cao, X. (2003) Smad4 as a transcription corepressor for estrogen receptor alpha. *J Biol Chem*, **278**, 15192-15200.
- Wyckoff, M.H., Chambliss, K.L., Mineo, C., Yuhanna, I.S., Mendelsohn, M.E., Mumby, S.M. and Shaul, P.W. (2001) Plasma membrane estrogen receptors are coupled to endothelial nitric-oxide synthase through Galpha(i). *J Biol Chem*, **276**, 27071-27076.

- Xiang, Y., Rybin, V.O., Steinberg, S.F. and Kobilka, B. (2002) Caveolar localization dictates physiologic signaling of beta 2-adrenoceptors in neonatal cardiac myocytes. *J Biol Chem*, **277**, 34280-34286.
- Xu, J., Wang, F., Van Keymeulen, A., Herzmark, P., Straight, A., Kelly, K., Takuwa, Y., Sugimoto, N., Mitchison, T. and Bourne, H.R. (2003) Divergent signals and cytoskeletal assemblies regulate self-organizing polarity in neutrophils. *Cell*, **114**, 201-214.
- Xu, W., Angelis, K., Danielpour, D., Haddad, M.M., Bischof, O., Campisi, J., Stavnezer, E. and Medrano, E.E. (2000) Ski acts as a co-repressor with Smad2 and Smad3 to regulate the response to type beta transforming growth factor. *Proc Natl Acad Sci U S A*, **97**, 5924-5929.
- Yager, J.D. (2000) Endogenous estrogens as carcinogens through metabolic activation. *J Natl Cancer Inst Monogr*, 67-73.
- Yamamoto, T., Saatcioglu, F. and Matsuda, T. (2002) Cross-talk between bone morphogenic proteins and estrogen receptor signaling. *Endocrinology*, **143**, 2635-2642.
- Yanagisawa, J., Yanagi, Y., Masuhiro, Y., Suzawa, M., Watanabe, M., Kashiwagi, K., Toriyabe, T., Kawabata, M., Miyazono, K. and Kato, S. (1999) Convergence of transforming growth factor-beta and vitamin D signaling pathways on SMAD transcriptional coactivators. *Science*, **283**, 1317-1321.
- Yang, Y.A., Dukhanina, O., Tang, B., Mamura, M., Letterio, J.J., MacGregor, J., Patel, S.C., Khozin, S., Liu, Z.Y., Green, J., Anver, M.R., Merlini, G. and Wakefield, L.M. (2002) Lifetime exposure to a soluble TGF-beta antagonist protects mice against metastasis without adverse side effects. *J Clin Invest*, **109**, 1607-1615.
- Yin, J.J., Selander, K., Chirgwin, J.M., Dallas, M., Grubbs, B.G., Wieser, R., Massague, J., Mundy, G.R. and Guise, T.A. (1999) TGF-beta signaling blockade inhibits PTHrP secretion by breast cancer cells and bone metastases development. *J Clin Invest*, **103**, 197-206.
- Yingling, J.M., Datto, M.B., Wong, C., Frederick, J.P., Liberati, N.T. and Wang, X.F. (1997) Tumor suppressor Smad4 is a transforming growth factor beta-inducible DNA binding protein. *Mol Cell Biol*, **17**, 7019-7028.
- Ylikomi, T., Vienonen, A. and Ahola, T.M. (2004) G protein-coupled receptor 30 down-regulates cofactor expression and interferes with the transcriptional activity of glucocorticoid. *Eur J Biochem*, **271**, 4159-4168.
- Yu, Q. and Stamenkovic, I. (2000) Cell surface-localized matrix metalloproteinase-9 proteolytically activates TGF-beta and promotes tumor invasion and angiogenesis. *Genes Dev*, **14**, 163-176.
- Yue, W., Santen, R.J., Wang, J.P., Li, Y., Verderame, M.F., Bocchinfuso, W.P., Korach, K.S., Devanesan, P., Todorovic, R., Rogan, E.G. and Cavalieri, E.L. (2003) Genotoxic metabolites of estradiol in breast: potential mechanism of estradiol induced carcinogenesis. *J Steroid Biochem Mol Biol*, **86**, 477-486.
- Zawel, L., Dai, J.L., Buckhaults, P., Zhou, S., Kinzler, K.W., Vogelstein, B. and Kern, S.E. (1998) Human Smad3 and Smad4 are sequence-specific transcription activators. *Mol Cell*, **1**, 611-617.
- Zetter, B.R. (1993) Adhesion molecules in tumor metastasis. *Semin Cancer Biol*, **4**, 219-229.
- Zhang, Z., Maier, B., Santen, R.J. and Song, R.X. (2002) Membrane association of estrogen receptor alpha mediates estrogen effect on MAPK activation. *Biochem Biophys Res Commun*, **294**, 926-933.

- Zhou, J., Gurates, B., Yang, S., Sebastian, S. and Bulun, S.E. (2001) Malignant breast epithelial cells stimulate aromatase expression via promoter II in human adipose fibroblasts: an epithelial-stromal interaction in breast tumors mediated by CCAAT/enhancer binding protein beta. *Cancer Res*, **61**, 2328-2334.
- Zhu, H.J. and Burgess, A.W. (2001) Regulation of transforming growth factor-beta signaling. *Mol Cell Biol Res Commun*, **4**, 321-330.
- Zhu, Y., Bond, J. and Thomas, P. (2003) Identification, classification, and partial characterization of genes in humans and other vertebrates homologous to a fish membrane progestin receptor. *Proc Natl Acad Sci U S A*, **100**, 2237-2242.
- Zhu, Y., Rice, C.D., Pang, Y., Pace, M. and Thomas, P. (2003) Cloning, expression, and characterization of a membrane progestin receptor and evidence it is an intermediary in meiotic maturation of fish oocytes. *Proc Natl Acad Sci U S A*, **100**, 2231-2236.
- Zivadinovic, D., Gametchu, B. and Watson, C.S. (2005) Membrane estrogen receptor-alpha levels in MCF-7 breast cancer cells predict cAMP and proliferation responses. *Breast Cancer Res*, **7**, R101-112.
- Zivadinovic, D. and Watson, C.S. (2005) Membrane estrogen receptor-alpha levels predict estrogen-induced ERK1/2 activation in MCF-7 cells. *Breast Cancer Res*, **7**, R130-144.