

## Literaturverzeichnis

- Altman, J. (1969). "Autoradiographic and histological studies of postnatal neurogenesis. IV. Cell proliferation and migration in the anterior forebrain, with special reference to persisting neurogenesis in the olfactory bulb." *J Comp Neurol* **137**(4): 433-57.
- Altman, J. and G. D. Das (1964). "Autoradiographic examination of the effects of enriched environment on the rate of glial multiplication in the adult rat brain." *Nature* **204**: 1161-1163.
- Altman, J. and G. D. Das (1965). "Autoradiographic and histologic evidence of postnatal neurogenesis in rats." *J. Comp. Neurol.* **124**: 319-335.
- Alvarez-Buylla, A., J. M. Garcia-Verdugo, et al. (2001). "A unified hypothesis on the lineage of neural stem cells." *Nat Rev Neurosci* **2**(4): 287-93.
- Arvidsson, A., Collin, T., Kirik, D., Kokaia, Z., Lindvall, O. (2002). "Neuronal replacement from endogenous precursors in the adult brain after stroke." *Nat Med.* **8**(9): 963-970.
- Baimbridge, K. G., Celio, M.R., Rogers, J.H. (1992). "Calcium-binding proteins in the nervous system." *Trends Neurosci* **15**(8): 303-308.
- Bedard, A., Parent, A. (2004). "Evidence of newly generated neurons in the human olfactory bulb." *Brain Res Dev Brain Res* **151**(1-2): 159-168.
- Ben-Ari Y. (2002). "Excitatory actions of gaba during development: the nature of the nurture." *Nat Rev Neurosci.* **3** (9): 728-739
- Bengzon, J., Z. Kokaia, et al. (1997). "Apoptosis and proliferation of dentate gyrus neurons after single and intermittent limbic seizures." *Proc. Natl. Acad. Sci. USA* **94**: 10432-10437.
- Bennett, E. L., Diamond, M.C., Krech, D., Rosenzweig, M.R. (1964). "CHEMICAL AND ANATOMICAL PLASTICITY BRAIN." *Science* **146**: 610-619.
- Biebl, M., C. M. Cooper, et al. (2000). "Analysis of neurogenesis and programmed cell death reveals a self-renewing capacity in the adult rat brain." *Neurosci Lett* **291**(1): 17-20.
- Bouilleret, V., Loup, F., Kiener, T., Marescaux, C., Fritschy, J.M. (2000). "Early loss of interneurons and delayed subunit-specific changes in GABA(A)-receptor expression in a mouse model of mesial temporal lobe epilepsy." *Hippocampus* **10**(3): 305-324.

- Brandt, M.D., Jessberger, S., Steiner, S., Kronenberg, G., Reuter, K., Bick-Sander, A., von der Behrens, W., Kempermann, G. (2003). "Transient calretinin expression defines early postmitotic step of neuronal differentiation in adult hippocampal neurogenesis of mice." *Mol Cell Neurosci* **24**(3) 603-613
- Brown, J., Cooper-Kuhn, C.M., Kempermann, G., Van Praag, H., Winkler, J., Gage, F.H., Kuhn, H.G. (2003). "Enriched environment and physical activity stimulate hippocampal but not olfactory bulb neurogenesis." *Eur J Neurosci.* **17**(10): 2042-2046.
- Cameron, H. A., C. S. Woolley, et al. (1993). "Differentiation of newly born neurons and glia in the dentate gyrus of the adult rat." *Neuroscience* **56**(2): 337-44.
- Carro, E., A. Nunez, et al. (2000). "Circulating insulin-like growth factor I mediates effects of exercise on the brain." *J Neurosci* **20**(8): 2926-33.
- Corbo, J. C., Deuel, T.A., Long, J.M., LaPorte, P., Tsai, E., Wynshaw-Boris, A., Walsh, C.A. (2002). "Doublecortin is required in mice for lamination of the hippocampus but not the neocortex." *J Neurosci.* **22**(17): 7548-7557.
- Corotto, F. S., J. A. Henegar, et al. (1993). "Neurogenesis persists in the subependymal layer of the adult mouse brain." *Neurosci Lett* **149**(2): 111-4.
- Couillard-Despres S., Winner B., Schaubeck S., Aigner R., Vroemen M., Weidner N., Bogdahn U., Winkler J., Kuhn H. G., Aigner L. (2005) "Doublecortin expression levels in adult brain reflect neurogenesis." *Eur J Neurosci.* **21**(1):1-14.
- D'Arcangelo, G., Miao, G.G., Chen, S.C., Soares, H.D., Morgan, J.I., Curran, T. (1995). "A protein related to extracellular matrix proteins deleted in the mouse mutant reeler." *Nature* **374**(6524): 719-723.
- Deckwerth, T. L., Elliott, J. L., et al. (1996) "Bax is required for neuronal death after trophic factor deprivation and during development" *Neuron* **17**: 401 - 411
- Deisseroth K, S. S., Toda H., Monje M., Palmer T. D., Malenka R. C. (2004). "Excitation-neurogenesis coupling in adult neural stem/progenitor cells." *Neuron* **42**(4): 535-552.
- Del Rio, J. A., Heimrich, B., Super, H., Borrell, V., Frotscher, M., Soriano, E. (1996). "Differential survival of Cajal-Retzius cells in organotypic cultures of hippocampus and neocortex." *J Neurosci* **16**(21): 6896-6907.
- des Portes, V., Pinard, J.M., Billuart, P., Vinet, M.C., Koulakoff, A., Carrie, A., Gelot, A., Dupuis, E., Motte, J., Berwald-Netter, Y., Catala, M., Kahn, A., Beldjord, C.,

- Chelly, J. (1998). "A novel CNS gene required for neuronal migration and involved in X-linked subcortical laminar heterotopia and lissencephaly syndrome." *Cell* **92**(1): 51-61.
- Diamond, M. C., F. Law, et al. (1966). "Increases in cortical depth and glia numbers in rats subjected to enriched environment." *J. Comp. Neurol.* **128**(1): 117-26.
- Dobrossy, M. D., Drapeau, E., Aurousseau, C., Le, Moal, M., Piazza, P.V., Abrous, D.N. (2003). "Differential effects of learning on neurogenesis: learning increases or decreases the number of newly born cells depending on their birth date." *Mol Psychiatry* **8**(12): 974-982.
- Doetsch, F., I. Caille, et al. (1999). "Subventricular zone astrocytes are neural stem cells in the adult mammalian brain." *Cell* **97**: 703-716.
- Doetsch, F., J. M. Garcia-Verdugo, et al. (1997). "Cellular composition and three-dimensional organization of the subventricular germinal zone in the adult mammalian brain." *J Neurosci* **17**(13): 5046-61.
- Ehninger, D., Kempermann, G. (2003). "Regional effects of wheel running and environmental enrichment on cell genesis and microglia proliferation in the adult murine neocortex." *Cereb Cortex* **13**(8): 845-851.
- Eriksson, P.S., Perfilieva, E., Björk-Eriksson, T., Alborn, A-M., Nordborg, C., Peterson, D. A., Gage, F. H. (1998). "Neurogenesis in the adult human hippocampus" *Nat. Med.* **4** (11): 1313-1317
- Filippov, V., Kronenberg, G., Pivneva, T., Reuter, K., Steiner, B., Wang, L.P., Yamaguchi, M., Kettenmann, H., Kempermann, G. (2003). "Subpopulation of nestin-expressing progenitor cells in the adult murine hippocampus shows electrophysiological and morphological characteristics of astrocytes." *Mol Cell Neurosci.* **23**(3): 373-382.
- Forster, E., Tielsch, A., Saum, B., Weiss, K.H., Johanssen, C., Graus-Porta, D., Muller, U., Frotscher, M. (2002). "Reelin, Disabled 1, and beta 1 integrins are required for the formation of the radial glial scaffold in the hippocampus." *Proc Natl Acad Sci U S A* **99**(20): 13178-13183.
- Freund, T. F., Buzsaki, G. (1996). "Interneurons of the hippocampus." *Hippocampus* **6**(4): 347-470.
- Frotscher, M., Haas, C.A., Forster, E. (2003). "Reelin controls granule cell migration in the dentate gyrus by acting on the radial glial scaffold." *Cereb Cortex* **13**(6): 634-640.

- Fukuda, S., Kato, F., Tozuka, Y., Yamaguchi, M., Miyamoto, Y., Hisatsune, T. (2003). "Two distinct subpopulations of nestin-positive cells in adult mouse dentate gyrus." *J Neurosci* **23**(28): 9357-9366.
- Gage, F. (2000). "Mammalian neural stem cells." *Science* **287**: 1433-1438.
- Gall, C. M., Berschauer, R., Isackson, P.J. (1994). "Seizures increase basic fibroblast growth factor mRNA in adult rat forebrain neurons and glia." *Brain Res Mol Brain Res* **21**(3-4): 190-205.
- Gebhardt, C., Del Turco, D., Drakew, A., Tielsch, A., Herz, J., Frotscher, M., Deller, T. (2002). "Abnormal positioning of granule cells alters afferent fiber distribution in the mouse fascia dentata: morphologic evidence from reeler, apolipoprotein E receptor 2-, and very low density lipoprotein receptor knockout mice." *J Comp Neurol* **445**(3): 278-292.
- Gleeson, J. G., P. T. Lin, et al. (1999). "Doublecortin is a microtubule-associated protein and is expressed widely by migrating neurons." *Neuron* **23**(2): 257-71.
- Goldman, S. A. and F. Nottebohm (1983). "Neuronal production, migration and differentiation in a vocal control nucleus of the adult female canary brain." *Proc. Acad. Sci. USA* **80**: 2390-2394.
- Gomez, T. M., Snow, D.M., Letourneau, P.C. (1995). "Characterization of spontaneous calcium transients in nerve growth cones and their effect on growth cone migration." *Neuron* **14**(6): 1233-1246.
- Gomez-Pinilla, F., L. Dao, et al. (1997). "Physical exercise induces FGF-2 and its mRNA in the hippocampus." *Brain Res.* **764**(1-2): 1-8.
- Gomez-Pinilla, F., Ying, Z., Roy, R.R., Molteni, R., Edgerton, V.R. (2002). "Voluntary exercise induces a BDNF-mediated mechanism that promotes neuroplasticity." *J Neurophysiol* **88**(5): 2187-2195.
- Gould, E., A. Beylin, et al. (1999). "Learning enhances adult neurogenesis in the hippocampal formation." *Nat. Neurosci.* **2**: 260-265.
- Gould, E. and B. S. McEwen (1993). "Neuronal birth and death." *Curr Opin Neurobiol* **3**(5): 676-82.
- Gould, E., P. Tanapat, et al. (1999). "Neurogenesis in adulthood: a possible role in learning." *Trends Cogn. Sci.* **3**(5): 186-192.
- Gray, W. P. and L. E. Sundstrom (1998). "Kainic acid increases the proliferation of granule cell progenitors in the dentate gyrus of the adult rat." *Brain Res* **790**(1-2): 52-9.

- Gritti, A. F.-S., P. Galli, R. Parati, E.A. Cova, L. Pagano, S.F. Bjornson, C.R. Vescovi, A.L. (1999). "Epidermal and fibroblast growth factors behave as mitogenic regulators for a single multipotent stem cell-like population from the subventricular region of the adult mouse forebrain." *J Neurosci.* **19**(9): 3287-3297.
- Gross, C. G. (2000). "Neurogenesis in the adult brain: death of a dogma." *Nat Rev Neurosci* **1**(1): 67-73.
- Hastings, N. B. and E. Gould (1999). "Rapid extension of axons into the CA3 region by adult-generated granule cells." *J. Comp. Neurol.* **413**(1): 146-54.
- Hebb, D. O. (1947). "The effects of early experience on problem-solving at maturity." *Am. Psychol.* **2**: 306-307.
- Hebb, D. O. (1949). *The organization of behavior.* New York, John Wiley & Sons.
- His, W. (1904). "Die Entwicklung des menschlichen Gehirns." Hirzel, Leipzig.
- Humpel, C., Ebendal, T., Cao, Y., Olson, L. (1993). "Pentylentetrazol seizures increase pro-nerve growth factor-like immunoreactivity in the reticular thalamic nucleus and nerve growth factor mRNA in the dentate gyrus." *J Neurosci Res.* **35**(4): 419-427.
- Jessberger, S. and Kempermann, G. (2003). "Adult born hippocampal neurons mature into activity-dependent responsiveness." *Eur J Neurosci* **18**(10): 2707-2712.
- Jiang, M., Swann, J.W. (1997). "Expression of calretinin in diverse neuronal populations during development of rat hippocampus." *Neuroscience* **81**(4): 1137-1154.
- Kaplan, M. S. and J. W. Hinds (1977). "Neurogenesis in the adult rat: electron microscopic analysis of light radioautographs." *Science* **197**(4308): 1092-4.
- Kempermann, G., H. G. Kuhn, et al. (1997). "More hippocampal neurons in adult mice living in an enriched environment." *Nature* **386**: 493-495.
- Kempermann G., Kuhn H.G., Gage F.H., (1997) "Genetic influence on neurogenesis in the dentate gyrus of adult mice." *Proc Natl Acad Sci U S A* **94** (19):10409-10414.
- Kempermann, G. (2002). "Why new neurons? Possible functions for adult hippocampal neurogenesis." *J Neurosci* **22**(3): 635-8.

- Kempermann, G., Gast, D., Kronenberg, G., Yamaguchi, M., Gage, F.H. (2003). "Early determination and long-term persistence of adult-generated new neurons in the hippocampus of mice." *Development* **130**(2): 391-399.
- Kempermann, G., Jessberger, S., Steiner, B., Kronenberg, G. (2004). "Milestones of neuronal development in the adult hippocampus." *Trends Neurosci* **27**(8): 447-452.
- Kim, H. M., Qu, T., Kriho, V., Lacor, P., Smalheiser, N., Pappas, G.D., Guidotti, A., Costa, E., Sugaya, K. (2002). "Reelin function in neural stem cell biology." *Proc Natl Acad Sci U S A* **99**(6): 4020-4025.
- Kitamura, T., Mishina, M., Sugiyama, H. (2003). "Enhancement of neurogenesis by running wheel exercises is suppressed in mice lacking NMDA receptor epsilon 1 subunit." *Neurosci Res* **47**(1): 55-63.
- Komuro, H., Rakic, P. (1996). "Intracellular Ca<sup>2+</sup> fluctuations modulate the rate of neuronal migration." *Neuron* **17**(2): 275-285.
- Kronenberg, G., Reuter, K., Steiner, B., Brandt, M.D., Jessberger, S., Yamaguchi, M., Kempermann, G. (2003). "Subpopulations of proliferating cells of the adult hippocampus respond differently to physiologic neurogenic stimuli." *J Comp Neurol*. **467**(4): 455-463.
- Kuhn, H. G., Dickinson-Anson, et al. (1996). "Neurogenesis in the dentate gyrus of the adult rat: age-related decrease of neuronal progenitor proliferation." *J. Neurosci.* **16**(6): 2027-2033.
- Leinekugel X. , Medina I. , Khalilov I. , Ben-Ari Y. , Khazipov R. (1997). "Ca<sup>2+</sup> oscillations mediated by the synergistic excitatory actions of GABA(A) and NMDA receptors in the neonatal hippocampus." *Neuron*. **18**(2):243-255
- Lendahl, U., L. B. Zimmerman, et al. (1990). "CNS Stem cells express a new class of intermediate filament protein." *Cell* **60**: 585-595.
- Liu, J., K. Solway, et al. (1998). "Increased neurogenesis in the dentate gyrus after transient ischemia in gerbils." *J. Neurosci.* **18**(19): 7768-7778.
- Liu, S., Wang, J., Zhu, D., Fu, Y., Lukowiak, K., Lu, Y.M. (2003). "Generation of functional inhibitory neurons in the adult rat hippocampus." *J Neurosci* **23**(3): 732-736.
- Liu, Y., N. Fujise, et al. (1996). "Distribution of calretinin immunoreactivity in the mouse dentate gyrus. I. General description." *Exp Brain Res* **108**(3): 389-403.

- Luskin, M. B. (1993). "Restricted proliferation and migration of postnatally generated neurons derived from the forebrain subventricular zone." *Neuron* **11**(1): 173-89.
- Magavi, S., B. Leavitt, et al. (2000). "Induction of neurogenesis in the neocortex of adult mice." *Nature* **405**: 951-955.
- Markakis, E. A. and F. H. Gage (1999). "Adult-generated neurons in the dentate gyrus send axonal projections to field CA3 and are surrounded by synaptic vesicles." *J Comp Neurol* **406**(4): 449-60.
- Meyer, G., Schaaps, J.P., Moreau, L., Goffinet, A.M. (2000). "Embryonic and early fetal development of the human neocortex." *J Neurosci* **20**(5): 1858-1868.
- Mullen, R. J., C. R. Buck, et al. (1992). "NeuN, a neuronal specific nuclear protein in vertebrates." *Development* **116**(1): 201-11.
- Neeper, S. A., F. Gomez-Pinilla, et al. (1996). "Physical activity increases mRNA for brain-derived neurotrophic factor and nerve growth factor in rat brain." *Brain Res.* **726**(1-2): 49-56.
- Nowakowski, R. S., S. B. Lewin, et al. (1989). "Bromodeoxyuridine immunohistochemical determination of the lengths of the cell cycle and the DNA-synthetic phase for an anatomically defined population." *J. Neurocytol.* **18**(3): 311-8.
- Opanashuk, L. A., Mark, R.J., Porter, J., Damm, D., Mattson, M.P., Seroogy, K.B. (1999). "Heparin-binding epidermal growth factor-like growth factor in hippocampus: modulation of expression by seizures and anti-excitotoxic action." *J Neurosci.* **19**(1): 133-146.
- Palmer, T. D., J. Takahashi, et al. (1997). "The adult rat hippocampus contains premordial neural stem cells." *Mol. Cell. Neurosci.* **8**: 389-404.
- Palmer, T. D., A. R. Willhoite, et al. (2000). "Vascular niche for adult hippocampal neurogenesis." *J Comp Neurol* **425**(4): 479-94.
- Parent, J. M. (2002). "The role of seizure-induced neurogenesis in epileptogenesis and brain repair." *Epilepsy Res.* **50**(1-2): 179-189.
- Parent, J. M., T. W. Yu, et al. (1997). "Dentate granule cell neurogenesis is increased by seizures and contributes to aberrant network reorganization in the adult rat hippocampus." *J. Neurosci.* **17**: 3727-3738.

- Pleasure, S. J., Collins, A.E., Lowenstein, D.H. (2000). "Unique expression patterns of cell fate molecules delineate sequential stages of dentate gyrus development." *J Neurosci* **20**(16): 6095-6105.
- Ramon y Cajal, S. (1913). "Degeneration and Regeneration of the Nervous System." Trans. Day, R. M., from the 1913 Spanish edn; Oxford Univ. Press, London, 1928.
- Rao, M. S. und Shetty, A. K. (2004) "Efficacy of doublecortin as a marker to analyse the absolute number and dendritic growth of newly generated neurons in the adult dentate gyrus." *Eur J Neurosci.* **19** (2):234-46
- Redecker, C., Luhmann, H.J., Hagemann, G., Fritschy, J.M., Witte, O.W. (2000). "Differential downregulation of GABAA receptor subunits in widespread brain regions in the freeze-lesion model of focal cortical malformations." *J Neurosci.* **20**(13): 5045-5053.
- Rietze, R. L., H. Valcanis, et al. (2001). "Purification of a pluripotent neural stem cell from the adult mouse brain." *Nature* **412**(6848): 736-9.
- Riva, M. A., Gale, K., Mocchetti, I. (1992). "Basic fibroblast growth factor mRNA increases in specific brain regions following convulsive seizures." *Brain Res Mol Brain Res* **15**(3-4): 311-318.
- Rogers, J. H. (1987). "Calretinin: a gene for a novel calcium-binding protein expressed principally in neurons." *J Cell Biol* **105**(3): 1343-1353.
- Sanai N., Tramontin A. D., et al. (2004) "Unique astrocyte ribbon in adult human brain contains neural stem cells but lacks chain migration." *Nature* **427** (6976): 740-744.
- Savchenko, V. L., J. A. McKanna, et al. (2000). "Microglia and astrocytes in the adult rat brain: comparative immunocytochemical analysis demonstrates the efficacy of lipocortin 1 immunoreactivity." *Neuroscience* **96**(1): 195-203.
- Schanne, F. A., Kane, A.B., Young, E.E., Farber, J.L. (1979). "Calcium dependence of toxic cell death: a final common pathway." *Science* **206**(4419): 700-702.
- Scharff, C., J. R. Kirn, et al. (2000). "Targeted neuronal death affects neuronal replacement and vocal behavior in adult songbirds." *Neuron* **25**(2): 481-492.
- Schmidt-Hieber, C., , Jonas, P., Bischofberger, J. (2004). "Enhanced synaptic plasticity in newly generated granule cells of the adult hippocampus." *Nature* **429**(6988): 184-187.



- Scholzen, T., Gerdes, J. (2000). "The Ki-67 protein: from the known and the unknown." *J Cell Physiol* **182**(3): 311-322.
- Schurmans, S., S. N. Schiffmann, et al. (1997). "Impaired long-term potentiation induction in dentate gyrus of calretinin-deficient mice." *Proc Natl Acad Sci U S A* **94**(19): 10415-20.
- Seki, T. (2002). "Expression patterns of immature neuronal markers PSA-NCAM, CRMP-4 and NeuroD in the hippocampus of young adult and aged rodents." *J Neurosci Res* **70**(3): 327-34.
- Seri, B., J. M. Garcia-Verdugo, et al. (2001). "Astrocytes give rise to new neurons in the adult mammalian hippocampus." *J Neurosci* **21**(18): 7153-60.
- Seri B, G.-V. J., Collado-Morente L, McEwen BS, Alvarez-Buylla A (2004). "Cell types, lineage, and architecture of the germinal zone in the adult dentate gyrus." *J Comp Neurol*. **478**(4): 359-378.
- Shors, T. J., G. Miesegaes, et al. (2001). "Neurogenesis in the adult is involved in the formation of trace memories." *Nature* **410**(6826): 372-6.
- Sloviter, R. S. (1989). "Calcium-binding protein (calbindin-D28k) and parvalbumin immunocytochemistry: localization in the rat hippocampus with specific reference to the selective vulnerability of hippocampal neurons to seizure activity." *J Comp Neurol* **280**: 183-196.
- Sloviter, R. S., L. Ali-Akbarian, et al. (2001). "Substance P receptor expression by inhibitory interneurons of the rat hippocampus: enhanced detection using improved immunocytochemical methods for the preservation and colocalization of GABA and other neuronal markers." *J Comp Neurol* **430**(3): 283-305.
- Sloviter, R. S., E. Dean, et al. (1996). "Apoptosis and necrosis induced in different hippocampal neuron populations by repetitive perforant path stimulation in the rat." *Journal of Comparative Neurology* **366**: 516-533.
- Snyder JS, H. N., McDonald RJ, Wojtowicz JM. (2005). "A role for adult neurogenesis in spatial long-term memory." *Neuroscience* **130**(4): 843-852.
- Spitzer, N. C. (1994). "Spontaneous Ca<sup>2+</sup> spikes and waves in embryonic neurons: signaling systems for differentiation." *Trends Neurosci* **17**(3): 115-118.
- Spitzer, N. C., Gu, X., Olson, E. (1994). "Action potentials, calcium transients and the control of differentiation of excitable cells." *Curr Opin Neurobiol* **4**(1): 70-77.

- Stanfield, B. B. and W. M. Cowan (1979). "The development of the hippocampus and dentate gyrus in normal and reeler mice." *J Comp Neurol* **185**(3): 423-59.
- Stanfield, B. B. and W. M. Cowan (1979). "The morphology of the hippocampus and dentate gyrus in normal and reeler mice." *J Comp Neurol* **185**(3): 393-422.
- Stanfield, B. B. and J. E. Trice (1988). "Evidence that granule cells generated in the dentate gyrus of adult rats extend axonal projections." *Exp. Brain Res.* **72**(2): 399-406.
- Sun, W., Winseck, A., Vinsant, S., Park, O.-h., Kim, H., Oppenheim, W. (2004). "Programmed cell death of adult-generated hippocampal neurons is mediated by the proapoptotic gene Bax." *J Neurosci* **24** (49) 11205 - 11213.
- Sun, W., Gould, T. W., Vinsant, S., Pevette, D., Oppenheim, R.W., (2003). "Neuromuscular development after the prevention of naturally occurring neuronal death by Bax deletion. *J Neurosci* **23**: 7298 - 7310
- Van Praag, H., B. R. Christie, et al. (1999). "Running enhances neurogenesis, learning and long-term potentiation in mice." *Proc. Natl. Acad. Sci. U.S.A.* **96**(23): 13427-13431.
- Van Praag, H., G. Kempermann, et al. (1999). "Running increases cell proliferation and neurogenesis in the adult mouse dentate gyrus." *Nat. Neurosci.* **2**(3): 266-270.
- van Praag, H., A. Schinder, et al. (2002). "Functional neurogenesis in the adult hippocampus." *Nature*: **415** (6875):1030-1034
- Wainwright, P. E., S. Levesque, et al. (1993). "Effects of environmental enrichment on cortical depth and Morris-maze performance in B6D2F2 mice exposed prenatally to ethanol." *Neurotoxicol. Teratol.* **15**(1): 11-20.
- Wang, L.P. , Kempermann, G. , Kettenmann, H. (2005) "A subpopulation of precursor cells in the mouse dentate gyrus receives synaptic GABAergic input." *Mol Cell Neurosci.* **29** (2):181-189
- Wang, S., B. W. Scott, et al. (2000). "Heterogenous properties of dentate granule neurons in the adult rat." *J Neurobiol* **42**(2): 248-57.
- Wei, L. C., Shi, M. Chen, L.W., Cao, R., Zhang, P., Chan, Y.S. (2002). "Nestin-containing cells express glial fibrillary acidic protein in the proliferative regions of central nervous system of postnatal developing and adult mice." *Brain Res Dev Brain Res.* **139**(1): 9-17.

White, F. A., Keller-Peck, C. R., Knudson, C. M., Korsmeyer S. J., Snider, W. D. (1998). "Widespread elimination of naturally occurring neuronal death in Bax deficient mice." *J Neurosci* **18**: 1428 - 1439

Young, D., P. A. Lawlor, et al. (1999). "Environmental enrichment inhibits spontaneous apoptosis, prevents seizures and is neuroprotective." *Nat. Med.* **5**(4): 448-453.