

8. LITERATURE

1. Allen, R.G., Tresini, M. (2000). Oxidative stress and gene regulation. *Free Radic. Biol. Med.* 28 (3), 463-499.
2. Archer, G., Balls, M. Bruner, L.H., Curren, R.D., Fentem, J.H., Holzhütter, H.-G., Liebsch, M., Lovell, D.P., Southee, J.A. (1997). The Validation of Toxicological Prediction Models. *ATLA* 25, 505-516.
3. Asselineau, D., Bernhard, B., Bailly, C., Darmon, M. (1985). Epidermal morphogenesis and induction of the 7kD keratin polypeptid by culture of human keratinocytes at the air-liquid interface. *Exp Cell Res*, 159, 536-539.
4. Backhaus, K., Erichson, B., Plinke, W. & Weiber, R. (1996). Multivariate Analyse-methoden. 8th edn,. Berlin & Heidelberg, Germany: Springer Verlag. 591p.
5. Balls, M., Blaauboer, B., Brusik, D., Frazier, J., Lamp, D., Pemberton, M., Reinhardt, C., Robertfroid, M., Rosenkranz, H., Schmid, B., Spielmann, H., Stammati, A.L., Walum, E. (1990). Report and recommendations of the CAAT/ERGATT workshop on the validation of toxicity test procedures. *Altern. Lab. Anim.* 18, 313–337.
6. Balls, M. and Fentem, J. (1997). Progress Toward the Validation of Alternative Tests *ATLA* 25, 33-43, 1997
7. Balls, M. (1997). Defined Structural and Performance Criteria would Facilitate the Validation and Acceptance of Alternative Test Procedures (Editorial). *ATLA - Altern. Lab. Anim.* 25, 483-484.
8. Barratt, M.D., Brantom, P.G., Fentem, J.H., Gerner, I., Walker, A.P., Worth, A.P. (1998). The ECVAM international validation study on in vitro tests for skin corrosivity. 1. Selection and distribution of test chemicals. *Toxicol. Vitro* 12, 471–482.
9. Basketter, D.A., Chamberlain, M., Griffiths, H.A., Rowson, M., Whittle, E. & York, M. (1997). The classification of skin irritants by human patch test. *Food and Chemical Toxicology* 35, 845–852.
10. Basketter, D.A. (1999). Toxicology of contact dermatitis. In: Basketter, D.A., Gerberick, F., Kimber, I., Willis, G. (Eds.), *Allergy, Irritancy and Urticaria*. John Wiley & Sons, Chichester, UK, 39–56.
11. Basketter, D.A., York, M., McFadden, J.P., Robinson, M.K. (2004). Determination of skin irritation potential in the human 4-h patch test. *Contact Dermatitis* 51, 1–4.
12. Benford, D.J., Roguet, R., Southee, J. (1997). Human skin models: A Discussion Report. *Toxicology in Vitro* 11, 589-590.
13. Bell, E., Ivarsson, B., Meril C. (1979). Production of a tissue-like structure by contraction of collagen lattices by human fibroblasts of different proliferative potential in vitro. *Proc Natl Acad Sci USA* 76, 1274-1278.
14. Bell, E., Ehrlich, H.P., Buttle, D.J., Nakatsuji T. (1981). A living tissue formed in vitro and accepted as a full thickness skin equivalent, *Science* 211, 1274–1278.

15. Bell, E., Parenteau, N., Ggray, R., Nolte, C., Kemp, P., Ekstein, B., Gjonson, E. (1991). The living skin equivalent: its manufacture, its organotypic properties and its response to irritants. *Toxicology in Vitro* 5, 591-596.
16. Bickers, D., Calow, P., Greim, H., Hanfin, J.M., Rogers, A.E., Saurat, J.H., Sipes, I.G., Smith, R.L. & Tagami, H. (2003). A toxicologic and dermatologic assessment of linalool and related esters when used as fragrance ingredients. *Food and Chemical Toxicology* 41, 919–942.
17. Blume, U., Ferracin, J., Verschoore, M., Czernielewski, J.M., Schäfer, H. (1991). Physiology of the vellus hair follicle: Hair growth and sebum excretion. *Br J Dermatol*; 124, 21-28.
18. Boddé, H.E., Holman, B., Spies, F., Weerheim, A., Kempenaar, J., Mommaas, M., Ponec, M. (1990). Freeze-fracture electrom microscopy of in vitro reconstructed human epidermis. *J Invest Dermatol* 95, 108-116.
19. Boelsma, E., Tanojo, H., Bodde, H.E., Ponec, M. (1996). Assessment of the potential irritancy of oleic acid on human skin: evaluation in vitro and in vivo, *Toxicol. Vitro* 10, 729–742.
20. Boelsma, E. (1999). Reconstructed human Skin Equivalents – Their value for screening of skin irritation. PhD thesis. ISBN: 90-9012744-5, 183p.
21. Boelsma, E., Gibbs, S., Faller, C., Ponec, M. (2000). Characterization and comparison of reconstructed skin models: morphological and immunohistochemical evaluation. *Acta Derm.Venereol.* 80, 82–88.
22. Borenfreund, E. & Puerner, J.A. (1985). Toxicity determined in vitro by morphological alterations and neutral red absorption. *Toxicology Letters* 24, 119–124.
23. Botham, P., Chamberlain, M., Barratt, M.D., Curren, R.D., Esdaile, D.J., Gardner, J.R., Gordon, V.C., Hildebrand, B., Lewis, R.D., Liebsch, M., Logemann, P., Osborne, R., Ponec, M., Régnier, J-F., Steiling, W., Walker, A.P. & Balls, M. (1995). A prevalidation study on in vitro skin corrosivity testing. The report and recommendations of ECVAM workshop 6. *ATLA* 23, 219-255.
24. Botham, P.A., Earl, L.K., Fentem, J.H., Roguet, R., van de Sandt, J.J.M. (1998). Alternative methods for skin irritation testing: the current status. *ECVAM Skin Irritation Task Force report 1.* *ATLA* 26, 195–211.
25. Bortz, J. (1993). Statistik. 3rd edn, 753pp. Berlin & Heidelberg, German: Springer Verlag. Landau, S. & Everitt, S.B. (2003). A Handbook of Statistical Analyses using SPSS. 354pp. London, UK & Boca Raton, FL, USA: Chapman & Hall/CRC Press.
26. Bouwstra, J.A., Gooris, G.S., Weerheim, A., Kempenaar, J., Ponec, M. (1995). Characterization of stratum corneum structure in reconstructed epidermis by X-ray diffraction, *J. Lipid Res.* 36, 496–504.
27. Bouwstra, J.A., Honeywell-Nguyen, P.L., Gooris G.S., Ponec M. (2003). Structure of the skin barrier and its modulation by vesicular formulations. *Progress in Lipid Research* 42, 1–36.
28. Boyce, S.T., Michael, S., Reichert, U., Schroot, B., Schmidt, R. (1990). Reconstructed skin from cultured human keratinocytes and fibroblasts on a collagen-glycosamin biopolymere substrate. *Skin Pharmacol.* 2, 136-143.

29. Boyce, S. (1992). Nutritional Regulation of Epidermal Lipids in a Cultured Skin Substitute. In: Methodologies and In Vitro Applications for Organotypic Skin Culture Models. June 12, Grand Hyatt Hotel, New York. 13pp.
30. Camera, E., Jensen, C., Stab, S., Scala, G., Baadsgaard, O., Picardo, M. (1998). Correlation between antioxidant levels and skin reactivity to irritants. *J. Dermatol. Sci.* 16 (Suppl. 1), 193p.
31. Camhi, S.L., Lee, P., Choi, A.M. (1995). The oxidative stress response. *New Horiz.* 3 (2), 170–182.
32. Cannon, C.L., Neal, P.J., Southee, J.A., Kubilus, J. & Klausner, M. (1994). New epidermal model for dermal irritancy testing. *Toxicology in Vitro* 8, 889–891.
33. Combes, R.D. & Balls, M. (2003). How much flexibility is possible when validating new in vivo and in vitro test methods? *ATLA* 31, 225–232.
34. Chamberlain, M. and Parish, W.E. (1990). Hazard and risk based on in vitro test data. *Toxicology in Vitro* 4, 694–697.
35. Christie, W.W (1989). Gas chromatography and lipids. The Oily Press, Glasgow, 13p.
36. Corsini, E., Galli, C.L. (1998). Cytokines and irritant contact dermatitis. *Toxicol. Lett.* 102-103, 277–282.
37. Cotovio, J. (2003). Skin irritation - Refined EPISKIN protocol. Personal communication. Data presented at the Stakeholder Workshop on the Skin Irritation Validation Study, May 7–8th, 2003, Ispra, Italy.
38. Cotovio, J., Grandidier, M.H., Portes, P., Roguet, R., Rubinstenn, G. (2005). The in vitro skin irritation of chemicals: optimisation of the EPISKIN prediction model within the framework of the ECVAM validation process. *Altern. Lab. Anim.* 33 (4), 329–349.
39. Dale, B.A., Resing, K.A., Preslland, R.B. (1994): Keratohyaline granule proteins. In: Leicht IM, Lane EB, Wat FM (eds.). *The Keratinocyte handbook*. Cambridge University Press, Cambridge, 323-350.
40. Downing, D.T. (1992). Lipid and protein structures in the permeability barrier of mammalian epidermis. *Journal of Lipid Research* 33, 301-313.
41. Draize, J.H., Woodward G. and Clavery H.O. (1944). Methods for the study of irritation and toxicity of substances applied topically to the skin and mucous membranes. *Journal of Pharmacology and Experimental Therapeutics* 82, 377-390.
42. EC (2000). Commission Directive 2000/33/EC of 25 April 2000 adapting to technical progress for the 27th time Council Directive 67/548/EEC on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Annex V B.41 Phototoxicity - in vitro 3T3 NRU phototoxicity test. *Official Journal of the European Communities* L136, 98–107.
43. ECB - The European Chemicals Bureau (ECB) at the Institute for Health and Consumer Protection (IHCP). Classification and Labelling, Directive 67/548/EEC, Annex 1 (Downloaded 28.03.2005) <http://ecb.jrc.it/classification-labelling/>.

44. ECETOC (2002). Use of Human Data in HazardClassification for Irritation and Sensitisation. ECETOC Monograph No. 32, Brussels, Belgium: European Centre for Ecotoxicology and Toxicology of Chemicals, 54p.
45. ECETOC (1995). Skin irritation and corrosion: reference chemicals data bank. ECETOC Technical Report No. 66. European Centre for Ecotoxicology and Toxicology of Chemicals, Brussels. 247 p.
46. Eckert, R.L. (1989). Structure, function, and differentiation of the keratinocyte. *Physiol Rev*; 69, 1316-1345.
47. Eckert, R.L. (1992). The structure and function of skin. In: H. Mukhtar (Ed). *Pharmacology of the skin*. CRC Press, Boca Raton, 3-12.
48. Elias, P.M. (1981). Lipids and the permeability barrier. *Arch Dermatol Res*; 270, 95-117.
49. Elias, P.M. (1983). Epidermal lipids, barrier function and desquamation. *J Invest Dermatol*; 80, 44-49.
50. Elias, P.M., Menon, G.K. (1991). Structural and biochemical correlates of the epidermal permeability barrier. In: Elias PM (ed.). *Advances in Lipid Research*. Academic Press, San Diego, 126p.
51. Elias, P.M. (1992). EpiDermal lipids, membranes and keratinisation. *Int J Dermatol* 30, 84-90.
52. EMEA (2002). Note for Guidance on Photosafety Testing (CPMP/SWP/398/01). 8pp. London, UK: European Agency for the Evaluation of Medicinal Products, Committee for Proprietary Medicinal Products. Website: <http://www.emea.eu.int> (Accessed 31.08.04).
53. EU COM: Commission of the European Communities, 1967. Council Directive 67/548/EEC of 27 June 1967 on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. *OV. J. Eur. Commun.* 196, 16.8.1967 (several amendments), 98p.
54. Everitt, B.S., Dunn, G., (2001). *Applied Multivariate Data Analysis*. Arnold, London, 135p.
55. Faller, C. and Bracher, M. (2002). Reconstructed skin kits: reproducibility of cutaneous irritancy testing. *Skin Pharmacol. Appl. Skin Physiol.* 15 (Suppl. 1), 74–91.
56. Faller, C., Bracher, M., Dami, N., Roguet, R. (2002). Predictive ability of reconstructed human epidermis equivalents for the assessment of skin irritation of cosmetics. *Toxicol. Vitro* 16, 557–572.
57. Fartasch, M., Bassukas, I.D., Diepgen, T.L. (1993). Structural relationship between epidermal lipid lamellae, lamellar bodies and desmosomes in human epidermis: an ultrastructural study. *Br J Dermatol* 128, 1-9.
58. Fartasch, M. (1995). Human barrier formation and reaction to irritation. *Current Problems in Dermatology* 23, 95-103.
59. Fentem, J.H., Prinsen, M.K., Spielmann, H., Walum, E., Botham, P.A. (1995). Validation – lessons learned from practical experience. *Toxicology in Vitro* 9, 857-862.

60. Fentem, J.H., Archer, G.E.B., Balls, M., Botham, P.A., Curren, R.D., Earl, L.K., Esdaile, D.J., Holzhütter, H.-G. & Liebsch, M. (1998). The ECVAM international validation study on in vitro tests for skin corrosivity. 2. Results and evaluation by the Management Team. *Toxicology in Vitro* 12, 483–524.
61. Fentem, J.H., Briggs, D., Chesné, C., Elliott, G.R., Harbell, J.W., Heylings, J.R., Portes, P., Roguet, R., van de Sandt, J.J.M. & Botham, P.A. (2001). A prevalidation study on in vitro tests for acute skin irritation: results and evaluation by the Management Team. *Toxicology in Vitro* 15, 57–93.
62. Forslind B. (1997). Aspects of the physiology of human skin: studies using particle probe analysis. *Micrasc Res Tech* 38, 373-386.
63. Franz, T.J. (1978). The finite dose technique as a valid in vitro model for the study of percutaneous absorption in man. *Curr Problems Dermatol* 7, 58-68.
64. Freeman, A.E., Igel, H.J., Herman, B.J., Kleinfield, K. L. (1976). Growth and characterisation of human epithelial cell cultures. *In Vitro* 12, 352 – 362.
65. Fulbright, R.M., Axelrod, D., Dunham, W.R., Marcelo, C.L. (1997). Fatty acid alteration and the lateral diffusion of lipids in the plasma membrane of keratinocytes. *Exp. Cell Res.* 233 (1), 128–134.
66. Gamer, A.O., Leibold, E., van Ravenzwaay, B. (2006). The in vitro absorption of microfine zinc oxide and titanium dioxide through porcine skin. *Toxicology in Vitro*. In Press.
67. Genschow, E., Spielmann, H., Scholz, G., Seiler, A., Brown, N., Piersma, A., Brady, M., Huuskonen, H., Paillard, F., Bremer, B., Cleemann, N. & Becker, K. (2002). The ECVAM international validation study on in vitro embryotoxicity tests. Results of the definitive phase and evaluation of prediction models. *ATLA* 30, 151–176.
68. Ghalbzouri, A., Lamme, A., Ponec, M. (2002). Crucial role of fibroblasts in regulating epidermal morphogenesis. *Cell Tissue Res* 310, 189-199.
69. Ghalbzouri, A. (2004). Reconstructed human skin equivalents: Fibroblasts and their role in epidermal morphogenesis. PhD thesis. ISBN: 90-74013-06-6, 282 p.
70. Grayson, S., Johnson-Winegar, A.G., Wintroub, B.U., Isseroff, R.R., Epstein, E.H., Elias, P.M. (1985). *J Invest Dermatol* 85, 289-294.
71. Heylings, J.R., Clowes, H.M., Hughes, L. (2001). Comparison of tissue sources for the skin integrity function test (SIFT). *Toxicology in Vitro* 15, 597–600.
72. Heylings, J.R., Diot, S., Esdaile, D.J., Fasano, W.J., Manning, L.A. & Owen, H.M. (2003). A prevalidation study on the in vitro skin irritation function test (SIFT) for prediction of acute skin irritation in vivo: results and evaluation of ECVAM Phase III. *Toxicology in Vitro* 17, 123–138.
73. Hoffmann, J., Heisler, E., Karpinski, S., Losse, J., Thomas, D., Siefken, W., Ahr, H.-J., Vohr, H.-W., Fuchs, H.W. (2005). Epidermal-skin-test 1000 (EST-1000) - A new reconstructed epidermis for in vitro skin corrosivity testing. *Toxicology in Vitro* 19, 925-929.

74. Holzhütter, H.G. (1997). A general measure of in vitro phototoxicity derived from pairs of doseresponse curves and its use for predicting the in vivo phototoxicity of chemicals. ATLA 25, 445–462.
75. Illel, B., Schäfer, H., Wepierre, J., Doucet, O. (1991). Follicles play an important role in percutaneous absorption. *J Pharm Sci* 80, 424-427.
76. Jírová, D., Kejlová, K., Bendová, H., Ditrichová, D. Mezuláníková, M. (2005a). hototoxicity of bituminous tars—correspondence between results of 3T3 NRU PT, 3D skin model and experimental human data. *Toxicology in Vitro* 19, 931-934.
77. Jírová D., Kejlová K., Bendová H, Kandárová H., Weidenhoffer and Liebsch M (2005b): Bergamot oil intended for topical use - attempts at a risk assessment of phototoxicity. 5th World Congress on Alternatives & Animal Use in the Life sciences. Session 5.3: Progress And Needs for Developing and Validating Alternatives for Dermal Toxicity Testing. Berlin, August 21–25, 2005. Abstract in : ALTEX 22, Special Issue 2005, p. 25.
78. Jones, P., King, A., Lovell, W. & Earl, L. (1999). Phototoxicity testing using 3-D reconstructed human skin models. In *Alternatives to Animal Testing II: Proceedings of the second international scientific conference organised by the European Cosmetic Industry*, Brussels, Belgium (ed. D. Clark, S. Lisansky & R. Macmillan), pp. 138–141. Newbury, UK: CPL Press.
79. Jones, P.A., King, A.V., Earl, L.K. & Lawrence, R.S. (2003). An assessment of the phototoxic hazard of a personal product ingredient using in vitro assays. *Toxicology in Vitro* 17, 471–480.
80. Kandárová, H., Liebsch, M., Genschow, E., Gerner, I., Traue, D., Slawik, B. & Spielmann, H. (2004). Optimisation of the EpiDerm test protocol for the upcoming ECVAM validation study on in vitro skin irritation tests. *ALTEX* 21 (3), 107–114.
81. Kandárová, H., Liebsch, M., Gerner, I., Schmidt, E., Genschow, E., Traue, D., Spielmann, H. (2005a). EpiDerm skin irritation test protocol - Assessment of the performance of the optimised test. *Altern. Lab. Anim.* 33 (4), 351–367
82. Kandárová H., Kejlová K., Jírová D., Tharmann J., Liebsch M (2005b):ECVAM Feasibility Study: Can the prevalidated in vitro Skin Model Phototoxicity Assay be upgraded to quantify Phototoxic Potency of topical Phototoxins ?. 5th World Congress on Alternatives & Animal Use in the Life sciences. Session 5.3: Progress And Needs for Developing and Validating Alternatives for Dermal Toxicity Testing. Berlin, August 21–25, 2005. Abstract in : ALTEX 22, Special Issue 2005, p. 156.
83. Kandárová, H., Liebsch, M., Spielmann, H., Genschow, E., Schmidt, E., Traue, D., Guest, R., Whittingham, A., Warren N., Gamer, A.O., Remmele, M., Kaufmann, T., Wittmer, E., De Wever, B., Rosdy, M., (2006a). Assessment of the human epidermis model SkinEthic RHE for in vitro skin corrosion testing of chemicals according to new OECD TG 431. *Toxicology in Vitro*, In press.
84. Kandárová, H., Liebsch, M., Schmidt, E., Traue, D., Spielmann, H., Meyer, K., Steinhoff, C., Tornier, C., De Wever, B., Rosdy, M., (2006b). Assessment of the skin irritation potential of chemicals using the SkinEthic RHE and the “common skin irritation protocol” evaluated in the ECVAM Skin irritation validation study. Accepted for publication in ATLA.
85. Kim, K.-J. (2002). Human skin and skin equivalents to study dermal penetration and permeation. In: C-M. Lehr (ed.). *Cell culture models of biological barriers, In vitro tests for drug absorption and delivery*. Taylor & Francis, 428 p.

86. Lademann, J. (1999). Penetration of titanium dioxide microparticles in a sunscreen formulation into the horny layer and the follicular orifice. *Skin Pharmacol. Appl. Skin Physiol.* 12, 247–256.
87. Lampe, M.A., Williams, M.L., Elias, P.M. (1983). Human epidermal lipids: characterization and modulation during differentiation. *J Lipids Res* 24, 131-140.
88. Landau, S., Everitt, S.B., 2003. A Handbook of Statistical Analyses using SPSS. Chapman and Hall/CRC, 354p.
89. LeBlanc, G.A. (2004). Elimination of Toxicants. In: A Textbook of Modern Toxicology, Third Edition, edited by Ernest Hodgson ISBN 0-471-26508-X Copyright 2004 John Wiley & Sons, Inc., 203-211.
90. Letizia, S.C., Cocchiara, J., Lalko, J., Api, A.M. (2003). Fragrance material review on linalool. *Food and Chemical Toxicology* 41, 943–964.
91. Letizia, S.C., Cocchiara, J., Lalko, J., Api, A.M. (2003). Fragrance material review on linalyl acetate. *Food and Chemical Toxicology* 41, 965–976.
92. Liebsch, M., Spielmann, H., Balls, M., Brand, M., Döring, B., Dupuis, J., Holzhütter, H.G., Klecak, G., L'Eplattenier, H., Lovell, W.W., Maurer, T., Moldenhauer, F., Moore, L., Pape, W.J.W., Pfannenbecker, U., Potthast, J., De Silva, O., Steiling, W. & Willshaw, A. (1994). First results of the EC/COLIPA validation project "in vitro phototoxicity testing". In Alternative Methods in Toxicology (ed. A. Rougier, A. Goldberg & H. Maibach), vol. 10: In Vitro Skin Toxicology — Irritation, Phototoxicity, Sensitization, pp. 243–254. New York, USA: Mary Ann Liebert
93. Liebsch, M., Döring, B., Donelly, T.A., Logemann, P., Rheins, L.A., Spielmann, H. (1995). Application of the human dermal model Skin²ZK 1350 to phototoxicity and skin corrosivity testing. *Toxicology in Vitro* 9, 557–562.
94. Liebsch, M., Barrabas, C., Traue, T., Spielmann, H. (1997) Entwicklung eines in vitro Tests auf dermale Phototoxizität in einem Modell menschlicher Epidermis (EpiDerm™). *ALTEX* 14, 165–174.
95. Liebsch, M. (1998). INVITTOX Protocol no. 78: 3T3 NRU Phototoxicity Assay. European Commission DG-JRC, ECVAM, SIS Database. Available at: <http://ecvam-sis.jrc.it> (Accessed 31.08.04).
96. Liebsch, M., Traue, D., Barrabas, C., Spielmann, H., Gerberick, G.F., Cruse, L., Diembeck, W., Pfannenbecker, U., Spieker, J., Holzhütter, H.G., Brantom, P., Aspin, P., Southee, J. (1999). Prevalidation of the EpiDerm phototoxicity test. In Alternatives to Animal Testing II: Proceedings of the second international scientific conference organised by the European Cosmetic Industry, Brussels, Belgium (ed. D. Clark, S. Lisansky & R. Macmillan), pp. 160–166. Newbury, UK: CPL Press.
97. Liebsch, M., Traue, D., Barrabas, Ch., Spielmann, H., Upholl, P., Wilkins, S., McPherson, J.P., Wiemann, Ch., Kaufmann, T., Remmeli, M., Holzhütter, H.-G., (2000). The ECVAM prevalidation study on the use of EpiDerm for skin corrosivity testing. *ATLA* 28, 371–401.
98. Liebsch, M. and Spielmann, H. (2002). Currently available in vitro methods used in the regulatory toxicology. *Toxicology Letters* 127, 127–134.

99. Liebsch, M., Spielmann, H., Pape, W., Krul, C., Deguercy, A., Eskes, Ch. (2005). UV Induced effects. ATLA 33, Sup 1, 131–146.
100. Luger, T.A. (1989). Epidermal cytokines. Acta Derm. Venereol. Suppl. (Stockh) 151, p. 61–76. Discussion p. 106–110.
101. Meulen van der, J., van den Bergh, B., Mulder, A.A., Mommaas, A.M., Bouwstra, J.A., Koerten, H.K. (1996). The use of vibratome sections for the ruthenium tetroxide protocol: a key for optimal visualization of epidermal lipid bilayers of the entire human stratum corneum in transmission electron microscopy. J Microscopy 184, 67-70.
102. Moghimi, H. R., Barry, B. W., Williams, A. C. (1999) Stratum Corneum and Barrier Performance: A Model Lamellar Structural Approach. In R. L. Bonaugh and H. I. Maibach (eds). Drugs and the Phannaeutieal Seienees, Vol. 97. Pereutaneous Absorption: Drugs-Cosmeties-Mechanisms-Methology, Marcel Dekker, New York/Basel/Hong Kong, p. 515-553.
103. Mossman, T. (1983). Rapid colorimetric assay for cell growth and survival-application to proliferation and cytotoxicity assays. Journal of ImmunologicalMethods 65, 55–63.
104. Naughton, G.K., Jacob, L., Naughton, B.A. (1989). A physiological skin model for in vitro toxicity studies. In: Alternative Methods in Toxicology. Vol. 7, ed. A.M. Goldberg, Maty Ann Liebert, New York, 183-189.
105. Nickoloff, B.J. and Naidu, Y. (1994). Perturbation of epidermal barrier function correlates with initiation of cytokine cascade in human skin. J. Am. Acad. Dermatol. 30, 535–546.
106. Nixon, G.A., Tyson, C.A., Wertz, C.W. (1975). Interspecies comparisons of skin irritancy. Toxicol. Appl. Pharmacol. 31, 481–490.
107. Nixon, G.A., Bannan, E.A., Gaynor, T.W., Johnston, D.H., Greyth, J.F. (1990). Regul. Toxicol. Pharm. 12 (2), 127–136.
108. Norušis, M.J. (1994). SPSS Professional Statistics 6.1. Chicago, IL, USA: SPSS Inc.
109. OECD (1999). Series on Testing and Assessment, No.16. Detailed Review Document on Classification Systems for Skin Irritation/Corrosion in OECD Member Countries. ENV/JM/MONO(99)6. Paris, France: OECD, 28p.
110. OECD (2002). Guideline for the Testing of Chemicals, No. 404: Acute Dermal Irritation/Corrosion. Paris, France: OECD, 13p.
111. European Commission (1967). Council Directive 67/548/EEC of 27 June 1967 on the approximation of laws, regulations and administrative provisions relating to the classification, packaging and labelling of dangerous substances. Official Journal of the European Communities 196, 98p.
112. OECD (2001). OECD SIDS Database : SIDS Initial Assessment Report for 11th SIAM (Orlando, Florida, 23–26 January, 2001). Sulphuric acid. (Downloaded 28.03.2005). Available from: <<http://www.chem.unep.ch/irptc/sids/OECDSDS/7664939.pdf>>.
113. OECD (2004a). Guidelines for the Testing of Chemicals, No. 431: In Vitro Skin Corrosion: Human SkinModel Test. Paris, France: OECD, 8 p.
114. OECD (2004b). OECD Guidelines for the Testing of Chemicals No. 432: In Vitro 3T3 NRU Phototoxicity Test.. Paris, France: Organisation for Economic Co-operation and Development, 15 p.

115. Osborne, R., Perkins, M.A. (1994). An approach for development of alternative test methods based on mechanisms of skin irritation. *Food and Chemical Toxicology* 32 (2), 133–142.
116. Perkins, M.A., Osborne, R., Johnson, G.R. (1996). Development of an in vitro method for skin corrosion testing. *Fund. Appl. Toxicol.* 31, 9–18.
117. Peters, B. and Holzhütter, H.G. (2002). In Vitro Phototoxicity Testing: Development and validation of a new concentration response analysis software and biostatistical analyses related to the use of various prediction models. *ATLA* 30, 415–432.
118. Phillips, L., Steinberg, M., Maibach, H.I. and Akers, W.A. (1972). A comparison of rabbit and human skin response to certain irritants. *Toxicology and Applied Pharmacology* 21, 369–382.
119. Ponec, M., Weerheim, A., Kempenaar, J., Mulder, A., Mommaas, A.M., Nugteren, D.H., (1988). Lipid composition of cultured keratinocytes in relation to their differentiation, *J. Lipid Res.* 29, 949–962.
120. Ponec, M. and Weerheim, A. (1990). Retinoids and lipid changes in keratinocytes. In : Paeker L (ed.) *Methods in Enzymology*, vol. 190, Retinoids, part B, Academic Press, San Diego, 1990, 30-41.
121. Ponec, M. (1991). Reconstruction of human epidermis on de-epidermized dermis: expression of differentiation-specific protein markers and lipid composition, *Toxicol. Vitro* 5, 597–606.
122. Ponec, M. (1992). Living Human Skin Models – The State of Art. In: *Methodologies and In Vitro Applications for Organotypic Skin Culture Models*. June 12, Grand Hyatt Hotel, New York. 13 pp.
123. Ponec, M and Kempenaar J (1995). The use of human skin recombi-nants as an in vitro model for testing the irritation potential of cutaneous irritants, *Skin Pharmacol.* 8, 49–59.
124. Ponec, M., Weerheim, A., Kempenaar, J., Mulder, A., Gooris, G.S., Bouwstra, J., Mommaas, A.M. (1997). The formation of competent barrier lipids in reconstructed epidermis requires the presence of vitamin C. *J. Invest. Dermatol.* 109, 348–355.
125. Ponec, M., Boelsma, E., Weerheim, A. (2000a). Covalently bound lipids in reconstructed human epithelia. *Acta Derm. Venereol.* 80, 89–93.
126. Ponec, M., Boelsma, E., Weerheim, A., Mulder, A., Bouwstra, J. & Mommaas, M., (2000b). Lipid and ultrastructural characterization of reconstructed skin models. *International Journal of Pharmaceutics* 203, 211–225
127. Ponec, M., Gibbs, S., Pilgram, G., Boelsma, E., Koerten, H., Bouwstra, J., Mommaas, M., (2001). Barrier function in reconstructed epidermis and its resemblance to native human skin. *Skin Pharmacol. Appl. Skin Physiol.* 14 (Suppl. 1), 63–71.
128. Ponec, M., Boelsma, E., Gibbs, S., Mommaas, M., (2002). Characterization of reconstructed skin models. *Skin Pharmacol. Appl. Skin Physiol.* 15 (Suppl. 1), 4–17.
129. Ponec, M., Weerheim, A., Lankhorst, P., Wertz, P. (2003). New acylceramide in native and reconstructed epidermis, *J. Invest. Dermatol.*

130. Portes, P., Grandidier, M.H., Cohen, C. & Roguet, R. (2002). Refinement of the Episkin protocol for the assessment of acute skin irritation of chemicals: follow-up to the ECVAM prevalidation study. *Toxicology in Vitro* 16, 765–770.
131. Prunieras, M., Regnier, M., Woodley D. (1983). Methods for cultivation of keratinocytes with an air–liquid interface, *J. Invest. Dermatol.* 81, 28–33.
132. Prunieras, M., Regnier, M., Schloetterer, M. (1979). A new method to culture human epidermal cells on allogeneic or xenogeneic dermis: Preparation of recombined grafts. *Ann Chir Plast* 24, 357–362.
133. Purchase, I.F.H. (1990). Strategic considerations in Industry's use of in vitro Toxicology. *Toxicology in Vitro* 4. No.4/5, 667-674.
134. Régnier, M., Schweizer, J., Michael S., Bailly, C., Prunieras, M. (1986). Expression of high molecular weight (67K) keratin in human keratinocytes cultured on dead deepidermized dermis. *Exp Cell Res* 156, 63-72.
135. Régnier, M., Desbas, C., Bailly, C., Darmon, M. (1988). Differentiation of normal and tumoral human keratinocytes cultured on dermis: reconstruction of either normal or tumoral architecture. *In Vitro Cell Dev Biol* 24, 625-632.
136. Régnier, M., Asselineau, D., Lenoir, M.C. (1990). Human epidermis reconstructed on dermal substrate in vitro: an alternative to animals in skin pharmacology. *Skin Pharmacol-* 3, 70-85.
137. Régnier, M., Caron, D., Reichert, U., Schaefer, H. (1993). Barrier function of human skin and human reconstructed epidermis, *J. Pharm. Sci.* 82, 404–407.
138. Robinson, M.K., McFadden, J.P., Basketter, D.A. (2001). Validity and ethics of the human 4 h patch test as an alternative method to assess skin irritation potential. *Contact Dermatitis* 45, 1–12.
139. Rosdy, M. and Clauss, L.C. (1990). Terminal epidermal differentiation of human keratinocytes grown in chemically defined medium on inert filter substrates at the air–liquid interface. *J. Invest. Dermatol.* 95, 409–414.
140. Rosdy, M., Pisani, A., Ortonne, J.P. (1993). Production of basement membrane components by a reconstructed epidermis cultured in the absence of serum and dermal factors. *Br. J. Dermatol.* 129, 227–234.
141. Roguet, R., Cohen, C., Rougier, A. (1994). A reconstituted human epidermis to assess cutaneous irritation, photoirritation and photoprotection in vitro. In *Alternative Methods in Toxicology, 10: In Vitro Skin Toxicology — Irritation, Phototoxicity, Sensitization* (eds. A. Rougier, A. Goldberg & H. Maibach), New York, USA: Mary Ann Libert, p. 141–149.
142. Roguet, R. and Schaefer, H. (1997). Overview of in Vitro Cell Culture Technologies and Pharmaco-toxicological Applications. *Toxicology in Vitro* 11, 591-599.
143. Rogers, J.V., Gunasekar, P.G., Garrett, C.M., Kabbur, M.B., McDougal, J.N. (2001). Detection of oxidative species and lowmolecular-weight DNA in skin following dermal exposure with JP-8 jet fuel. *J. Appl. Toxicol.* 21 (6), 521–525.

144. Rosette, C. and Karin, M. (1996). Ultraviolet light and osmotic stress: activation of the JNK cascade through multiple growth factor and cytokine receptors. *Science* 274 (5290), 1194–1197.
145. Salminen, W.F. and Roberts, S.M. (2004). Dermal and Ocular Toxicology: Toxic Effects of the Skin and Eyes. In: Williams, P.L., James, R.C., Roberts, S.M. (eds.). *Principles of Toxicology. Environmental and Industrial Applications*. John Wiley & sons, Inc., p. 157-168
146. Schäfer, H., Redelmeier, T.E. (1996). Skin Barrier: Principles of percutaneous absorption. Karger, Basel, 60p.
147. Schäfer-Korting, M., Bock, U., Gamer, A.O., Haberland, A., Haltner-Ukomadu, E., Kaca, M., Kamp, H., Kietzmann, M., Korting, H-Ch., Krächter, H.-U., Lehr, C.-M., Liebsch, M., Mehling, A., Netzlaff, F., Niedorf, F., Rübelke, M.K., Schäfer, U., Schmidt, E., Schreiber, S., Schröder, K.-R., Spielmann, H., Vuia, A. (2006). Reconstructed Human Epidermis for Skin Absorption Testing: Results of the German Prevalidation Study. ATLA, in Press.
148. Schürer, N.Y., Elias, P.M. (1991). The biochemistry and function of stratum comeum lipids. In: Elias PM. (ed.) *Skin Lipids. Advances in Lipid Research*. Academic Press, San Diego, Vol. 24, p. 27-56.
149. Shotton, D.M. (1989). Confocal scanning optical microscopy and its applications for biological specimens. *J Cell Sci* 94, 175-206.
150. Snell, R. (1967). An electron mocoscopic study of the human epidermal keratinocyte. *Zellforsch Mikrosk Anat.* 79, 492-506.
151. Spielmann, H., Balls, M., Brand, M., Döring, B., Holzhütter, H.G., Kalweit, S., Klecak, G., L'Epattenier, H., Liebsch, M., Lovell, W.W., Maurer, T., Moldenhauer, F., Moore, L., Pape, W.J.W., Pfannenbecker, U., Potthast, J., De Silva, O., Steiling, W. & Willshaw, A. (1994). EC/COLIPA project on in vitro phototoxicity testing: first results obtained with the Balb/c 3T3 cell phototoxicity assay. *Toxicology in Vitro* 8, 793–796.
152. Spielmann, H., Balls, M., Dupuis, J., Pape, W.J.W., Pechovitch, G., De Silva, O., Holzhütter, H.G., Clothier, R., Desolle, P., Gerberick, F., Liebsch, M., Lovell, W.W., Maurer, T., Pfannenbecker, U., Potthast, J. M., Csato, M., Sladowski, D., Steiling, W. & Brantom, P. (1998a). The international EU/COLIPA In vitro phototoxicity validation study: results of phase II (blind trial), part 1: the 3T3 NRU phototoxicityphototoxicity test. *Toxicology in Vitro* 12, 305–327.
153. Spielmann, H., Balls, M., Dupuis, J., Pape, W.J.W., Silva, O. de., Holzhuettter, H.G., Gerberick, F., Liebsch, M., Lovell, W.W. & Pfannenbecker, U. (1998b). A study on UV filter chemicals from Annex VII of EU Directive 76/768/EEC in the 3T3 NRU phototoxicity test. ATLA 26, 679–708
154. Spielmann, H., Müller, L., Averbeck, D., Balls, M., Brendler-Schwaab, S., Castell, J.V., Curren, R., de Silva, O., Gibbs, N.K., Liebsch, M., Lovell, W.W., Merk, H.F., Nash, J.F., Neumann, N.J., Pape, W.J.W., Ulrich, P. & Vohr, H.-W. (2000). The second ECVAM workshop on phototoxicity testing. The report and recommendations of ECVAM Workshop 42. ATLA 28, 777–814.
155. Spielmann, H., Liebsch, M., Doering, B. & Moldenhauer, F. (1996). First results of the EU/COLIPA validation trial “In vitro phototoxicity testing”. *In vitro Toxicology* 9, 325–338.

156. Tinois, E., Tiollier, J., Gaucherand, M., Dumas, H., Tardy, M., Thivolet, J. (1991). In vitro and post-transplantation differentiation of human keratinocytes grown on the human type IV collagen film of a bilayered dermal substitute, *Exp. Cell Res.* 193, 310–319.
157. United Nations Economic Commission for Europe (2003). The Globally Harmonized System of Classification and Labelling of Chemicals (GHS). UN ST/SG/AC.10/30, United Nations, New York, NY, USA/Geneva, Switzerland: United Nations Organisation. Website <http://www.unece.org/trans/danger/publi/ghs> (Accessed 15.8.03).
158. Van de Sandt, J., Roguet, R., Cohen, C., Esdaile, D., Ponec, M., Corsine, E., Barhker, C., Fusenig, N., Liebsch, M., Benford, D., de Brugerolle de Fraissinette, A., Fartasch, M. (1999). The use of human keratinocytes and human skin models for predicting skin irritation. *ATLA* 27, 723–743.
159. Vicanova, J. (1997). Skin Barrier. Reconstructed Epidermis as in Vitro Model for Studies on the stratum Corneum Barrier Formation. PhD thesis. ISBN 90-9011270-7, p. 155.
160. Vicanova, J., Boelsma, E., Mommaas, M., Kempenaar, J.A., Forslind, B., Pallon, J., Egelrud, T., Koerten, H., Ponec, M. (1998). Normalization of epidermal calcium distribution profile in reconstructed human epidermis is related to improvement of terminal differentiation and stratum corneum barrier formation, *J. Invest. Dermatol.* 111, 97–106.
161. Wagner, H., Zghoul, N. Lehr, C-M. and Schäfer U.F. (2002). Human skin and skin equivalents to study dermal penetration and permeation. In: Cell culture models of biological barriers, In vitro tests for drug absorption and delivery. Edited by C-M. Lehr. Taylor & Francis, 428 p.
162. Welss, T., Baskettter, D.A., Schröder, K.R. (2004). In vitro skin irritation: facts and future. State of the art review of mechanisms and models. *Toxicology in Vitro* 18, 231–243.
163. Wertz, P.W., Madison, K.C. and Downing D.T. (1989). Covalently bound lipids of human stratum corneum, *J. Invest. Dermatol.* 92, 109–111.
164. Willis, C.M., Reiche, L., Wilkinson, J.D. (1998). Immunocytochemical demonstration of reduced Cu,Zn-superoxide dismutase levels following topical application of dithranol and sodium lauryl sulphate: an indication of the role of oxidative stress in acute irritant contact dermatitis. *Eur. J. Dermatol.* 8 (1), 8–12.
165. Worth, A.P. and Balls, M. (2001). The importance of the prediction model in the validation of alternative tests. *ATLA* 29, 135–143.
166. Yardley, H.J. (1991). Epidermal lipids. In: Goldsmith, L.A. (ed.). *Physiology, Biochemistry and Molecular Biology of the Skin*. Oxford University Press, Oxford, p. 363–381,
167. Zuang, V., Balls, M., Botham, P., Coquette, A., Corsini, E., Curren, R.D., Elliott, G.R., Fentem, J.H., Heylings, J.R., Liebsch, M., Medina, J., Roguet, R., van de Sandt, J.J.M., Wiemann, C. & Worth, A.P. (2002). Follow-up to the ECVAM revalidation study on in vitro tests for acute skin irritation. *ECVAM Skin Irritation Task Force Report 2*. *ATLA* 30, 109–129.
168. Zuang, V., Alonso, M.-A., Botham, P.A., Eskes, Ch., Fentem, J., Liebsch, M., van de Sandt, J.J.M. (2005). Skin Irritation and Corrosion. *ATLA* 33, Suppl. 1, 35–46.