

6. Literatur

- Baranauskas, G. and A. Nistri. 1998. Sensitization of pain pathways in the spinal cord: cellular mechanisms. *Prog Neurobiol* **54**: 349-65.
- Beatus, P. and U. Lendahl. 1998. Notch and neurogenesis. *J Neurosci Res* **54**: 125-36.
- Ben-Arie, N., H.J. Bellen, D.L. Armstrong, A.E. McCall, P.R. Gordadze, Q. Guo, M.M. Matzuk, and H.Y. Zoghbi. 1997. Math1 is essential for genesis of cerebellar granule neurons. *Nature* **390**: 169-72.
- Benezra, R., R.L. Davis, D. Lockshon, D.L. Turner, and H. Weintraub. 1990. The protein Id: a negative regulator of helix-loop-helix DNA binding proteins. *Cell* **61**: 49-59.
- Bermingham, N.A., B.A. Hassan, V.Y. Wang, M. Fernandez, S. Banfi, H.J. Bellen, B. Fritzschi, and H.Y. Zoghbi. 2001. Proprioceptor pathway development is dependent on Math1. *Neuron* **30**: 411-22.
- Briscoe, J. and J. Ericson. 1999. The specification of neuronal identity by graded Sonic Hedgehog signalling. *Semin Cell Dev Biol* **10**: 353-62.
- . 2001. Specification of neuronal fates in the ventral neural tube. *Curr Opin Neurobiol* **11**: 43-9.
- Briscoe, J., A. Pierani, T.M. Jessell, and J. Ericson. 2000. A homeodomain protein code specifies progenitor cell identity and neuronal fate in the ventral neural tube. *Cell* **101**: 435-45.
- Casarosa, S., C. Fode, and F. Guillemot. 1999. Mash1 regulates neurogenesis in the ventral telencephalon. *Development* **126**: 525-34.
- Caspary, T. and K.V. Anderson. 2003. Patterning cell types in the dorsal spinal cord: what the mouse mutants say. *Nat Rev Neurosci* **4**: 289-97.
- Chalfie, M., Y. Tu, G. Euskirchen, W.W. Ward, and D.C. Prasher. 1994. Green fluorescent protein as a marker for gene expression. *Science* **263**: 802-5.
- Chen, Z.F., S. Rebelo, F. White, A.B. Malmberg, H. Baba, D. Lima, C.J. Woolf, A.I. Basbaum, and D.J. Anderson. 2001. The paired homeodomain protein DRG11 is required for the projection of cutaneous sensory afferent fibers to the dorsal spinal cord. *Neuron* **31**: 59-73.
- Cheng, L., A. Arata, R. Mizuguchi, Y. Qian, A. Karunaratne, P.A. Gray, S. Arata, S. Shirasawa, M. Bouchard, P. Luo, C.L. Chen, M. Busslinger, M. Goulding, H.

- Onimaru, and Q. Ma. 2004. Tlx3 and Tlx1 are post-mitotic selector genes determining glutamatergic over GABAergic cell fates. *Nat Neurosci* **7**: 510-7.
- Chizhikov, V.V. and K.J. Millen. 2004. Control of roof plate formation by Lmx1a in the developing spinal cord. *Development* **131**: 2693-705.
- Cohen, G. and N. Sternberg. 1989. Genetic analysis of the lytic replicon of bacteriophage P1. I. Isolation and partial characterization. *J Mol Biol* **207**: 99-109.
- de la Pompa, J.L., A. Wakeham, K.M. Correia, E. Samper, S. Brown, R.J. Aguilera, T. Nakano, T. Honjo, T.W. Mak, J. Rossant, and R.A. Conlon. 1997. Conservation of the Notch signalling pathway in mammalian neurogenesis. *Development* **124**: 1139-48.
- Ding, Y.Q., J. Yin, A. Kania, Z.Q. Zhao, R.L. Johnson, and Z.F. Chen. 2004. Lmx1b controls the differentiation and migration of the superficial dorsal horn neurons of the spinal cord. *Development* **131**: 3693-703.
- Dubreuil, V., M.R. Hirsch, C. Jouve, J.F. Brunet, and C. Goridis. 2002. The role of Phox2b in synchronizing pan-neuronal and type-specific aspects of neurogenesis. *Development* **129**: 5241-53.
- Eagleson, G.W. and W.A. Harris. 1990. Mapping of the presumptive brain regions in the neural plate of *Xenopus laevis*. *J Neurobiol* **21**: 427-40.
- Ensini, M., T.N. Tsuchida, H.G. Belting, and T.M. Jessell. 1998. The control of rostrocaudal pattern in the developing spinal cord: specification of motor neuron subtype identity is initiated by signals from paraxial mesoderm. *Development* **125**: 969-82.
- Fode, C., Q. Ma, S. Casarosa, S.L. Ang, D.J. Anderson, and F. Guillemot. 2000. A role for neural determination genes in specifying the dorsoventral identity of telencephalic neurons. *Genes Dev* **14**: 67-80.
- Garrell, J. and J. Modolell. 1990. The *Drosophila* extramacrochaetae locus, an antagonist of proneural genes that, like these genes, encodes a helix-loop-helix protein. *Cell* **61**: 39-48.
- Gillespie, P.G. and R.G. Walker. 2001. Molecular basis of mechanosensory transduction. *Nature* **413**: 194-202.

- Glasgow, S.M., R.M. Henke, R.J. MacDonald, C.V.E. Wright, and J.E. Johnson. 2005. PTF1a Determines GABAergic Over Glutamatergic Neuronal Cell Fate in the Spinal Cord Dorsal Horn. *Development in press*.
- Gowan, K., A.W. Helms, T.L. Hunsaker, T. Collisson, P.J. Ebert, R. Odom, and J.E. Johnson. 2001. Crossinhibitory activities of Ngn1 and Math1 allow specification of distinct dorsal interneurons. *Neuron* **31**: 219-32.
- Gross, M.K., M. Dottori, and M. Goulding. 2002. Lbx1 specifies somatosensory association interneurons in the dorsal spinal cord. *Neuron* **34**: 535-49.
- Guillemot, F., L.C. Lo, J.E. Johnson, A. Auerbach, D.J. Anderson, and A.L. Joyner. 1993. Mammalian achaete-scute homolog 1 is required for the early development of olfactory and autonomic neurons. *Cell* **75**: 463-76.
- Habener, J.F., D.M. Kemp, and M.K. Thomas. 2005. Minireview: transcriptional regulation in pancreatic development. *Endocrinology* **146**: 1025-34.
- Hatakeyama, J., Y. Bessho, K. Katoh, S. Ookawara, M. Fujioka, F. Guillemot, and R. Kageyama. 2004. Hes genes regulate size, shape and histogenesis of the nervous system by control of the timing of neural stem cell differentiation. *Development* **131**: 5539-50.
- Helms, A.W., J. Battiste, R.M. Henke, Y. Nakada, N. Simplicio, F. Guillemot, and J.E. Johnson. 2005. Sequential roles for Mash1 and Ngn2 in the generation of dorsal spinal cord interneurons. *Development* **132**: 2709-19.
- Helms, A.W. and J.E. Johnson. 2003. Specification of dorsal spinal cord interneurons. *Curr Opin Neurobiol* **13**: 42-9.
- Hemmati-Brivanlou, A. and D. Melton. 1997. Vertebrate neural induction. *Annu Rev Neurosci* **20**: 43-60.
- Heppenstall, P.A. and G.R. Lewin. 2001. BDNF but not NT-4 is required for normal flexion reflex plasticity and function. *Proc Natl Acad Sci U S A* **98**: 8107-12.
- Herrero, J.F., J.M. Laird, and J.A. Lopez-Garcia. 2000. Wind-up of spinal cord neurones and pain sensation: much ado about something? *Prog Neurobiol* **61**: 169-203.
- Hitoshi, S., T. Alexson, V. Tropepe, D. Donoviel, A.J. Elia, J.S. Nye, R.A. Conlon, T.W. Mak, A. Bernstein, and D. van der Kooy. 2002. Notch pathway molecules are essential for the maintenance, but not the generation, of mammalian neural stem cells. *Genes Dev* **16**: 846-58.

- Hoshino, M., S. Nakamura, K. Mori, T. Kawauchi, M. Terao, Y.V. Nishimura, A. Fukuda, T. Fuse, N. Matsuo, M. Sone, M. Watanabe, H. Bito, T. Terashima, C.V. Wright, Y. Kawaguchi, K. Nakao, and Y.I. Nabeshima. 2005. Ptf1a, a bHLH Transcriptional Gene, Defines GABAergic Neuronal Fates in Cerebellum. *Neuron* **47**: 201-213.
- Hunt, S.P. and P.W. Mantyh. 2001. The molecular dynamics of pain control. *Nat Rev Neurosci* **2**: 83-91.
- Jacob, J. and J. Briscoe. 2003. Gli proteins and the control of spinal-cord patterning. *EMBO Rep* **4**: 761-5.
- Jessell, T.M. 2000. Neuronal specification in the spinal cord: inductive signals and transcriptional codes. *Nat Rev Genet* **1**: 20-9.
- Johnson, J.E., S.J. Birren, T. Saito, and D.J. Anderson. 1992. DNA binding and transcriptional regulatory activity of mammalian achaete-scute homologous (MASH) proteins revealed by interaction with a muscle-specific enhancer. *Proc Natl Acad Sci U S A* **89**: 3596-600.
- Julius, D. and A.I. Basbaum. 2001. Molecular mechanisms of nociception. *Nature* **413**: 203-10.
- Lai, E.C. and V. Orgogozo. 2004. A hidden program in Drosophila peripheral neurogenesis revealed: fundamental principles underlying sensory organ diversity. *Dev Biol* **269**: 1-17.
- Lee, E.C., D. Yu, J. Martinez de Velasco, L. Tessarollo, D.A. Swing, D.L. Court, N.A. Jenkins, and N.G. Copeland. 2001. A highly efficient Escherichia coli-based chromosome engineering system adapted for recombinogenic targeting and subcloning of BAC DNA. *Genomics* **73**: 56-65.
- Lee, K.J., P. Dietrich, and T.M. Jessell. 2000. Genetic ablation reveals that the roof plate is essential for dorsal interneuron specification. *Nature* **403**: 734-40.
- Lee, K.J. and T.M. Jessell. 1999. The specification of dorsal cell fates in the vertebrate central nervous system. *Annu Rev Neurosci* **22**: 261-94.
- Lumpkin, E.A., T. Collisson, P. Parab, A. Omer-Abdalla, H. Haeberle, P. Chen, A. Doetzlhofer, P. White, A. Groves, N. Segil, and J.E. Johnson. 2003. Math1-driven GFP expression in the developing nervous system of transgenic mice. *Gene Expr Patterns* **3**: 389-95.

- Lumsden, A. and R. Krumlauf. 1996. Patterning the vertebrate neuraxis. *Science* **274**: 1109-15.
- Mascias, P., M. Scheede, P. Bloms-Funke, and B. Chizh. 2002. Modulation of spinal nociception by GluR5 kainate receptor ligands in acute and hyperalgesic states and the role of gabaergic mechanisms. *Neuropharmacology* **43**: 327-39.
- Megason, S.G. and A.P. McMahon. 2002. A mitogen gradient of dorsal midline Wnts organizes growth in the CNS. *Development* **129**: 2087-98.
- Moran-Rivard, L., T. Kagawa, H. Saueressig, M.K. Gross, J. Burrill, and M. Goulding. 2001. Evx1 is a postmitotic determinant of v0 interneuron identity in the spinal cord. *Neuron* **29**: 385-99.
- Muhr, J., E. Andersson, M. Persson, T.M. Jessell, and J. Ericson. 2001. Groucho-mediated transcriptional repression establishes progenitor cell pattern and neuronal fate in the ventral neural tube. *Cell* **104**: 861-73.
- Muller, T., K. Anlag, H. Wildner, S. Britsch, M. Treier, and C. Birchmeier. 2005. The bHLH factor Olig3 coordinates the specification of dorsal neurons in the spinal cord. *Genes Dev* **19**: 733-43.
- Muller, T., H. Brohmann, A. Pierani, P.A. Heppenstall, G.R. Lewin, T.M. Jessell, and C. Birchmeier. 2002. The homeodomain factor lbx1 distinguishes two major programs of neuronal differentiation in the dorsal spinal cord. *Neuron* **34**: 551-62.
- Muroyama, Y., M. Fujihara, M. Ikeya, H. Kondoh, and S. Takada. 2002. Wnt signaling plays an essential role in neuronal specification of the dorsal spinal cord. *Genes Dev* **16**: 548-53.
- Nakada, Y., T.L. Hunsaker, R.M. Henke, and J.E. Johnson. 2004. Distinct domains within Mash1 and Math1 are required for function in neuronal differentiation versus neuronal cell-type specification. *Development* **131**: 1319-30.
- Ohtsuka, T., M. Ishibashi, G. Gradwohl, S. Nakanishi, F. Guillemot, and R. Kageyama. 1999. Hes1 and Hes5 as notch effectors in mammalian neuronal differentiation. *Embo J* **18**: 2196-207.
- Parras, C.M., C. Schuurmans, R. Scardigli, J. Kim, D.J. Anderson, and F. Guillemot. 2002. Divergent functions of the proneural genes Mash1 and Ngn2 in the specification of neuronal subtype identity. *Genes Dev* **16**: 324-38.

- Pattyn, A., N. Simplicio, J.H. van Doorninck, C. Goridis, F. Guillemot, and J.F. Brunet. 2004. *Ascl1/Mash1* is required for the development of central serotonergic neurons. *Nat Neurosci* **7**: 589-95.
- Pierani, A., S. Brenner-Morton, C. Chiang, and T.M. Jessell. 1999. A sonic hedgehog-independent, retinoid-activated pathway of neurogenesis in the ventral spinal cord. *Cell* **97**: 903-15.
- Pierani, A., L. Moran-Rivard, M.J. Sunshine, D.R. Littman, M. Goulding, and T.M. Jessell. 2001. Control of interneuron fate in the developing spinal cord by the progenitor homeodomain protein *Dbx1*. *Neuron* **29**: 367-84.
- Reeve, A.J., A.H. Dickenson, and N.C. Kerr. 1998. Spinal effects of bicuculline: modulation of an allodynia-like state by an A1-receptor agonist, morphine, and an NMDA-receptor antagonist. *J Neurophysiol* **79**: 1494-507.
- Sander, M., S. Paydar, J. Ericson, J. Briscoe, E. Berber, M. German, T.M. Jessell, and J.L. Rubenstein. 2000. Ventral neural patterning by *Nkx* homeobox genes: *Nkx6.1* controls somatic motor neuron and ventral interneuron fates. *Genes Dev* **14**: 2134-9.
- Schoenwolf, G.C. and P. Sheard. 1990. Fate mapping the avian epiblast with focal injections of a fluorescent-histochemical marker: ectodermal derivatives. *J Exp Zool* **255**: 323-39.
- Schwenk, F., U. Baron, and K. Rajewsky. 1995. A cre-transgenic mouse strain for the ubiquitous deletion of loxP-flanked gene segments including deletion in germ cells. *Nucleic Acids Res* **23**: 5080-1.
- Simon, H., A. Hornbruch, and A. Lumsden. 1995. Independent assignment of antero-posterior and dorso-ventral positional values in the developing chick hindbrain. *Curr Biol* **5**: 205-14.
- Sorge, J.A. 1988. Bacteriophage lambda cloning vectors. *Biotechnology* **10**: 43-60.
- Sternberg, N. and G. Cohen. 1989. Genetic analysis of the lytic replicon of bacteriophage P1. II. Organization of replicon elements. *J Mol Biol* **207**: 111-33.
- Tanabe, Y. and T.M. Jessell. 1996. Diversity and pattern in the developing spinal cord. *Science* **274**: 1115-23.
- Thompson, S.W., G. Gerber, L.G. Sivilotti, and C.J. Woolf. 1992. Long duration ventral root potentials in the neonatal rat spinal cord in vitro; the effects of

- ionotropic and metabotropic excitatory amino acid receptor antagonists. *Brain Res* **595**: 87-97.
- Vallstedt, A., J.M. Klos, and J. Ericson. 2005. Multiple dorsoventral origins of oligodendrocyte generation in the spinal cord and hindbrain. *Neuron* **45**: 55-67.
- Vallstedt, A., J. Muhr, A. Pattyn, A. Pierani, M. Mendelsohn, M. Sander, T.M. Jessell, and J. Ericson. 2001. Different levels of repressor activity assign redundant and specific roles to Nkx6 genes in motor neuron and interneuron specification. *Neuron* **31**: 743-55.
- Wilson, S.I. and T. Edlund. 2001. Neural induction: toward a unifying mechanism. *Nat Neurosci* **4 Suppl**: 1161-8.
- Wilson, S.I., E. Graziano, R. Harland, T.M. Jessell, and T. Edlund. 2000. An early requirement for FGF signalling in the acquisition of neural cell fate in the chick embryo. *Curr Biol* **10**: 421-9.
- Wilson, S.I., A. Rydstrom, T. Trimborn, K. Willert, R. Nusse, T.M. Jessell, and T. Edlund. 2001. The status of Wnt signalling regulates neural and epidermal fates in the chick embryo. *Nature* **411**: 325-30.
- Wodarz, A. and W.B. Huttner. 2003. Asymmetric cell division during neurogenesis in *Drosophila* and vertebrates. *Mech Dev* **120**: 1297-309.
- Wu, Y., Y. Liu, E.M. Levine, and M.S. Rao. 2003. Hes1 but not Hes5 regulates an astrocyte versus oligodendrocyte fate choice in glial restricted precursors. *Dev Dyn* **226**: 675-89.
- Yu, D., H.M. Ellis, E.C. Lee, N.A. Jenkins, N.G. Copeland, and D.L. Court. 2000. An efficient recombination system for chromosome engineering in *Escherichia coli*. *Proc Natl Acad Sci U S A* **97**: 5978-83.