
7. LITERATURVERZEICHNIS

- Al-Arifi A** (2003) Cluster-Neoglykolipide: moderne Liganden für das aktive Targeting von Liposomen an humanen Makrophagen. *Dissertation*.
- Arumugham RG**, Hsieh TC, Tanzer ML, Laine RA (1986) Structures of the asparagine-linked sugar chains of laminin. *Biochim Biophys Acta* 883:112-126.
- Asher R**, Perides G, Vanderhaeghen JJ, Bignami A (1991) Extracellular matrix of central nervous system white matter: demonstration of an hyaluronate-protein complex. *J Neurosci Res* 28:410-421.
- Asher RA**, Morgenstern DA, Shearer MC, Adcock KH, Pesheva P, Fawcett JW (2002) Versican is upregulated in CNS injury and is a product of oligodendrocyte lineage cells. *J Neurosci* 22:2225-2236.
- Ashwell G**, Morell AG (1972) Membrane glycoproteins and recognition phenomena. *Trends Biochem Sci* 2:76-78.
- Basbaum AI**, Jessell TM (2000) The perception of pain. *Principles of neural science* 4.Auflage:472-491.
- Bennett GJ**, Xie YK (1988) A peripheral mononeuropathy in rat that produces disorders of pain sensation like those seen in man. *Pain* 33:87-107.
- Bennett DL**, Michael GJ, Ramachandran N, Munson JB, Averill S, Yan Q, McMahon SB, Priestley JV (1998) A distinct subgroup of small DRG cells express GDNF receptor components and GDNF is protective for these neurons after nerve injury. *J Neurosci* 18:3059-3072.
- Blanken WM**, Van den Eijnden DH (1985) Biosynthesis of terminal Gal alpha 1→3Gal beta 1→4GlcNAc-R oligosaccharide sequences on glycoconjugates. Purification and acceptor specificity of a UDP-Gal:N-acetyllactosaminide alpha 1→3-galactosyltransferase from calf thymus. *J Biol Chem* 260:12927-12934.
- Bogen O**, Dreger M, Gillen C, Schroder W, Hucho F (2005) Identification of versican as an isolectin B4-binding glycoprotein from mammalian spinal cord tissue. *Febs J* 272:1090-1102.
- Bosman FT**, Stamenkovic I (2003) Functional structure and composition of the extracellular matrix. *J Pathol* 200:423-428.
- Boucher TJ**, Okuse K, Bennett DL, Munson JB, Wood JN, McMahon SB (2000) Potent analgesic effects of GDNF in neuropathic pain states. *Science* 290:124-127.
- Boyd WC**, Shapleigh E (1954) Diagnosis by subgroups of blood groups A and AB by use of plant agglutinins (lectins). *J Lab Clin Med* 44:235-237.
- Bradbury EJ**, Moon LD, Popat RJ, King VR, Bennett GS, Patel PN, Fawcett JW, McMahon SB (2002) Chondroitinase ABC promotes functional recovery after spinal cord injury. *Nature* 416:636-640.
- Bradford MM** (1976) A rapid and sensitive method for the quantitation of microgram quantities of protein utilizing the principle of protein-dye binding. *Anal Biochem* 72:248-254.
- Bruckner G**, Hausen D, Hartig W, Drlicek M, Arendt T, Brauer K (1999) Cortical areas abundant in extracellular matrix chondroitin sulphate proteoglycans are less affected by cytoskeletal changes in Alzheimer's disease. *Neuroscience* 92:791-805.
- Burnet FM** (1956) Structure of influenza virus. *Science* 123:1101-1104.
- Celio MR**, Spreafico R, De Biasi S, Vitellaro-Zuccarello L (1998) Perineuronal nets: past and present. *Trends Neurosci* 21:510-515.
- Chou DK**, Dodd J, Jessell TM, Costello CE, Jungalwala FB (1989) Identification of alpha-galactose (alpha-fucose)-asialo-GM1 glycolipid expressed by subsets of rat dorsal root ganglion neurons. *J Biol Chem* 264:3409-3415.

- Collins BH**, Cotterell AH, McCurry KR, Alvarado CG, Magee JC, Parker W, Platt JL (1995) Cardiac xenografts between primate species provide evidence for the importance of the alpha-galactosyl determinant in hyperacute rejection. *J Immunol* 154:5500-5510.
- Couto AS**, Goncalves MF, Colli W, de Lederkremer RM (1990) The N-linked carbohydrate chain of the 85-kilodalton glycoprotein from *Trypanosoma cruzi* trypomastigotes contains sialyl, fucosyl and galactosyl (alpha 1-3)galactose units. *Mol Biochem Parasitol* 39:101-107.
- Dours-Zimmermann MT**, Zimmermann DR (1994) A novel glycosaminoglycan attachment domain identified in two alternative splice variants of human versican. *J Biol Chem* 269:32992-32998.
- Eckhardt AE**, Goldstein IJ (1983) Isolation and characterization of a family of alpha-D-galactosyl-containing glycopeptides from Ehrlich ascites tumor cells. *Biochemistry* 22:5290-5297.
- Eckhardt AE**, Goldstein IJ (1983) Occurrence of alpha-D-galactosyl-containing glycoproteins on Ehrlich tumor cell membranes. *Biochemistry* 22:5280-5289.
- Faraggiana T**, Crescenzi A, Marinozzi V (1989) Presence of an alpha-galactolipid on the cell surfaces of endothelial cells of human kidney. *Histochem J* 21:235-240.
- Fawcett JW**, Asher RA (1999) The glial scar and central nervous system repair. *Brain Res Bull* 49:377-391.
- Franz H** (1988) The ricin story. *AdvLectin Res* 1:10-25.
- Fujiwara S**, Shinkai H, Deutzmann R, Paulsson M, Timpl R (1988) Structure and distribution of N-linked oligosaccharide chains on various domains of mouse tumour laminin. *Biochem J* 252:453-461.
- Fullmer JM**, Riedl MS, Higgins L, Elde R (2004) Identification of some lectin IB₄ binding proteins in rat dorsal root ganglia. *Neuroreport* 15:1705-1709.
- Galili U**, Rachmilewitz EA, Peleg A, Flechner I (1984) A unique natural human IgG antibody with anti-alpha-galactosyl specificity. *J Exp Med* 160:1519-1531.
- Galili U**, Macher BA, Buehler J, Shohet SB (1985) Human natural anti-alpha-galactosyl IgG. II. The specific recognition of alpha (1----3)-linked galactose residues. *J Exp Med* 162:573-582.
- Galili U**, Clark MR, Shohet SB, Buehler J, Macher BA (1987) Evolutionary relationship between the natural anti-Gal antibody and the Gal alpha 1----3Gal epitope in primates. *Proc Natl Acad Sci U S A* 84:1369-1373.
- Galili U**, Shohet SB, Kobrin E, Stults CL, Macher BA (1988) Man, apes, and Old World monkeys differ from other mammals in the expression of alpha-galactosyl epitopes on nucleated cells. *J Biol Chem* 263:17755-17762.
- Gardner EP**, Martin JH, Jessell TM (2000) The bodily senses. *The principles of neural science* 4. Auflage:430-450.
- Gertz SD** (2003) Makroskopische Grundlagen der Neuroanatomie. Basiswissen *Neuroanatomie* 4.Auflage:22-23.
- Goldstein IJ**, Winter HG (1999) The Griffonia simplicifolia I-B₄ isolectin. A probe for alpha-D-galactosyl end groups. *Subcell Biochem* 32:127-141.
- Gray EG**, Whittaker VP (1962) The isolation of nerve endings from brain: an electron-microscopic study of cell fragments derived by homogenization and centrifugation. *J Anat* 96:79-88.
- Hames BD** (1990) Analysis of gels following electrophoresis. *Gel electrophoresis of proteins* 2nd edition:51-147.
- Handwerker HO** (2001) Somatosensorik. *Neuro- und Sinnesphysiologie* 4.Auflage:227-256.
- Hayes CE**, Goldstein IJ (1974) An alpha-D-galactosyl-binding lectin from *Bandeiraea simplicifolia* seeds. Isolation by affinity chromatography and characterization. *J Biol Chem* 249:1904-1914.

- Hayes NVL**, Holmes FE, Roobol A, Carden MJ, Baines AJ (1997) Proteins of the neuronal cytoplasmic and membrane-associated cytoskeleton. *Neurochemistry* 2nd edition:39-70.
- Hoven MY**, De Leij L, Keij JF, The TH (1989) Detection and isolation of antigen-specific B cells by the fluorescence activated cell sorter (FACS). *J Immunol Methods* 117:275-284.
- Iozzo RV** (1998) Matrix proteoglycans: from molecular design to cellular function. *Annu Rev Biochem* 67:609-652.
- Ito K**, Shinomura T, Zako M, Ujita M, Kimata K (1995) Multiple forms of mouse PG-M, a large chondroitin sulfate proteoglycan generated by alternative splicing. *J Biol Chem* 270:958-965.
- Jones LL**, Sajed D, Tuszynski MH (2003) Axonal regeneration through regions of chondroitin sulfate proteoglycan deposition after spinal cord injury: a balance of permissiveness and inhibition. *J Neurosci* 23:9276-9288.
- Julius D**, Basbaum AI (2001) Molecular mechanisms of nociception. *Nature* 413:203-210.
- Ketis NV**, Girdlestone J, Grant CW (1980) Positive cooperativity in a (dissected) lectin-membrane glycoprotein binding event. *Proc Natl Acad Sci U S A* 77:3788-3790.
- Keusch JJ**, Manzella SM, Nyame KA, Cummings RD, Baenziger JU (2000) Cloning of Gb3 synthase, the key enzyme in globo-series glycosphingolipid synthesis, predicts a family of alpha 1, 4-glycosyltransferases conserved in plants, insects, and mammals. *J Biol Chem* 275:25315-25321.
- Kim SH**, Chung JM (1992) An experimental model for peripheral neuropathy produced by segmental spinal nerve ligation in the rat. *Pain* 50:355-363.
- Kimura EA**, Katzin AM, Couto AS (2000) More on protein glycosylation in the malaria parasite. *Parasitol Today* 16:38-40.
- Kolset SO**, Prydz K, Pejler G (2004) Intracellular proteoglycans. *Biochem J* 379:217-227.
- Kress M**, Reeh PW (1996) More sensory competence for nociceptive neurons in culture. *Proc Natl Acad Sci U S A* 93:14995-14997.
- Kyhse-Andersen J** (1984) Electrophoretic transfer of multiple gels: a simple apparatus without buffer tank for rapid transfer of proteins from polyacrylamide to nitrocellulose. *J Biochem Biophys Methods* 10:203-209.
- Laemmli UK** (1970) Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227:680-685.
- Landolt RM**, Vaughan L, Winterhalter KH, Zimmermann DR (1995) Versican is selectively expressed in embryonic tissues that act as barriers to neural crest cell migration and axon outgrowth. *Development* 121:2303-2312.
- Langnaese K**, Seidenbecher C, Wex H, Seidel B, Hartung K, Appeltauer U, Garner A, Voss B, Mueller B, Garner CC, Gundelfinger ED (1996) Protein components of a rat brain synaptic junctional protein preparation. *Brain Res Mol Brain Res* 42:118-122.
- Larsen RD**, Rivera-Marrero CA, Ernst LK, Cummings RD, Lowe JB (1990) Frameshift and nonsense mutations in a human genomic sequence homologous to a murine UDP-Gal:beta-D-Gal(1,4)-D-GlcNAc alpha(1,3)-galactosyltransferase cDNA. *J Biol Chem* 265:7055-7061.
- LeBaron RG**, Zimmermann DR, Ruoslahti E (1992) Hyaluronate binding properties of versican. *J Biol Chem* 267:10003-10010.
- Lewin GR**, Lu Y, Park TJ (2004) A plethora of painful molecules. *Curr Opin Neurobiol* 14:443-449.
- Light AR**, Trevino DL, Perl ER (1979) Morphological features of functionally defined neurons in the marginal zone and substantia gelatinosa of the spinal dorsal horn. *J Comp Neurol* 186:151-171.

- Maddox DE**, Shibata S, Goldstein IJ (1982) Stimulated macrophages express a new glycoprotein receptor reactive with Griffonia simplicifolia I-B4 isolectin. *Proc Natl Acad Sci U S A* 79:166-170.
- Matthews RT**, Kelly GM, Zerillo CA, Gray G, Tiemeyer M, Hockfield S (2002) Aggrecan glycoforms contribute to the molecular heterogeneity of perineuronal nets. *J Neurosci* 22:7536-7547.
- Molliver DC**, Wright DE, Leitner ML, Parsadanian AS, Doster K, Wen D, Yan Q, Snider WD (1997) IB₄-binding DRG neurons switch from NGF to GDNF dependence in early postnatal life. *Neuron* 19:849-861.
- Munglani R**, Bond A, Smith GD, Harrison SM, Elliot PJ, Birch PJ, Hunt SP (1995) Changes in neuronal markers in a mononeuropathic rat model relationship between neuropeptide Y, pre-emptive drug treatment and long-term mechanical hyperalgesia. *Pain* 63:21-31.
- Murakami T**, Ohtsuka A (2003) Perisynaptic barrier of proteoglycans in the mature brain and spinal cord. *Arch Histol Cytol* 66:195-207.
- Nauta WJH**, Feirtag M (1990) Aufsteigende Bahnen. *Neuroanatomie* 1.Auflage:75-93.
- Ofek I**, Sharon N (1988) Lectinophagocytosis: a molecular mechanism of recognition between cell surface sugars and lectins in the phagocytosis of bacteria. *Infect Immun* 56:539-547.
- Olin AI**, Morgelin M, Sasaki T, Timpl R, Heinegard D, Aspberg A (2001) The proteoglycans aggrecan and Versican form networks with fibulin-2 through their lectin domain binding. *J Biol Chem* 276:1253-1261.
- Orkin RW**, Gehron P, McGoodwin EB, Martin GR, Valentine T, Swarm R (1977) A murine tumor producing a matrix of basement membrane. *J Exp Med* 145:204-220.
- Paulsson M**, Morgelin M, Wiedemann H, Beardmore-Gray M, Dunham D, Hardingham T, Heinegard D, Timpl R, Engel J (1987) Extended and globular protein domains in cartilage proteoglycans. *Biochem J* 245:763-772.
- Pearson K**, Gordon J (2000) Spinal reflexes. *The principles of neural science* 4. Auflage:713-736.
- Perides G**, Asher RA, Lark MW, Lane WS, Robinson RA, Bignami A (1995) Glial hyaluronate-binding protein: a product of metalloproteinase digestion of versican? *Biochem J* 312 (Pt 2):377-384.
- Perissinotto D**, Iacopetti P, Bellina I, Doliana R, Colombatti A, Pettway Z, Bronner-Fraser M, Shinomura T, Kimata K, Morgelin M, Lofberg J, Perris R (2000) Avian neural crest cell migration is diversely regulated by the two major hyaluronan-binding proteoglycans PG-M/versican and aggrecan. *Development* 127:2823-2842.
- Phelan P**, Gordon-Weeks PR (1997) Isolation of synaptosomes, growth cones, and their subcellular components. *Neurochemistry* 2nd editon:38.
- Plenderleith MB**, Snow PJ (1993) The plant lectin Bandeiraea simplicifolia IB₄ identifies a subpopulation of small diameter primary sensory neurons which innervate the skin in the rat. *Neurosci Lett* 159:17-20.
- Prydz K**, Dalen KT (2000) Synthesis and sorting of proteoglycans. *J Cell Sci* 113 Pt 2:193-205.
- Ralston HJ**, 3rd, Ralston DD (1979) The distribution of dorsal root axons in laminae I, II and III of the macaque spinal cord: a quantitative electron microscope study. *J Comp Neurol* 184:643-684.
- Ramer MS**, Priestley JV, McMahon SB (2000) Functional regeneration of sensory axons into the adult spinal cord. *Nature* 403:312-316.
- Rao CN**, Goldstein IJ, Liotta LA (1983) Lectin-binding domains on laminin. *Arch Biochem Biophys* 227:118-124.

- Reinert T**, Morawski M, Arendt T, Butz T (2003) Quantitative microanalysis of perineuronal nets in brain tissue. *Nuclear Instruments and Methods in Physics Research B* 210:395-400.
- Rosen G**, Pahlsson P, Londner MV, Westerman ME, Nilsson B (1989) Structural analysis of glycosyl-phosphatidylinositol antigens of *Leishmania major*. *J Biol Chem* 264:10457-10463.
- Rosenfeld J**, Capdevielle J, Guillemot JC, Ferrara P (1992) In-gel digestion of proteins for internal sequence analysis after one- or two-dimensional gel electrophoresis. *Anal Biochem* 203:173-179.
- Ruoslahti E** (1988) Structure and biology of proteoglycans. *Annu Rev Cell Biol* 4:229-255.
- Salinovich O**, Montelaro RC (1986) Reversible staining and peptide mapping of proteins transferred to nitrocellulose after separation by sodium dodecylsulfate-polyacrylamide gel electrophoresis. *Anal Biochem* 156:341-347.
- Schaffner W**, Weissmann C (1973) A rapid, sensitive, and specific method for the determination of protein in dilute solution. *Anal Biochem* 56:502-514.
- Schaible HG**, Richter F (2004) Pathophysiology of pain. *Langenbecks Arch Surg* 389:237-243.
- Schmalfeldt M**, Dours-Zimmermann MT, Winterhalter KH, Zimmermann DR (1998) Versican V2 is a major extracellular matrix component of the mature bovine brain. *J Biol Chem* 273:15758-15764.
- Scholz J**, Woolf CJ (2002) Can we conquer pain? *Nat Neurosci* 5 Suppl:1062-1067.
- Schrimpf SP**, Meskenaite V, Brunner E, Rutishauser D, Walther P, Eng J, Aebersold R, Sonderegger P (2005) Proteomic analysis of synaptosomes using isotope-coded affinity tags and mass spectrometry. *Proteomics* 5:2531-2541.
- Seidenbecher CI**, Gundelfinger ED, Bockers TM, Trotter J, Kreutz MR (1998) Transcripts for secreted and GPI-anchored brevican are differentially distributed in rat brain. *Eur J Neurosci* 10:1621-1630.
- Sharon N**, Lis H (1972) Lectins: cell-agglutinating and sugar-specific proteins. *Science* 177:949-959.
- Shevchenko A**, Wilm M, Vorm O, Mann M (1996) Mass spectrometric sequencing of proteins silver-stained polyacrylamide gels. *Anal Chem* 68:850-858.
- Shibata S**, Peters BP, Roberts DD, Goldstein IJ, Liotta LA (1982) Isolation of laminin by affinity chromatography on immobilized *Griffonia simplicifolia* 1 lectin. *FEBS Lett* 142:194-198.
- Silverman JD**, Kruger L (1990) Selective neuronal glycoconjugate expression in sensory and autonomic ganglia: relation of lectin reactivity to peptide and enzyme markers. *J Neurocytol* 19:789-801.
- Snider WD**, McMahon SB (1998) Tackling pain at the source: new ideas about nociceptors. *Neuron* 20:629-632.
- Streit WJ**, Schulte BA, Balentine DJ, Spicer SS (1985) Histochemical localization of galactose-containing glycoconjugates in sensory neurons and their processes in the central and peripheral nervous system of the rat. *J Histochem Cytochem* 33:1042-1052.
- Streit WJ**, Schulte BA, Balentine JD, Spicer SS (1986) Evidence for glycoconjugate in nociceptive primary sensory neurons and its origin from the Golgi complex. *Brain Res* 377:1-17.
- Stucky CL**, Lewin GR (1999) Isolectin B(4)-positive and -negative nociceptors are functionally distinct. *J Neurosci* 19:6497-6505.
- Sugahara K**, Kitagawa H (2000) Recent advances in the study of the biosynthesis and functions of sulfated glycosaminoglycans. *Curr Opin Struct Biol* 10:518-527.

- Sumner JB**, Howell SF (1936) The identification of the hemagglutinin of the jack bean with concanavalin A. *JBakteriol* 32:227-237.
- Tator CH** (1998) Biology of neurological recovery and functional restoration after spinal cord injury. *Neurosurgery* 42:696-707; discussion 707-698.
- Tator CH**, Duncan EG, Edmonds VE, Lapczak LI, Andrews DF (1995) Neurological recovery, mortality and length of stay after acute spinal cord injury associated with changes in management. *Paraplegia* 33:254-262.
- Thall A**, Galili U (1990) Distribution of Gal alpha 1→3Gal beta 1→4GlcNAc residues on secreted mammalian glycoproteins (thyroglobulin, fibrinogen, and immunoglobulin G) as measured by a sensitive solid-phase radioimmunoassay. *Biochemistry* 29:3959-3965.
- Tom Dieck S**, Gundelfinger ED (2000) Chemische Synapsen des zentralen Nervensystems. *Chemie in unserer Zeit* 3:140-148.
- Vestweber D**, Blanks JE (1999) Mechanisms that regulate the function of the selectins and their ligands. *Physiol Rev* 79:181-213.
- Wang W**, Dow KE (1997) Differential regulation of neuronal proteoglycans by activation of excitatory amino acid receptors. *Neuroreport* 8:659-663.
- Wang R**, Guo W, Ossipov MH, Vanderah TW, Porreca F, Lai J (2003) Glial cell line-derived neurotrophic factor normalizes neurochemical changes in injured dorsal root ganglion neurons and prevents the expression of experimental neuropathic pain. *Neuroscience* 121:815-824.
- Watanabe K**, Hakomori SI, Childs RA, Feizi T (1979) Characterization of a blood group I-active ganglioside. Structural requirements for I and i specificities. *J Biol Chem* 254:3221-3228.
- Waxman SG**, Dib-Hajj S, Cummins TR, Black JA (1999) Sodium channels and pain. *Proc Natl Acad Sci U S A* 96:7635-7639.
- Westling J**, Gottschall PE, Thompson VP, Cockburn A, Perides G, Zimmermann DR, Sandy JD (2004) ADAMTS4 (aggrecanase-1) cleaves human brain versican V2 at Glu405-Gln406 to generate glial hyaluronate binding protein. *Biochem J* 377:787-795.
- Wight TN** (2002) Versican: a versatile extracellular matrix proteoglycan in cell biology. *Curr Opin Cell Biol* 14:617-623.
- Willis WD**, Westlund KN (1997) Neuroanatomy of the pain system and of the pathways that modulate pain. *J Clin Neurophysiol* 14:2-31.
- Wood C**, Kabat EA, Murphy LA, Goldstein IJ (1979) Immunochemical studies of the two isolectins A4 and B4 isolated from *Bandeiraea simplicifolia*. *Arch Biochem Biophys* 198:1-11.
- Woolf CJ**, Salter MW (2000) Neuronal plasticity: increasing the gain in pain. *Science* 288:1765-1769.
- Wu YJ**, La Pierre DP, Wu J, Yee AJ, Yang BB (2005) The interaction of versican with its binding partners. *Cell Res* 15:483-494.
- Yamaguchi Y** (2000) Lecticans: organizers of the brain extracellular matrix. *Cell Mol Life Sci* 57:276-289.
- Zako M**, Shinomura T, Ujita M, Ito K, Kimata K (1995) Expression of PG-M(V3), an alternatively spliced form of PG-M without a chondroitin sulfate attachment in region in mouse and human tissues. *J Biol Chem* 270:3914-3918.
- Zimmermann DR**, Ruoslahti E (1989) Multiple domains of the large fibroblast proteoglycan, versican. *Embo J* 8:2975-2981.