

6. Literatur

Abercrombie HC, Speck NS, Monticelli RM. Endogenous cortisol elevations are related to memory facilitation only in individuals who are emotionally aroused. *Psychoneuroendocrinology*. 2006 Feb; 31(2):187- 96

Abraha HD. Inaugural-Dissertation Berlin 2005. Veränderungen der Gefäßeigenschaften unter Hämodialysetherapie.

Agewall S. Should we do an oral Glukose tolerance test in hypertensive men with normal fasting blood-Glukose? *J Hum Hypertens*. 2001 Jan; 15(1): 71-4

Agnoletti G, Bonnet C, Bonnet D, Sidi D, Aggoun Y. Mid-term effects of implanting stents for relief of aortic recoarctation on systemic hypertension, carotid mechanical properties, intimal medial thickness and reflection of the pulse wave. *Cardiol Young*. 2005 Jun; 15(3): 245-50

Asmar R, Rudnichi A, Blacher J, London GM, Safar ME. Pulse pressure and aortic pulse wave are markers of cardiovascular risk in hypertensive populations. *Am J Hypertens*. 2001 Feb; 14(2): 91-7

Asmar RG, London GM, O'Rourke ME, Safar ME. Improvement in blood pressure, arterial stiffness and wave reflections with a very-low-dose perindopril/indapamide combination in hypertensive patient: a comparison with atenolol. *Hypertension*. 2001 Oct; 38(4): 922-6

Benzerra RM, Ueno M, Silva MS, Tavares DQ, Carvalho CR, Saad MJ, Gontijo JA. A high-fructose diet induces insulin resistance but not blood pressure changes in normotensive rats. *Braz J Med Biol Res*. 2001 Sep;34(9):1155-60.

Berthault MF, Morin J, Dubar M, Ktorza A, Ferre P, Penicaud L. Effects of rilmenidine on rats made insulin resistant and hypertensive by a high fructose diet. *Arch Mal Coeur Vaiss.* 1996 Aug;89(8):1103-6.

Bobbert T, Brechtel L, Mai K, Otto B, Maser-Gluth C, Pfeiffer AFH, Spranger J, Diederich S. Adaptation of the hypothalamic-pituitary hormones during intensive endurance training. *Clin Endocrinol. (Oxf.)*2005 Nov; 63(5), 530-6.

Chen JY, Tsai WC, Lin CC, Huang YY, Hsu CH, Liu PY, Chen JH. Stiffness index derived from digital volume pulse as a marker of target organ damage in untreated hypertension. *Blood Press.* 2005; 14(4): 233-7

Coy V. Genetics of essential hypertension. *J Am Acad Nurse Pract.* 2005 Jun; 17(6): 219-24

Deutsches Ernährungsberatungs- und Informationsnetz (DEBInet) 2004.
<http://www.verbraucherministerium.de>

Filipovsky J, Ticha M, Citkova R, Lanska V, Stastna V, Roucka P. Large artery stiffness and pulse wave reflection: results of a population-based study. *Blood Press.* 2005; 14(1): 45-52

Hedman A, Reneland R, Lithell HO. Alterations in skeletal muscle morphology in Glukose-tolerant elderly hypertensive men: relationship to development of hypertension and heart rate. *J Hypertens.* 2000 May; 18(5): 559-65

Herold G. *Innere Medizin* 2004: 249-259; 654-656

<http://www.flexicon.doccheck.com>

<http://www.sciencedirekt.com>

<http://www.toppharm.ch/ratgeber/krankheitsbilder/226.html>

Joint National Committee (JNC). The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. *NIH Publication No. 03-5233, May 2003*

Katagiri F, Shiga T, Sato Y, Inoue S, Itoh H, Takeyama M. Comparison of the effects of cytoprotective drugs on human plasma adrenocorticotrophic hormone and cortisol levels with continual stress exposure. *Biol Pharm Bull. 2005 Nov;28(11):2146-8.*

Kawamura A, Miura S, Murayama T, Iwata A, Nishikawa H, Matsuo Y, Tsuchiya Y, Matsuo K, Tsuji E, Saku K. Changes in the expression of leukocyte adhesion molecules throughout the acute phase of myocardial infarction. *J Atheroscler Thromb. 2004; 11(1): 29-34*

Kimura E, Tabata T, Tanaka H, Harada K, Yamada H, Nomura M, Oki T, Ito S. Left ventricular geometry and myocardial contractility in patients with essential hypertension evaluated by myocardial velocity profile. *J Am Soc Echocardiogr. 2005 Nov;18(11):1222-9.*

Lawes CM, Bennett DA, Lewington S, Rodgers A. Blood pressure and coronary heart disease: a review of the evidence. *Semin Vasc Med. 2002 Nov;2(4):355-68.*

Li Y, Higashiura K, Ura N, Torii T, Agata J, Wang L, Togashi N, Shimamoto K, Effects of the Chinese medicine, TSJN on insulin resistance and hypertension in fructose-fed rats. *Hypertens Res. 2000 Mar;23(2):101-7.*

Luft FC. Geneticism of essential hypertension. *Hypertension. 2004 Jun ; 43(6) : 1155-9*

Macedo ME, Lima MJ, Silva AO, Alcantara P, Ramalhinho V, Carmona J. Prevalence, awareness, treatment and control of hypertension in Portugal: the PAP study. *J Hypertens. 2005 Sep; 23(9): 1661-6*

Mahmud A, Feely J. Favourable effects on arterial wave reflection and pulse pressure amplification of adding angiotensin II receptor blockade in resistant hypertension. *J Hum Hypertens*. 2000 Sep; 14(9): 541-6

Marchais SJ, Guerin AP, Pannier BM, Delavaud G, London GM. Arterial compliance and blood pressure. *Drugs*. 1993;46:82-87.

Millasseau SC, Patel SJ, Redwood SR, Ritter JM, Chowienczyk PJ. Pressure wave reflection assessed from the peripheral pulse : is a transfer function necessary? *Hypertension*. 2003 May; 41(5): 1016-20

Mills PJ, Maisel AS, Ziegler MG, Dimsdale JE, Carter S, Kennedy B, Woods VL. Peripheral blood mononuclear cell-endothelial adhesion in human hypertension following exercise. *J Hypertens*. 2000 Dec ; 18(12) : 1801-6

Mills PJ, Farag NH, Perez C, Dimsdale JE. Peripheral blood mononuclear cell CD62L and CD11a expression and soluble interstitial cell adhesion molecule-1 levels following infused isoproterenol in hypertension. *J Hypertens*. 2002 Feb; 20(2): 311-6

Mills PJ, Farag NH, Hong S, Kennedy BP, Berry CC, Ziegler MG. Immune cell CD62L and CD11a expression in response to a psychological stressor in human hypertension. *Brain Behav Immun*. 2003 Aug; 17(4): 260-7

Nauck MA, Meier JJ, Wolfersdorff AV, Tillil H, Creutzfeldt W, Kobberling J. A 25-year follow-up study of Glukose tolerance in first-degree relatives of type 2 diabetic patients : association of impaired or diabetic Glukose tolerance with other components of the metabolic syndrome. *Acta Diabetol*. 2003 Dec ; 40(4): 163-72

Nurnberger J, Mitchell A, Wenzel RR, Philipp T, Schafer RF. Pulse wave reflection. Determination, extent of influence, analysis and use options. *Dtsch Med Wochenschr*. 2004 Jan 16; 129(3): 97-102

O'Rourke MF, Nichols WW. Aortic diameter, aortic stiffness, and wave reflection increase with age and isolated systolic hypertension. *Hypertension*. 2005 Apr; 45(4): 652-8

Pietruska M, Zak J, Pietruski J, Wysocka J. Expression of selected adhesion molecules on peripheral blood leukocytes in patients with aggressive periodontitis. *Arch Immunol Ther Exp*. 2005, 53, 266-271

Prisada OV, Covic A, Boaru I, Dubei N, Mutica C, Ungureanu G. Relation between arterial compliance and the prematurity of reflected wave on pulse pressure curve evaluated by tonometric sphygmography. *Rev Med Chir Soc Med Nat Iasi*. 2004 Jul-Sep; 108(3): 526-31

Rosenthal J. Arterielle Hypertonie. *Springer Verlag*, 1986, 157-159

Rosmond R; Dallmand MF; Bjorntorp P. Stress – related cortisol secretion in men: relationship with abdominal obesity and endocrine, metabolic and hemodynamic abnormalities. *J Clin Endocrinol Metab*. 1998 Jun; 83(6): 1842-5

Salmasi AM, Dancy M. The Glukose tolerance test, but not HbA(1c), remains the gold standard in identifying unrecognized diabetes mellitus and impaired Glukose tolerance in hypertensive subjects. *Angiology*. 2005 Sep-Oct; 56(5): 571-9

Schenkel AR , Mamdouh Z, Muller WA. Locomotion of monocytes on endothelium is a critical step during extravasation. *Nat Immunol*. 2004 Apr; 5(4): 351-3

Schierloh P, Aleman M, Yokobori N, Alves L, Roldan N, Abbate E, Sasiain Mdel C, de la Barrera S. NK cell activity intuberculosis is associated with impaired CD11a and ICAM-1 expression : a regulatory role of monocytes in NK activation. *Immunology*. 2005 Dec ; 116(4) : 541-52

Schmid P, Schmid F, Pokan R. Alles klar mit Stress, Kochsalz, Alkohol, Koffein und körperlicher Aktivität? *J. Hyperton. Sonderheft 3/2002*

Schulz M, Liese AD, Boeing H, Cunningham JE, Moore CG, Kroke A. Associations of short-term weight changes and weight cycling with incidence of essential hypertension in the EPIC-Potsdam Study. *J Hum Hypertens*. 2005 Jan; 19(1): 61-7

Sekikawa A, Hayakawa T. Prevalence of hypertension, its awareness and control in adult population in Japan. *J Hum Hypertens*. 2004 Dec; 18(12): 911-2

Stiefel P, Miranda ML, Muniz O, Nieto MD, Jimenez L, Villar J. Abnormal glycemic metabolism in essential hypertension. Role of the oral Glukose tolerance test. *Med Clin (Barc)*. 2005 Jul 2; 125(5): 179-81

Stokes GS, Barin ES, Gilfillan KL. Effects of isosorbide mononitrate and ACE inhibition on pulse wave reflection in hypertension. *Hypertension*. 2003 Feb; 41(2): 297-301

Van Crujisen N, Dullaart RP, Wit HP, Albers FW. Analysis of Cortisol and Other Stress-Related Hormones in Patients with Meniere's Disease. *Otol Neurotol*. 2005 Nov; 26(6): 1214-1219.

Weber T. Augmentations-Index: Beurteilung der Gefäßelastizität von Hypertonikern. *J. Hyperton*. Sonderheft 3/2002, 29-30