

## 9. Quellenverzeichnis

Aarestrup, F. M. (1995)

Occurrence of glycopeptide resistance among *enterococcus faecium* isolates from conventional and ecological poultry farms

Microbial Drug Resistance 1, 255 - 257

Aarestrup, F. M., Bager, F., Jensen, N. E., Madsen, M., Meyling, A. und Wegener, H. C. (1998)

Surveillance of antimicrobial resistance in bacteria isolated from food animals to antimicrobial growth promoters and related therapeutic agents in Denmark

APMIS 106, 606 - 622

Aarestrup, F. M. (2000a)

Occurrence, selection and spread of resistance to antimicrobial agents used for growth promotion for food animals in Denmark

APMIS 108, Supplementum 101

Aarestrup, F. M. (2000b)

Characterization of glycopeptide-resistant *enterococcus faecium* (GRE) from broilers and pigs in Denmark: genetic evidence that persistence of GRE in pig herds is associated with coselection by resistance to macrolides

Journal of Clinical Microbiology 38, 2774 - 2777

Aarestrup, F. M. und Jensen, L. B. (2000)

Presence of variations in ribosomal protein L16 corresponding to susceptibility of enterococci to oligosaccharides (avilamycin and evernimicin)

Antimicrobial Agents and Chemotherapy 44, 3425 – 3427

Aarestrup, F. M., Kruse, H., Tast, E., Hammerum, A. M. und Jensen, L. B. (2000)

Associations between the use of antimicrobial agents for growth promotion and the occurrence of resistance among *enterococcus faecium* from broilers and pigs in Denmark, Finland and Norway

Microbial Drug Resistance 6, 63 – 70

Aarestrup, F. M., Seyfährth, A. M., Emborg, H.-D., Pedersen, K., Hendriksen, R. S. und Bager, F. (2001)

Effect of abolishment of the use of antimicrobial agents for growth promotion on occurrence of antimicrobial resistance in fecal enterococci from food animals in Denmark

Antimicrobial Agents and Chemotherapy 45, 2054 – 2059

Allen, N. E., Hobbs, J. N., Richardson, J. M. und Riggan, R. M. (1992)

Biosynthesis of modified peptidoglycan precursors by vancomycin-resistant *enterococcus faecium*

FEMS Microbiol Lett 98, 109 – 115

Andrews, F. W. und Horder, T. J. (1906)

A study of the streptococci pathogenic for man

Lancet 2, 708 – 713

Amtliche Sammlung von Untersuchungsverfahren nach § 35 LMBG (1983)

Vorbereitung der Proben L 06.00-16

LMBG, Berlin: Beuth

Arthur, M., Molinas, C., Bugg, T. D. H., Wright, G. D., Walsh, C. T. und Courvalin, P. (1992)

Evidence for in vivo incorporation of D-lactate into peptidoglycan precursors of vancomycin-resistant enterococci

Antimicrob. Agents Chemother. 36, 867 – 869

Arthur, M., Molinas, C., Depardieu, F. und Courvalin, P. (1993)

Characterization of Tn1546, a Tn3-related transposon conferring glycopeptide resistance by synthesis of depsipeptide peptidoglycan precursors in *enterococcus faecium* BM4147

J. Bacteriol 175, 117 – 127

Arthur, M. und Quintiliani, Jr. R. (2001)

Regulation of vanA- and vanB-type glycopeptide resistance in enterococci

Antimicrobial Agents and Chemotherapy 45, 375 – 381

Bager, F., Aarestrup, F. M., Jensen, N. E., Madsen, M., Meyling, A. und Wegener, H. C. (1999)

Design of a system for monitoring antimicrobial resistance in pathogenic, zoonotic and indicator bacteria from food animals

Acta vet. scand. Suppl. 92, 77 – 86

Barbier, N., Saulnier, P., Chachaty, E., Dumontier, S. und Andremont, A. (1996)

Random amplified polymorphic DNA typing versus pulsed-field gel electrophoresis for epidemiological typing of vancomycin-resistant enterococci

Journal of Clinical Microbiology 34, 1096 - 1099

Bates, J., Jordens, J. Z. und Griffiths, D. T. (1994)

Farm animals as a putative reservoir for vancomycin-resistant enterococcal infection in man

Antimicrob. Agents Chemother. 34, 507 –514

Baumgartner, A., Kueffer, M. und Rohner, P. (2001)

Occurrence and antibiotic resistance of enterococci in various ready-to-eat foods

Archiv für Lebensmittelhygiene 52, 1 – 24

Bergey's manual of determinative bacteriology-9 (1994)

Williams, A. und Wilkins, C.

Baltimore, Band 2, Kap. Lactobacillae

Bertrand, X., Mulin, B., Viel, J. F., Thouverez, M. und Talon, D. (2000)

Common PFGE patterns in antibiotic-resistant *enterococcus faecalis* from humans and cheeses

Food Microbiology 17, 543 – 551

Böttner, A., de Jong, A., Schmid, P., Schüller, S., Traeder, W. und Weiskopf, S. (2000a)

Zur Festlegung von Grenzwertkonzentrationen (breakpoints) für veterinärmedizinisch relevante Antibiotika zur Resistenzbeurteilung bei tierpathogenen Erregern

Berl. Münsch. Tierärztl. Wschr. 113, 344 – 347

Böttner, A., Pirro, F., Schmid, P., Traeder, W., Weiskopf, S., Weiß, H. und Zschiesche, E. (2000b)

Leitfaden zur Planung von Studien zur Erfassung der Resistenzsituation bei veterinärmedizinisch relevanten Infektionserregern

Berl. Münch. Tierärztl. Wschr. 113, 299 – 305

Borgen, K., Sørum, M., Wasteson, Y. und Kruse, H. (2001)

VanA-type vancomycin-resistant enterococci (VRE) remain prevalent in poultry carcasses 3 years after avoparcin was banned

International Journal of Food Microbiology 64, 89 – 94

Boyd, D. A., Conly, J., Dedier, H., Peters, G., Robertson, L., Slater, E. und Mulvey, M. R. (2000)

Molecular characterization of the vanD gene cluster and a novel insertion element in a vancomycin-resistant enterococcus isolated in Canada

Journal of Clinical Microbiology 38, 2392 - 2394

Bozdogan, B. und Leclercq, R. (1999)

Effects of genes encoding resistance to streptogramins A und B on the activity of quinupristin-dalfopristin against *enterococcus faecium*

Antimicrob Agents Chemother. 43, 2720 – 2725

Bridge, P. D. und Sneath, P. H. A. (1982)

*Streptococcus gallinarum* sp. nov. and *streptococcus oralis* sp. nov.

International Journal of Systematic Bacteriology 32, 410 - 415

Bundestierärztekammer (BTK), Arbeitsgemeinschaft der Leitenden Veterinärbeamten (ArgeVET) (2000)

Leitlinien für den sorgfältigen Umgang mit antimikrobiell wirksamen Tierarzneimitteln – mit Erläuterungen –

Deutsches Tierärzteblatt, Zeitschrift der Bundestierärztekammer 48

Butaye, P., Devriese, L. A. und Haesebrouck, F. (1998)

Effects of different test conditions on MICs of food animal growth-promoting antibacterial agents for enterococci

Journal of Clinical Microbiology 36, 1907-1911

Butaye, P., Devriese, L. A., Goossens, H., Ieven, M. und Haesebrouck, F. (1999a)  
Enterococci with acquired vancomycin resistance in pigs and chickens of different age groups

Antimicrobial Agents and Chemotherapy 43, 365 – 366

Butaye, P., Devriese, L. A. und Haesebrouck, F. (1999b)

Phenotypic distinction in *enterococcus faecium* and *enterococcus faecalis* strains between susceptibility and resistance to growth-enhancing antibiotics

Antimicrobial Agents and Chemotherapy 43, 2569 - 2570

Butaye, P., van Damme, K., Devriese, L. A., van Damme, L., Baele, M., Lauwers, S. und Haesebrouck, F. (2000a)

In vitro susceptibility of *enterococcus faecium* isolated from food to growth-promoting and therapeutic antibiotics

International Journal of Food Microbiology 54, 181 – 187

Butaye, P., Devriese, L. A. und Haesebrouck, F. (2000b)

Influence of different medium components on the in vitro activity of the growth-promoting antibiotic flavomycin against enterococci

Journal of Antimicrobial Chemotherapy 46, 713 - 716

Butaye, P., Devriese, L. A. und Haesebrouck, F. (2001)

Differences in antibiotic resistance patterns of *enterococcus faecalis* and *enterococcus faecium* strains isolated from farm and pet animals

Antimicrobial Agents and Chemotherapy 45, 1374 - 1378

Carias, L. L., Rudin, S. D., Donskey, C. J. und Rice, L. B. (1998)

Genetic linkage and cotransfer of a novel, vanB-containing transposon (Tn5382) and a low-affinity penicillin-binding protein 5 gene in a clinical vancomycin-resistant *enterococcus faecium* isolate

Journal of Bacteriology 180, 4426 – 4434

Carvalho, M. D., Teixeira, L. M. und Facklam, R. R. (1998)

Use of tests for acidification of methyl- $\alpha$ -D-glucopyranoside and susceptibility to efrotomycin for differentiation of strains of enterococcus and some related genera

Journal of Clinical Microbiology 36, 1584 – 1587

- Casadewall, B., Reynolds, P. E. und Courvalin, P. (2001)  
Regulation of expression of the vanD glycopeptide resistance gene cluster from *enterococcus faecium* BM4339  
Journal of Bacteriology 183, 3436 – 3446
- Centeno, J. A., Menéndez, S., Rodríguez-Otero, J. L. (1996)  
Main microbial flora present as natural starters in Cebreiro raw cow's-milk cheese (Northwest Spain)  
International Journal of Food Microbiology 33, 307 – 313
- Chadwick, P. R., Woodford, N., Kaczmarek, E. B., Gray, S., Barrell, R. A. und Oppenheim B. A. (1996)  
Glycopeptide-resistant enterococci isolated from uncooked meat  
Journal of Antimicrobial Chemotherapy 38, 908 – 909
- Chen, D. K., Pearce, L., McGreer, A., Low, D. E. und Willey, B. M. (2000)  
Evaluation of D-xylose and 1 % methyl- $\alpha$ - D-glucopyranoside fermentation tests for distinguishing *enterococcus gallinarum* from *enterococcus faecium*  
Journal of Clinical Microbiology 38, 3652 – 3655
- Collins, M. D., Jones, D., Farrow, J. A. E., Kilpper-Bälz, R. und Schleifer, K. H. (1984)  
*Enterococcus avium* nom. rev., comb. nov.; *E. casseliflavus* nom. rev., comb. nov.; *E. durans* nom. rev., comb. nov.; *E. gallinarum* comb. rev. and *E. malodoratus* sp. nov.  
Int. J. System Bacteriol. 34, 220 - 223
- Coque, T. M., Tomayko, J. F., Ricke, S. C., Okhyusen, P. C. und Murray, B. E. (1996)  
Vancomycin-resistant enterococci from nosocomial, community and animal sources in the United States  
Antimicrob. Agents Chemother. 40, 2605 – 2609
- Dahl, K. H., Simonsen, G. S., Olsvik, Ø. und Sundsfjord, A. (1999)  
Heterogeneity in the vanB gene cluster of genomically diverse clinical strains of vancomycin-resistant enterococci  
Antimicrobial Agents and Chemotherapy 43, 1105 – 1110

DANMAP (1997)

DANMAP 97 – Consumption of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, foods and humans in Denmark

Statens Serum Institut, Danish Veterinary & Food Administration, Danish Medicines Agency, Danish Veterinary Laboratory

DANMAP (1998)

DANMAP 98 – Consumption of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, foods and humans in Denmark

Statens Serum Institut, Danish Veterinary & Food Administration, Danish Medicines Agency, Danish Veterinary Laboratory

DANMAP (1999)

DANMAP 99 – Consumption of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, foods and humans in Denmark

Statens Serum Institut, Danish Veterinary & Food Administration, Danish Medicines Agency, Danish Veterinary Laboratory

DANMAP (2000)

DANMAP 00 – Consumption of antimicrobial agents and occurrence of antimicrobial resistance in bacteria from food animals, foods and humans in Denmark

Statens Serum Institut, Danish Veterinary & Food Administration, Danish Medicines Agency, Danish Veterinary Laboratory

Dazo, K. B. R. C. (1996)

Antimicrobial susceptibility of *enterococcus* spp. isolated from minced meat samples from an EU-approved meat establishment in Berlin, Germany

Berlin: Freie Universität, Fachbereich Veterinärmedizin

Descheemaeker, P., Lammens, C., Pot, B., Vandamme, P. und Goossens, H. (1997)

Evaluation of arbitrarily primed PCR analysis and pulsed-field gel electrophoresis of large genomic DNA fragments for identification of enterococci important in human medicine

International Journal of Systematic Bacteriology 47, 555 - 561

De Vaux, A., Laguerre, G., Diviès, C. und Prévost, H. (1998)

*Enterococcus asini* sp. nov. isolated from the caecum of donkeys (*equus asinus*)

International Journal of Systematic Bacteriology 48, 383 – 387

- Devriese, L. A., Hommeez, J., Wijfels, R. und Haesebrouck, F. (1991)  
Composition of the enterococcal and streptococcal intestinal flora of poultry  
Journal of Applied Bacteriology 71, 46 – 50
- Devriese, L. A., Laurier, L., de Herdt, P. und Haesebrouck, F. (1992a)  
Enterococcal and streptococcal species isolated from faeces of calves, young cattle and dairy cows  
Journal of Applied Bacteriology 72, 29 – 31
- Devriese, L. A., Cruz Colque, J. I., de Herdt, P. und Haesebrouck, F. (1992b)  
Identification and composition of the tonsillar und anal enterococcal and streptococcal flora of dogs und cats  
Journal of Applied Bacteriology 73, 421 – 425
- Devriese, L. A., Pot, B. und Collins, M. D. (1993)  
Phenotypic identification of the genus enterococcus and differentiation of phylogenetically distinct enterococcal species and species groups  
Journal of Applied Bacteriology 75, 399 - 408
- Devriese, L. A., Hommeez, J., Pot, B. und Haesebrouck, F. (1994)  
Identification and composition of the streptococcal and enterococcal flora of tonsils, intestines and faeces of pigs  
Journal of Applied Bacteriology 77, 31 – 36
- Devriese, L. A. und Pot, B. (1995)  
The genus *enterococcus*  
in Wood, B. J. B. und Holzapfel, W. H.:  
The genera of the lactic acid bacteria  
University of Strathclyde, Department of Bioscience and Biotechnology Glasgow, UK,  
328 - 367
- Devriese, L. A., Pot, B., van Damme, L., Kersters, K. und Haesebrouck, F. (1995)  
Identification of enterococcus species isolated from foods of animal origin  
International Journal of Food Microbiology 26, 187 – 197



Devriese, L. A., Ieven, M., Goossens, H., Vandamme, P., Pot, B., Hommez, J. und Haesebrouck, F. (1996a)

Presence of vancomycin-resistant enterococci in farm and pet animals

Antimicrobial Agents and Chemotherapy 40, 2285 – 2287

Devriese, L. A., Pot, B., Kersters, K., Lauwers, S. und Haesebrouck, F. (1996b)

Acidification of methyl- $\alpha$ -D-glucopyranoside: a useful test to differentiate *enterococcus casseliflavus* and *enterococcus gallinarum* from *enterococcus faecium* species group and from *enterococcus faecalis*

Journal of Clinical Microbiology 34, 2607 – 2608

DIN 58 940, Teil 8 (1990)

Methoden zur Empfindlichkeitsprüfung von bakteriellen Krankheitserregern (außer Mykobakterien) gegen Chemotherapeutika; Bewertungsstufen der minimalen Hemmkonzentration, MHK-Grenzwerte von antibakteriellen Wirkstoffen

Beiblatt 1 zu DIN 58940-4, Teil 4 (2000)

Berlin: Beuth

DIN 58 940, Teil 10 (1998)

Methoden zur Empfindlichkeitsprüfung von bakteriellen Krankheitserregern (außer Mykobakterien) gegen Chemotherapeutika; Kriterien für die Bewertung der In-vitro-Wirksamkeit neuer Chemotherapeutika

Berlin: Beuth

Donabedian, S., Chow, J. W., Shlaes, D. M., Green, M. und Zervos, M. J. (1995)

DNA hybridization and contour-clamped homogeneous electric field electrophoresis for identification of enterococci to the species level

Journal of Clinical Microbiology 33, 141 – 145

Dutka, B. J. und Kwan, K. K. (1978)

Comparison of eight media-procedures for recovering faecal streptococci from water under winter conditions

Journal of Applied Bacteriology 45, 333 – 340

Dutka-Malen, S., Blaimont, B., Wauters, G. und Courvalin, P. (1994)  
Emergence of high-level resistance to glycopeptides in *enterococcus gallinarum* and  
*enterococcus casseliflavus*  
Antimicrob. Agents Chemother. 38, 1675 - 1677

Dutta, G. N. und Devriese, L. A. (1982)  
Susceptibility of fecal streptococci of poultry origin to nine growth-promoting agents  
Applied and Environmental Microbiology 44, 832 – 837

Dutta, G. N. und Devriese, L. A. (1984)  
Observations on the in vitro sensitivity and resistance of gram positive intestinal bacteria of  
farm animals to growth promoting antimicrobial agents  
Journal of Applied Bacteriology 56, 117-123

Eisenach, K. (1992)  
Chromosomal restriction fragment analysis by pulse field gel electrophoresis  
Clinical Microbiology Procedures Handbook, American Society for Microbiology, Washington,  
D.C., 10.5.c.1-10.5.c.11

Estler, C.-J. (1992)  
Pharmakologie und Toxikologie für Studierende der Medizin und Naturwissenschaften sowie  
für Ärzte und Apotheker  
Schattauer – Stuttgart - New York

Facklam, R. R. und Collins, M. D. (1989)  
Identification of *enterococcus* species isolated from human infections by a conventional test  
scheme  
Journal of Clinical Microbiology 27, 731 – 734

Facklam, R. R. und Sahm, D. F. (1995)  
*Enterococcus*  
Manual of Clinical Microbiology by Patrick R. Murray and Ellen Jo Baron, Sixth Edition,  
308 – 314

Fines, M., Perichon, B., Reynolds, P., Sahm, D. F. und Courvalin, P. (1999)  
VanE, a new type of acquired glycopeptide resistance in *enterococcus faecalis* BM4405  
Antimicrob. Agents Chemother. 43, 2161 – 2164

Forth, W., Henschler, D., Rummel, W. und Starke, K. (1992)  
Allgemeine und spezielle Pharmakologie und Toxikologie für Studenten der Medizin,  
Veterinärmedizin, Pharmazie, Chemie, Biologie sowie für Ärzte, Tierärzte und Apotheker  
B.I. Wissenschaftsverlag Mannheim/Leipzig/Wien/Zürich

Futtermittelverordnung (1994)  
Anlage 3 1.1. Antibiotika  
Bundesgesetzblatt, T. 1., S. 398

Gambarotto, K., Ploy, M.-C., Dupron, F., Giangioffe, M. und Denis, F. (2001)  
Occurrence of vancomycin-resistant enterococci in pork and poultry products from a cattle-  
rearing area of france  
Journal of clinical microbiology 39, 2354 – 2355

Greko, Ch. (1999)  
Antibiotics as growth promoters  
Acta vet. scand. Suppl. 92, 87 - 100

Halle, E., Hegenscheid, B., Presber, W., Meyer, F. P., Walter, H. und Witte W. (1986)  
Antimikrobielle Chemotherapie im Überblick  
Medizin Aktuell 12, 404 – 405, 452 - 453

Harwood, V. J., Brownell, M., Perusek, W. und Whitlock, J. E. (2001)  
Vancomycin-resistant *enterococcus* spp. isolated from wastewater and chicken feces in the  
United States  
Applied and Environmental Microbiology 67, 4930 - 4933

Hayes, J. R., McIntosh, A. C., Qaiyumi, S., Johnson, J. A., English, L. L., Carr, L. E.,  
Wagner, D. D. und Joseph, S. W. (2001)  
High-frequency recovery of quinupristin-dalfopristin-resistant *enterococcus faecium* isolates  
from the poultry production environment  
Journal of Clinical Microbiology 39, 2298 - 2299

Henwood, C. J., Livermore, D. M., Johnson, A. P., James, D., Warner, M., Gardiner, A. und the Linezolid Study Group (2000)

Susceptibility of gram-positive cocci from 25 UK hospitals to antimicrobial agents including linezolid

Journal of Antimicrobial Chemotherapy 46, 931 – 940

Herrero, I. A., Teshager T., Garde, J., Moreno, M. A. und Dominguez, L. (2000)

Prevalence of vancomycin-resistant *enterococcus faecium* (VREF) in pig faeces from slaughterhouses in Spain

Preventive Veterinary Medicine 47, 255 – 262

Iwen, P. C., Kelly, D. M., Linder, J., Hinrichs, S. H., Dominguez, E. A., Rupp, M. E. und Patil, K. D. (1997)

Change in prevalence and antibiotic resistance of *enterococcus* species isolated from blood cultures over an 8-year period

Antimicrobial Agents and Chemotherapy 41, 494 - 495

Janda, W. M. (1994)

Streptococci and „streptococcus-like“ bacteria: old friends and new species

Clinical Microbiology Newsletter 16, 161 – 170

Jayarao B. M. und Oliver, S. P. (1992)

Aminoglycoside-resistant *streptococcus* and *enterococcus* species isolated from bovine mammary secretions

Journal of Dairy Science 75, 991 - 997

Jenney, A., Franklin, C., Liolios, L. und Spelman, D. (2000)

*Enterococcus durans* vanB

J. Antimicrob. Chemother. 46, 515

Kao, S. J., You, I., Clewell, D. B., Donabedian, S. M., Zervos, M. J., Petrin, J., Shaw, K. J. und Chow, J. W. (2000)

Detection of the high-level aminoglycoside resistance gene *aph(2<sup>''</sup>)-Ib* in *enterococcus faecium*

Antimicrobial Agents and Chemotherapy 44, 2876 - 2879

- Kibbey, H. J., Hagedorn, C. und McCoy, E. L. (1978)  
Use of fecal streptococci as indicators of pollution in soil  
Appl. Environ. Microbiol. 35, 711 – 717
- Kirk, M., Hill, R. L. R., Casewell, M. W. und Beighton, D. (1997)  
Isolation of vancomycin-resistant enterococci from supermarket poultry  
Advances in experimental and medicine and biology 418, 289 – 291
- Kirschner, C., Maquelin, K., Pina, P., Ngo Thi, N. A., Choo-Smith, L.-P., Sockalingum, G. D., Sandt, C., Ami, D., Orsini, F., Doglia, S. M., Allouch, P., Mainfait, M., Puppels, G. J. und Naumann, D. (2001)  
Classification and identification of enterococci: a comparative phenotypic, genotypic and vibrational spectroscopic study  
Journal of Clinical Microbiology 39, 1763 – 1770
- Klare, I., Heier, H., Claus, H. und Witte, W. (1993)  
Environmental strains of *enterococcus faecium* with inducible high-level resistance to glycopeptides  
FEMS Microbiology Letters 106, 23 - 30
- Klare, I., Heier, H., Claus, H., Reissbrodt, R. und Witte, W. (1995)  
VanA-mediated high-level glycopeptide resistance in *enterococcus faecium* from animal husbandry  
FEMS Microbiology Letters 125, 165 – 172
- Klare, I. und Witte, W. (1997)  
Glykopeptidresistente Enterokokken: zur Situation in Deutschland  
Hygiene und Mikrobiologie 2, 31 – 38
- Klein, G., Pack, A. und Reuter, G. (1998)  
Antibiotic resistance patterns of enterococci and occurrence of vancomycin-resistant enterococci in raw minced beef and pork in Germany  
Applied and Environmental Microbiology 64, 1825 - 1830
- Knudtson, L. M. und Hartman, P. A. (1993)  
Enterococci in pork processing  
Journal of Food Protection 56, 6 – 9, 17

Krabisch, P., Gangl, A., Wittkowski, G. und Fehlings, K. (1999)  
Prävalenz der Antibiotika-Resistenz in Milchviehherden bei Infektionserregern mit human-  
medizinischer Bedeutung  
Chemotherapie Journal 6, 210 – 218

Kresken, M. und Hafner, D. (1996)  
Prävalenz der Antibiotikaresistenz bei klinisch wichtigen Infektionserregern in Mitteleuropa;  
Bericht über die Ergebnisse einer multizentrischen Studie der Arbeitsgemeinschaft  
„Resistenz“ in der Paul-Ehrlich-Gesellschaft für Chemotherapie e. V. aus dem Jahre 1995  
Paul-Ehrlich-Gesellschaft für Chemotherapie e.V.

Kresken, M. und Hafner, D. (1999)  
Prävalenz der Antibiotikaresistenz bei klinisch wichtigen Infektionserregern in Mitteleuropa;  
Bericht über die Ergebnisse einer multizentrischen Studie der Arbeitsgemeinschaft  
„Resistenz“ in der Paul-Ehrlich-Gesellschaft für Chemotherapie e. V. aus dem Jahre 1998  
Paul-Ehrlich-Gesellschaft für Chemotherapie e.V.

Kruse, B. (1999)  
Indirect transfer of antibiotic resistance genes to man  
Acta vet. scand. 92, 59 - 65

Leclercq, R., Derlot, E., Duval, J. und Courvalin, P. (1987)  
Strains of *enterococcus faecium* highly resistant to vancomycin and teicoplanin  
Program and Abstracts of the 27<sup>th</sup> Interscience Conference on Antimicrobial Agents and  
Chemotherapy, Abstract 1023

Leclercq, R., Dutka-Malen, S., Duval, J. und Courvalin, P. (1992)  
Vancomycin resistance gene vanC is specific to *enterococcus gallinarum*  
Antimicrobial Agents and Chemotherapy 36, 2005 - 2008

Leclercq, R. und Courvalin P. (1997)  
Resistance to glycopeptides in enterococci  
Clin. Infect. Dis. 24, 545 – 556

- Lemcke, R. und Bülte, M. (2000)  
Occurrence of the vancomycin-resistant genes vanA, vanB, vanC1, vanC2 and vanC3 in *enterococcus* strains isolated from poultry and pork  
International Journal of Food Microbiology 60, 185 – 194
- Levetzow, R. (1972)  
Vorkommen und Bedeutung von Enterokokken in Fleisch  
Arch. Lebensm. Hyg. 23, 240 - 242
- Liassine, N., Frei, R., Jan, I. und Auckenthaler, R. (1998)  
Characterization of glycopeptide-resistant enterococci from a Swiss hospital  
Journal of Clinical Microbiology 36, 1853 - 1858
- Linzenmeier, G. (1990)  
Die Empfindlichkeitsbestimmung von Bakterien gegen Chemotherapeutika  
Zbl. Bakt. 273, 261 – 276
- Löscher, W., Ungemach, F. R. und Kroker, R. (1994)  
Grundlagen der Pharmakotherapie bei Haus- und Nutztieren  
Verlag Paul Parey - Berlin und Hamburg
- Lorian, V. M. D. (1996)  
Antibiotics in laboratory medicine  
Williams & Wilkins – Baltimore - Philadelphia - London - Paris- Bangkok - Buenos Aires - Hong Kong - München - Sydney - Tokio - Wroclaw
- Luginbuhl, L. M., Rotbart, H. A., Facklam, R. R., Roe, M. H. und Elliot, J. A. (1987)  
Neonatal enterococcal sepsis: causecontrol study and discription of an outbreak  
Pediatr. Infect. Dis. 6, 1022 - 1030
- Maastricht: 2<sup>ND</sup> meeting of the euopean concerted action fair pl 97-3654 Maastricht 18<sup>th</sup> – 19<sup>th</sup> March 1998
- Malathum, K. und Murray B. (1999)  
Vancomycin-resistant enterococci: recent advances in genetics, epidemiology and therapeutic options  
Drug Resist. Updates 2, 224 – 243

- Manero, A. und Blanch, A. R. (1999)  
Identification of *enterococcus* spp. with a biochemical key  
*Applied and Environmental Microbiology* 65, 4425 – 4430
- Matsumura, S. O., Louie, L., Louie, M. und Simor, A. E. (1999)  
Synergy testing of vancomycin-resistant *enterococcus faecium* against quinupristin-dalfopristin in combination with other antimicrobial agents  
*Antimicrob. Agents Chemother.* 43, 2776 – 2779
- McGregor, K. F. und Young, H.-K. (2000)  
Identification and characterization of vanB2 glycopeptide resistance elements in enterococci isolated in Scotland  
*Antimicrobial Agents and Chemotherapy* 44, 2341 - 2348
- McKessar, S. J., Berry, A. M., Bell, J. M., Turnidge, J. D. und Paton, J. C. (2000)  
Genetic characterization of vanG, a novel vancomycin resistance locus of *enterococcus faecalis*  
*Antimicrobial Agents and Chemotherapy* 44, 3224 – 3228
- Mead, G. C. (1978)  
Streptococci in the intestinal flora of man and other non-ruminant animals  
in Skinner, F. A. und Quesnel, L. B.  
Streptococci  
Academic Press, London, UK, 245 - 261
- Miranda, A. G., Singh, K. V. und Murray, B. E. (1991)  
DNA fingerprinting of *enterococcus faecium* by pulsed-field gel electrophoresis may be a useful epidemiologic tool  
*Journal of Clinical Microbiology* 29, 2752 – 2757
- Moellering, R. C. (1991)  
The enterococcus: a classic example of the impact of antimicrobial resistance on therapeutic options  
*Journal of Antimicrobial Chemotherapy* 28, 1 – 12



Moellering, R. C. (1992)

Emergence of enterococcus as a significant pathogen

Clinical Infectious Diseases 14, 1173 - 1178

Morrison, D., Woodford, N., Barrett, S. P., Sisson, P. und Cookson, B. D. (1999)

DNA banding pattern polymorphism in vancomycin-resistant *enterococcus faecium* and criteria for defining strains

Journal of Clinical Microbiology 37, 1084 - 1091

Mundt, J. O., Graham, W. F. und McCarty, I. E. (1967)

Spherical lactic acid-producing bacteria of southern-grown raw und processed vegetables

Appl. Environ. Microbiol. 15, 1303 – 1308

Murray, B. E. (1990)

The life and times of the enterococcus

Clinical Microbiology Reviews 3, 46 – 65

Murray, B. E., Singh, K. V., Heath, J. D., Sharma, B. R. und Weinstock G. M. (1990)

Comparison of genomic DNAs of different enterococcal isolates using restriction endonucleases with infrequent recognition sites

Journal of Clinical Microbiology 28, 2059-2063

Murray, P. R., Tenover, F. C., Tenover, F. C., Tenover, F. C., Tenover, F. C. und Tenover, F. C. (1995)

*Enterococcus*

Manual of Clinical Microbiology, Sixth Edition

Najjar, A. und B. E. Murray (1987)

Failure to demonstrate a consistent in-vitro-bactericidal effect of trimethoprim-sulfamethoxazole against enterococci

Antimicrob. Agents Chemother. 31, 808-810

National Committee for Clinical Laboratory Standards (NCCLS) (1994)

Development of in vitro susceptibility testing criteria and quality control parameters; approved guideline

NCCLS, Doc. M 23 –A , Villanova, Pennsylvania, USA

National Committee for Clinical Laboratory Standards (NCCLS) (1997)  
Methods for dilution antimicrobial susceptibility test for bacteria that grow aerobically;  
approved standard – fourth edition  
table 2 D.MIC interpretive standards ( $\mu\text{g/ml}$ ) for enterococcus spp.  
NCCLS Doc. M7-A4 17, Villanova, Pennsylvania, USA

National Committee for Clinical Laboratory Standards (NCCLS) (1999)  
Table 2 – zone diameter interpretive standards and minimum inhibitory concentration (MIC)  
breakpoints for vererinary pathogens  
NCCLS Doc. M31-A 19, Villanova, Pennsylvania, USA

National Committee for Clinical Laboratory Standards (NCCLS) (1999)  
Development of in vitro susceptibility testing criteria and quality control parameters for  
veterinary antimicrobial agents; approved guideline  
NCCLS Doc. M37-A 19, Villanova, Pennsylvania, USA

National Committee for Clinical Laboratory Standards (NCCLS) (2000)  
Methods for dilution antimicrobial susceptibility test for bacteria that grow aerobically;  
approved standard – fith edition  
table 2 D.MIC interpretive standards ( $\mu\text{g/ml}$ ) for enterococcus spp.  
NCCLS Doc. M7-A5 20, Villanova, Pennsylvania, USA

Neely, A. N. und Maley, M. P. (2000)  
Survival of enterococci and staphylococci on hospital fabrics and plastic  
Journal of Clinical Microbiology 38, 724 – 726

NIPED-Studie (1995)  
Nosokomiale Infektionen in Deutschland: Erfassung und Prävention. Teil 1: Prävalenz  
nosokomialer Infektionen: Qualitätssicherung in der Krankenhausgygiene.  
Nomos Verlagsgesellschaft – Schriftenreihe des Bundesministeriums für Gesundheit 56

Noble, C. J. (1978)  
Carriage of group D streptococci in the human bowel  
Journal of clinical pathology 31, 1182-1186

- Noble, C. W., Virani, Z. und Cree, R. G. A. (1992)  
Co-transfer of vancomycin and other resistance genes from *enterococcus faecalis* NCTC 12201 to *staphylococcus aureus*  
FEMS Microbiology Letters 93, 195 – 198
- Odland, B. A., Erwin, M. E. und Jones, R. N. (2000)  
Quality control guidelines for disk diffusion and broth microdilution antimicrobial susceptibility tests with seven drugs for veterinary applications  
Journal of Clinical Microbiology 38, 453 - 455
- Patel, R., Piper, K. E., Rouse, M. S., Steckelberg, J. M., Uhl, J. R., Kohner, P., Hopkins, M. K., Cockerill III, F. R. und Kline, B. C. (1998)  
Determination of 16S rRNA sequences of enterococci and application to species identification of nonmotile *enterococcus gallinarum* isolates  
Journal of Clinical Microbiology 36, 3399 – 3407
- Perichon, B., Reynolds, P. und Courvalin, P. (1997)  
VanD-type glycopeptide-resistant *enterococcus faecium* BM4339  
Antimicrob Agents Chemother. 41, 2016 – 2018
- Quednau, M., Ahrné, S., Petersson, A. C. und Molin, G. (1998)  
Identification of clinically important species of *enterococcus* within 1 day with randomly amplified polymorphic DNA (RAPD)  
Current Microbiology 36, 332 – 336
- Quintiliani, R. und Courvalin, P. (1996)  
Characterization of Tn1547, a composite transposon flanked by the IS16 and IS256-like elements, that confers vancomycin resistance in *enterococcus faecalis* BM4281  
Gene 172, 1 – 8
- Richter, P. (1999)  
Isolation und Identifikation glykopeptidresistenter Enterokokkenspezies aus Mastgeflügel  
Berlin: Freie Universität, Fachbereich Veterinärmedizin, Diss.
- Robredo, B., Singh, K. V., Baquero, F., Murray, B. E. und Torres, C. (2000)  
Vancomycin-resistant enterococci isolated from animals and food  
International Journal of Food Microbiology 54, 197 – 204

- Ruoff, K. L., de la Maza, L., Murtagh, M. J., Spargo, J. D. und Ferraro, M. J. (1990)  
Species identities of enterococci isolated from clinical specimens  
Journal of Clinical Microbiology 28, 435 – 437
- Schadewinkel-Scherkl, A.-M. und Scherkl, R. (1995)  
Antibiotika und Chemotherapeutika in der tierärztlichen Praxis  
Gustav Fischer Verlag, Jena
- Schleifer, K. H. und Kilpper-Bälz, R. (1984)  
Transfer of *streptococcus faecalis* and *streptococcus faecium* to the genus *enterococcus*  
nom. rev. as *enterococcus faecalis* comb. nov. and *enterococcus faecium* comb. nov.  
Int. J. Syst. Bacteriol. 34, 31 - 34
- Schooneveldt, J. M., Marriott, R. K. und Nimmo, G. R. (2000)  
Detection of a vanB determinant in *enterococcus gallinarum* in Australia  
Journal of Clinical Microbiology 38, 3902
- Schouten, M. A., Voss, A. und Hoogkamp-Korstanje, J. A. A. (1997)  
VRE and meat  
The Lancet 349, 1258
- Sherman, J. M. und Wing, H. U. (1937)  
*Streptococcus durans*  
J. Dairy Science 28, 165 – 167
- Stock, I. und Wiedemann, B. (1998)  
Die Bestimmung der natürlichen Antibiotika-Empfindlichkeit  
Chemotherapie Journal 7, 127 - 135
- Struelens, M. J., Bax, R., Delplano, A., Quint, W. G. V. und van Belkum, A. (1993)  
Concordant clonal delineation of methicillin-resistant *staphylococcus aureus* by  
macrorestriction analysis and polymerase chain reaction genome fingerprinting  
Journal of Clinical Microbiology 31, 1964 - 1970

Svec, P., Devriese, L. A., Sedláček, I., Baele, M., Vancanneyt, M., Haesebrouck, F., Swings, J. und Doskar, J. (2001)

*Enterococcus haemoperoxidus* sp. nov. and *enterococcus moraviensis* sp. nov., isolated from water

Int. J. Syst. Evol. Microbiol. 51, 1567 – 1574

Teixeira, L. M., Merquior, V. L. C., Vianni, M. C. E., Carvalho, M. G. S., Fracalanza, S. E. L., Steigerwalt, A. G., Brenner, D. J. und Facklam, R. R. (1996)

Phenotypic and genotypic characterization of atypical *Lactococcus garvieae* strains isolated from water buffalos with subclinical mastitis and confirmation of *L. garvieae* as a senior subjective synonym of *enterococcus seriolicida*

Int. J. Syst. Bacteriol. 46, 664 – 668

Tenover, F. C., Arbeit, R. D., Goering, R. V., Mickelsen, P. A., Murray, B. E., Persing, D. H. und Swaminathan, B. (1995)

Interpreting chromosomal DNA restriction patterns produced by pulsed-field gel electrophoresis: criteria for bacterial strain typing

Journal of Clinical Microbiology 33, 2233 - 2239

Teuber, M., Perreten, V. und Wirsching, F. ( 1996)

Antibiotikumresistente Bakterien: eine neue Dimension in der Lebensmittelmikrobiologie

Lebensmittel-Technologie 29,182-199

Thiercelin, E. (1899)

Sur un diplocoque saprophyte de l'intestin susceptible à devenir pathogène

Comptes Rendues des Séances de la Société de Biologie 51, 269 – 271

Thiercelin, E. und Jouhaud, L. (1903)

Reproduction de l'entérocoque; taches centrales; granulations peripheriques et microblastes

Comptes Rendues des Séances de la Société de Biologie Paris 55, 686 – 688

Tomayko, J. und Murray, B. (1995)

Analysis of *enterococcus faecalis* isolates from intercontinental sources by multilocus enzyme electrophoresis and pulsed-field gel electrophoresis

Journal of Clinical Microbiology 33, 2903 – 2907

Trakulsomboon, S., Danchaivijitr, S., Rongrungruang, Y., Dhiraputra, C., Susaemgrat, W., Ito, T. und Hiramatsu, K. (2001)

First report of methicillin-resistant *staphylococcus aureus* with reduced susceptibility to vancomycin in Thailand

Journal of Clinical Microbiology 39, 591 – 595

Trolldenier, H. (1995a)

Resistenzauswertung veterinärmedizinischer bakterieller Erreger – Auswertung 1992 aus den Bundesländern Schleswig-Holstein, Niedersachsen, Hessen, Bayern, Mecklenburg-Vorpommern, Brandenburg, Sachsen-Anhalt, Sachsen, Thüringen sowie Berlin, Bremen und Hamburg

Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Trolldenier, H. (1995b)

Resistenzauswertung veterinärmedizinischer bakterieller Erreger – Auswertung 1993 aus den Bundesländern Schleswig-Holstein, Niedersachsen, Hessen, Bayern, Mecklenburg-Vorpommern, Brandenburg, Sachsen-Anhalt, Sachsen, Thüringen sowie Berlin, Bremen und Hamburg

Bundesinstitut für gesundheitlichen Verbraucherschutz und Veterinärmedizin, Berlin

Trolldenier, H. (1996)

Resistenzentwicklung von Infektionserregern landwirtschaftlicher Nutztiere in Deutschland (1990 – 1994) – ein Überblick.

Dtsch. Tierärztl. Wschr. 103, 256 - 260

Trolldenier, H. (1999)

Zu Begriffen in der Resistenzbestimmung von Mikroorganismen

Tierärztl. Praxis, 27(K), 163 – 166

Trovatelli, L. D. und Schiesser, A. (1987)

Identification and significance of enterococci in hard cheese made from raw cow and sheep milk

Milchwiss. 42, 717 - 719

Turabelidze, D., Kotetishvili, M., Kreger, A., Morris Jr., J. G., und Sulakvelidze, A. (2000)

Improved pulsed-field gel electrophoresis for typing vancomycin-resistant enterococci

Journal of Clinical Microbiology 38, 4242 – 4245

- Tyrrell, G., Bethune, R., Willey, B. und Low, D. (1997)  
Species identification of enterococci via intergenic ribosomal PCR  
Journal of Clinical Microbiology 35, 1054 – 1060
- Uttley, A. H. C., Collins, C. H., Naido, J. und George, R. C. (1988)  
Vancomycin-resistant enterococci  
Lancet 1, 57 – 58
- Vancanneyt, M., Snauwaert, C., Cleenwerck, I., Baele, M., Descheemaeker, P., Goossens, H., Pot, B., Vandamme, P., Swings, J., Haesebrouck, F. und Devriese, L. A. (2001)  
*Enterococcus villorum* sp. nov., an enteroadherent bacterium associated with diarrhoea in piglets  
Int. J. Syst. Evol. Microbiol. 51, 393 – 400
- Van den Bogaard, A. E. und Stobberingh, E. E. (1996)  
Time to ban all antibiotics as animal growth promoting agents?  
Lancet 348, 1454 - 1456
- Van den Bogaard, A. E., Jensen, L. B. und Stobberingh, E. E. (1997)  
Vancomycin-resistant enterococci in turkeys and farmers  
The New England Journal of Medicine 337, 1558 – 1559
- Van den Bogaard, A. E., Bruinsma, N. und Stobberingh, E. E. (2000)  
The effect of banning avoparcin on VRE carriage in the Netherlands  
J. Antimicrob Chemother 46, 146 - 148
- Van den Braak, N., van Belkum, A., van Keulen, M., Vliegenthart, J., Verbrugh, H. A. und Endtz, H. P. (1998)  
Molecular characterization of vancomycin-resistant enterococci from hospitalized patients and poultry products in the Netherlands  
Journal of Clinical Microbiology 36, 1927 – 1932

- Vaudaux, P., Francois, P., Berger-Bächi, B. und Lew, D. P. (2001)  
In vivo emergence of subpopulations expressing teicoplanin or vancomycin resistance phenotypes in a glycopeptide-susceptible, methicillin-resistant strain of *staphylococcus aureus*  
Journal of Antimicrobial Chemotherapy 47, 163 – 170
- Wegener, H. C., Madsen, M., Nielsen, N. und Aarestrup, F. M. (1997)  
Isolation of vancomycin resistant *enterococcus faecium* from food  
International Journal of Food Microbiology 35, 57 – 66
- Wendt, C., Rüden, H. und Edmond, M. (1998)  
Vancomycin-resistente Enterokokken  
Deutsches Ärzteblatt 95, 1172 - 1179
- Werner, G. und Witte, W. (1999)  
Characterization of a new enterococcal gene, satG, encoding a putative acetyltransferase conferring resistance to streptogramin A compounds  
Antimicrob. Agents Chemother. 43, 1813 – 1814
- Willems, R. J. L., Top, J., van den Braak, N., van Belkum, A., Endtz, H., Mevius, D., Stobberrigh, E., van den Bogaard, A. und van Embden, J. D. A. (2000)  
Host specificity of vancomycin-resistant *enterococcus faecium*  
The Journal of Infectious Diseases 182, 816 – 823
- Wilson, I. G. und McAfee, G. G. (2002)  
Vancomycin-resistant enterococci in shellfish, unchlorinated waters, and chicken  
International Journal of Food Microbiology 79, 143 - 151
- Witte, W. (1996)  
Impact of antibiotic use in animal feeding on resistance of bacterial pathogens in humans  
Antibiotic resistance: origins, evolution, selection and spread  
Wiley, Chichester (Ciba foundation symposium), 61 – 70
- Witte, W., Tschäpe, H., Klare, I. und Werner, G. (2000)  
Antibiotics in animal feed  
Acta vet. scand. 93, 37 - 45



Wood, B. J. B. und Holzapfel, W.H. (1997)

The genera of lactic acid bacteria

Wiener klinische Wochenschrift 109, 9

Woodford, N., Chadwick, P. R., Morrison, D. und Cookson, B. D. (1997)

Strains of glycopeptide-resistant *enterococcus faecium* can alter their van genotypes during an outbreak

Journal of Clinical Microbiology 35, 2966 - 2968

World Health Organisation (1997)

The medical impact of the use of antimicrobials in food animals.

Report of a WHO meeting in Berlin, Germany 13. – 17. Oktober 1997

Geneva: WHO