

Literaturverzeichnis

Alessandrino EP, Amadori S, Cazzola M, Locatelli F, Mecucci C, Morra E, Saglio G, Visani G, Tura S (2001): Myelodysplastic syndromes: recent advances. *Haematologica*, 86(11):1124-1157.

Alter BP, Potter NU (1983): Long-term outcome in Fanconi's anemia: Description of 26 cases and review of the literature. In: German J (ed): "Chromosome mutation and neoplasia." Liss AR, New York, pp 43-62.

Alter BP, Young NS (1993): The bone marrow failure syndromes. In: Nathan DG, Oski FA, eds. *Hematology of Infancy and Childhood*, 4th ed. Philadelphia, PA: Saunders WB, Inc., pp. 216-316.

Alter BP (1996): Fanconi's anemia and malignancies. *Am. J. Hematol.*, 53(2):99-110. Review.

Alter BP, Caruso JP, Drachtman RA, Uchida T, Velagaleti GV, Elghetany MT (2000): Fanconi anemia: myelodysplasia as a predictor of outcome. *Cancer Genet Cytogenet* 117:125-131

Alter BP (2003): Cancer in Fanconi Anemia, 1927-2001. *Cancer*, 97(2):425-440. Review.

Alter, BP (2005): Bone marrow failure: A child is not just a small adult (but an adult can have a childhood disease). *Hematology (Am. Soc. Hematol. Educ. Program)*, 96-103.

Auerbach AD, Wolman SR (1976): Susceptibility of Fanconi's anaemia fibroblasts to chromosome damage by carcinogens. *Nature*, 261(5560): 494-496.

- Auerbach AD, Weiner MA, Warburton D, Yeboa K, Lu L, Broxmeyer HE (1982): Acute myeloid leukemia as the first hematologic manifestation of Fanconi anemia. Am. J. Hematol., 12(3):289-300.
- Auerbach AD, Rogatko A, Schroeder-Kurth TM (1989): International Fanconi Anemia Registry: relation of clinical symptoms to diepoxybutane sensitivity. Blood, 73(2):391-6.
- Auerbach AD, Allen RG (1991): Leukemia and preleukemia in Fanconi anemia patients. A review of the literature and report of the International Fanconi Anemia Registry. Cancer Genet. Cytogenet., 51(1):1-12. Review.
- Auerbach AD, Buchwald M, Joenje A (1998): Fanconi Anemia. In: Vogelstein B, Kinzler KW, eds. The Genetic basis of human cancer. New York: McGraw-Hill, pp. 317-332.
- Auerbach AD, Buchwald M, Joenje H (2001): The Metabolic and Molecular Basis of Inherited Diseases, eds. Scriver CR, Beaudet AL, Sly WS, Valle D, Childs B, Vogelstein B. McGraw-Hill, New York, 8th ed., pp. 753-768.
- Bagby GC, Lipton JM, Sloand EM, Schiffer CA (2004): Marrow failure. Hematology (Am Soc Hematol Educ Program), 318-336. Review.
- Barjesteh van Waalwijk van Doorn-Khosrovani S, Erpelinck C, van Putten WL, Valk PJ, van der Poel-van de Luytgaarde S, Hack R, Slater R, Smit EM, Beverloo HB, Verhoef G, Verdonck LF, Ossenkoppele GJ, Sonneveld P, de Greef GE, Lowenberg B, Delwel R (2003): High EVI1 expression predicts poor survival in acute myeloid leukemia: a study of 319 de novo AML patients. Blood, 101(3):837-845.
- Bauman JG, Wiegant J, Borst P, van Duijn P (1980): A new method for fluorescence microscopical localization of specific DNA sequences by *in situ* hybridization of fluorochromelabelled RNA. Exp. Cell Res., 128(2):485-490.

Bennett JM, Catovsky D, Daniel MT, Flandrin G, Galton DA, Gralnick HR, Sultan C (1976): Proposals for the classification of the acute leukemias. Br. J. Haematol., 33: 451-458.

Bennett JM, Catovsky D, Daniel MT, Flandrin G, Galton DA, Gralnick HR, Sultan C (1982): Proposals for the classification of the myelodysplastic syndromes. Br. J. Haematol., 51(2):189-199.

Bentz M, Döhner H, Huck K, Schutz B, Ganser A, Joos S, du Manoir S, Lichter P (1995): Comparative genomic hybridization in the investigation of myeloid leukemias. Genes Chromosomes Cancer, 12(3):193-200.

Bentz M, Huck K, du Manoir S, Joos S, Werner CA, Fischer K, Döhner H, Lichter P (1995): Comparative genomic hybridization in chronic B-cell leukemias shows a high incidence of chromosomal gains and losses. Blood, 85(12):3610-3618.

Berger R, Bussel A, Schenmetzler C (1977): Somatic segregation and Fanconi anemia. Clin. Genet., 11(6):409-412.

Berger R, Le Coniat M (1989): Cytogenetic studies in Fanconi anemia induced chromosomal breakage and cytogenetics. Fanconi anemia. Clinical, cytogenetic and experimental aspects (ed. by Schroeder-Kurth TM, Auerbach AD, Obe G). pp.93-99. Springer, Berlin.

Berger R, Bernheim A, Le Coniat M, Vecchione D, Schaison G (1980): Chromosomal studies of leukemic and preleukemic Fanconi's anemia patients: examples of acquired chromosomal amplification. Hum Genet. ;56:59-62.

Bigelow SB, Rary JM Bender MA (1979): G2 chromosomal radiosensitivity in Fanconi's anemia. Mutat. Res., 63(1):189-199.

Buchwald M, Moustacchi E (1998): Is Fanconi anemia caused by a defect in the processing of DNA damage? Mutat Res., 408(2):75-90.

Buonomici S, Chakraborty S, Senyuk V, Nucifora G (2003): The role of EVI1 in normal and leukemic cells. *Blood Cells Mol. Dis.*, 31(2):206-212.

Butturini A, Gale RP, Verlander PC, Adler-Brecher B, Gillio AP, Auerbach AD (1994): Hematologic abnormalities in Fanconi anemia: an International Fanconi anemia registry study. *Blood*, 84(5):1650-1655.

Carvalho JP, Dias ML, Carvalho FM, Del Pilar Estevez Diz M, Petito JW (2002): Squamous cell vulvar carcinoma associated with Fanconi's anemia: a case report. *Int. J. Gynecol. Cancer*, 12(2):220-222.

Casas S, Aventin A, Fuentes F, Vallespí T, Granada I, Carrió A, Angel Martínez-Climent J, Solé F, Teixidó M, Bernués M, Duarte J, Maria Hernández J, Brunet S, Dolors Coll M, Sierra J (2004): Genetic diagnosis by comparative genomic hybridization in adult de novo acute myelocytic leukemia. *Cancer Genet. Cytogenet.*, 153(1):16-25.

Chen G, Zeng W, Miyazato A, Billings E, Maciejewski JP, Kajigaya S, Sloand EM, Young NS (2004): Distinctive gene expression profiles of CD34 cells from patients with myelodysplastic syndrome characterized by specific chromosomal abnormalities. *Blood*, 104(13):4210-4218.

Chi Y, Senyuk V, Chakraborty S, Nucifora G (2003): EVI1 promotes cell proliferation by interacting with BRG1 and blocking the repression of BRG1 on E2F1 activity. *J. Biol. Chem.*, 278(50):49806-49811.

Cremer T, Lichter P, Borden J, Ward DC, Manuelidis L (1988): Detection of chromosome aberrations in metaphase and interphase tumor cells by *in situ* hybridization using chromosome-specific library probes. *Hum. Genet.*, 80(3):235-246.

Curtiss NP, Bonifas JM, Lauchle JO, Balkman JD, Kratz CP, Emerling BM, Green ED, Le Beau MM, Shannon KM (2005): Isolation and analysis of candidate myeloid tumor suppressor genes from a commonly deleted segment of 7q22. *Genomics*, 85(5):600-7.

D'Andrea AD, Grompe M (1997): Molecular biology of Fanconi anemia: implications for diagnosis and therapy. *Blood*, 90(5):1725-36.

de Vroede M, Feremans W, de Maertelaere-Laurent E, Mandelbaum I, Toppet M, Vamos E, Fondu P (1982): Fanconi's anemia. Simultaneous onset in 2 siblings and unusual cytological findings. *Scand. J. Haematol.*, 28(5):431-440.

de Winter JP, Waisfisz Q, Rooimans MA, van Berkel CG, Bosnayan-Collins L, Alon N, Carreau M, Bender O, Demuth I, Schindler D, Pronk JC, Arwert F, Hoehn H, Digweed M, Buchwald M, Joenje H (1998): The Fanconi anaemia group G gene FANCG is identical with XRCC9. *Nat. Genet.* 20(3):281-283.

de Winter JP, Rooimans MA, van der Weel L, van Berkel CG, Alon N, Bosnayan-Collins L, de Groot J, Zhi Y, Waisfisz Q, Pronk JC, Arwert F, Mathew CG, Scheper RJ, Hoatlin ME, Buchwald M, Joenje H (2000a): The Fanconi anaemia gene FANCF encodes a novel protein with homology to ROM. *Nat. Genet.*, 24(1):15-16.

de Winter JP, Leveille F, van Berkel CG, Rooimans MA, van der Weel L, Steltenpool J, Demuth I, Morgan NV, Alon N, Bosnayan-Collins L, Lightfoot J, Leegwater PA, Waisfisz Q, Komatsu K, Arwert F, Pronk JC, Mathew CG, Digweed M, Buchwald M, Joenje H (2000b): Isolation of a cDNA representing the Fanconi anemia complementation group E gene. *Am. J. Hum. Genet.*, 67(5):1306-1308.

Faivre L, Guardiola P, Lewis C, Dokal I, Ebelle W, Zatterale A, Altay C, Poole J, Stones D, Kwee ML, van Weel-Sipman M, Havenga C, Morgan N, de Winter J, Digweed M, Savoia A, Pronk J, de Ravel T, Jansen S, Joenje H, Gluckman E, Mathew CG (2000): Association of complementation group and mutation type with clinical outcome in Fanconi anemia. European Fanconi Anemia Research Group. *Blood*, 96(13):4064-4070.

Fanconi G (1927): Familiäre infantile perniziosartige Anämie (perniziöses Blutbild und Konstitution). *Jahrb. Kinderh.*, 117:257-280.

- Ferro MT, Vazquez-Mazariego Y, Ramiro S, Sanchez-Hombre MC, Villalon C, Garcia-Sagredo JM, Ulibarrena C, Sastre JL, Roman CS (2001): Triplication of 1q in Fanconi anemia. *Cancer Genet. Cytogenet.*, 127(1):38-41.
- Ferti A, Panani A, Dervenoulas J, Raptis SA (1996): Cytogenetic findings in a Fanconi Anemia patient with AML. *Cancer Genet. Cytogenet.*, 90(2):182-3.
- Flactif M, Lai JL, Preudhomme C, Fenaux P (1994): Fluorescence in situ hybridization improves the detection of monosomy 7 in myelodysplastic syndromes. *Leukemia*, 8(6):1012-1018.
- Forozan F, Karhu R, Kononen J, Kallioniemi A, Kallioniemi OP (1997): Genome screening by comparative genomic hybridization. *Trends Genet.*, 13(10):405-409.
- Garcia-Higuera I, Taniguchi T, Ganesan S, Meyn MS, Timmers C, Hejna J, Grompe M, D'Andrea AD (2001): Interaction of the Fanconi anemia proteins and BRCA1 in a common pathway. *Mol. Cell*, 7(2):249-262.
- Gebhart E, Trautmann U, Reichardt S, Liehr T (1993): Chromosomal heterogeneity of aneuploid leukemic cell populations detected by conventional karyotyping and by fluorescence in situ hybridization (FISH). *Anticancer Res.*, 13(5C):1857-1862.
- Gebhart E, Liehr T, Harrer P, Reichardt S, Schmitt G, Thoma K, Gramatzki M, Trautmann U (1995): Determination by interphase-FISH of the clonality of aberrant karyotypes in human hematopoietic neoplasias. *Leuk. Lymphoma*, 17(3-4):295-302.
- German J (1983): Patterns of neoplasia associated with the chromosome-breakage syndromes. In: *Chromosome mutation and neoplasia*, J German, ed. Liss AR, New York, pp.1983-1997.
- Giampietro PF, Verlander PC, Davis JG, Auerbach AD (1997): Diagnosis of Fanconi anemia in patients without congenital malformations: an international Fanconi anemia registry study. *Am. J. Med. Genetics.*, 68(1):58-61.

Gibson, RA, Buchwald, M, Roberts RG, Mathew CG (1993) Characterisation of the exon structure of the Fanconi anaemia group C gene by vectorette PCR. *Hum. Mol. Genet.*, 2(1):35-38.

Gillio AP, Verlander PC, Batish SD, Giampietro PF, Auerbach AD (1997): Phenotypic consequences of mutations in the Fanconi anemia FAC gene: an international Fanconi anemia registry study. *Blood*, 90(1):105-110.

Gluckman E (1990): Radiosensitivity in Fanconi anemia: application to the conditioning for bone marrow transplantation. *Radiother. Oncol.*, 18 Suppl. 1:88-93.

Gordon SM, Alon N, Buchwald M (2005): FANCC, FANCE and FANCD2 form a ternary complex essential to the integrity of the Fanconi anemia DNA damage response pathway. *J. Biol. Chem.*, 280(43):36118-36125.

Gribble SM, Sinclair BP, Grace C, Green AR, Nacheva EP (1999): Comparative analysis of G-banding, chromosome painting, locus-specific fluorescence in situ hybridization, and comparative genomic hybridization in chronic myeloid leukemia blast crisis. *Cancer Genet. Cytogenet.*, 111(1):7-17.

Guinan EC, Lopez KD, Huhn RD, Felser JM, Nathan DG (1994): Evaluation of granulocyte-macrophage colony-stimulating factor for treatment of pancytopenia in children with Fanconi anemia. *J. Pediatr.*, 124(1):144-150.

Herold G und Mitarbeiter. Innere Medizin. Eine vorlesungsorientierte Darstellung. Ausgabe 2006. S. 46.

Hirayama Y, Sakamaki S, Matsunaga T, Kuga T, Kuroda H, Kusakabe T, Sasaki K, Fujikawa K, Kato J, Kogawa K, Koyama R, Niitsu Y (1998): Concentrations of thrombopoietin in bone marrow in normal subjects and in patients with idiopathic thrombocytopenic purpura, aplastic anemia, and essential thrombocythemia correlate with its mRNA expression of bone marrow stromal cells. *Blood*, 92(1):46-52.

Houldsworth J, Chaganti RS (1994): Comparative genomic hybridization: an overview. Am. J. Pathol., 145(6):1253-60. Review.

Howlett NG, Taniguchi T, Olson S, Cox B, Waisfisz Q, de Die-Smulders C, Persky N, Grompe M, Joenje H, Pals G, Ikeda H, Fox EA, D'Andrea AD (2002): Biallelic inactivation of BRCA2 in Fanconi anemia. Science, 297(5581):606-609.

ISCN 1995. An international System for human cytogenetic nomenclature (1995). Editor Felix Mitelman. Karger.

Ishida R, Buchwald M (1982): Susceptibility of Fanconi's anemia lymphoblasts to DNA-cross-linking and alkylating agents. Cancer Res., 42(10):4000-4006.

Jacobsen SE, Borge OJ, Ramsfjell V, Cui L, Cardier JE, Veiby OP, Murphy MJ Jr., Lok S (1996): Thrombopoietin, a direct stimulator of viability and multilineage growth of primitive bone marrow progenitor cells. Stem Cells, 14 Suppl. 11:173-180.

Joenje H, Arwert F, Eriksson AW, de Koning H Oostra AB (1981): Oxygen-dependence of chromosomal aberrations in Fanconi's anaemia. Nature, 290(5802):142-143.

Joenje H and Oostra AB (1983): Effect of oxygen tension on chromosomal aberrations in Fanconi anaemia. Hum. Genet., 65(2):99-101.

Joenje H, Levitus M, Waisfisz Q, D'Andrea A, Garcia-Higuera I, Pearson T, van Berkel CG, Rooimans MA, Morgan N, Mathew CG, Arwert F (2000): Complementation analysis in Fanconi anemia: assignment of the reference FA-H patient to group A. Am. J. Hum. Genet., 67(3):759-762.

John H., Birnstiel M., Jones KW (1969): RNA-DNA hybrids at the cytological level. Nature, 223(206):582-587.

- Kadam P, Umerani A, Srivastava A, Masterson M, Lampkin B, Raza A (1993): Combination of classical and interphase cytogenetics to investigate the biology of myeloid disorders: detection of masked monosomy 7 in AML. Leuk. Res., 17(4):365-374.
- Kadam P, Masterson M, Soukup S, Moore C, Raza A, Lampkin BC (1994): Detection of unexpected clones of monosomy 7 in childhood acute lymphoblastic leukemia using fluorescence in situ hybridization. Anticancer Res., 14(2A):545-548.
- Kallioniemi A, Kallioniemi OP, Sudar D, Rutovitz D, Gray JW, Waldman F, Pinkel D (1992): Comparative genomic hybridization for molecular cytogenetic analysis of solid tumors. Science, 258(5083):818-821.
- Koc A, Pronk JC, Alikasifoglu M, Joenje H, Altay C (1999): Variable pathogenicity of exon 43del (FAA) in four Fanconi anaemia patients within a consanguineous family. Br. J. Haematol., 104(1):127-130.
- Koike M, Tasaka T, Spira S, Tsuruoka N, Koeffler HP (1999): Allelotyping of acute myelogenous leukemia: loss of heterozygosity at 7q31.1 (D7S486) and q33-q34 (D7S498, D7S505). Leuk. Res., 23(3):307-310.
- Le Beau MM, Espinosa R 3rd, Davis EM, Eisenbart JD, Larson Ra, Green ED (1996): Cytogenetic and molecular delineation of a region of chromosome 7 commonly deleted in malignant myeloid diseases. Blood, 88(6):1930-5.
- Le Gouill S, Talmant P, Milpied N, Daviet A, Ancelot M, Moreau P, Harousseau JL, Bataille R, Avet-Loiseau H (2000): Fluorescence in situ hybridization on peripheral-blood specimens is a reliable method to evaluate cytogenetic response in chronic myeloid leukemia. J. Clin. Oncol., 18(7):1533-1538.
- Leitch AR, Schwarzacher T, Jackson D, Leitch IJ (1994): In situ-Hybridisierung. Spektrum-Verlag. Heidelberg, Berlin, Oxford.

Levitus M, Rooimans MA, Steltenpool J, Cool NF, Oostra AB, Mathew CG, Hoatlin ME, Waisfisz Q, Arwert F, de Winter JP, Joenje H (2004): Heterogeneity in Fanconi anemia: evidence for 2 new genetic subtypes. *Blood*, 103(7):2498-2503.

Levitus M, Joenje H, de Winter JP (2006): The Fanconi anemia pathway of genomic maintenance. *Cell. Onc.*, 28: 3-29.

Liang H, Fairman J, Claxton DF, Nowell PC, Green ED, Nagarajan L (1998): Molecular anatomy of chromosome 7q deletions in myeloid neoplasms: evidence for multiple critical loci. *Proc. Natl. Acad. Sci. USA*, 95(7):3781-3785.

Liang H, Castro PD, Ma J, Nagarajan L (2005): Finer delineation and transcript map of the 7q31 locus deleted in myeloid neoplasms. *Cancer Genet Cytogenet.*, 162(2):151-9.

Lichter P, Cremer T, Borden J, Manuelidis L, Ward DC (1988): Delineation of individual human chromosomes in metaphase and interphase cells by *in situ* suppression hybridization using recombinant DNA libraries. *Hum. Genet.*, 80(3):224-234.

Lo Ten Foe JR, Rooimans MA, Bosnayan-Collins L, Alon N, Wijker M, Parker L, Lightfoot J, Carreau M, Callen DF, Savoin A, Cheng NC, van Berkel CG, Strunk MH, Gille JJ, Pals G, Kruyt FA, Pronk JC, Arwert F, Buchwald M, Joenje H (1996): Expression cloning of a cDNA for the major Fanconi anemia gene, FAA. *Nat. Genet.*, 14(3):320-323. Erratum in: *Nat. Genet.* 1996;14(4):488.

Maarek O, Jonveaux P, Le Coniat M, Derre J, Berger R (1996): Fanconi anemia and bone marrow clonal chromosome abnormalities. *Leukemia*, 10(11):1700-1704.

Majka M, Janowska-Wieczorek A, Ratajczak J, Ehrenman K, Pietrzkowski Z, Kowalska MA, Gewirtz AM, Emerson SG, Ratajczak MZ (2001): Numerous growth factors, cytokines, and chemokines are secreted by human CD34(+) cells, myeloblasts, erythroblasts, and megakaryoblasts and regulate normal hematopoiesis in an autocrine/paracrine manner. *Blood*, 97(10):3075-3085.

Martinelli G, Ottaviani E, Buonamici S, Isidori A, Borsaru G, Visani G, Piccaluga PP, Malagola M, Testoni N, Rondoni M, Nucifora G, Tura S, Baccarani M (2003): Association of 3q21q26 syndrome with different RPN1/EVI1 fusion transcripts. *Haematologica*, 88(11):1221-1228.

McCarty JM, Sprugel KH, Fox NE, Sabath DE, Kaushansky K (1995): Murine thrombopoietin mRNA levels are modulated by platelet count. *Blood*, 86(10):3668-3675.

Meetei AR, de Winter JP, Medhurst AL, Wallisch M, Waisfisz Q, van de Vrugt HJ, Oostra AB, Yan Z, Ling C, Bishop CE, Hoatlin ME, Joenje H, Wang W (2003): A novel ubiquitin ligase is deficient in Fanconi anemia. *Nat. Genet.*, 35(2):165-170.

Meetei AR, Levitus M, Xue Y, Medhurst AL, Zwaan M, Ling C, Rooimans MA, Bier P, Hoatlin M, Pals G, de Winter JP, Wang W, Joenje H (2004): X-linked inheritance of Fanconi anemia complementation group B. *Nat. Genet.*, 36(11):1219-1224.

Meetei AR, Yan Z, Wang W (2004): FANCL replaces BRCA1 as the likely ubiquitin ligase responsible for FANCD2 monoubiquitination. *Cell Cycle*, 3(2):179-181.

Meetei AR, Medhurst AL, Ling C, Xue Y, Singh TR, Bier P, Steltenpool J, Stone S, Dokal I, Mathew CG, Hoatlin M, Joenje H, de Winter JP, Wang W (2005): A human ortholog of archaeal DNA repair protein Hef is defective in Fanconi anemia complementation group M. *Nat. Genet.*, 37(9):958-963.

Miki Y, Swensen J, Shattuck-Eidens D, Futreal PA, Harshman K, Tavtigian S, Liu Q, Cochran C, Bennett LM, Ding W, et al. (1994): A strong candidate for the breast and ovarian cancer susceptibility gene BRCA1. *Science*, 266(5182):66-71.

Mohamed AN, Macoska JA, Kallioniemi A, Kallioniemi OP, Waldman F, Ratanatharathorn V, Wolman SR (1993): Extrachromosomal gene amplification in acute myeloid leukaemia; characterisation by metaphase analysis, comparative genomic hybridization, and semi-quantitative PCR. *Genes Chromosomes Cancer*, 8(3):185-189.

- Morishita K, Parker DS, Mucenski ML, Jenkins NA, Copeland NG, Ihle JN (1988): Retroviral activation of a novel gene encoding a zinc finger protein in IL-3-dependent myeloid leukemia cell lines. *Cell*, 54(6):831-840.
- Morishita K, Parganas E, William CL, Whittaker MH, Drabkin H, Oval J, Taetle R, Valentine MB, Ihle JN (1992): Activation of EVI1 gene expression in human acute myelogenous leukemias by translocations spanning 300-400 kilobases on chromosome band 3q26. *Proc. Natl. Acad. Sci. USA*, 89(9):3937-3941.
- Mrozek K, Heerema NA, Bloomfield CD (2004). Cytogenetics in acute leukemia. *Blood Rev.* 18(2):115-36.
- Mullis KB, Faloona FA (1987): Specific synthesis of DNA in vitro via a polymerase-catalyzed chain reaction. *Methods Enzymol.*, 155:335-350.
- Nacheva E, Grace C, Holloway TL, Green AR (1995): Comparative genomic hybridization in acute myeloid leukemia: A comparison with G-banding and chromosome painting. *Cancer Genet. Cytogenet.*, 82(1):9-16.
- Noll M, Bateman RL, D'Andrea AD Grompe M (2001): Preclinical protocol for in vivo selection of hematopoietic stem cells corrected by gene therapy in Fanconi anemia group C. *Mol. Ther.*, 3(1):14-23.
- Nucifora G, Rowley JD (1995): AML1 and the 8;21 and 3;21 translocations in acute and chronic myeloid leukemia. *Blood*, 86(1):1-14. Review.
- Ogawa S, Kurokawa M, Tanaka T, Mitani K, Inazawa J, Hangaishi A, Tanaka K, Matsuo Y, Minowada J, Tsubota T, Yazaki Y, Hirai H (1996): Structurally altered Evi-1 protein generated in the 3q21q26 syndrome. *Oncogene*, 13(1):183-191.
- Öksüzoglu B, Yalçýn S (2002): Squamous cell carcinoma of the tongue in a patient with Fanconi's anemia: a case report and review of the literature. *Ann. Hematol.*, 81(5):294–298.

- Oliveira NISS, Ribeiro EMSF, Raimondi SC, Marco A, Bittencourt A, Pasquini R, Cavalli IJ (2002): Two different karyotypes with 1q abnormalities in a patient with Fanconi anemia. *Leuk. Res.*, 26: 1047-1049.
- Ortega M, Caballin MR, Ortega JJ, Olive T, Coll MD (2000): Follow-up by cytogenetic and fluorescence in situ hybridization analysis of allogeneic bone marrow transplantation in two children with Fanconi's anaemia in transformation. *Br. J. Haematol.*, 111(1):329-333.
- Pardue ML, Gall JG (1969): Molecular hybridization of radioactive DNA to the DNA of cytological preparations. *Proc. Natl. Acad. Sci. USA*, 64(2):600-604.
- Pierce AJ, Stark JM, Araujo FD, Moynahan ME, Berwick M, Jasin M (2001): Double-strand breaks and tumorigenesis. *Trends Cell Biol.*, 11(11):S52-S59. Review.
- Pinkel D, Straume T, Gray JW (1986): Cytogenetic analysis using quantitative, high-sensitivity, fluorescence hybridization. *Proc. Natl. Acad. Sci. USA*, 83(9):2934-2938.
- Rackoff WR, Orazi A, Robinson CA, Cooper RJ, Alter BP, Freedman MH, Harris RE, Williams DA (1996): Prolonged administration of granulocyte colony-stimulating factor (Filgrastim) to patients with Fanconi anemia: A pilot study. *Blood*, 88(5):1588-1593.
- Rigby PW, Dieckmann M, Rhodes C, Berg P (1977): Labeling deoxyribonucleic acid to high specific activity in vitro by nick translation with DNA polymerase I. *J. Mol. Biol.*, 113(1):237-51.
- Rosenberg PS, Greene MH, Alter BP (2003): Cancer incidence in persons with Fanconi's anemia. *Blood*, 101:822-826.
- Rosenberg PS, Huang Y, Alter BP (2004): Individualized risks of first adverse events in patients with Fanconi Anemia. *Blood*, 104(2):350-355.

Russell M , List A, Greenberg P, Woodward S, Glinsmann B, Parganas E, Ihle J, Taetle R (1994): Expression of EVI1 in myelodysplastic syndromes and other hematologic malignancies without 3q26 translocations. *Blood*, 84(4):1243-1248.

Saito H, Hammond AT, Moses RE (1993): Hypersensitivity to oxygen is a uniform and secondary defect in Fanconi anemia cells. *Mutat. Res.*, 294(3):255-262.

Sasaki MS, Tonomura A (1973): A high susceptibility of Fanconi's anemia to chromosome breakage by DNA cross-linking agents. *Cancer Res.*, 1973; 33(8):1829-1836.

Schindler D, Hoehn H (1988): Fanconi anemia mutation causes cellular susceptibility to ambient oxygen. *Am. J. Hum. Genet.*, 43(4):429-435.

Scholz I, Popp S, Granzow M, Schoell B, Holtgreve-Grez H, Takeuchi S, Schrappe M, Harbott J, Teigler-Schlegel A, Zimmermann M, Fischer C, Koeffler HP, Bartram CR, Jauch A (2001): Comparative genomic hybridization in childhood acute lymphoblastic leukemia: correlation with interphase cytogenetics and loss of heterozygosity analysis. *Cancer Genet. Cytogenet.*, 124(2):89-97.

Schröck E., du Manoir S., Veldman T., Schoell B., Wienberg J., Ferguson-Smith M.A., Ning Y., Ledbetter D.H., Bar-Am I., Soenksen D., Garini Y., Ried T (1996): Multicolour spectral karyotyping of human chromosomes. *Science*, 273(5274):494-497.

Scully R, Puget N (2002): BRCA1 and BRCA2 in hereditary breast cancer. *Biochimie*, 84(1):95-102. Review.

Speicher MR, Gwyn Ballard S, Ward DC (1996): Karyotyping human chromosomes by combinatorial multi-fluor FISH. *Nat. Genet.*, 12(4): 368-375.

Stephenson J, Czepulkowski B, Hirst W, Mufti GJ (1996): Deletion of the acetylcholinesterase locus at 7q22 associated with myelodysplastic syndromes (MDS) and acute myeloid leukaemia (AML). *Leuk Res.*, 20(3):235-41.

Stivrins TJ, Davis RB, Sanger W, Fritz J, Purtilo DT (1984): Transformation of Fanconi's anemia to acute nonlymphocytic leukemia associated with emergence of monosomy 7. *Blood*, 64(1):173-176.

Struski S, Doco-Fenzy M, Cornillet-Lefebvre P (2002): Compilation of published comparative genomic hybridization studies. *Cancer Genet. Cytogenet.*, 135(1):63-90.

Stumm M, Tönnies H, Wieacker PF (1999): Molecular cytogenetic techniques for the diagnosis of chromosomal abnormalities in childhood disease. *Eur. J. Pediatr.*, 158(7): 531-536.

Sungaran R, Markovic B, Chong BH (1997): Localization and regulation of thrombopoietin mRNA expression in human kidney, liver, bone marrow, and spleen using *in situ* hybridization. *Blood*, 89(1):101-107.

Swiger RR, Tucker JD (1996): Fluorescence *in situ* hybridization: a brief review. *Environ. Mol. Mutagen.*, 27(4):245-254.

Taniguchi T., Garcia-Higuera I, Xu B., Andreassen PR, Gregory RC, Kim ST, Lane WS, Kastan MB, and d'Andrea AD (2002): Convergence of the Fanconi anemia and ataxia telangiectasia signalling pathways. *Cell.*, 109(4):459-72.

Tavtigian SV, Simard J, Rommens J, Couch F, Shattuck-Eidens D, Neuhausen S, Merajver S, Thorlacins S, Offit K, Stoppa-Lyonnet D, Belanger C, Bell R, Berry S, Bogden R, Chen Q, Davis T, Dumont M, Frye C, Hattier T, Jammulapati S, et al (1996): The complete BRCA2 gene and mutations in chromosome 13q-linked kindreds. *Nat. Genet.*, 12(3):333-337.

Testoni N, Borsaru G, Martinelli G, Carboni C, Ruggeri D, Ottaviani E, Pelliconi S, Ricci P, Pastano R, Visani G, Zaccaria A, Tura S (1999): 3q21 and 3q26 cytogenetic abnormalities in acute myeloblastic leukaemia: biological and clinical features. *Haematologica*, 84(8):690-694.

Thurston VC, Ceperich TM, Vance GH, Heerema NA (1999): Detection of Monosomy 7 in Bone Marrow by Fluorescence In Situ Hybridization. A Study of Fanconi Anemia Patients and Review of the Literature. *Cancer Genet. Cytogenet.*, 109(2):154-60.

Timmers C, Taniguchi T, Hejna J, Reifsteck C, Lucas L, Bruun D, Thayer M, Cox B, Olson S, D'Andrea AD, Moses R, Grompe M (2001): Positional cloning of a novel Fanconi anemia gene, FANCD2. *Mol. Cell* 7(2):241-248.

Tischkowitz M, Dokal I (2004): Fanconi anaemia and leukaemia-clinical and molecular aspects. *Br. J. Haematol.*, 126(2):176-191.

Tönnies H, Stumm M, Wegner RD, Chudoba I, Kalscheuer V, Neitzel H (2001): Comparative genomic hybridization based strategy for the analysis of different chromosome imbalances detected in conventional cytogenetic diagnostics. *Cytogenet. Cell Genet.*, 93(3-4):188-94.

Tönnies H (2002): Modern molecular cytogenetic techniques in genetic diagnostics. *Trends Mol. Med.*, 8(6):246-250. Review.

Tönnies H, Huber S, Kühl JS, Gerlach A, Ebell W, Neitzel H (2003): Clonal aberrations in bone marrow cells of Fanconi anemia patients: gains of the chromosomal segment 3q26q29 as an adverse risk factor. *Blood*, 101(10):3872-4.

Venkitaraman AR (2002): Cancer susceptibility and the functions of BRCA1 and BRCA2. *Cell*, 108(2):171-182. Review.

Verlander PC, Kaporis A, Liu Q, Zhang Q, Seligsohn U, Auerbach AD (1995): Carrier frequency of the IVS4 + 4A ->T mutation of the Fanconi anemia gene FAC in the Ashkenazi Jewish population. *Blood*, 86(11):4034-8.

- Ward BE, Gersen SL, Carelli MP, McGuire NM, Dackowski WR, Weinstein M, Sandlin C, Warren R, Klinger KW (1993): Rapid prenatal diagnosis of chromosomal aneuploidies by fluorescence in situ hybridization: clinical experience with 4.500 specimens. Am. J. Hum. Genet., 52(5):854-865.
- Weber MH, Wenzel U, Thiel E, Knauf WU (2000): Chromosomal aberrations characteristic for sAML/sMDS are not detectable by random screening using FISH in peripheral blood-derived grafts used for autologous transplantation. J. Hematother. Stem Cell Research, 9(6):861-865.
- Wieser R, Schreiner U, Pirc-Danoewinata H, Aytekin M, Schmidt HH, Rieder H, Fonatsch C (2001): Interphase fluorescence in situ hybridization assay for the detection of 3q21 rearrangements in myeloid malignancies. Genes Chromosomes Cancer, 32(4):373-380.
- Wilkens L, Burkhardt D, Tchinda J, Büsche G, Werner M, Nolte M, Ganser A, Georgii A (1999): Cytogenetic aberrations in myelodysplastic syndrome detected by comparative genomic hybridization and fluorescence in situ hybridization. Diagn. Mol. Pathol., 8(1):47-53.
- Witt E, Ashworth A (2002): Biomedicine. D-Day for BRCA2. Science, 297(5581):534.
- Wooster R, Bignell G, Lancaster J, Swift S, Seal S, Malugion J, Collins N, Gregory S, Gumbs C, Micklem G (1995): Identification of the breast cancer susceptibility gene BRCA2. Nature, 378(6559):789-792. Erratum in: Nature 1996;379(6567):749.
- Yilmaz Z, Alioğlu B, Özalp Ö, Yilmaz BT, Özyürek HE, Özbek N, Sahin FI (2005): Clonal monosomy 7 in a megakaryoblastic leukaemia developed on the basis of Fanconi Anemia. J. Pediatr. Hematol. Oncol., 27(10):565-566.
- Yoneda-Kato N, Look AT, Kirstein MN, Valentine MB, Raimondi SC, Cohen KJ, Carroll AJ, Morris SW (1996): The t(3;5)(q25.1;q34) of myelodysplastic syndrome and acute myeloid leukemia produces a novel fusion gene, NPM-MLF1. Oncogene, 12(2):265-275.

Young NS, Alter BP (1994): Clinical features of Fanconi's anemia. In: Aplastic Anemia Aquired and Inherited (ed. by Young NS, Alter BP). Philadelphia: Saunders WB.

Yunis JJ, Brunning RD (1986): Prognostic significance of chromosomal abnormalities in acute leukaemias and myelodysplastic syndromes. Clin. Haematol., 15:597-620.

Yunis JJ, Rydell RE, Oken MM, Arnesen MA, Mayer MG, Lobell M (1986): Refined chromosome analysis as an independent prognostic indicator in de novo myelodysplastic syndromes. Blood, 67:1721-1730.