

## 6. References

- Akiba, H., H. Nakano, S. Nishinaka, M. Shindo, T. Kobata, M. Atsuta, C. Morimoto, C. F. Ware, N. L. Malinin, D. Wallach, H. Yagita and K. Okumura (1998). "CD27, a member of the tumor necrosis factor receptor superfamily, activates NF-kappaB and stress-activated protein kinase/c-Jun N-terminal kinase via TRAF2, TRAF5, and NF-kappaB-inducing kinase." J Biol Chem 273(21): 13353-8.
- Alderson, M. R., C. A. Smith, T. W. Tough, T. Davis-Smith, R. J. Armitage, B. Falk, E. Roux, E. Baker, G. R. Sutherland and W. S. Din (1994). "Molecular and biological characterization of human 4-1BB and its ligand." Eur J Immunol 24(9): 2219-27.
- Alderson, M. R., T. W. Tough, T. Davis-Smith, S. Braddy, B. Falk, K. A. Schooley, R. G. Goodwin, C. A. Smith, F. Ramsdell and D. H. Lynch (1995). "Fas ligand mediates activation-induced cell death in human T lymphocytes." J Exp Med 181(1): 71-7.
- al-Sarireh, B. and O. Eremin (2000). "Tumour-associated macrophages (TAMS): disordered function, immune suppression and progressive tumour growth." J R Coll Surg Edinb 45(1): 1-16.
- Appleman, L. J. and V. A. Boussiotis (2003). "T cell anergy and costimulation." Immunol Rev 192: 161-80.
- Arch, R. H., R. W. Gedrich and C. B. Thompson (1998). "Tumor necrosis factor receptor-associated factors (TRAFs)--a family of adapter proteins that regulates life and death." Genes Dev 12(18): 2821-30.
- Arch, R. H. and C. B. Thompson (1998). "4-1BB and Ox40 are members of a tumor necrosis factor (TNF)-nerve growth factor receptor subfamily that bind TNF receptor-associated factors and activate nuclear factor kappaB." Mol Cell Biol 18(1): 558-65.
- Armitage, R. J. (1994). "Tumor necrosis factor receptor superfamily members and their ligands." Curr Opin Immunol 6(3): 407-13.
- Arron, J. R., M. Vologodskaja, B. R. Wong, M. Naramura, N. Kim, H. Gu and Y. Choi (2001). "A positive regulatory role for Cbl family proteins in tumor necrosis factor-related activation-induced cytokine (trance) and CD40L-mediated Akt activation." J Biol Chem 276(32): 30011-7.
- Aruffo, A. and B. Seed (1987). "Molecular cloning of a CD28 cDNA by a high-efficiency COS cell expression system." Proc Natl Acad Sci U S A 84(23): 8573-7.
- Bakhshi, A., J. P. Jensen, P. Goldman, J. J. Wright, O. W. McBride, A. L. Epstein and S. J. Korsmeyer (1985). "Cloning the chromosomal breakpoint of t(14;18) human lymphomas: clustering around JH on chromosome 14 and near a transcriptional unit on 18." Cell 41(3): 899-906.

- Basu, S., R. J. Binder, R. Suto, K. M. Anderson and P. K. Srivastava (2000). "Necrotic but not apoptotic cell death releases heat shock proteins, which deliver a partial maturation signal to dendritic cells and activate the NF-kappa B pathway." Int Immunol 12(11): 1539-46.
- Baum, P. R., R. B. Gayle, 3rd, F. Ramsdell, S. Srinivasan, R. A. Sorensen, M. L. Watson, M. F. Seldin, E. Baker, G. R. Sutherland, K. N. Clifford and et al. (1994). "Molecular characterization of murine and human OX40/OX40 ligand systems: identification of a human OX40 ligand as the HTLV-1-regulated protein gp34." EMBO J 13(17): 3992-4001.
- Benczik, M. and S. L. Gaffen (2004). "The interleukin (IL)-2 family cytokines: survival and proliferation signaling pathways in T lymphocytes." Immunol Invest 33(2): 109-42.
- Bergmann, A., J. Agapite and H. Steller (1998). "Mechanisms and control of programmed cell death in invertebrates." Oncogene 17(25): 3215-23.
- Bertin, J., R. C. Armstrong, S. Otilie, D. A. Martin, Y. Wang, S. Banks, G. H. Wang, T. G. Senkevich, E. S. Alnemri, B. Moss, M. J. Lenardo, K. J. Tomaselli and J. I. Cohen (1997). "Death effector domain-containing herpesvirus and poxvirus proteins inhibit both Fas- and TNFR1-induced apoptosis." Proc Natl Acad Sci U S A 94(4): 1172-6.
- Bertram, E. M., W. Dawicki, B. Sedgmen, J. L. Bramson, D. H. Lynch and T. H. Watts (2004). "A switch in costimulation from CD28 to 4-1BB during primary versus secondary CD8 T cell response to influenza in vivo." J Immunol 172(2): 981-8.
- Blankenstein, T., S. Cayeux and Z. Qin (1996). "Genetic approaches to cancer immunotherapy." Rev Physiol Biochem Pharmacol 129: 1-49.
- Blattman, J. N. and P. D. Greenberg (2004). "Cancer immunotherapy: a treatment for the masses." Science 305(5681): 200-5.
- Boise, L. H., A. J. Minn, P. J. Noel, C. H. June, M. A. Accavitti, T. Lindsten and C. B. Thompson (1995). "CD28 costimulation can promote T cell survival by enhancing the expression of Bcl-XL." Immunity 3(1): 87-98.
- Boon, T. and P. van der Bruggen (1996). "Human tumor antigens recognized by T lymphocytes." J Exp Med 183(3): 725-9.
- Bowman, L. C., M. Grossmann, D. Rill, M. Brown, W. Y. Zhong, B. Alexander, T. Leimig, E. Coustan-Smith, D. Campana, J. Jenkins, D. Woods and M. Brenner (1998). "Interleukin-2 gene-modified allogeneic tumor cells for treatment of relapsed neuroblastoma." Hum Gene Ther 9(9): 1303-11.
- Bretscher, P. and M. Cohn (1970). "A theory of self-nonsel self discrimination." Science 169(950): 1042-9.

- Brunet, J. F., F. Denizot, M. F. Luciani, M. Roux-Dosseto, M. Suzan, M. G. Mattei and P. Golstein (1987). "A new member of the immunoglobulin superfamily--CTLA-4." Nature 328(6127): 267-70.
- Brunner, M. C., C. A. Chambers, F. K. Chan, J. Hanke, A. Winoto and J. P. Allison (1999). "CTLA-4-Mediated inhibition of early events of T cell proliferation." J Immunol 162(10): 5813-20.
- Burnet, F. M. (1970). "The concept of immunological surveillance." Prog Exp Tumor Res 13: 1-27.
- Burnet, M. (1957). "Cancer: a biological approach. III. Viruses associated with neoplastic conditions. IV. Practical applications." Br Med J(5023): 841-7.
- Calderhead, D. M., J. E. Buhlmann, A. J. van den Eertwegh, E. Claassen, R. J. Noelle and H. P. Fell (1993). "Cloning of mouse Ox40: a T cell activation marker that may mediate T-B cell interactions." J Immunol 151(10): 5261-71.
- Callan, M. F. (2004). "The immune response to Epstein-Barr virus." Microbes Infect 6(10): 937-45.
- Calo, V., M. Migliavacca, V. Bazan, M. Macaluso, M. Buscemi, N. Gebbia and A. Russo (2003). "STAT proteins: from normal control of cellular events to tumorigenesis." J Cell Physiol 197(2): 157-68.
- Cannons, J. L., K. P. Hoeflich, J. R. Woodgett and T. H. Watts (1999). "Role of the stress kinase pathway in signaling via the T cell costimulatory receptor 4-1BB." J Immunol 163(6): 2990-8.
- Cannons, J. L., P. Lau, B. Ghumman, M. A. DeBenedette, H. Yagita, K. Okumura and T. H. Watts (2001). "4-1BB ligand induces cell division, sustains survival, and enhances effector function of CD4 and CD8 T cells with similar efficacy." J Immunol 167(3): 1313-24.
- Cardone, M. H., N. Roy, H. R. Stennicke, G. S. Salvesen, T. F. Franke, E. Stanbridge, S. Frisch and J. C. Reed (1998). "Regulation of cell death protease caspase-9 by phosphorylation." Science 282(5392): 1318-21.
- Carreno, B. M., F. Bennett, T. A. Chau, V. Ling, D. Luxenberg, J. Jussif, M. L. Baroja and J. Madrenas (2000). "CTLA-4 (CD152) can inhibit T cell activation by two different mechanisms depending on its level of cell surface expression." J Immunol 165(3): 1352-6.
- Cayeux, S., C. Beck, A. Aicher, B. Dörken and T. Blankenstein (1995). "Tumor cells cotransfected with interleukin-7 and B7.1 genes induce CD25 and CD28 on tumor-infiltrating T lymphocytes and are strong vaccines." Eur J Immunol 25(8): 2325-31.

- Cayeux, S., C. Beck, B. Dörken and T. Blankenstein (1996). "Coexpression of interleukin-4 and B7.1 in murine tumor cells leads to improved tumor rejection and vaccine effect compared to single gene transfectants and a classical adjuvant." Hum Gene Ther 7(4): 525-9.
- Cayeux, S., G. Richter, G. Noffz, B. Dörken and T. Blankenstein (1997). "Influence of gene-modified (IL-7, IL-4, and B7) tumor cell vaccines on tumor antigen presentation." J Immunol 158(6): 2834-41.
- Chambers, C. A., M. S. Kuhns, J. G. Egen and J. P. Allison (2001). "CTLA-4-mediated inhibition in regulation of T cell responses: mechanisms and manipulation in tumor immunotherapy." Annu Rev Immunol 19: 565-94.
- Chan, T. O., S. E. Rittenhouse and P. N. Tsichlis (1999). "AKT/PKB and other D3 phosphoinositide-regulated kinases: kinase activation by phosphoinositide-dependent phosphorylation." Annu Rev Biochem 68: 965-1014.
- Chang, Y. C., C. H. Chang, Y. T. Liu, K. B. Tsai, T. C. Liu and Y. N. Lin (2004). "Spontaneous regression of a large-cell lymphoma in the conjunctiva and orbit." Ophthal Plast Reconstr Surg 20(6): 461-3.
- Chen, C., L. C. Edelstein and C. Gelinas (2000). "The Rel/NF-kappaB family directly activates expression of the apoptosis inhibitor Bcl-x(L)." Mol Cell Biol 20(8): 2687-95.
- Chen, L. (1998). "Immunological ignorance of silent antigens as an explanation of tumor evasion." Immunol Today 19(1): 27-30.
- Cohen, G. M. (1997). "Caspases: the executioners of apoptosis." Biochem J 326 ( Pt 1): 1-16.
- Collette, Y., D. Razanajaona, M. Ghiotto and D. Olive (1997). "CD28 can promote T cell survival through a phosphatidylinositol 3-kinase-independent mechanism." Eur J Immunol 27(12): 3283-9.
- Coussens, L. M. and Z. Werb (2002). "Inflammation and cancer." Nature 420(6917): 860-7.
- Croft, M. (2003). "Co-stimulatory members of the TNFR family: keys to effective T-cell immunity?" Nat Rev Immunol 3(8): 609-20.
- Crowe, P. D., T. L. VanArsdale, B. N. Walter, C. F. Ware, C. Hession, B. Ehrenfels, J. L. Browning, W. S. Din, R. G. Goodwin and C. A. Smith (1994). "A lymphotoxin-beta-specific receptor." Science 264(5159): 707-10.
- Cui, Z. and M. C. Willingham (2004). "Halo naevus: a visible case of immunosurveillance in humans?" Lancet Oncol 5(7): 397-8.
- Daniel, P. T. (2000). "Dissecting the pathways to death." Leukemia 14(12): 2035-44.

- Daniel, P. T. and P. H. Krammer (1994). "Activation induces sensitivity toward APO-1 (CD95)-mediated apoptosis in human B cells." *J Immunol* **152**(12): 5624-32.
- Daniel, P. T., A. Kroidl, S. Cayeux, R. Bargou, T. Blankenstein and B. Dörken (1997a). "Costimulatory signals through B7.1/CD28 prevent T cell apoptosis during target cell lysis." *J Immunol* **159**(8): 3808-15.
- Daniel, P. T., A. Kroidl, J. Kopp, I. Sturm, G. Moldenhauer, B. Dörken and A. Pezzutto (1998). "Immunotherapy of B-cell lymphoma with CD3x19 bispecific antibodies: costimulation via CD28 prevents "veto" apoptosis of antibody-targeted cytotoxic T cells." *Blood* **92**(12): 4750-7.
- Daniel, P. T., U. Oettinger, M. Y. Mapara, K. Bommert, R. Bargou and B. Dörken (1997b). "Activation and activation-induced death of human tonsillar B cells and Burkitt lymphoma cells: lack of CD95 (Fas/APO-1) ligand expression and function." *Eur J Immunol* **27**(4): 1029-34.
- Daniel, P. T., C. Scholz, F. Essmann, J. Westermann, A. Pezzutto and B. Dörken (1999). "CD95/Fas-triggered apoptosis of activated T lymphocytes is prevented by dendritic cells through a CD58-dependent mechanism." *Exp Hematol* **27**(9): 1402-8.
- Daniel, P. T., K. Schulze-Osthoff, C. Belka and D. Güner (2003). "Guardians of cell death: the Bcl-2 family proteins." *Essays Biochem* **39**: 73-88.
- Daniel, P. T., T. Wieder, I. Sturm and K. Schulze-Osthoff (2001). "The kiss of death: promises and failures of death receptors and ligands in cancer therapy." *Leukemia* **15**(7): 1022-32.
- Darnell, R. B. and J. B. Posner (2003). "Observing the invisible: successful tumor immunity in humans." *Nat Immunol* **4**(3): 201.
- Datta, S. R., H. Dudek, X. Tao, S. Masters, H. Fu, Y. Gotoh and M. E. Greenberg (1997). "Akt phosphorylation of BAD couples survival signals to the cell-intrinsic death machinery." *Cell* **91**(2): 231-41.
- Davis, M. M., M. Krogsaard, J. B. Huppa, C. Sumen, M. A. Purbhoo, D. J. Irvine, L. C. Wu and L. Ehrlich (2003). "Dynamics of cell surface molecules during T cell recognition." *Annu Rev Biochem* **72**: 717-42.
- Dawicki, W. and T. H. Watts (2004). "Expression and function of 4-1BB during CD4 versus CD8 T cell responses in vivo." *Eur J Immunol* **34**(3): 743-51.
- DeBenedette, M. A., N. R. Chu, K. E. Pollok, J. Hurtado, W. F. Wade, B. S. Kwon and T. H. Watts (1995). "Role of 4-1BB ligand in costimulation of T lymphocyte growth and its upregulation on M12 B lymphomas by cAMP." *J Exp Med* **181**(3): 985-92.
- DeBenedette, M. A., A. Shahinian, T. W. Mak and T. H. Watts (1997). "Costimulation of CD28- T lymphocytes by 4-1BB ligand." *J Immunol* **158**(2): 551-9.

- Dhein, J., P. T. Daniel, B. C. Trauth, A. Oehm, P. Moller and P. H. Krammer (1992). "Induction of apoptosis by monoclonal antibody anti-APO-1 class switch variants is dependent on cross-linking of APO-1 cell surface antigens." J Immunol **149**(10): 3166-73.
- Dickey, C. (2002). "Review reopens old disagreements." Nat Med **8**(12): 1337.
- Dranoff, G., E. Jaffee, A. Lazenby, P. Golumbek, H. Levitsky, K. Brose, V. Jackson, H. Hamada, D. Pardoll and R. C. Mulligan (1993). "Vaccination with irradiated tumor cells engineered to secrete murine granulocyte-macrophage colony-stimulating factor stimulates potent, specific, and long-lasting anti-tumor immunity." Proc Natl Acad Sci U S A **90**(8): 3539-43.
- Dunn, G. P., A. T. Bruce, H. Ikeda, L. J. Old and R. D. Schreiber (2002). "Cancer immunoediting: from immunosurveillance to tumor escape." Nat Immunol **3**(11): 991-8.
- Durkop, H., U. Latza, P. Himmelreich and H. Stein (1995). "Expression of the human OX40 (hOX40) antigen in normal and neoplastic tissues." Br J Haematol **91**(4): 927-31.
- Earnshaw, W. C., L. M. Martins and S. H. Kaufmann (1999). "Mammalian caspases: structure, activation, substrates, and functions during apoptosis." Annu Rev Biochem **68**: 383-424.
- Ehrlich, P. (1909). "Über den jetzigen Stand der Karzinomforschung." Ned Tijdschr Geneeskde **5**: 273-290.
- Fadok, V. A., A. de Cathelineau, D. L. Daleke, P. M. Henson and D. L. Bratton (2001). "Loss of phospholipid asymmetry and surface exposure of phosphatidylserine is required for phagocytosis of apoptotic cells by macrophages and fibroblasts." J Biol Chem **276**(2): 1071-7.
- Fisher, G. H., F. J. Rosenberg, S. E. Straus, J. K. Dale, L. A. Middleton, A. Y. Lin, W. Strober, M. J. Lenardo and J. M. Puck (1995). "Dominant interfering Fas gene mutations impair apoptosis in a human autoimmune lymphoproliferative syndrome." Cell **81**(6): 935-46.
- Flaitz, C. M. and M. J. Hicks (1998). "Molecular piracy: the viral link to carcinogenesis." Oral Oncol **34**(6): 448-53.
- Frauwirth, K. A. and C. B. Thompson (2002). "Activation and inhibition of lymphocytes by costimulation." J Clin Invest **109**(3): 295-9.
- Friedrich, K., T. Wieder, C. Von Haefen, S. Radetzki, R. Janicke, K. Schulze-Osthoff, B. Dörken and P. T. Daniel (2001). "Overexpression of caspase-3 restores sensitivity for drug-induced apoptosis in breast cancer cell lines with acquired drug resistance." Oncogene **20**(22): 2749-60.

- Fritsch, P., R. Kerbl, H. Lackner and C. Urban (2004). "'Wait and see' strategy in localized neuroblastoma in infants: an option not only for cases detected by mass screening." *Pediatr Blood Cancer* **43**(6): 679-82.
- Gallucci, S. and P. Matzinger (2001). "Danger signals: SOS to the immune system." *Curr Opin Immunol* **13**(1): 114-9.
- Gärtner, H. V., C. Seidl, C. Luckenbach, G. Schumm, E. Seifried, H. Ritter and B. Bultmann (1996). "Genetic analysis of a sarcoma accidentally transplanted from a patient to a surgeon." *N Engl J Med* **335**(20): 1494-6.
- Gillissen, B., F. Essmann, V. Graupner, L. Stärck, S. Radetzki, B. Dörken, K. Schulze-Osthoff and P. T. Daniel (2003). "Induction of cell death by the BH3-only Bcl-2 homolog Nbk/Bik is mediated by an entirely Bax-dependent mitochondrial pathway." *EMBO J* **22**(14): 3580-90.
- Gimmi, C. D., G. J. Freeman, J. G. Gribben, G. Gray and L. M. Nadler (1993). "Human T-cell clonal anergy is induced by antigen presentation in the absence of B7 costimulation." *Proc Natl Acad Sci U S A* **90**(14): 6586-90.
- Grad, J. M., X. R. Zeng and L. H. Boise (2000). "Regulation of Bcl-xL: a little bit of this and a little bit of STAT." *Curr Opin Oncol* **12**(6): 543-9.
- Graf, M. R., R. M. Prins, W. T. Hawkins and R. E. Merchant (2002). "Irradiated tumor cell vaccine for treatment of an established glioma. I. Successful treatment with combined radiotherapy and cellular vaccination." *Cancer Immunol Immunother* **51**(4): 179-89.
- Greenberg, A. H. (1996). "Granzyme B-induced apoptosis." *Adv Exp Med Biol* **406**: 219-28.
- Greenwald, R. J., M. A. Oosterwegel, D. van der Woude, A. Kubal, D. A. Mandelbrot, V. A. Boussiotis and A. H. Sharpe (2002). "CTLA-4 regulates cell cycle progression during a primary immune response." *Eur J Immunol* **32**(2): 366-73.
- Greten, T. F. and E. M. Jaffee (1999). "Cancer vaccines." *J Clin Oncol* **17**(3): 1047-60.
- Gross, A., X. M. Yin, K. Wang, M. C. Wei, J. Jockel, C. Milliman, H. Erdjument-Bromage, P. Tempst and S. J. Korsmeyer (1999). "Caspase cleaved BID targets mitochondria and is required for cytochrome c release, while BCL-XL prevents this release but not tumor necrosis factor-R1/Fas death." *J Biol Chem* **274**(2): 1156-63.
- Gross, J. A., E. Callas and J. P. Allison (1992). "Identification and distribution of the costimulatory receptor CD28 in the mouse." *J Immunol* **149**(2): 380-8.
- Gross, L. (1943). "Intradermal immunisation of C3H mice against a sarcoma that originated in an animal of the same line." *Cancer Res.* **3**: 326-333.

- Harms-Ringdahl, M., P. Nicotera and I. R. Radford (1996). "Radiation induced apoptosis." Mutat Res 366(2): 171-9.
- Harper, K., C. Balzano, E. Rouvier, M. G. Mattei, M. F. Luciani and P. Golstein (1991). "CTLA-4 and CD28 activated lymphocyte molecules are closely related in both mouse and human as to sequence, message expression, gene structure, and chromosomal location." J Immunol 147(3): 1037-44.
- Hasenjäger, A., B. Gillissen, A. Muller, G. Normand, P. G. Hemmati, M. Schuler, B. Dörken and P. T. Daniel (2004). "Smac induces cytochrome c release and apoptosis independently from Bax/Bcl-x(L) in a strictly caspase-3-dependent manner in human carcinoma cells." Oncogene 23(26): 4523-35.
- Hedfors, I. A. and J. E. Brinchmann (2003). "Long-term proliferation and survival of in vitro-activated T cells is dependent on Interleukin-2 receptor signalling but not on the high-affinity IL-2R." Scand J Immunol 58(5): 522-32.
- Hengartner, M. O. (2000). "The biochemistry of apoptosis." Nature 407(6805): 770-6.
- Hock, H., M. Dorsch, U. Kunzendorf, Z. Qin, T. Diamantstein and T. Blankenstein (1993b). "Mechanisms of rejection induced by tumor cell-targeted gene transfer of interleukin 2, interleukin 4, interleukin 7, tumor necrosis factor, or interferon gamma." Proc Natl Acad Sci U S A 90(7): 2774-8.
- Hock, H., M. Dorsch, U. Kunzendorf, K. Uberla, Z. Qin, T. Diamantstein and T. Blankenstein (1993a). "Vaccinations with tumor cells genetically engineered to produce different cytokines: effectivity not superior to a classical adjuvant." Cancer Res 53(4): 714-6.
- Hu, S., C. Vincenz, M. Buller and V. M. Dixit (1997). "A novel family of viral death effector domain-containing molecules that inhibit both CD-95- and tumor necrosis factor receptor-1-induced apoptosis." J Biol Chem 272(15): 9621-4.
- Hu, Y., L. Ding, D. M. Spencer and G. Nunez (1998). "WD-40 repeat region regulates Apaf-1 self-association and procaspase-9 activation." J Biol Chem 273(50): 33489-94.
- Huang, A. Y., A. T. Bruce, D. M. Pardoll and H. I. Levitsky (1996). "Does B7-1 expression confer antigen-presenting cell capacity to tumors in vivo?" J Exp Med 183(3): 769-76.
- Hurtado, J. C., S. H. Kim, K. E. Pollok, Z. H. Lee and B. S. Kwon (1995). "Potential role of 4-1BB in T cell activation. Comparison with the costimulatory molecule CD28." J Immunol 155(7): 3360-7.
- Hurtado, J. C., Y. J. Kim and B. S. Kwon (1997). "Signals through 4-1BB are costimulatory to previously activated splenic T cells and inhibit activation-induced cell death." J Immunol 158(6): 2600-9.



- Hutloff, A., A. M. Dittrich, K. C. Beier, B. Eljaschewitsch, R. Kraft, I. Anagnostopoulos and R. A. Kroczeck (1999). "ICOS is an inducible T-cell co-stimulator structurally and functionally related to CD28." Nature 397(6716): 263-6.
- Jang, I. K., Z. H. Lee, Y. J. Kim, S. H. Kim and B. S. Kwon (1998). "Human 4-1BB (CD137) signals are mediated by TRAF2 and activate nuclear factor-kappa B." Biochem Biophys Res Commun 242(3): 613-20.
- Jocham, D., A. Richter, L. Hoffmann, K. Iwig, D. Fahlenkamp, G. Zakrzewski, E. Schmitt, T. Dannenberg, W. Lehmacher, J. von Wietersheim and C. Doehn (2004). "Adjuvant autologous renal tumour cell vaccine and risk of tumour progression in patients with renal-cell carcinoma after radical nephrectomy: phase III, randomised controlled trial." Lancet 363(9409): 594-9.
- Jones, R. G., M. Parsons, M. Bonnard, V. S. Chan, W. C. Yeh, J. R. Woodgett and P. S. Ohashi (2000). "Protein kinase B regulates T lymphocyte survival, nuclear factor kappaB activation, and Bcl-X(L) levels in vivo." J Exp Med 191(10): 1721-34.
- June, C. H., J. A. Ledbetter, P. S. Linsley and C. B. Thompson (1990). "Role of the CD28 receptor in T-cell activation." Immunol Today 11(6): 211-6.
- Kane, L. P., P. G. Andres, K. C. Howland, A. K. Abbas and A. Weiss (2001). "Akt provides the CD28 costimulatory signal for up-regulation of IL-2 and IFN-gamma but not TH2 cytokines." Nat Immunol 2(1): 37-44.
- Kane, L. P., V. S. Shapiro, D. Stokoe and A. Weiss (1999). "Induction of NF-kappaB by the Akt/PKB kinase." Curr Biol 9(11): 601-4.
- Kataoka, T. and J. Tschopp (2004). "N-terminal fragment of c-FLIP(L) processed by caspase 8 specifically interacts with TRAF2 and induces activation of the NF-kappaB signaling pathway." Mol Cell Biol 24(7): 2627-36.
- Kawamata, S., T. Hori, A. Imura, A. Takaori-Kondo and T. Uchiyama (1998). "Activation of OX40 signal transduction pathways leads to tumor necrosis factor receptor-associated factor (TRAF) 2- and TRAF5-mediated NF-kappaB activation." J Biol Chem 273(10): 5808-14.
- Kerr, J. F., A. H. Wyllie and A. R. Currie (1972). "Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics." Br J Cancer 26(4): 239-57.
- Khoshnan, A., C. Tindell, I. Laux, D. Bae, B. Bennett and A. E. Nel (2000). "The NF-kappa B cascade is important in Bcl-xL expression and for the anti-apoptotic effects of the CD28 receptor in primary human CD4+ lymphocytes." J Immunol 165(4): 1743-54.
- Kim, J. O., H. W. Kim, K. M. Baek and C. Y. Kang (2003). "NF-kappaB and AP-1 regulate activation-dependent CD137 (4-1BB) expression in T cells." FEBS Lett 541(1-3): 163-70.

- Kirchhoff, S., W. W. Muller, M. Li-Weber and P. H. Krammer (2000). "Up-regulation of c-FLIPshort and reduction of activation-induced cell death in CD28-costimulated human T cells." Eur J Immunol 30(10): 2765-74.
- Klein, G., H. O. Sjogren, E. Klein and K. E. Hellstrom (1960). "Demonstration of resistance against methylcholanthrene-induced sarcomas in the primary autochthonous host." Cancer Res 20: 1561-72.
- Koprak, S., M. J. Staruch and F. J. Dumont (1999). "A specific inhibitor of the p38 mitogen activated protein kinase affects differentially the production of various cytokines by activated human T cells: dependence on CD28 signaling and preferential inhibition of IL-10 production." Cell Immunol 192(2): 87-95.
- Kotera, Y., K. Shimizu and J. J. Mule (2001). "Comparative analysis of necrotic and apoptotic tumor cells as a source of antigen(s) in dendritic cell-based immunization." Cancer Res 61(22): 8105-9.
- Kothakota, S., T. Azuma, C. Reinhard, A. Klippel, J. Tang, K. Chu, T. J. McGarry, M. W. Kirschner, K. Kohts, D. J. Kwiatkowski and L. T. Williams (1997). "Caspase-3-generated fragment of gelsolin: effector of morphological change in apoptosis." Science 278(5336): 294-8.
- Kozikowski, A. P., H. Sun, J. Brognard and P. A. Dennis (2003). "Novel PI analogues selectively block activation of the pro-survival serine/threonine kinase Akt." J Am Chem Soc 125(5): 1144-5.
- Krammer, P. H. (1999). "CD95(APO-1/Fas)-mediated apoptosis: live and let die." Adv Immunol 71: 163-210.
- Kusumoto, M., S. Umeda, A. Ikubo, Y. Aoki, O. Tawfik, R. Oben, S. Williamson, W. Jewell and T. Suzuki (2001). "Phase 1 clinical trial of irradiated autologous melanoma cells adenovirally transduced with human GM-CSF gene." Cancer Immunol Immunother 50(7): 373-81.
- Kwon, B. S. and S. M. Weissman (1989). "cDNA sequences of two inducible T-cell genes." Proc Natl Acad Sci U S A 86(6): 1963-7.
- Laemmli, U. K. (1970). "Cleavage of structural proteins during the assembly of the head of bacteriophage T4." Nature 227(259): 680-5.
- Lafont, V., E. Astoul, A. Laurence, J. Liautard and D. Cantrell (2000). "The T cell antigen receptor activates phosphatidylinositol 3-kinase-regulated serine kinases protein kinase B and ribosomal S6 kinase 1." FEBS Lett 486(1): 38-42.
- Lee, H. W., K. O. Nam, S. J. Park and B. S. Kwon (2003). "4-1BB enhances CD8+ T cell expansion by regulating cell cycle progression through changes in expression of cyclins D and E and cyclin-dependent kinase inhibitor p27kip1." Eur J Immunol 33(8): 2133-41.

- Lee, H. W., S. J. Park, B. K. Choi, H. H. Kim, K. O. Nam and B. S. Kwon (2002). "4-1BB promotes the survival of CD8+ T lymphocytes by increasing expression of Bcl-xL and Bfl-1." J Immunol **169**(9): 4882-8.
- Leek, R. D., C. E. Lewis, R. Whitehouse, M. Greenall, J. Clarke and A. L. Harris (1996). "Association of macrophage infiltration with angiogenesis and prognosis in invasive breast carcinoma." Cancer Res **56**(20): 4625-9.
- Lenschow, D. J., G. H. Su, L. A. Zuckerman, N. Nabavi, C. L. Jellis, G. S. Gray, J. Miller and J. A. Bluestone (1993). "Expression and functional significance of an additional ligand for CTLA-4." Proc Natl Acad Sci U S A **90**(23): 11054-8.
- Lenschow, D. J., T. L. Walunas and J. A. Bluestone (1996). "CD28/B7 system of T cell costimulation." Annu Rev Immunol **14**: 233-58.
- Lewis, J. S., R. J. Landers, J. C. Underwood, A. L. Harris and C. E. Lewis (2000). "Expression of vascular endothelial growth factor by macrophages is up-regulated in poorly vascularized areas of breast carcinomas." J Pathol **192**(2): 150-8.
- Lin, J. X. and W. J. Leonard (2000). "The role of Stat5a and Stat5b in signaling by IL-2 family cytokines." Oncogene **19**(21): 2566-76.
- Lindsten, T., K. P. Lee, E. S. Harris, B. Petryniak, N. Craighead, P. J. Reynolds, D. B. Lombard, G. J. Freeman, L. M. Nadler, G. S. Gray and et al. (1993). "Characterization of CTLA-4 structure and expression on human T cells." J Immunol **151**(7): 3489-99.
- Linsley, P. S., J. L. Greene, W. Brady, J. Bajorath, J. A. Ledbetter and R. Peach (1994). "Human B7-1 (CD80) and B7-2 (CD86) bind with similar avidities but distinct kinetics to CD28 and CTLA-4 receptors." Immunity **1**(9): 793-801.
- Linsley, P. S. and J. A. Ledbetter (1993). "The role of the CD28 receptor during T cell responses to antigen." Annu Rev Immunol **11**: 191-212.
- Maeda, H. and T. Akaike (1998). "Nitric oxide and oxygen radicals in infection, inflammation, and cancer." Biochemistry (Mosc) **63**(7): 854-65.
- Maniatis, T., J. Sambrook and E. F. Fritsch (1989). Molecular Cloning : A Laboratory Manual, Cold Spring Harbor Laboratory.
- Mattson, M. P. (2000). "Apoptosis in neurodegenerative disorders." Nat Rev Mol Cell Biol **1**(2): 120-9.
- McAdam, A. J., T. T. Chang, A. E. Lumelsky, E. A. Greenfield, V. A. Boussiotis, J. S. Duke-Cohan, T. Chernova, N. Malenkovich, C. Jabs, V. K. Kuchroo, V. Ling, M. Collins, A. H. Sharpe and G. J. Freeman (2000). "Mouse inducible costimulatory molecule (ICOS) expression is enhanced by CD28 costimulation and regulates differentiation of CD4+ T cells." J Immunol **165**(9): 5035-40.

- McAdam, A. J., A. N. Schweitzer and A. H. Sharpe (1998). "The role of B7 co-stimulation in activation and differentiation of CD4+ and CD8+ T cells." Immunol Rev 165: 231-47.
- Melcher, A., S. Todryk, N. Hardwick, M. Ford, M. Jacobson and R. G. Vile (1998). "Tumor immunogenicity is determined by the mechanism of cell death via induction of heat shock protein expression." Nat Med 4(5): 581-7.
- Melero, I., J. V. Johnston, W. W. Shufford, R. S. Mittler and L. Chen (1998). "NK1.1 cells express 4-1BB (CDw137) costimulatory molecule and are required for tumor immunity elicited by anti-4-1BB monoclonal antibodies." Cell Immunol 190(2): 167-72.
- Melero, I., W. W. Shuford, S. A. Newby, A. Aruffo, J. A. Ledbetter, K. E. Hellstrom, R. S. Mittler and L. Chen (1997). "Monoclonal antibodies against the 4-1BB T-cell activation molecule eradicate established tumors." Nat Med 3(6): 682-5.
- Micheau, O., S. Lens, O. Gaide, K. Alevizopoulos and J. Tschopp (2001). "NF-kappaB signals induce the expression of c-FLIP." Mol Cell Biol 21(16): 5299-305.
- Mora, A. L., R. A. Corn, A. K. Stanic, S. Goenka, M. Aronica, S. Stanley, D. W. Ballard, S. Joyce and M. Boothby (2003). "Antiapoptotic function of NF-kappaB in T lymphocytes is influenced by their differentiation status: roles of Fas, c-FLIP, and Bcl-xL." Cell Death Differ 10(9): 1032-44.
- Mueller, N. (1999). "Overview of the epidemiology of malignancy in immune deficiency." J Acquir Immune Defic Syndr 21 Suppl 1: S5-10.
- Murata, K., N. Ishii, H. Takano, S. Miura, L. C. Ndhlovu, M. Nose, T. Noda and K. Sugamura (2000). "Impairment of antigen-presenting cell function in mice lacking expression of OX40 ligand." J Exp Med 191(2): 365-74.
- Muzio, M., A. M. Chinnaiyan, F. C. Kischkel, K. O'Rourke, A. Shevchenko, J. Ni, C. Scaffidi, J. D. Bretz, M. Zhang, R. Gentz, M. Mann, P. H. Krammer, M. E. Peter and V. M. Dixit (1996). "FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death-inducing signaling complex." Cell 85(6): 817-27.
- Nagata, S. and P. Golstein (1995). "The Fas death factor." Science 267(5203): 1449-56.
- Nam, K. O., H. Kang, S. M. Shin, K. H. Cho, B. Kwon, B. S. Kwon, S. J. Kim and H. W. Lee (2005). "Cross-Linking of 4-1BB Activates TCR-Signaling Pathways in CD8+ T Lymphocytes." J Immunol 174(4): 1898-905.
- Nam, S. Y., G. A. Jung, G. C. Hur, H. Y. Chung, W. H. Kim, D. W. Seol and B. L. Lee (2003). "Upregulation of FLIP(S) by Akt, a possible inhibition mechanism of TRAIL-induced apoptosis in human gastric cancers." Cancer Sci 94(12): 1066-73.

- Nanda, N. K. and E. E. Sercarz (1995). "Induction of anti-self-immunity to cure cancer." Cell 82(1): 13-7.
- Natoli, G., A. Costanzo, F. Moretti, M. Fulco, C. Balsano and M. Levrero (1997). "Tumor necrosis factor (TNF) receptor 1 signaling downstream of TNF receptor-associated factor 2. Nuclear factor kappaB (NFkappaB)-inducing kinase requirement for activation of activating protein 1 and NFkappaB but not of c-Jun N-terminal kinase/stress-activated protein kinase." J Biol Chem 272(42): 26079-82.
- Nawrocki, S., P. Murawa, J. Malicki, M. Kapcinska, K. Gryska, D. Izycki, A. Kaczmarek, M. Laciak, A. Czapczyk, A. Karczewska, S. Rose-John and A. Mackiewicz (2000). "Genetically modified tumour vaccines (GMTV) in melanoma clinical trials." Immunol Lett 74(1): 81-6.
- Nicoletti, I., G. Migliorati, M. C. Pagliacci, F. Grignani and C. Riccardi (1991). "A rapid and simple method for measuring thymocyte apoptosis by propidium iodide staining and flow cytometry." J Immunol Methods 139(2): 271-9.
- Ohshima, Y., Y. Tanaka, H. Tozawa, Y. Takahashi, C. Maliszewski and G. Delespesse (1997). "Expression and function of OX40 ligand on human dendritic cells." J Immunol 159(8): 3838-48.
- Okazaki, T., Y. Iwai and T. Honjo (2002). "New regulatory co-receptors: inducible co-stimulator and PD-1." Curr Opin Immunol 14(6): 779-82.
- Okkenhaug, K. and B. Vanhaesebroeck (2003). "PI3K in lymphocyte development, differentiation and activation." Nat Rev Immunol 3(4): 317-30.
- Ostrov, D. A., W. Shi, J. C. Schwartz, S. C. Almo and S. G. Nathenson (2000). "Structure of murine CTLA-4 and its role in modulating T cell responsiveness." Science 290(5492): 816-9.
- Oya, R. and K. Ikemura (2004). "Spontaneous regression of recurrent squamous cell carcinoma of the tongue." Int J Clin Oncol 9(4): 339-42.
- Ozes, O. N., L. D. Mayo, J. A. Gustin, S. R. Pfeffer, L. M. Pfeffer and D. B. Donner (1999). "NF-kappaB activation by tumour necrosis factor requires the Akt serine-threonine kinase." Nature 401(6748): 82-5.
- Pages, F., M. Ragueneau, R. Rottapel, A. Truneh, J. Nunes, J. Imbert and D. Olive (1994). "Binding of phosphatidylinositol-3-OH kinase to CD28 is required for T-cell signalling." Nature 369(6478): 327-9.
- Pan, G., K. O'Rourke, A. M. Chinnaiyan, R. Gentz, R. Ebner, J. Ni and V. M. Dixit (1997). "The receptor for the cytotoxic ligand TRAIL." Science 276(5309): 111-3.
- Panka, D. J., T. Mano, T. Suhara, K. Walsh and J. W. Mier (2001). "Phosphatidylinositol 3-kinase/Akt activity regulates c-FLIP expression in tumor cells." J Biol Chem 276(10): 6893-6.

- Pardoll, D. M. (1998). "Cancer vaccines." Nat Med 4(5 Suppl): 525-31.
- Parry, R. V., K. Reif, G. Smith, D. M. Sansom, B. A. Hemmings and S. G. Ward (1997). "Ligation of the T cell co-stimulatory receptor CD28 activates the serine-threonine protein kinase protein kinase B." Eur J Immunol 27(10): 2495-501.
- Penn, I. (2000). "Post-transplant malignancy: the role of immunosuppression." Drug Saf 23(2): 101-13.
- Peter, M. E., F. C. Kischkel, C. G. Scheuerpflug, J. P. Medema, K. M. Debatin and P. H. Krammer (1997). "Resistance of cultured peripheral T cells towards activation-induced cell death involves a lack of recruitment of FLICE (MACH/caspase 8) to the CD95 death-inducing signaling complex." Eur J Immunol 27(5): 1207-12.
- Petschner, F., C. Zimmerman, A. Strasser, D. Grillot, G. Nunez and H. Pircher (1998). "Constitutive expression of Bcl-xL or Bcl-2 prevents peptide antigen-induced T cell deletion but does not influence T cell homeostasis after a viral infection." Eur J Immunol 28(2): 560-9.
- Pham, C. T. and T. J. Ley (1997). "The role of granzyme B cluster proteases in cell-mediated cytotoxicity." Semin Immunol 9(2): 127-33.
- Plas, D. R., J. C. Rathmell and C. B. Thompson (2002). "Homeostatic control of lymphocyte survival: potential origins and implications." Nat Immunol 3(6): 515-21.
- Pollok, K. E., Y. J. Kim, Z. Zhou, J. Hurtado, K. K. Kim, R. T. Pickard and B. S. Kwon (1993). "Inducible T cell antigen 4-1BB. Analysis of expression and function." J Immunol 150(3): 771-81.
- Prasad, K. V., Y. C. Cai, M. Raab, B. Duckworth, L. Cantley, S. E. Shoelson and C. E. Rudd (1994). "T-cell antigen CD28 interacts with the lipid kinase phosphatidylinositol 3-kinase by a cytoplasmic Tyr(P)-Met-Xaa-Met motif." Proc Natl Acad Sci U S A 91(7): 2834-8.
- Prehn, R. T. and J. M. Main (1957). "Immunity to methylcholanthrene-induced sarcomas." J Natl Cancer Inst 18(6): 769-78.
- Qin, Z. and T. Blankenstein (2004). "A cancer immunosurveillance controversy." Nat Immunol 5(1): 3-4; author reply 4-5.
- Rathmell, J. C. and C. B. Thompson (2002). "Pathways of apoptosis in lymphocyte development, homeostasis, and disease." Cell 109 Suppl: S97-107.
- Refaeli, Y., L. Van Parijs, C. A. London, J. Tschopp and A. K. Abbas (1998). "Biochemical mechanisms of IL-2-regulated Fas-mediated T cell apoptosis." Immunity 8(5): 615-23.
- Regnier, C. H., H. Y. Song, X. Gao, D. V. Goeddel, Z. Cao and M. Rothe (1997). "Identification and characterization of an IkappaB kinase." Cell 90(2): 373-83.

- Rickinson, A. B. and D. J. Moss (1997). "Human cytotoxic T lymphocyte responses to Epstein-Barr virus infection." Annu Rev Immunol 15: 405-31.
- Riley, J. L., P. J. Blair, J. T. Musser, R. Abe, K. Tezuka, T. Tsuji and C. H. June (2001). "ICOS costimulation requires IL-2 and can be prevented by CTLA-4 engagement." J Immunol 166(8): 4943-8.
- Rivas, F. V., S. O'Herrin and T. F. Gajewski (2001). "CD28 is not required for c-Jun N-terminal kinase activation in T cells." J Immunol 167(6): 3123-8.
- Rodriguez, J. and Y. Lazebnik (1999). "Caspase-9 and APAF-1 form an active holoenzyme." Genes Dev 13(24): 3179-84.
- Rogers, P. R., J. Song, I. Gramaglia, N. Killeen and M. Croft (2001). "OX40 promotes Bcl-xL and Bcl-2 expression and is essential for long-term survival of CD4 T cells." Immunity 15(3): 445-55.
- Romashkova, J. A. and S. S. Makarov (1999). "NF-kappaB is a target of AKT in anti-apoptotic PDGF signalling." Nature 401(6748): 86-90.
- Rothe, M., V. Sarma, V. M. Dixit and D. V. Goeddel (1995). "TRAF2-mediated activation of NF-kappa B by TNF receptor 2 and CD40." Science 269(5229): 1424-7.
- Rousseau, R. F., A. E. Haight, C. Hirschmann-Jax, E. S. Yvon, D. R. Rill, Z. Mei, S. C. Smith, S. Inman, K. Cooper, P. Alcoser, B. Grilley, A. Gee, E. Popek, A. Davidoff, L. C. Bowman, M. K. Brenner and D. Strother (2003). "Local and systemic effects of an allogeneic tumor cell vaccine combining transgenic human lymphotactin with interleukin-2 in patients with advanced or refractory neuroblastoma." Blood 101(5): 1718-26.
- Sakahira, H., M. Enari and S. Nagata (1998). "Cleavage of CAD inhibitor in CAD activation and DNA degradation during apoptosis." Nature 391(6662): 96-9.
- Saoulli, K., S. Y. Lee, J. L. Cannons, W. C. Yeh, A. Santana, M. D. Goldstein, N. Bangia, M. A. DeBenedette, T. W. Mak, Y. Choi and T. H. Watts (1998). "CD28-independent, TRAF2-dependent costimulation of resting T cells by 4-1BB ligand." J Exp Med 187(11): 1849-62.
- Scaffidi, C., S. Fulda, A. Srinivasan, C. Friesen, F. Li, K. J. Tomaselli, K. M. Debatin, P. H. Krammer and M. E. Peter (1998). "Two CD95 (APO-1/Fas) signaling pathways." EMBO J 17(6): 1675-87.
- Scaffidi, C., I. Schmitz, P. H. Krammer and M. E. Peter (1999). "The role of c-FLIP in modulation of CD95-induced apoptosis." J Biol Chem 274(3): 1541-8.
- Schafer, P. H., S. A. Wadsworth, L. Wang and J. J. Siekierka (1999a). "p38 alpha mitogen-activated protein kinase is activated by CD28-mediated signaling and is required for IL-4 production by human CD4+CD45RO+ T cells and Th2 effector cells." J Immunol 162(12): 7110-9.

- Schafer, P. H., L. Wang, S. A. Wadsworth, J. E. Davis and J. J. Siekierka (1999b). "T cell activation signals up-regulate p38 mitogen-activated protein kinase activity and induce TNF-alpha production in a manner distinct from LPS activation of monocytes." J Immunol **162**(2): 659-68.
- Scheffer, S. R., H. Nave, F. Korangy, K. Schlote, R. Pabst, E. M. Jaffee, M. P. Manns and T. F. Greten (2003). "Apoptotic, but not necrotic, tumor cell vaccines induce a potent immune response in vivo." Int J Cancer **103**(2): 205-11.
- Schendel, D. J., B. Frankenberger, P. Jantzer, S. Cayeux, E. Nobetaner, G. Willimsky, B. Maget, H. Pohla and T. Blankenstein (2000). "Expression of B7.1 (CD80) in a renal cell carcinoma line allows expansion of tumor-associated cytotoxic T lymphocytes in the presence of an alloresponse." Gene Ther **7**(23): 2007-14.
- Schmitz, I., A. Krueger, S. Baumann, H. Schulze-Bergkamen, P. H. Krammer and S. Kirchhoff (2003). "An IL-2-dependent switch between CD95 signaling pathways sensitizes primary human T cells toward CD95-mediated activation-induced cell death." J Immunol **171**(6): 2930-6.
- Schnurr, M., C. Scholz, S. Rothenfusser, P. Galambos, M. Dauer, J. Robe, S. Endres and A. Eigler (2002). "Apoptotic pancreatic tumor cells are superior to cell lysates in promoting cross-priming of cytotoxic T cells and activate NK and gammadelta T cells." Cancer Res **62**(8): 2347-52.
- Scholz, C., L. Stärck, G. Willimsky, T. Blankenstein, B. Dörken and P. T. Daniel (2002). "Adenoviral transduction of tumor cells induces apoptosis in co-cultured T lymphocytes." Gene Ther **9**(21): 1438-46.
- Schwartz, J. C., X. Zhang, A. A. Fedorov, S. G. Nathenson and S. C. Almo (2001). "Structural basis for co-stimulation by the human CTLA-4/B7-2 complex." Nature **410**(6828): 604-8.
- Schwarz, H., K. Arden and M. Lotz (1997). "CD137, a member of the tumor necrosis factor receptor family, is located on chromosome 1p36, in a cluster of related genes, and colocalizes with several malignancies." Biochem Biophys Res Commun **235**(3): 699-703.
- Schwarz, H., J. Tuckwell and M. Lotz (1993). "A receptor induced by lymphocyte activation (ILA): a new member of the human nerve-growth-factor/tumor-necrosis-factor receptor family." Gene **134**(2): 295-8.
- Shaif-Muthana, M., C. McIntyre, K. Sisley, I. Rennie and A. Murray (2000). "Dead or alive: immunogenicity of human melanoma cells when presented by dendritic cells." Cancer Res **60**(22): 6441-7.
- Shinomiya, N. (2001). "New concepts in radiation-induced apoptosis: 'premitotic apoptosis' and 'postmitotic apoptosis'." J Cell Mol Med **5**(3): 240-53.



- Shuford, W. W., K. Klussman, D. D. Tritchler, D. T. Loo, J. Chalupny, A. W. Siadak, T. J. Brown, J. Emswiler, H. Raecho, C. P. Larsen, T. C. Pearson, J. A. Ledbetter, A. Aruffo and R. S. Mittler (1997). "4-1BB costimulatory signals preferentially induce CD8+ T cell proliferation and lead to the amplification in vivo of cytotoxic T cell responses." J Exp Med 186(1): 47-55.
- Siefken, R., S. Klein-Hessling, E. Serfling, R. Kurrle and R. Schwinzer (1998). "A CD28-associated signaling pathway leading to cytokine gene transcription and T cell proliferation without TCR engagement." J Immunol 161(4): 1645-51.
- Simons, J. W., B. Mikhak, J. F. Chang, A. M. DeMarzo, M. A. Carducci, M. Lim, C. E. Weber, A. A. Baccala, M. A. Goemann, S. M. Clift, D. G. Ando, H. I. Levitsky, L. K. Cohen, M. G. Sanda, R. C. Mulligan, A. W. Partin, H. B. Carter, S. Piantadosi, F. F. Marshall and W. G. Nelson (1999). "Induction of immunity to prostate cancer antigens: results of a clinical trial of vaccination with irradiated autologous prostate tumor cells engineered to secrete granulocyte-macrophage colony-stimulating factor using ex vivo gene transfer." Cancer Res 59(20): 5160-8.
- Skurk, C., H. Maatz, H. S. Kim, J. Yang, M. R. Abid, W. C. Aird and K. Walsh (2004). "The Akt-regulated forkhead transcription factor FOXO3a controls endothelial cell viability through modulation of the caspase-8 inhibitor FLIP." J Biol Chem 279(2): 1513-25.
- Smith, P. K., R. I. Krohn, G. T. Hermanson, A. K. Mallia, F. H. Gartner, M. D. Provenzano, E. K. Fujimoto, N. M. Goeke, B. J. Olson and D. C. Klenk (1985). "Measurement of protein using bicinchoninic acid." Anal Biochem 150(1): 76-85.
- Song, J., S. Salek-Ardakani, P. R. Rogers, M. Cheng, L. Van Parijs and M. Croft (2004). "The costimulation-regulated duration of PKB activation controls T cell longevity." Nat Immunol 5(2): 150-8.
- Speiser, D. E., R. Miranda, A. Zakarian, M. F. Bachmann, K. McKall-Faienza, B. Odermatt, D. Hanahan, R. M. Zinkernagel and P. S. Ohashi (1997). "Self antigens expressed by solid tumors Do not efficiently stimulate naive or activated T cells: implications for immunotherapy." J Exp Med 186(5): 645-53.
- Staveley-O'Carroll, K., E. Sotomayor, J. Montgomery, I. Borrello, L. Hwang, S. Fein, D. Pardoll and H. Levitsky (1998). "Induction of antigen-specific T cell anergy: An early event in the course of tumor progression." Proc Natl Acad Sci U S A 95(3): 1178-83.
- Stennicke, H. R., Q. L. Deveraux, E. W. Humke, J. C. Reed, V. M. Dixit and G. S. Salvesen (1999). "Caspase-9 can be activated without proteolytic processing." J Biol Chem 274(13): 8359-62.
- Stuber, E., M. Neurath, D. Calderhead, H. P. Fell and W. Strober (1995). "Cross-linking of OX40 ligand, a member of the TNF/NGF cytokine family, induces proliferation and differentiation in murine splenic B cells." Immunity 2(5): 507-21.

- Suhara, T., T. Mano, B. E. Oliveira and K. Walsh (2001). "Phosphatidylinositol 3-kinase/Akt signaling controls endothelial cell sensitivity to Fas-mediated apoptosis via regulation of FLICE-inhibitory protein (FLIP)." Circ Res 89(1): 13-9.
- Takahashi, C., R. S. Mittler and A. T. Vella (1999). "Cutting edge: 4-1BB is a bona fide CD8 T cell survival signal." J Immunol 162(9): 5037-40.
- Takahashi, S., P. Yotnda, R. F. Rousseau, Z. Mei, S. Smith, D. Rill, A. Younes and M. K. Brenner (2001). "Transgenic expression of CD40L and interleukin-2 induces an autologous antitumor immune response in patients with non-Hodgkin's lymphoma." Cancer Gene Ther 8(5): 378-87.
- Takeuchi, M., M. Rothe and D. V. Goeddel (1996). "Anatomy of TRAF2. Distinct domains for nuclear factor-kappaB activation and association with tumor necrosis factor signaling proteins." J Biol Chem 271(33): 19935-42.
- Tan, J. T., J. Ha, H. R. Cho, C. Tucker-Burden, R. C. Hendrix, R. S. Mittler, T. C. Pearson and C. P. Larsen (2000). "Analysis of expression and function of the costimulatory molecule 4-1BB in alloimmune responses." Transplantation 70(1): 175-83.
- Tang, R., F. Beuvon, M. Ojeda, V. Mosseri, P. Pouillart and S. Scholl (1992). "M-CSF (monocyte colony stimulating factor) and M-CSF receptor expression by breast tumour cells: M-CSF mediated recruitment of tumour infiltrating monocytes?" J Cell Biochem 50(4): 350-6.
- Thomas, L. (1959). "Reactions to homologous tissue antigens in relation to hypersensitivity." In: Lawrence HS, ed. Cellular and Humoral Aspects of the Hypersensitive States. New York: Hoeber-Harper: 529-530.
- Thome, M., P. Schneider, K. Hofmann, H. Fickenscher, E. Meinel, F. Neipel, C. Mattmann, K. Burns, J. L. Bodmer, M. Schroter, C. Scaffidi, P. H. Krammer, M. E. Peter and J. Tschopp (1997). "Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors." Nature 386(6624): 517-21.
- Thome, M. and J. Tschopp (2001). "Regulation of lymphocyte proliferation and death by FLIP." Nat Rev Immunol 1(1): 50-8.
- Thornberry, N. A., T. A. Rano, E. P. Peterson, D. M. Rasper, T. Timkey, M. Garcia-Calvo, V. M. Houtzager, P. A. Nordstrom, S. Roy, J. P. Vaillancourt, K. T. Chapman and D. W. Nicholson (1997). "A combinatorial approach defines specificities of members of the caspase family and granzyme B. Functional relationships established for key mediators of apoptosis." J Biol Chem 272(29): 17907-11.
- Tivol, E. A., F. Borriello, A. N. Schweitzer, W. P. Lynch, J. A. Bluestone and A. H. Sharpe (1995). "Loss of CTLA-4 leads to massive lymphoproliferation and fatal multiorgan tissue destruction, revealing a critical negative regulatory role of CTLA-4." Immunity 3(5): 541-7.

- Van Parijs, L. and A. K. Abbas (1998). "Homeostasis and self-tolerance in the immune system: turning lymphocytes off." Science 280(5361): 243-8.
- Vanhaesebroeck, B. and D. R. Alessi (2000). "The PI3K-PDK1 connection: more than just a road to PKB." Biochem J 346 Pt 3: 561-76.
- Vermes, I., C. Haanen, D. J. Richel, M. R. Schaafsma, E. Kalsbeek-Batenburg and C. P. Reutelingsperger (1997). "Apoptosis and secondary necrosis of lymphocytes in culture." Acta Haematol 98(1): 8-13.
- Vermes, I., C. Haanen, H. Steffens-Nakken and C. Reutelingsperger (1995). "A novel assay for apoptosis. Flow cytometric detection of phosphatidylserine expression on early apoptotic cells using fluorescein labelled Annexin V." J Immunol Methods 184(1): 39-51.
- Vermorken, J. B., A. M. Claessen, H. van Tinteren, H. E. Gall, R. Ezinga, S. Meijer, R. J. Scheper, C. J. Meijer, E. Bloemena, J. H. Ransom, M. G. Hanna, Jr. and H. M. Pinedo (1999). "Active specific immunotherapy for stage II and stage III human colon cancer: a randomised trial." Lancet 353(9150): 345-50.
- Vinay, D. S. and B. S. Kwon (1998). "Role of 4-1BB in immune responses." Semin Immunol 10(6): 481-9.
- Walker, L. S., A. Gulbranson-Judge, S. Flynn, T. Brocker, C. Raykundalia, M. Goodall, R. Forster, M. Lipp and P. Lane (1999). "Compromised OX40 function in CD28-deficient mice is linked with failure to develop CXC chemokine receptor 5-positive CD4 cells and germinal centers." J Exp Med 190(8): 1115-22.
- Walunas, T. L., D. J. Lenschow, C. Y. Bakker, P. S. Linsley, G. J. Freeman, J. M. Green, C. B. Thompson and J. A. Bluestone (1994). "CTLA-4 can function as a negative regulator of T cell activation." Immunity 1(5): 405-13.
- Watts, T. H. and M. A. DeBenedette (1999). "T cell co-stimulatory molecules other than CD28." Curr Opin Immunol 11(3): 286-93.
- Weinberg, A. D., A. T. Vella and M. Croft (1998). "OX-40: life beyond the effector T cell stage." Semin Immunol 10(6): 471-80.
- Wen, T., J. Bukczynski and T. H. Watts (2002). "4-1BB ligand-mediated costimulation of human T cells induces CD4 and CD8 T cell expansion, cytokine production, and the development of cytolytic effector function." J Immunol 168(10): 4897-906.
- Whiteside, T. L. and R. B. Herberman (1995). "The role of natural killer cells in immune surveillance of cancer." Curr Opin Immunol 7(5): 704-10.
- Wieder, T., A. Prokop, B. Bagci, F. Essmann, D. Bernicke, K. Schulze-Osthoff, B. Dörken, H. G. Schmalz, P. T. Daniel and G. Henze (2001). "Piceatannol, a hydroxylated analog of the chemopreventive agent resveratrol, is a potent inducer of apoptosis in the lymphoma cell line BJAB and in primary, leukemic lymphoblasts." Leukemia 15(11): 1735-42.

- Wiley, S. R., K. Schooley, P. J. Smolak, W. S. Din, C. P. Huang, J. K. Nicholl, G. R. Sutherland, T. D. Smith, C. Rauch, C. A. Smith and et al. (1995). "Identification and characterization of a new member of the TNF family that induces apoptosis." Immunity 3(6): 673-82.
- Willimsky, G. and T. Blankenstein (2000). "Interleukin-7/B7.1-encoding adenoviruses induce rejection of transplanted but not nontransplanted tumors." Cancer Res 60(3): 685-92.
- Willimsky, G. and T. Blankenstein (2000). "Interleukin-7/B7.1-encoding adenoviruses induce rejection of transplanted but not nontransplanted tumors." Cancer Res 60(3): 685-92.
- Xu, L. G., L. Y. Li and H. B. Shu (2004). "TRAF7 potentiates MEKK3-induced AP1 and CHOP activation and induces apoptosis." J Biol Chem 279(17): 17278-82.
- Yamamoto, Y. and R. B. Gaynor (2001). "Therapeutic potential of inhibition of the NF-kappaB pathway in the treatment of inflammation and cancer." J Clin Invest 107(2): 135-42.
- Yannelli, J. R., C. Hyatt, S. Johnson, P. Hwu and S. A. Rosenberg (1993). "Characterization of human tumor cell lines transduced with the cDNA encoding either tumor necrosis factor alpha (TNF-a) or interleukin-2 (IL-2)." J Immunol Methods 161(1): 77-90.
- Zhang, X., J. C. Schwartz, S. C. Almo and S. G. Nathenson (2003). "Crystal structure of the receptor-binding domain of human B7-2: insights into organization and signaling." Proc Natl Acad Sci U S A 100(5): 2586-91.
- Zhou, L., R. Yuan and L. Sergio (2003). "Molecular mechanisms of irradiation-induced apoptosis." Front Biosci 8: d9-19.
- Zhou, Z., S. Kim, J. Hurtado, Z. H. Lee, K. K. Kim, K. E. Pollok and B. S. Kwon (1995). "Characterization of human homologue of 4-1BB and its ligand." Immunol Lett 45(1-2): 67-73.
- Zou, H., Y. Li, X. Liu and X. Wang (1999). "An APAF-1.cytochrome c multimeric complex is a functional apoptosome that activates procaspase-9." J Biol Chem 274(17): 11549-56.