

7 Literatur

- Azar S**, Johnson MA, Scheinman J, Bruno L, Tobian L. Regulation of glomerular capillary pressure and filtration rate in young Kyoto hypertensive rats. *Clin Sci (Lond)*. **1979**;56:203-9.
- Bianchi G**, Cusi D, Guidi E. Renal hemodynamics in human subjects and in animals with genetic hypertension during the prehypertensive stage. *Am J Nephrol*. **1983**;3:73-9.
- Bianchi S**, Bigazzi R, Campese VM. Microalbuminuria in essential hypertension: significance, pathophysiology, and therapeutic implications. *Am J Kidney Dis*. **1999**;34: 973-95.
- Bianchi G**, Tripodi G, Casari G, Salardi S, Barber BR, Garcia R, Leoni P, Torielli L, Cusi D, Ferrandi M, et al. Two point mutations within the adducin genes are involved in blood pressure variation. *Proc Natl Acad Sci USA* **1994**;91:3999-4003.
- Brenner BM**, Garcia DL, Anderson S. Glomeruli and blood pressure. Less of one, more the other? *Am J Hypert* **1988**;1:335-347.
- Campese VM**. Effects of calcium antagonists on deranged modulation of the renal function curve in salt-sensitive patients with essential hypertension. *Am J Cardiol*. **1988**;62:85G-91G.
- Casari G**, Barlassina C, Cusi D, Zagato L, Muirhead R, Righetti M, Nembri P, Amar K, Gatti M, Macciardi F, Binelli G, Bianchi G. Association of the alpha-adducin locus with essential hypertension. *Hypertension* **1995**;25:320-326.
- Cusi D**, Barlassina C, Azzani T, Casari G, Citterio L, Devoto M, Glorioso N, Lanzani C, Manunta P, Righetti M, Rivera R, Stella P, Troffa C, Zagato L, Bianchi G. Polymorphisms of α -adducin and salt sensitività in patients with essential hypertension. *Lancet* **1997**;349:1353-1357.
- De Heer E**, Sijpkens YWJ, Verkade M, den Dulk M, Langers A, Schutrops J, Bruijn JA, van Es LA. Morphometrie of interstitial fibrosis. *Nephrol Dial Transplant* **2000**;15:72-73.
- Dworkin LD**, Hostetter TH, Rennke HG, Brenner BM. Hemodynamic basis for glomerular injury in rats with desoxycorticosterone-salt hypertension. *J Clin Invest*. **1984**;73:1448-61.
- Fliser D**, Ritz E. Does essential hypertension cause progressive renal disease? *J Hypertens Suppl*. **1998**;16:S13-5.

Ganten D, de Jong W. *Handbook of Hypertension* **1994**, Vol. 16: Experimental and genetic models of hypertension. Elsevier Science B. V.

Hübner N, Kreutz R: Molekular definierte Modelle in der Herz-Kreislauf-Forschung, in Ganten D, Ruckpaul K (eds): *Handbuch der molekularen Medizin*. Heidelberg, Springer-Verlag, **1998**, pp 401-412.

Johnson RJ, Schreiner GF. Hypothesis: The role of acquired tubulointerstitial disease in the pathogenesis of salt-dependent hypertension. *Kidney Int* **1997**;52:1169-1179. Review.

Keller G, Zimmer G, Mall G, Ritz E, Amann K. Nephron number in patients with primary hypertension. *N Engl J Med* **2003**;348:101-8.

Kimura G, Ashida T, Abe H, Kawano Y, Yoshimi H, Sanai T, Imanishi M, Yoshida K, Kawamura M, Kojima S, Kuramochi M, Omae T. Sodium sensitive and sodium retaining hypertension. *Am J Hypertens*. **1990**;3:854-8.

Kreutz R, Paul M, Ganten D. Hypertonie, In: Gerok W, Huber C, Meinertz T, Zeidler H (eds): *Die Innere Medizin*. Stuttgart, 10. Aufl., Stuttgart, New York:Schattauer, **2000**; Kap. 6.10:377-399.

Kreutz R, Siegel AK, Schulz A, Ganten D: Genetische Faktoren, in Rosenthal J, Kolloch R (Hrsg): *Arterielle Hypertonie*. 4 Aufl., Heidelberg; Berlin: Springer, **2004**, Kap. II.2.

Kreutz R, Kovacevic L, Schulz A, Rothermund L, Ketteler M, Paul M. Effect of high NaCl diet on spontaneous hypertension in a genetic rat model with reduced nephron number. *J Hypertens* **2000**;18:777-82.

Kritz W, Bankir L. A standard nomenclature for structures of the kidney. The Renal Commission of the International Union of Physiological Sciences (IUPS). *Kidney Int*. **1988**;33:1-7.

Lander E, Kruglyak L. Genetic dissection of complex traits: guidelines for interpreting and reporting linkage results. *Nat Genet* **1995**;11:241-247.

Lander ES, Green P, Abrahamson J, Barlow A, Daly MJ, Lincoln SE, Newburg L. MAPMAKER: an interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* **1987**;1:174-81.

Lifton RP, Gharavi AG, Geller DS. Molecular mechanisms of human hypertension. *Cell* **2001**;104:545-56.

Luft FC. [Cum grano salis.] *Dtsch Med Wochenschr* **1999**;124:1351-1355.

- Mann JF**, Gerstein HC, Pogue J, Bosch J, Yusuf S: Renal insufficiency as a predictor of cardiovascular outcomes and the impact of ramipril: the HOPE randomized trial. *Ann Intern Med* **2001**;134:629-36.
- Manunta P**, Cusi D, Barlascina C, Righetti M, Lanzani C, D'Amico M, Buzzi L, Stella P, Rivera R, Bianchi G. Alpha-adducin polymorphisms and renal sodium handling in essential hypertensive patients. *Kidney Int*. **1998**;53:1471-1478.
- Masseroli M**, O'Valle F, Andujar M, Ramirez C, Gomez-Morales M, de Dios Luna J, Aguilar M, Aguilar D, Rodriguez-Puyol M, Del Moral RG. Design and validation of a new image analysis method for automatic quantification of interstitial fibrosis and glomerular morphometry. *Lab Invest*. **1998**;78:511-22.
- Moreso F**, Seron D, Vitria J, Grinyo JM, Colome-Serra FM, Pares N, Serra J. Quantification of interstitial chronic renal damage by means of texture analysis. *Kidney Int*. **1994**;46:1721-7.
- Morimoto A**, Uzu T, Fujii T, Nishimura M, Kuroda S, Nakamura S, Inenaga T, Kimura G. Sodium sensitivity and cardiovascular events in patients with essential hypertension. *Lancet* **1997**;350:1734-7.
- Poyan Mehr A**, Siegel AK, Kossmehl P, Schulz A, Plehm R, de Brujin JA, de Heer E, Kreutz R. Early onset albuminuria in Dahl rats is a polygenic trait that is independent from salt loading. *Physiol Genomics*. **2003**;14:209-16.
- Raij L**, Azar S, Keane W. Mesangial immune injury, hypertension, and progressive glomerular damage in Dahl rats. *Kidney Int*. **1984**;26:137-143.
- Rapp JP**. Genetic analysis of inherited hypertension in the rat. *Physiol Rev*. **2000**;80:135-172. Review.
- Rothermund L**, Luckert S, Kossmehl P, Paul M, Kreutz R. Renal endothelin ET(A)/ET(B) receptor imbalance differentiates salt-sensitive from salt-resistant spontaneous hypertension. *Hypertension*. **2001**;37:275-80.
- Rubattu S**, Volpe M, Kreutz R, Ganter U, Ganter D, Lindpaintner K. Chromosomal mapping of quantitative trait loci contributing to stroke in a rat model of complex human disease. *Nat Genet* **1996**;13:429-433.
- Ruilope LM**, Salvetti A, Jamerson K, Hansson L, Warnold I, Wedel H, Zanchetti A. Renal function and intensive lowering of blood pressure in hypertensive participants of the hypertension optimal treatment (HOT) study. *J Am Soc Nephrol* **2001**;12:218-25.
- Schulz A**, Litfin A, Kossmehl P, Kreutz R. Genetic dissection of increased urinary albumin excretion in the munich wistar fromer rat. *J Am Soc Nephrol*. **2002**;13:2706-14.

Seron D, Moreso F, Gratin C, Vitria J, Condom E, Grinyo JM, Alsina J. Automated classification of renal interstitium and tubules by local texture analysis and a neural network. *Anal Quant Cytol Histol.* **1996**;18:410-9.

Siegel AK, Planert M, Rademacher S, Mehr AP, Kossmehl P, Wehland M, Stoll M, Kreutz R. Genetic loci contribute to the progression of vascular and cardiac hypertrophy in salt-sensitive spontaneous hypertension. *Arterioscler Thromb Vasc Biol.* **2003**;23:1211-7.

Skov K, Nyengaard JR, Korsgaard N, Mulvany MJ. Number and size of renal glomeruli in spontaneously hypertensive rats. *J Hypertens* **1994**;12:1373-1376.

van Rossum CT, van de Mheen H, Witteman JC, Hofman A, Mackenbach JP, Grobbee DE. Prevalence, Treatment, and Control of Hypertension by Sociodemographic Factors Among the Dutch Elderly. *Hypertension* **2000**;35:814-821.

Walder RY, Morgan DA, Haynes WG, Sigmund RD, McClain AM, Stokes JB, Mark AL. Genetic Characterization of the “new” Harlan Sprague Dawley Dahl salt-sensitive rats. *Hypertension* **1996**;27:546-551.

Weinberger MH, Miller JZ, Luft FC, Grim CE, Fineberg NS. Definitions and characteristics of sodium sensitivity and blood pressure resistance. *Hypertension* **1986**;8:II127-34.

Weir MR, Dworkin LD. Antihypertensive drugs, dietary salt, and renal protection: how low should you go and with which therapy? *Am J Kidney Dis.* **1998**;32:1-22. Review.

Yamori Y. Development of the spontaneously hypertensive rat (SHR), the stroke-prone SHR (SHRSP) and their various substrains models for hypertension-related cardiovascular disease, in Ganen D, de Jong W (eds): *Handbook of Hypertension* Vol. 16: Experimental and Genetic Models of Hypertension, Elsevier, **1994**, 346-364.

Zoja C, Benigni A, Remuzzi G. Protein overload activates proximal tubular cells to release vasoactive and inflammatory mediators. *Exp Nephrol.* **1999**;7:420-8. Review.