

6 Literatur

1. Alsulyman, O. M., J. G. Ouzounian, et al. (1997). "The accuracy of intrapartum ultrasonographic fetal weight estimation in diabetic pregnancies." *Am J Obstet Gynecol* **177**(3): 503-6.
2. Benacerraf, B. R., R. Gelman, et al. (1988). "Sonographically estimated fetal weights: accuracy and limitation." *Am J Obstet Gynecol* **159**(5): 1118-21.
3. Berard, J., P. Dufour, et al. (1998). "Fetal macrosomia: risk factors and outcome. A study of the outcome concerning 100 cases >4500 g." *Eur J Obstet Gynecol Reprod Biol* **77**(1): 51-9.
4. Berk, M. A., F. Mimouni, et al. (1989). "Macrosomia in infants of insulin-dependent diabetic mothers." *Pediatrics* **83**(6): 1029-34.
5. Bernstein, I. M. and P. M. Catalano (1992). "Influence of fetal fat on the ultrasound estimation of fetal weight in diabetic mothers." *Obstet Gynecol* **79**(4): 561-3.
6. Bethune, M. and R. Bell (2003). "Evaluation of the measurement of the fetal fat layer, interventricular septum and abdominal circumference percentile in the prediction of macrosomia in pregnancies affected by gestational diabetes." *Ultrasound Obstet Gynecol* **22**(6): 586-90.
7. Biquard, F. and A. Fournie (2002). "[Ultrasound monitoring]." *J Gynecol Obstet Biol Reprod (Paris)* **31**(6 Suppl): 4S18-4S20.
8. Bochner, C. J., A. L. Medearis, et al. (1987). "Early third-trimester ultrasound screening in gestational diabetes to determine the risk of macrosomia and labor dystocia at term." *Am J Obstet Gynecol* **157**(3): 703-8.
9. Boyd, M. E., R. H. Usher, et al. (1983). "Fetal macrosomia: prediction, risks, proposed management." *Obstet Gynecol* **61**(6): 715-22.
10. Buchanan, T. A. and S. L. Kjos (1994). "Diabetes and pregnancy." *Curr Ther Endocrinol Metab* **5**: 278-83.
11. Buchanan, T. A., S. L. Kjos, et al. (1994). "Use of fetal ultrasound to select metabolic therapy for pregnancies complicated by mild gestational diabetes." *Diabetes Care* **17**(4): 275-83.
12. Caren, R. and M. E. Morton (1954). "Pyrimidine metabolism in diabetes mellitus studied with N15 labeled uracil." *Am J Med Sci* **227**(2): 141-8.
13. Casey, B. M., M. J. Lucas, et al. (1997). "Pregnancy outcomes in women with gestational diabetes compared with the general obstetric population." *Obstet Gynecol* **90**(6): 869-73.

- 14.Chauhan, S. P., D. J. West, et al. (2000). "Antepartum detection of macrosomic fetus: clinical versus sonographic, including soft-tissue measurements." Obstet Gynecol **95**(5): 639-42.
- 15.Chitty, L. S., D. G. Altman, et al. (1994). "Charts of fetal size: 3. Abdominal measurements." Br J Obstet Gynaecol **101**(2): 125-31.
- 16.Collins, J. W., Jr. and R. J. David (1993). "Race and birthweight in biracial infants." Am J Public Health **83**(8): 1125-9.
- 17.Combs, C. A., R. K. Jaekle, et al. (1993). "Sonographic estimation of fetal weight based on a model of fetal volume." Obstet Gynecol **82**(3): 365-70.
- 18.Crane, S. S., D. A. Avallone, et al. (1996). "Sonographic estimation of fetal body composition with gestational diabetes mellitus at term." Obstet Gynecol **88**(5): 849-54.
- 19.Dabelea, D., D. J. Pettitt, et al. (1999). "Birth weight, type 2 diabetes, and insulin resistance in Pima Indian children and young adults." Diabetes Care **22**(6): 944-50.
- 20.Diabetesgesellschaft, A. D. u. S. d. D. (2001). "Empfehlungen zu Diagnostik und Therapie des Gestationdiabetes (GDM)." AWMF Leitlinien.
- 21.Fenichel, P., S. Hieronimus, et al. (1990). "[Fetal macrosomia in a diabetic mother]." Presse Med **19**(6): 255-8.
- 22.Gandhi, J. (1999). "Prediction of Large Gestational Age Infants in Diabetic Pregnancies by a Single Ultrasound Parameter."
- 23.Gilby, J. R., M. C. Williams, et al. (2000). "Fetal abdominal circumference measurements of 35 and 38 cm as predictors of macrosomia. A risk factor for shoulder dystocia." J Reprod Med **45**(11): 936-8.
- 24.Grassi, A. E. and M. A. Giuliano (2000). "The neonate with macrosomia." Clin Obstet Gynecol **43**(2): 340-8.
- 25.Hadlock, F. P., R. B. Harrist, et al. (1984). "Sonographic estimation of fetal weight. The value of femur length in addition to head and abdomen measurements." Radiology **150**(2): 535-40.
- 26.Henrichs, C., E. F. Magann, et al. (2003). "Detecting fetal macrosomia with abdominal circumference alone." J Reprod Med **48**(5): 339-42.
- 27.Holcomb, W. L., Jr., D. J. Mostello, et al. (2000). "Abdominal circumference vs. estimated weight to predict large for gestational age birth weight in diabetic pregnancy." Clin Imaging **24**(1): 1-7.

- 28.Jazayeri, A., J. A. Heffron, et al. (1999). "Macrosomia prediction using ultrasound fetal abdominal circumference of 35 centimeters or more." Obstet Gynecol **93**(4): 523-6.
- 29.Johnstone, F. D., R. J. Prescott, et al. (1996). "Clinical and ultrasound prediction of macrosomia in diabetic pregnancy." Br J Obstet Gynaecol **103**(8): 747-54.
- 30.Jolly, M. C., N. J. Sebire, et al. (2003). "Risk factors for macrosomia and its clinical consequences: a study of 350,311 pregnancies." Eur J Obstet Gynecol Reprod Biol **111**(1): 9-14.
- 31.Jovanovic-Peterson, L., C. M. Peterson, et al. (1991). "Maternal postprandial glucose levels and infant birth weight: the Diabetes in Early Pregnancy Study. The National Institute of Child Health and Human Development--Diabetes in Early Pregnancy Study." Am J Obstet Gynecol **164**(1 Pt 1): 103-11.
- 32.Kehl, R. J., M. A. Krew, et al. (1996). "Fetal growth and body composition in infants of women with diabetes mellitus during pregnancy." J Matern Fetal Med **5**(5): 273-80.
- 33.Keller, J. D., B. E. Metzger, et al. (1990). "Infants of diabetic mothers with accelerated fetal growth by ultrasonography: are they all alike?" Am J Obstet Gynecol **163**(3): 893-7.
- 34.Kjos, S. L., U. Schaefer-Graf, et al. (2001). "A randomized controlled trial using glycemic plus fetal ultrasound parameters versus glycemic parameters to determine insulin therapy in gestational diabetes with fasting hyperglycemia." Diabetes Care **24**(11): 1904-10.
- 35.Kolben, M., K. T. Schneider, et al. (1990). "[Macrosomia of the fetus and clinical relevance]." Geburtshilfe Frauenheilkd **50**(4): 270-7.
- 36.Koukkou, E., P. Young, et al. (1997). "The effect of maternal glycemic control on fetal growth in diabetic pregnancies." Am J Perinatol **14**(9): 547-52.
- 37.Landon, M. B., M. C. Mintz, et al. (1989). "Sonographic evaluation of fetal abdominal growth: predictor of the large-for-gestational-age infant in pregnancies complicated by diabetes mellitus." Am J Obstet Gynecol **160**(1): 115-21.
- 38.Langer, O. (2000). "Fetal macrosomia: etiologic factors." Clin Obstet Gynecol **43**(2): 283-97.
- 39.Langer, O., S. Kozlowski, et al. (1991). "Abnormal growth patterns in diabetes in pregnancy: a longitudinal study." Isr J Med Sci **27**(8-9): 516-23.
- 40.Langer, O., J. Levy, et al. (1989). "Glycemic control in gestational diabetes mellitus--how tight is tight enough: small for gestational age versus large for gestational age?" Am J Obstet Gynecol **161**(3): 646-53.

- 41.Leipold, H. (2002). "Gestationsdiabetes - eine oft unerkannte Erkrankung in der Schwangerschaft." Speculum **20**(1): 13-17.
- 42.Major, C. A., M. deVeciana, et al. (1998). "Recurrence of gestational diabetes: who is at risk?" Am J Obstet Gynecol **179**(4): 1038-42.
- 43.Metzger, B. E. (1991). "Biphasic effects of maternal metabolism on fetal growth. Quintessential expression of fuel-mediated teratogenesis." Diabetes **40 Suppl 2**: 99-105.
- 44.Miller, J. M., Jr., H. L. Brown, et al. (1988). "Ultrasonographic identification of the macrosomic fetus." Am J Obstet Gynecol **159**(5): 1110-4.
- 45.Modanlou, H. D., W. L. Dorchester, et al. (1980). "Macrosomia-- maternal, fetal, and neonatal implications." Obstet Gynecol **55**(4): 420-4.
- 46.Nahum, G. G. and H. Stanislaw (2002). "Validation of a birth weight prediction equation based on maternal characteristics." J Reprod Med **47**(9): 752-60.
- 47.Nzeh, D. A., S. Rimmer, et al. (1992). "Prediction of birthweight by fetal ultrasound biometry." Br J Radiol **65**(779): 987-9.
- 48.Öcer, F. S. K., Erdal Budak, Engin Oral (1999). "Fetal weight estimation and prediction of fetal macrosomia in non-diabetic pregnant woman." Eur J Obstet Gynecol Reprod Biol **83**: 47-52.
- 49.Ogata, E. S., R. Sabbagha, et al. (1980). "Serial ultrasonography to assess evolving fetal macrosomia. Studies in 23 pregnant diabetic women." Jama **243**(23): 2405-8.
- 50.Oral, E., A. Cagdas, et al. (2001). "Perinatal and maternal outcomes of fetal macrosomia." Eur J Obstet Gynecol Reprod Biol **99**(2): 167-71.
- 51.O'Reilly-Green, C. and M. Divon (2000). "Sonographic and clinical methods in the diagnosis of macrosomia." Clin Obstet Gynecol **43**(2): 309-20.
- 52.Page, R. C., B. A. Kirk, et al. (1996). "Is macrosomia associated with poor glycaemic control in diabetic pregnancy?" Diabet Med **13**(2): 170-4.
- 53.Parretti, E., L. Carignani, et al. (2003). "Sonographic evaluation of fetal growth and body composition in women with different degrees of normal glucose metabolism." Diabetes Care **26**(10): 2741-8.
- 54.Perlow, J. H., M. A. Morgan, et al. (1992). "Perinatal outcome in pregnancy complicated by massive obesity." Am J Obstet Gynecol **167**(4 Pt 1): 958-62.
- 55.Persson, B. and U. Hanson (1998). "Neonatal morbidities in gestational diabetes mellitus." Diabetes Care **21 Suppl 2**: B79-84.

- 56.Raio, L., F. Ghezzi, et al. (2003). "Perinatal outcome of fetuses with a birth weight greater than 4500 g: an analysis of 3356 cases." Eur J Obstet Gynecol Reprod Biol **109**(2): 160-5.
- 57.Rasmussen, T. L. (2000). "The Use of Ultrasound to Identify Fetuses with Macrosomia in Diabetic Pregnancies." JDMS **16**: 76-79.
- 58.Rohl, J., L. Huston-Presley, et al. (2001). "Factors associated with fetal growth and body composition as measured by ultrasound." Am J Obstet Gynecol **185**(6): 1416-20.
- 59.Rosati, P., C. Exacoustos, et al. (1992). "Ultrasound diagnosis of fetal macrosomia." Ultrasound Obstet Gynecol **2**(1): 23-9.
- 60.Rossi, G., E. Somigliana, et al. (2000). "Adequate timing of fetal ultrasound to guide metabolic therapy in mild gestational diabetes mellitus. Results from a randomized study." Acta Obstet Gynecol Scand **79**(8): 649-54.
- 61.Rydhström, H. I., Ingemar (1989). "The extremely large Fetus - antenatal identification, risks, and proposed management." Acta Obstet Gynecol Scand **68**: 59-63.
- 62.Sack, R. A. (1968). "The large infant. A study of maternal, obstetric, fetal, and newborn characteristics; including a long-term pediatric follow-up." Trans Pac Coast Obstet Gynecol Soc **36**: 41-50.
- 63.Sacks, D. A. (1993). "Fetal macrosomia and gestational diabetes: what's the problem?" Obstet Gynecol **81**(5 (Pt 1)): 775-81.
- 64.Schaefer, U. M. (2005). "Birth weight and parental BMI predict overweight in children from mothers with gestational diabetes." Diabetes Care **28**(7): 1745-50.
- 65.Schaefer, U. M., G. Songster, et al. (1997). "Congenital malformations in offspring of women with hyperglycemia first detected during pregnancy." Am J Obstet Gynecol **177**(5): 1165-71.
- 66.Schaefer-Graf, U. and T. Goecke (2002). "Diabetes und Schwangerschaft." Gynäkologe **35**: 575-586.
- 67.Schaefer-Graf, U. M. (2005). "Birth weight and parental BMI predict overweight in children from mothers with gestational diabetes." Diabetes Care **28**(7): 1745-50.
- 68.Schaefer-Graf, U. M., R. Heuer, et al. (2002). "Maternal obesity not maternal glucose values correlates best with high rates of fetal macrosomia in pregnancies complicated by gestational diabetes." J Perinat Med **30**(4): 313-21.
- 69.Schaefer-Graf, U. M., S. L. Kjos, et al. (2003). "Amniotic fluid insulin levels and fetal abdominal circumference at time of amniocentesis in pregnancies with diabetes." Diabet Med **20**(5): 349-54.

- 70.Schaefer-Graf, U. M., S. L. Kjos, et al. (2004). "A randomized trial evaluating a predominantly fetal growth-based strategy to guide management of gestational diabetes in Caucasian women." Diabetes Care **27**(2): 297-302.
- 71.Schaefer-Graf, U. M., S. L. Kjos, et al. (2003). "Determinants of fetal growth at different periods of pregnancies complicated by gestational diabetes mellitus or impaired glucose tolerance." Diabetes Care **26**(1): 193-8.
- 72.Schaefer-Graf, U. M., R. Rossi, et al. (2002). "Rate and risk factors of hypoglycemia in large-for-gestational-age newborn infants of nondiabetic mothers." Am J Obstet Gynecol **187**(4): 913-7.
- 73.Sherman, D. J., S. Arieli, et al. (1998). "A comparison of clinical and ultrasonic estimation of fetal weight." Obstet Gynecol **91**(2): 212-7.
- 74.Shushan, A., Y. Ezra, et al. (1997). "Early treatment of gestational diabetes reduces the rate of fetal macrosomia." Am J Perinatol **14**(5): 253-6.
- 75.Smith, G. C., M. F. Smith, et al. (1997). "The relation between fetal abdominal circumference and birthweight: findings in 3512 pregnancies." Br J Obstet Gynaecol **104**(2): 186-90.
- 76.Sokol, R. J., L. Chik, et al. (2000). "Correctly identifying the macrosomic fetus: improving ultrasonography-based prediction." Am J Obstet Gynecol **182**(6): 1489-95.
- 77.Stallone, L. A. and H. K. Ziel (1974). "Management of gestational diabetes." Am J Obstet Gynecol **119**(8): 1091-4.
- 78.Stenninger, E., J. Schollin, et al. (1991). "Neonatal macrosomia and hypoglycaemia in children of mothers with insulin-treated gestational diabetes mellitus." Acta Paediatr Scand **80**(11): 1014-8.
- 79.Stevenson, D. K., A. O. Hopper, et al. (1982). "Macrosomia: causes and consequences." J Pediatr **100**(4): 515-20.
- 80.Tamura, R. K., R. E. Sabbagh, et al. (1986). "Diabetic macrosomia: accuracy of third trimester ultrasound." Obstet Gynecol **67**(6): 828-32.
- 81.Vohr, B. R. and S. T. McGarvey (1997). "Growth patterns of large-for-gestational-age and appropriate-for-gestational-age infants of gestational diabetic mothers and control mothers at age 1 year." Diabetes Care **20**(7): 1066-72.
- 82.Voigt, M., H. Eggers, et al. (1989). "[New percentile values for birth weight, body length, head and breast circumference of newborn infants in East Germany]." Arztl Jugendkd **80**(1): 1-11.

83. Voigt, M., K. T. Schneider, et al. (1996). "[Analysis of a 1992 birth sample in Germany. 1: New percentile values of the body weight of newborn infants]." Geburtshilfe Frauenheilkd **56**(10): 550-8.
84. Vorherr, H. (1982). "Factors influencing fetal growth." Am J Obstet Gynecol **142**(5): 577-88.
85. Weiner, Z., I. Ben-Shlomo, et al. (2002). "Clinical and ultrasonographic weight estimation in large for gestational age fetus." Eur J Obstet Gynecol Reprod Biol **105**(1): 20-4.
86. Weiss, P. A. M. (1992). "Zweites Internationales Grazer Symposium über Gestationdiabetes." Kongressbericht.
87. White, P. (1949). "Pregnancy complicating diabetes." Am J Med **7**(5): 609-16.
88. Williams, R. L., R. K. Creasy, et al. (1982). "Fetal growth and perinatal viability in California." Obstet Gynecol **59**(5): 624-32.
89. Wolff, F., K. Jung, et al. (1982). "[Incidence and causes of fetal and neonatal macrosomia]." Geburtshilfe Frauenheilkd **42**(11): 803-9.