

8 LITERATUR

- 1 Drachmann DA, Hart CW. An approach to the dizzy patient. *Neurology* 1972; 22: 323-334
- 2 Kroenke K, Lukas CA, Rosenberg ML, Scherokman B, Herbers JE, Wehrle PA, Boggi JO. Causes of persistent dizziness. A prospective study of 100 patients in ambulatory care. *Annals of Internal Medicine* 1992; 117: 898-904
- 3 Yardley L, Burgneay J, Nazareth I, Luxon L. Neuro-otological and psychiatric abnormalities in a community sample of people with dizziness: a blind, controlled investigation. *Journal of Neurology, Neurosurgery, and Psychiatry* 1998; 65: 679-684
- 4 Furman JM, Jacob RG. Psychiatric dizziness. *Neurology* 1997; 48: 1161-1166
- 5 Kroenke K, Hoffman RM, Einstadter D. How common are various causes of dizziness? *Southern Medical Journal* 2000; 93; 2: 160-167
- 6 Eckhardt-Henn A, Hoffmann SO, Tettenborn B, Thomalske C, Hopf HC. "Phobischer Schwankschwindel" — eine weitere Differenzierung psychogener Schwindelzustände scheint erforderlich. *Der Nervenarzt* 1997; 68: 806-812
- 7 Stein MB, Asmundson GJG, Ireland D, Walker JR. Panic disorder in patients attending a clinic for vestibular disorders. *American Journal of Psychiatry* 1994; 151, 11: 1697-1700
- 8 Hallam RS, Stephens SDG. Vestibular disorder and emotional distress. *Journal of Psychosomatic Research* 1985; 29, 4: 407-413
- 9 Clark DB, Hirsch BE, Smith MG, Furman JM, Jacob RG. Panic in otolaryngology patients presenting with dizziness or hearing loss. *American Journal of Psychiatry* 1994; 151, 8: 1223-1225
- 10 Cox BJ, Hasey G, Swinson RP, Kuch K, Cooke R, Warsh J, Jorma T. The symptom structure of panic attacks in depressed and anxious patients. *Canadian Journal of Psychiatry* 1993; 38: 181-184
- 11 Jacob RG, Furman MR, Clark DB, Durrant JD. Vestibular symptoms, panic, and phobia: overlap and possible relationships. *Annals of Clinical Psychiatry* 1992; 4: 163-174
- 12 Wittchen H-U, Essau CA, von Zerssen D, Krieg J-C, Zaudig M. Lifetime and six-month prevalence of mental disorders in the Munich follow-up study. *European Archives of Psychiatry and Clinical Neuroscience* 1992; 241: 247-258
- 13 Mellmann TA, Uhde TW. Sleep panic attacks: new clinical findings and theoretical implications. *American Journal of Psychiatry* 1989; 146: 1204-1207
- 14 Crowe RR, Noyes R, Pauls DL, Slymen D. A family study of panic disorder. *Archives of General Psychiatry* 1983; 40: 1065-1069

-
- 15 Clark DM. A cognitive approach to panic. *Behaviour Research and Therapy* 1986; 24, 4: 461-470
- 16 Carr RE, Lehrer PM, Hochron SM. Panic symptoms in asthma and panic disorder: a preliminary test of the dyspnea-fear theory. *Behaviour Research and Therapy* 1992; 30: 251-261
- 17 Godemann F, Ahrens B, Behrens S, Berthold R, Gandor C, Lampe F, Linden M. Classic conditioning and dysfunctional cognitions in patients with panic disorder and agoraphobia treated with an ICD. *Psychosomatic Medicine* 2001; 63: 231-238
- 18 Cox BJ, Endler NS, Swinson RP. Anxiety sensitivity and panic attack symptomatology. *Behaviour Research and Therapy* 1995; 33, 7: 833-836
- 19 Middleton HC. Panic Disorder: A theoretical synthesis of medical and psychological approaches. *Journal of Psychosomatic Research* 1998; 44, 1: 121-132
- 20 Sanderson WC, Rapee RM, Barlow DH. The influence of an illusion of control on panic attacks induced via inhalation of 5.5% carbon dioxide-enriched air. *Archives of General Psychiatry* 1989, 46: 157-162
- 21 Pauli P, Marquardt C, Hartl L, Nutzinger D, Hözl R, Strian F. Anxiety induced by cardiac perceptions in patients with panic attacks: a field study. *Behaviour Research and Therapy* 1991; 29, 2: 137-145
- 22 Jacob RG, Furman JM, Perel JM. Panic, phobia, and vestibular dysfunction. In: Yates BJ, Miller AD (Hrsg.). "Vestibular Autonomic Regulation", CRC Press, New York 1996; 11: 197-226
- 23 Furman JM, Jacob RG, Redfern MS. Clinical evidence that the vestibular system participates in autonomic control. *Journal of Vestibular Research* 1998; 8, 1: 27-34
- 24 Yardley L, Gresty M, Bronstein A, Beyts J. Changes in heart rate and respiration rate in patients with vestibular dysfunction following head movements which provoke dizziness. *Biological Psychology* 1998; 49: 95-108
- 25 Yamada M, Mizuta K, Ito Y, Furuta M, Sawai S, Miyata H. Autonomic nervous function in patients with Ménière's disease evaluated by power spectral analysis of heart rate variability. *Auris Nasus Larynx* 1999; 26: 419-426
- 26 Yates BJ, Yamagata Y. Convergence of cardiovascular and vestibular inputs on neurons in the medullary paramedian reticular formation. *Brain Research* 1990; 513: 166-170
- 27 Steinbacher Jr. BC, Yates BJ. Brainstem interneurons necessary for vestibular influences on sympathetic outflow. *Brain Research* 1996; 720: 204-210
- 28 Zakir M, Ouo S, Meng H, Uchino Y. Saccular and utricular influences on sympathetic nerve activities in cats. *Experimental Brain Research* 2000; 134, 3: 402-406
- 29 Yates BJ, Stocker SD. Integration of somatic and visceral inputs by the brainstem — functional considerations. *Experimental Brain Research* 1998; 119: 269-275

-
- 30 Benedikt M. Über Platzschwindel. Allgemeine Wiener medizinische Zeitung 1870; 15: 488-489
- 31 Guye A. On agoraphobia in relation to ear disease. Laryngoscope 1899; 6: 219-221
- 32 Pratt RTC, McKenzie W. Anxiety states following vestibular disorders. The Lancet 1958; 2: 347-349
- 33 Jacob RG, Moller MB, Turner SM, Wall C. Otoneurological examination in panic disorder and agoraphobia with panic attacks: a pilot study. American Journal of Psychiatry 1985; 142, 6: 715-720
- 34 Kállai J, Kóczán G, Szábo I, Molnár P, Varga J. An experimental study to operationally define and measure spatial orientation in panic agoraphobic subjects, generalized anxiety and healthy control groups. Behavioural and Cognitive Psychotherapy 1995; 23: 145-152
- 35 Jacob RG, Whitney SL, Detweiler-Shostak G, Furman JM. Vestibular rehabilitation for patients with agoraphobia and vestibular dysfunction: a pilot study. Journal of Anxiety Disorders 2001; 15, 1-2: 131-146
- 36 Swinson RP, Cox BJ, Rutka J, Mai M, Kerr S, Kuch K. Otoneurological functioning in panic disorders patients with prominent dizziness. Comprehensive Psychiatry 1993; 34, 2: 127-129
- 37 Yardley L, Luxon L, Bird J, Lear S, Britton J. Vestibular and posturographic test results in people with symptoms of panic and agoraphobia. Journal of Audiological Medicine 1994; 3: 48-65
- 38 Ramos RT, Formigoni LG, Soares JC, Demetrio FN, Oliveira SRC, Gentil V. Dizziness predicts initial worsening in panic disorder: an otoneurological investigation. Journal of Psychopharmacology 1996; 10, 4: 313-316
- 39 Eagger S, Luxon LM, Davies RA, Coelho A, Ron MA. Psychiatric morbidity in patients with peripheral vestibular disorder: a clinical and neuro-otological study. Journal of Neurology, Neurosurgery, and Psychiatry 1992; 55: 383-387
- 40 Jacob RG. Panic disorder and the vestibular system. Psychiatric Clinics of North America 1988; 11, 2: 361-374
- 41 Clark DB, Leslie MI, Jacob RG. Balance complaints and panic disorder: a clinical study of panic symptoms in members of a self-help group for balance disorders. Journal of Anxiety Disorders 1992; 6: 47-53
- 42 Lilienfeldt SO, Jacob RG, Furman JM. Vestibular dysfunction followed by panic disorder with agoraphobia: a case report. Journal of Nervous and Mental Disease 1989; 177: 700-702
- 43 Bont A, Früh J. Akuter Schwindel. Therapeutische Umschau 1995; 52: 174-178
- 44 Bergenius J, Perols O. Vestibular neuritis: a follow-up study. Acta Otolaryngologica 1999; 119: 895-899

-
- 45 Halmagyi GM, Cremer PD. Assessment and treatment of dizziness. *Journal of Neurology, Neurosurgery And Psychiatry* 2000; 68: 129-134
- 46 Imate Y, Sekitani T. Vestibular compensation in vestibular neuronitis. Long-term follow-up evaluation. *Acta Oto-laryngologica* 1993; 113: 463-465
- 47 Okinaka Y, Sekitani T, Okazaki H, Miura M, Tahara T. Progress of caloric response of vestibular neuronitis. *Acta Oto-laryngologica* 1993; Suppl. 503: 18-22
- 48 Scherer H. Das Gleichgewicht- Praktische Gleichgewichts-Diagnostik. Springer-Verlag Berlin, 2. Auflage 1992, Band 2
- 49 Yardley L, Luxon L. Treating dizziness with vestibular rehabilitation. *British Medical Journal* 1994; 308: 1252-1253
- 50 Yardley L, Putman J. Quantitative analysis of factors contributing to handicap and distress in vertiginous patients: a questionnaire study. *Clinical Otolaryngology* 1992; 17: 231-236
- 51 Yardley L, Beech S, Weinman J. Influence of beliefs about the consequences of dizziness on handicap in people with dizziness, and the effect of therapy on beliefs. *Journal of Psychosomatic Research* 2001; 50, 1: 1-6
- 52 O'Connor KP, Hallam R, Beyts J, Hinchcliffe R. Dizziness: Behavioural, subjective and organic aspects. *Journal of Psychosomatic Research* 1988; 32, 3: 291-302
- 53 Frommberger U, Hurtl-Schmidt S, Dieringer H, Tettenborn B, Buller R, Benkert O. Panikstörung und Schwindel. Zur psychopathologischen Differenzierung zwischen neurologischer und psychiatrischer Erkrankung. *Der Nervenarzt* 1993; 64: 377-383
- 54 Sullivan M, Clark MR, Katon WJ, Fischl M, Russo J, Dobie RA, Voorhees R. Psychiatric and otologic diagnoses in patients complaining of dizziness. *Archives of Internal Medicine* 1993; 153: 1479-1484
- 55 Clark MR, Sullivan MD, Fischl M, Katon WJ, Russo JE, Dobie RA, Voorhees R. Symptoms as a clue to otologic and psychiatric diagnosis in patients with dizziness. *Journal of Psychosomatic Research* 1993; 38, 5: 461-470
- 56 Yardley L, Luxon LM, Haacke NP. A longitudinal study of symptoms, anxiety and subjective well-being in patients with vertigo. *Clinical Otolaryngology* 1994; 19: 109-116
- 57 Yardley L, Redfern MS. Psychological factors influencing recovery from balance disorders. *Journal of Anxiety Disorders* 2001; 15: 107-119
- 58 Eckhardt A, Tettenborn B, Krauthäuser H, Thomalske C, Hartmann O, Hoffmann SO, Hopf HC. Schwindel- und Angsterkrankungen — Ergebnisse einer interdisziplinären Untersuchung. *Laryngo-Rhino-Otologie* 1996; 75: 517-522
- 59 Coker NJ, Coker RR, Jenkins HA, Vincent KR. Psychological profile of patients with Ménière's disease. *Archives of Otolaryngology, Head and Neck Surgery* 1989; 115: 1355-1357

-
- 60 Nagarkar AN, Gupta AK, Mann SBS. Psychological findings in benign paroxysmal positional vertigo and psychogenic vertigo. *The Journal of Otolaryngology* 2000; 29, 3: 154-158
- 61 Watson D, Pennebaker JW. Health complaints, stress, and distress: Exploring the central role of negative affectivity. *Psychological Review* 1989; 96, 2: 234-254
- 62 Huppert D, Brandt T, Dieterich M, Strupp M. Phobischer Schwankschwindel — Zweithäufigste Diagnose in einer Spezialambulanz für Schwindel. *Nervenarzt* 1994; 65: 421-423
- 63 Brandt Th, Dieterich M. Phobischer Attacken-Schwankschwindel — Ein neues Syndrom. *Münchener Medizinische Wochenschrift* 1986; 128, 13: 247-250
- 64 Bronstein AM, Gresty MA, Luxon LM, Ron MA, Rudge P, Yardley L. Phobic postural vertigo. *Neurology* 1997; 49: 1480-1481
- 65 Magnusson PA, Nilsson A, Henriksson NG. Psychogenic vertigo within an anxiety frame of reference: an experimental study. *British Journal of Medical Psychology* 1977; 50, 2: 187-201
- 66 Eckhardt-Henn A. Psychische Ursachen des Schwindels. *HNO heute* 1997; 2, 4: 198-201
- 67 Brandt T. Phobic postural vertigo. *Neurology* 1996; 46: 1515-1519
- 68 Yardley L, Masson E, Verschuur C, Haacke N, Luxon L. Symptoms, anxiety and handicap in dizzy patients: Development of the Vertigo Symptom Scale. *Journal of Psychosomatic Research* 1992; 36: 731-741
- 69 Margraf J, Schneider S, Ehlers A. DIPS — Diagnostisches Interview bei psychischen Störungen. Springer-Verlag Berlin, 2. Auflage 1994
- 70 DiNardo PA, Barlow DH. Anxiety Disorders Interview Schedule — Revised (ADIS-R). Unveröffentlichtes Manuskript, Albany, NY. Zitiert nach Margraf J, Schneider S, Ehlers A. DIPS — Diagnostisches Interview bei psychischen Störungen. Springer-Verlag Berlin, 2. Auflage 1994
- 71 American Psychiatric Association (Hrsg.). Diagnostic and Statistical Manual of Mental Disorders, Third Edition — Revised (DSM-III-R). American Psychiatric Press, Washington, D.C. 1987
- 72 Spielberger CD, Gorusch RL, Lushene RE. Manual of the State-Trait-Anxiety Inventory. Consulting Psychologists Press, Palo Alto, California 1970
- 73 Laux L, Glanzmann P, Schaffner N, Spielberger CD. Das State-Trait-Angstinventar (STAI). Theoretische Grundlagen und Handlungsanweisung. Beltz-Verlag, Weinheim 1981
- 74 Chambless DL, Caputo GC, Bright P, Gallagher R. Assessment of fear in agoraphobics: The Body Sensations Questionnaire and the Agoraphobic Cognitions Questionnaire. *Journal of Consulting and Clinical Psychology* 1984; 52: 1090-1097

-
- 75 Chambless DL, Caputo GC, Jasin SE, Gracely EJ, Williams C. The Mobility Inventory for Agoraphobia. *Behaviour Research and Therapy* 1985; 23: 35-44
- 76 Ehlers A, Margraf J. Fragebogen zu körperbezogenen Ängsten, Kognitionen und Vermeidung. Manual. Beltz-Test Göttingen, 2. Auflage 1993
- 77 Dilling H, Mombour W, Schmidt MH. Internationale Klassifikation psychischer Störungen (ICD-10). Huber Bern, 2. Auflage 1993
- 78 Kuhl J, Kazén M. Persönlichkeitsstil- und -störungsinventar (PSSI). Handanweisung, Hogrefe-Verlag Göttingen, 9. Auflage 1997
- 79 Muthny FA. Freiburger Fragebogen zur Krankheitsverarbeitung (FKV) — Manual. Beltz-Verlag, Weinheim 1989
- 80 Muthny FA. Erfassung von Verarbeitungsprozessen mit dem Freiburger Fragebogen zur Krankheitsverarbeitung (FKV). *Rehabilitation* 1996; 35: IX-XVI
- 81 Yardley L, Medina SMG, Jurado CS, Morales TP, Martinez RA, Villegas HE. Relationship between physical and psychosocial dysfunction in Mexican patients with vertigo: a cross-cultural validation of the Vertigo Symptom Scale. *Journal of Psychosomatic Research* 1999, 46, 1: 63-74
- 82 Beck AT, Steer RA. Beck Depression Inventory manual. San Antonio, Texas: Harcourt Brace 1987
- 83 Yardley L, Verschuur C, Masson E, Luxon L, Haacke N. Somatic and psychological factors contributing to handicap in people with vertigo. *British Journal of Audiology* 1992, 26: 283-291
- 84 Yardley L. Contribution of symptoms and beliefs to handicap in people with vertigo: a longitudinal study. *British Journal of Clinical Psychology* 1994; 33: 101-113
- 85 Yardley L. Prediction of handicap and emotional distress in patients with recurrent vertigo: symptoms, coping strategies, control beliefs and reciprocal causation. *Social Science and Medicine* 1994; 39: 573-581
- 86 Boenninghaus HG. Hals-Nasen-Ohrenheilkunde. Springer-Verlag Berlin, 10. Auflage 1996
- 87 Yardley L. Overview of psychologic effects of chronic dizziness and balance disorders. *Otolaryngologic Clinics of North America* 2000; 33, 3: 603-616
- 88 Yardley L, Hallam RS. Psychosocial aspects of balance and gait Disorders. In: Bronstein AM, Brandt T, Woolacott MH (Hrsg.). "Clinical Disorders of Balance, Posture and Gait"; Arnold, London 1996; 17: 251-267
- 89 Scherer H. Das Gleichgewicht- Praktische Gleichgewichts-Diagnostik. Springer-Verlag Berlin, 2. Auflage 1992, Band 1
- 90 Yardley L, Britton J, Lear S, Bird J, Luxon LM. Relationship between balance system function and agoraphobic avoidance. *Behaviour Research and Therapy* 1995; 33: 435-439

-
- 91 Jacob RG, Furman JM, Durrant JD, Turner SM. Panic, agoraphobia, and vestibular dysfunction. *American Journal of Psychiatry* 1996; 153, 4: 503-512
- 92 Lockemann U, Westhofen M. Course of early vestibular compensation after acute labyrinthine lesions. A clinical-experimental longitudinal study. *Laryngorhinootology* 1991; 70, 6: 326-329
- 93 Black FO. What can posturography tell us about vestibular function? *Annals of the New York Academy of Sciences* 2001; 942: 446-464.
- 94 Jacob RG, Furman JMR, Clark DB, Durrant JD, Balaban CB. Psychogenic Dizziness. In: Sharpe JA, Barber HO (Hrsg.). "The Vestibulo-Ocular Reflex and Vertigo", Raven Press, New York 1993; 25: 305-315
- 95 Budde, Andrea. Der Angstzustand im Verlauf einer Re-Exposition von Schwindel nach akutem vestibulären Drehschwindel. Diplomarbeit der FU Berlin, 2000: 43-44
- 96 Felton BJ, Revenson TA, Hinrichsen GA. Stress and coping in the explanation of psychological adjustment among chronically ill adults. *Social Science and Medicine* 1984; 18, 10: 889-898
- 97 Revenson TA, Felton BJ. Disability and coping as predictors of psychological adjustment to rheumatoid arthritis. *Journal of Consulting and Clinical Psychology* 1989; 57: 344-348
- 98 Filipp S-G, Klauer T, Feudenberg E, Ferring D. The regulation of subjective well-being in cancer patients: an analysis of coping effectiveness. *Psychological Health* 1990, 4: 305-317
- 99 Miller SM, Mangan CE. Interacting effects of information and coping style in adapting to gynaecologic stress: should the doctor tell all? *Journal of Personality and Social Psychology* 1983; 45: 223-236
- 100 Muthny FA. Zur Spezifität der Krankheitsverarbeitung. In: Muthny FA (Hrsg.). "Krankheitsverarbeitung". Springer-Verlag, Berlin 1990, 1. Auflage
- 101 Clark MR, Heinberg LJ, Haythornthwaite JA, Quatrano-Piacentini AL, Pappagallo M, Raja SN. Psychiatric symptoms and distress differ between patients with postherpetic neuralgia and peripheral vestibular disease. *Journal of Psychosomatic Research* 2000; 48, 1: 51-57
- 102 Moss-Morris R, Petrie KJ. Link between psychiatric dysfunction and dizziness. *The Lancet* 1999; 353, 9152: 515-516
- 103 Uexküll (Hrsg.). "Psychosomatische Medizin", Urban & Schwarzenberg, München 1996; 7: 1120-1121
- 104 Lilienfeld SO, Penna S. Anxiety sensitivity: relations to psychopathy, DSM-IV personality disorder features, and personality traits. *Journal of Anxiety Disorders* 2001; 15, 5: 367-393

- 105 Tyrer P, Gunderson J, Lyons M, Tohen M. Extent of comorbidity between mental state and personality disorders. *Journal of Personality Disorders* 1997; 11, 3: 260-269
- 106 Oldham JM, Skodol AE, Kellman HD, Hyler SE, Doidge N, Rosnick L, Gallaher PE. Comorbidity of axis I and axis II disorders. *American Journal of Psychiatry* 1995; 152, 4: 571-578
- 107 Barzega G, Maina G, Venturello S, Bogetto F. Gender-related distribution of personality disorders in a sample of patients with panic disorder. *European Psychiatry*. 2001;16, 3:173-179
- 108 Loranger AW. Dependent personality disorder. Age, sex, and axis I comorbidity. *Journal of Nervous and Mental Disease* 1996; 184, 1: 17-21
- 109 Hoffart A, Thornes K, Hedley LM, Strand J. DSM-III-R axis I and II disorders in agoraphobic patients with and without panic disorder. *Acta Psychiatrica Scandinavica* 1994; 89; 3: 186-191
- 110 Nuss P. Is the anxious patient dependent? *Encephale* 1998; 24, 3: 260-266