

Literaturverzeichnis

1. Ranade VV: Drug delivery systems & Transermal drug delivery; Clin Pharmacol. 1991 May; 31(5): S. 401-18
2. Beverley J. Thomas and Barrie C. Finnin: The transdermal revolution; Drug Discovery Today, Volume 9, Issue 16, August 2004, S. 697-703
3. Fritsch P.: Dermatologie, Venerologie; Verlag Springer 2003
4. Luiz C. Junqueira et al.: Histologie; Verlag Springer 2004
5. Stevens A, Lowe J: Histologie des Menschen; Thieme Verlag 1997
6. Zhai H, Dreher G, Maibach HI, et al: Effect of Tape Stripping on Percutaneous Penetration and Topical Vaccination. In: Percutaneous Absorption, Drugs-Cosmetics-Mechanisms-Methodology; 2005; Fourth Edition, edited by R Bronaugh, HI Maibach; Taylor & Francis, Boca Raton, London, New York, Singapore
7. von Zglinicki T, Lindberg M, Roomans GM, et al: Water and ion distribution profiles in human skin. Acta Derm Venereol (Stockh) 1993; 73: 340-343
8. Schiebler TH, Schmidt W, Zilles K: Anatomie; Verlag Springer 1997
9. Montagna, W. The Structure and Function of Skin (2.nd Ed.). New York: Academic, 1961, S. 454.
10. Monash S, Blank H: Location and reformation of the epithelial barrier to water vapor. Arch. Dermatol. 78: S. 710-714, 1958
11. Kathi C. Madison: Barrier Function of the Skin: "La Raison d'Etre" of the Epidermis; Journal of Investigative Dermatology (2003); Vol. 121, S. 231-241
12. Elias PM, Menon GK: Structural and lipid biochemical correlates of the epidermal permeability barrier. Adv Lipid Res. 1991, 24: 1-26
13. Schaefer H, Redelmeier TE: Composition and structure of the stratum corneum; In: Skin Barrier Principles of Percutaneous Absorption. Paris: Karger, 1996, S. 43-86
14. Chapman SJ, Walsh A: Desmosomes, corneosomes and desquamation. An ultrastructural study of adult pig epidermis. Arch Dermatol Res, 282, S. 304-310, 1990.
15. Serre G, Mils V, Haftek M et al: Identification of late differentiation antigens of human cornified epithelia, expressed in re-organized desmosomes and bound to cross-linked envelope. J Invest Dermatol, 97, S. 1061-1072, 1991
16. King CS, Barton SP, Nicholls S, Marks R: The change in properties of the stratum corneum as a function of depth. Br J Dermatol, 100, S. 165 -172, 1979.
17. Chapman SJ, Walsh A, Jackson SM, et al: Lipids, proteins and corneocyte adhesion. Arch Dermatol Res, 283, S. 167-173, 1991
18. Lundström A, Egelrud T: Cell shedding from human plantar skin in vitro: evidence of its dependence on endogenous proteolysis. J Invest Dermatol, 91, S. 340-343, 1988
19. Egelrud T, Lundström A: The dependence of detergent-induced cell dissociation in non-palmo-plantar stratum corneum on endogenous proteolysis. J Invest Dermatol, 95, S. 456-459, 1990

20. Simon M et al.: Persistence of Both Peripheral and Non-Peripheral Corneodesmosomes in the Upper Stratum corneum of Winter Xerosis Skin Versus only Peripheral in Normal Skin; *Journal of Investigative Dermatology* (2001) 116 (1), S. 23-30
21. Bouwstra JA, de Graaff A, Gooris GS, et al.: Water distribution and related morphology in human stratum corneum at different hydration levels. *J Invest Dermatol* 2003; 120:750-758
22. Krüger W, Kelleher DK, Vaupel P: Infrarot-A-Bestrahlungslampe mit Wasserfilter: Neues technisches Konzept eines bekannten physikalischen Prinzips und seine Anwendung in der Physiotherapie. *Phys Rehab Kur Med* 3 (1993) 45-51
23. Marks R: The Stratum corneum Barrier: The Final Frontier; *J Nutr.* 2004 Aug;134 (8 Suppl): S. 2017-2021
24. Williams AC, Barry BW: Penetration enhancers. *Adv Drug Deliv Rev.* 2004 Mar 27;56(5): S. 603-618
25. Homalle, A : Experiences physiologiques sur l'absorption par la tegument externe chez l'homme dans le bain. *Union Med.* 7 : S. 462-463, 1853
26. Rothman S: *Physiology and Biochemistry of the Skin*. Chicago: University Press, 1954, S. 26-59
27. Christophers E, Kligman AM: Visualization of the cell layers of the stratum corneum. *J Invest Dermatol* 42: S. 407-409, 1964
28. Elias PM: Epidermal lipids, barrier function, and desquamation, *J. Invest. Dermatol.* 1983, 84, S. 44-49
29. Elias PM: The Epidermal Permeability Barrier: From the Early Days at Harvard to Emerging Concepts. *Journal of Investigative Dermatology* 122 (2), xxxvi-xxxix
30. Elias PM, Friend DS: The permeability barrier in mammalian epidermis. *J Cell Biol* 65: S. 180-191, 1975
31. Neubert R, Wohlrab R, Marsch W: *Dermatopharmazie. Vehikel-Wirkstoffe-Pharmakologie*. Wissenschaftliche Verlagsgesellschaft mbH, Stuttgart 2001
32. Odland GF, Holbrook K: The lamellar granular of epidermis. *Curr Prac Dermatol* 9:29-49, 1981
33. Elias PM: Lipids and the Epidermal permeability Barrier. *Arch Dermatol Res.* 1981; 270 (1): S. 95-117
34. Kasting G, Miller M, Talreja P: Evaluation of Stratum corneum Heterogeneity. In: *Percutaneous Absorption, Drugs-Cosmetics-Mechanisms-Methodology*; 2005; Fourth Edition, edited by R Bronaugh, H Maibach; Taylor & Francis, Boca Raton, London, New York, Singapore
35. Schade H, Marchionini A: Der Säuremantel der Haut. *Klin Wochenschr* 7: S. 12-14, 1928
36. Krien PM, Kermici M: Evidence for the existence of a self-regulated enzymatic process within the human stratum corneum - An unexpected role for urocanic acid. *J Invest Dermatol* 115: S. 414-420, 2000
37. Fluhr JW, Kao J, Jain M, et al.: Generation of free fatty acids from phospholipids regulates stratum corneum acidification and integrity. *J Invest Dermatol* 117: S. 44-51, 2001

38. Behne MJ, Meyer JW, Hanson KM, et al: NHE1 regulates the stratum corneum permeability barrier homeostasis. Microenvironment acidification assessed with fluorescence lifetime imaging. *J Biol Chem* 277: S. 47399-47406, 2002
39. Hachem, Jean-Pierre, Crumrine, et al.: pH Directly Regulates Epidermal Permeability Barrier Homeostasis, and Stratum corneum Integrity/Cohesion. *Journal of Investigative Dermatology* 121 (2), 345-353
40. Ohman H, Vahlquist A.; In vivo studies concerning a pH gradient in human stratum corneum and upper epidermis; *Acta Derm Venereol.* 1994 Sep;74(5):375-9
41. Schaefer H, Zesch A und Stüttgen (Editors): Skin permeability; Verlag Springer, Berlin, 1982
42. Hueber F, Wepierre J, Schaefer H: Role of Transepidermal and Transfollicular Routes in Percutaneous Absorption of hydrocortisone and Testosterone: In vivo Study in the Hairless Rat; *Skin Pharmacol* 1992; 5: S. 99-107
43. Rougier A, Dupuis D, Lotte C, et alt.: In vivo correlation between stratum corneum reservoir function and percutaneous absorption. *J Invest Derm* 1983; 81: S. 275-278.
44. v. Pelchrzim R, Weigmann HJ, Schaefer H, et al.: Determination of the formation of the stratum corneum reservoir for two different corticosteroid formulations using tape stripping combined with UV/VIS spectroscopy: *Journal der Deutschen Dermatologischen Gesellschaft Volume 2 Issue 11 Page 914 - November 2004*
45. Waibler E: Untersuchungen zum Langzeitreservoir des Stratum corneum; Dissertation 2004, Charité Universitätsmedizin Berlin
46. Wester RC, Maibach HI: Human Percutaneous Absorption and Transepidermal Water Loss (TEWL) Correlation; in: *Percutaneous Absorption, Drugs-Cosmetics-Mechanisms-Methodology*; 2005; Fourth Edition, edited by R Bronaugh, H Maibach: Taylor & Francis, Boca Raton, London, New York, Singapore
47. Fleischer R: Untersuchungen über das Resorptionsvermögen der menschlichen Haut. Erlangen 1877. *Habilitationsschrift*, S. 81
48. Schwenkenbecker A: Das Absorptionsvermögen der Haut. *Arch. Anat. Physiol.*; S.121-165, 1904
49. Schaefer H, Zesch A, Stüttgen G: Penetration von Medikamenten in die Haut. *Der Hautarzt* 26, S. 449-451 (1975); Springer-Verlag 1975
50. Sznitowska M, Janicki S, Williams AC: Intracellular or intercellular localization of the polar pathway of penetration across stratum corneum. *J Pharm Sci.* 1998 Sep;87 (9): S. 1109-1114.
51. Otberg N, Richter H, Schaefer H, et al.: Variations of Hair Follicle Size and Distribution in Different Body Sites. *Journal of Investigative Dermatology* 122 (1), S. 14-19, 2003
52. Braun-Falko O, Plewig G, Wolff HH. *Dermatologie und Venerologie*. Berlin, Heidelberg, New York: Springer-Verlag, 1996
53. Illel B, Schaefer H, Wepierre J, Doucet O: Follicles play an important role in percutaneous absorption. *J Pharm Sci.* 1991 May; 80(5): S. 424-7.
54. Hueber F, Schaefer H, Wepierre J: Role of transepidermal and transfollicular routes in percutaneous absorption of steroids: in vitro studies on human skin. *Skin Pharmacol.* 1994;7(5): S. 237-44.

55. Peck KD, Ghanem AH, Higuchi WI: Hindered diffusion of polar molecules through and effective pore radii estimates of intact and ethanol treated human epidermal membranes. *Pharm Res* 1994; 11:1306-1314
56. Bos JD, Meinardi MM; The 500 Dalton rule for the skin penetration of chemical compounds and drugs; *Exp Dermatol.* 2000 Jun; 9(3):165-9
57. Benfeldt E: In vivo microdialysis for the investigation of drug levels in the dermis and the effect of barrier perturbation on cutaneous drug penetration. Studies in hairless rats and human subjects; *Acta Derm Venereol Suppl (Stockh).* 1999;206: 1-59
58. Rolf Daniels: Strategien zur Verbesserung der Hautpenetration. URL: <http://www.scf-online.com>; Ausgabe 37
59. Bach M, Lippold BC: Percutaneous penetration enhancement and its quantification; *European Journal of Pharmaceutics and Biopharmaceutics*; Volume 46, Issue 1, July 1998, S. 1-13
60. Zhai H, Maibach HI: H. Zhai and H.I. Maibach, Effects of skin occlusion on percutaneous absorption: an overview, *Skin Pharmacol. Appl. Skin Physiol.* 14 (2001), pp. 1-10
61. Kligman AM: A biological brief on percutaneous absorption. *Drug Dev Ind Pharm* 1983;9:521-560
62. Bucks DA, McMaster JR, Maibach HI, Guy RH: Bioavailability of topically administered steroids: a „mass balance“technique. *J Invest Dermatol* 1988; 91:29-33
63. Zhai H, Maibach HI: Occlusion vs. skin barrier function. *Skin Res Technol.* 2002 Feb;8(1):1-6
64. Ting WW, Vest CD, Sontheimer RD: Review of traditional and novel modalities that enhance the permeability of local therapeutics across the stratum corneum. *Int J Dermatol.* 2004 Jul; 43 (7):538-47
65. Goodman M, Barry BW: Action of penetration enhancers on human skin as assessed by the permeation of model drugs 5-fluorouracil and estradiol. Infinite dose technique; *J Invest Dermatol.* 1988 Oct; 91(4): 323-7
66. Williams AC, Barry BW: Penetration enhancers. *Adv Drug Deliv Rev.* 2004 Mar 27;56(5): 603-18
67. Henry S, McAllister DV, Allen MG et al.: Microfabricated microneedles: a novel approach to transdermal drug delivery. *J Pharm Sci.* 1998 Aug; 87(8):922-5.
68. Mitragotri S, Kost J: Low-frequency sonophoresis: a review. *Adv Drug Deliv Rev.* 2004 Mar 27;56(5):589-601
69. Weaver JC, Vaughan TE, Chizmadzhev Y: Theory of electrical creation of aqueous pathways across skin transport barriers; *Adv Drug Deliv Rev.* 1999 Jan 4;35(1):21-39
70. C. C. Cobarg: Physikalische Grundlagen der wassergefilterten Infrarot-A-Strahlung. In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten; 2. Auflage 1996
71. Schmidt, Thews, Lang: *Physiologie des Menschen.* 28. Auflage; Verlag Springer 2004; S. 278 - S. 313
72. Stutter E: Strahlungsgrenzwerte für das kurzwellige Infrarot. In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten. 2. Auflage. 1996
73. URL: <http://www.uni-kiel.de/anorg/lagaly/group/klausSchiver/Wedgwood.pdf>

74. Bachem A, Reed Cl: The penetration of light through human skin. Amer. J. Physiol. 97 (1931) S. 86-91
75. Krüger W, Kelleher DK, Vaupel P Messung von Temperaturprofilen in Agarphantomen und vitalem Muskelgewebe bei Erwärmung mit wassergefilterter Infrarot-A-Strahlung In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten. Hippokrates-Verlag, 2. Auflage, 1996
76. Hoffmann G: Improvement of wound healing in chronic ulcers by hyperbaric oxygenation and by waterfiltered ultrared A induced localized hyperthermia. Adv Exp Med Biol 1994; 345:181-8.
77. Biland L, Barras J: Die wassergefilterte Infrarot-A-Hyperthermie zur Behandlung venöser Ulcera. Hefte Wundbehand 2001; 5:41.
78. Mercer JB, Nielsen SP, Hoffmann G: Improvement of wound healing by water-filtered infrared-A (wIRA) in patients with chronic venous leg ulcers including evaluation using infrared thermography. GMS Ger Med Sci 2005; 3. [in publication]
79. Hoffmann G: Wassergefiltertes Infrarot A (wIRA) zur Verbesserung der Wundheilung bei akuten und chronischen Wunden. Z Wundheilung – J Wound Healing. 2005; special issue 2: S. 130
80. Saulnier M, Ryffel B: Die Rolle von TNF-alpha und Interferon-gamma bei der kutanen Überempfindlichkeitsreaktion bei der Maus: Einfluss von wassergefilterter Infrarot-A-Strahlung. In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten. Hippokrates-Verlag; 2. Auflage 1996; S. 127-134
81. Merle S: Wassergefilterte Infrarot-A-Strahlung zur Therapie der schmerzhaften Arthrose. In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten. Hippokrates-Verlag; 2. Auflage 1996
82. Hoffmann G: Improvement of regeneration by local hyperthermia induced by waterfiltered infrared A (wIRA). Int J Sports Med 2001; 23 Suppl 2:S. 145
83. Möckel F, Hoffmann G, Obermüller R, et al.: Influence of water-filtered infrared-A (wIRA) on reduction of local fat and body weight by physical exercise. (in publication)
84. Biland L, Barras J: Die wassergefilterte Infrarot-A-Hyperthermie zur Behandlung venöser Ulcera. Hefte Wunbehand. 2001;5:41
85. Meffert H, Buchholtz I, Brenke A: Mild infrared A hyperthermia in treatment of systemic scleroderma. Dermatol Monatsschr 1990;176(11):683-686
86. von Felbert V, Streit M, Weis J: Anwendungsbeobachtungen mit wassergefilterter Infrarot-A-Strahlung in der Dermatologie. Dermatologica 2004;7:34-35
87. Singer D, Schröder M, Harms K: Vorteile der wassergefilterten gegenüber herkömmlicher Infrarot-Strahlung in der Neonatologie. Zeitschrift für Geburtshilfe und Neonatologie 2004, S. 85-92.
88. Singer D, Schröder M, Cobarg CC, Harms K: Wärmestrahler für Frühgeborene: Eine verbessерungsfähige Technologie. Zeitschrift für Geburtshilfe und Neonatologie 2001, Suppl. 1 (S9): S 205

89. Zywietz F: Infrarot-A-Hyperthermie als strahlensensibilisierendes Agens bei Bestrahlung oberflächennah liegender Tumoren: Tierexperimentelle Untersuchungen. In: Peter Vaupel, Winfried Krüger: Wärmetherapie mit wassergefilterter Infrarot- A- Strahlung. Grundlagen und Anwendungsmöglichkeiten. Hippokrates-Verlag; 2. Auflage 1996; S. 113-126
90. Vaupel P, Kelleher DK, Krüger W: Water-filtered infrared-A radiation: a novel technique to heat superficial tumors. Strahlentherapie Onkologie 1992 Nov; 168 (11): S. 633-639
91. Hoffmann G: Wassergefiltertes Infrarot A (wlRA) zur Verbesserung der Wundheilung; GMS Krankenhausg Interdiszip 2006;1(1):Doc 20. URL: <http://www.egms.de/en/journals/dgkh/2006-1/dgkh000020.shtml>
92. Hoffmann G: Improvement of wound healing in chronic ulcers by hyperbaric oxygenation and by waterfiltered ultrared A induced localized hyperthermia. Advances in Experimental Medicine and Biology 1994; 345: 181-188
93. Haupenthal H, Moll F: Infrarot-A-gesteuerte Permeation von Tetracain in vitro und in vivo. Die Pharmazie 53, S. 690 - 694 (1998)
94. Bankova L, Heinemann C, Fluhr JW, Hoffmann G, Elsner P: Improvement of penetration of a topical corticoid by waterfiltered infrared A (wlRA). 1st Joint Meeting 14th International Congress for Bioengineering and the Skin & 8th Congress of the International Society for Skin Imaging; 2003 May 21-24; Hamburg; S. 96.
95. Bankova L, Heinemann C, Fluhr JW, Hoffmann G, Elsner P: Improvement of penetration of a topical corticoid by water filtered infrared A (wlRA). 1st Joint Meeting 14th International Congress for Bioengineering and the Skin & 8th Congress of the International Society for Skin Imaging; 2003 May 21-24; Hamburg; 2003, S. 96
96. Lindemann U, Wilken K, Weigmann HJ, Schaefer H, Sterry W, Lademann J: Quantification of the horny layer using tape stripping and microscopic techniques. J Biomed Opt. 2003 Oct;8(4):601-7
97. Lademann J, Weigmann HJ, Rickmeyer C, Bartelmes H, Schaefer H, Müller G, Sterry W: Penetration of titanium dioxide microparticles in a sunscreen formulation into the horny layer and the follicular orifice. Skin Pharmacol Appl Skin Physiol 12: S. 247-256, 1999
98. Lademann J, Weigmann HJ, Schaefer H, Müller G, Sterry W: Investigation of the stability of coated titanium microparticles used in sunscreen. Skin Pharmacol Appl Skin Physiol 13: S. 258-264
99. Elias PM, Menon GK: Structural and lipid biochemical correlates of the epidermal permeability barrier. Adv Lipid Res. 1991,24:1-26
100. Clarys P, Gabard B, Barel AO: The effect of the temperature on the in vivo percutaneous penetration process, in: K.R. Brain, V.J. James, K.A. Walters (Eds.), Prediction of Percutaneous Penetration: Methods, Measurements, Modelling, STS Publishing, Cardiff, UK, 1996, S. 278-281
101. Clarys P, Alewaeters K, Jadoul A, et al.: In vitro percutaneous penetration through hairless rat skin: influence of temperature, vehicle and penetration enhancers; European Journal of Pharmaceutics and Biopharmaceutics 46 (1998), S. 279-283
102. Gay CL, Guy RH, Golden GM, et al. Characterization of low-temperature (i.e. <65°C) lipid transitions in human stratum corneum; J. Invest. Dermatol. 103 (1994): S. 233-239

103. van Hal DA, Jeremiasse E, Junginger HE, et al.: Structure of Fully Hydrated Human Stratum corneum: A Freeze-Fracture Electron Microscopy Study. *J Invest Dermatol.* 1996 Jan; 106(1):89-95
104. Warner RR, Stone KJ, Boissy YL: Hydration Disrupts Human Stratum corneum Ultrastructure. *J Invest Dermatol.* 2003 Feb;120(2):275-84
105. Guy RH, Bucks DAW, McMaster JR, et al.: Kinetics of drug absorption across human skin in vivo. In: Shroot B, Schaefer H, eds. *Skin Pharmacokinetics*. Basel: Karger, 1987:70-76
106. Bucks D, Maibach HI: Occlusion does not uniformly enhance Penetration in vivo; In: RL Bronaugh, HI Maibach, eds. *Percutaneous Absorption: Mechanisms, Methodology, Drug Delivery*, 2nd edition NY, 1989: pp 77-93
107. Weigmann HJ, Lademann J, Schanzer S, et al.: Correlation of the local distribution of topically applied substances inside the stratum corneum determined by tape-stripping to differences in bioavailability. *Skin Pharmacol Appl Skin Physiol.* 2001;14 Suppl 1:98-102
108. Lindemann U, Weigmann HJ, Schaefer H, Sterry W, Lademann J: Evaluation of the pseudo-absorption method to quantify human stratum corneum removed by tape stripping using protein absorption. *Skin Pharmacol Appl Skin Physiol.* 2003 Jul-Aug;16(4):228-36
109. Weigmann HJ, Lindemann U, Antoniou C, et al.: UV/VIS absorbance allows rapid, accurate, and reproducible mass determination of corneocytes removed by tape stripping. *Skin Pharmacol Appl Skin Physiol.* 2003 Jul-Aug;16(4):217-27
110. R. Potts, R. Guy, Predicting skin permeability, *Pharm. Res.* 9 (5), 1992, 663-669