Institut für Molekularbiologie und Biochemie des Fachbereiches Humanmedizin der Freien Universität Berlin (Leiter: Prof. Dr. med. W. Reutter)

## Investigation on the role of CD26 in immune system and resolution of its 3D-structure

Dissertation zur Erlangung der Doktorwürde am Fachbereich Biologie, Chemie, Pharmazie der Freien Universität Berlin

Vorgelegt von

## **Shuling Yan**

aus Nanjing, V.R. China

Berlin 2003

- 1. Gutachter: Prof. Dr. Werner Reutter
- 2. Gutachter: Prof. Dr. Carsten Niemitz

Tag der Disputation: 19. Dezember 2003

1	INTRODUCTION	1
1.1	Distribution and expression of CD26/DPPIV	1
1.2	Structure of CD26/DPPIV	2
1.3	Enzyme activity and substrates	3
1.4	The role of CD26 in the immune system	6
1.4.1	As a co-stimulator in T cell activation	7
1.4.2	As a binding protein of adenosine deaminase	8
1.4.3	As a regulator of chemokine function	9
1.4.4	Interaction with extracellular matrix protein	10
1.5	DPPIV-like molecules	11
1.6	CD26/DPPIV and disease	12
1.6.1	Type II diabetes	12
1.6.2	AIDS	12
1.6.3	Malignant transformation and apoptosis	14
1.6.4	Autoimmune diseases/transplantation rejection	14
2	AIMS OF THIS WORK	15
3	MATERIALS AND METHODS	16
U		
3.1	Materials	16
	Materials Animals	<b>16</b> 16
3.1		
<b>3.1</b> 3.1.1	Animals	16
<b>3.1</b> 3.1.1 3.1.2	Animals Cells and bacteria	16 16
<b>3.1</b> 3.1.1 3.1.2 3.1.3	Animals Cells and bacteria Plasmids	16 16 16
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4	Animals Cells and bacteria Plasmids Antibodies	16 16 16 17
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime	16 16 17 18 <b>19</b> eric
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity	16 16 17 18 <b>19</b> eric 19
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26	16 16 17 18 <b>19</b> eric
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26 Isolation of rat CD26/DPPIV with enzyme activity by immunoaffinity	16 16 17 18 <b>19</b> eric 19
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26	16 16 17 18 <b>19</b> eric 19 19
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1 3.2.1.2	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26 Isolation of rat CD26/DPPIV with enzyme activity by immunoaffinity chromatography	16 16 17 18 <b>19</b> eric 19 19
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1 3.2.1.2	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26 Isolation of rat CD26/DPPIV with enzyme activity by immunoaffinity chromatography Isolation of homogeneous dimeric CD26/DPPIV through size-exclusion fast	16 16 17 18 <b>19</b> 19 19 20
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1 3.2.1.2 3.2.1.3	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme activity Expression and solubilization of rat DPPIV/CD26 Isolation of rat CD26/DPPIV with enzyme activity by immunoaffinity chromatography Isolation of homogeneous dimeric CD26/DPPIV through size-exclusion fast protein liquid chromatography Determination of CD26/DPPIV enzyme activity Quantitative analysis of protein	16 16 17 18 <b>19</b> 19 19 20 20 21 21 21
<b>3.1</b> 3.1.1 3.1.2 3.1.3 3.1.4 3.1.5 <b>3.2</b> 3.2.1 3.2.1.1 3.2.1.2 3.2.1.3 3.2.1.3	Animals Cells and bacteria Plasmids Antibodies Reagents <b>Methods</b> Purification and three dimensional structure elucidation of homogeneous dime CD26/DPPIV with enzyme acitivity Expression and solubilization of rat DPPIV/CD26 Isolation of rat CD26/DPPIV with enzyme activity by immunoaffinity chromatography Isolation of homogeneous dimeric CD26/DPPIV through size-exclusion fast protein liquid chromatography Determination of CD26/DPPIV enzyme activity	16 16 17 18 <b>19</b> 19 19 20 20 21 21

3.2.1.8	Cryo-Electron microscopy	23
3.2.1.9	Image processing	24
3.2.2	The role of CD26/DPPIV in immunoregulation	24
3.2.2.1	Examination of CD26/DPPIV expression in mouse organs with western blot	24
3.2.2.2	Cell culture	25
3.2.2.3	Cell counting	26
3.2.2.4	Preparation of lymphocytes from C57BL/6 mouse spleens	26
3.2.2.5	Separation of peripheral blood lymphocytes by density centrifugation over Fig	coll 27
3.2.2.6	Analysis of lymphocyte subpopulations by flow cytometry	27
3.2.2.7	Separation of CD4 <sup>+</sup> cells by magnetic cell sorting	27
3.2.2.8	Stimulation of mouse spleen lymphocytes in vitro	28
3.2.2.9	Determination of proliferation and activation of mouse spleen lymphocytes	28
3.2.2.10	Assay of lymphocyte subsets secreting different cytokines	29
3.2.2.11	Immunization in vivo	29
3.2.2.12	Bronchoalveolar lavage	30
3.2.2.13	Lung histology	30
3.2.2.14	Measurement of immunoglobulin production	31
3.2.2.15	Measurement of cytokine production	31
3.2.2.16	Statistical analysis	31
3.2.3	Establishment of inducible expression system of rat CD26 in Jurkat cells	32
3.2.3.1	Culture of E. coli HB 101 and SCS 110	32
3.2.3.2	Preparation of competent E. coli cells	32
3.2.3.3	Transformation of competent cells	32
3.2.3.4	Preparation of plasmid	33
3.2.3.5	Preparation and separation of insert rat CD26 DNA from plasmid pF-162	33
3.2.3.6	Preparation of vector DNA from pEGFP-N1	33
3.2.3.7	Ligation of insert and vector DNA	34
3.2.3.8	Preparation of insert DNA encoding fusion protein CD26/GFP	34
3.2.3.9	Preparation of vector DNA from plasmid pTRE2	34
3.2.3.10	Transfection of Jurkat cells with Tet-on plasmid and selection of positive clon	les
		34
3.2.3.11	Transfection of Jurkat cells (tet-on positive clone) with pTRE2/CD26/GFP	35
4	RESULTS	36
4.1	Purification and 3D-structure analysis of rat CD26/DPPIV	36
4.1.1	Purification of homogeneous dimeric rat CD26/DPPIV with enzyme activity	36
4.1.2	The 3D-structure of rat DPPIV/CD26 as obtained by cryo-TEM and single particle analysis	40

4.2	The role of CD26 in immunoregulation	45
4.2.1	The expression and enzyme activity of CD26 in mouse organs and on	
	lymphocyte surface	45
4.2.2	CD26 deficiency modifies the distribution of murine lymphocyte sub-	
	populations in spleen and peripheral blood	45
4.2.2.1	The percentage of CD3 <sup>+</sup> cells is decreased, while that of NK cells is increased	l in
	spleen lymphocyte population of CD26 <sup>-/-</sup> mice	45
4.2.2.2	A decrease of NK1.1 <sup>-</sup> CD4 <sup>+</sup> T cells contributes to the reduced proportion of C	
	population in mouse spleen lymphocytes	47
4.2.2.3	The percentage of CD4 <sup>+</sup> NKT cells is significantly lower in peripheral blood	
	lymphocyte population of CD26 <sup>-/-</sup> mice	48
4.2.3	Impaired cytokine and immunoglobulin secretion of CD26 <sup>-/-</sup> mice upon PWM stimulation	[ 50
4.2.3.1	CD26 deficiency results in a decreased proliferation of mouse spleen	
	lymphocytes after stimulation by PWM or by ConA	50
4.2.3.2	PWM is a better stimulator than ConA on IL-2 and IL-4 secretion	52
4.2.3.3	MSLs from CD26 <sup>-/-</sup> mice secreted markedly less IL-4, but more IFN- $\gamma$ and IL	-10
	after stimulation by PWM	53
4.2.3.4	CD26 <sup>-/-</sup> mice produced markedly less IgG after immunization by PWM	57
4.2.3.5	CD26 deficiency impaired B cell immunoglobulin isotype switching to IgG1,	
	IgG2a and IgE upon treatment by PWM	57
4.2.3.6	Reduced IL-4, IL-2, and delayed IFN- $\gamma$ production in sera of CD26 <sup>-/-</sup> mice	
	immunized by PWM	60
4.2.4	Impaired immunoglobulin secretion and enhanced lung inflammation in CD2	6-/-
	mice upon ovalbumin immunization	62
4.2.4.1	CD26 <sup>-/-</sup> mice produced less IgM and markedly less IgG after OVA immuniza	tion
		62
4.2.4.2	CD26 deficiency impaired B cell immunoglobulin isotype switching to IgG1,	
	IgG2a, but not IgE upon immunization by OVA	62
4.2.4.3	Severe antigen-induced eosinophilic airway inflammation in the lungs of CD2	26-/-
	mice	65
4.2.4.4	Th2 cytokines in the lungs of OVA sensitized and challenged mice	67
4.2.5	Investigation on mechanisms of CD26 functions in immune system	69
4.2.5.1	Specific inhibitor Ile-Pro-thiazolidide inhibited the proliferation of CD26 <sup>+/+</sup>	
	MSLs, and exogenous CD26 with enzymatic activity increased the proliferation	ion
	of CD26 <sup>-/-</sup> MSLs upon PWM stimulation	69
4.2.5.2	Ile-Pro-thiazolidide inhibited not only secreting of IL-4, but also producing of	
	IFN- $\gamma$ , IL-2 and IL-6 from PWM-stimulated MSLs	71
4.2.5.3	Influence of CD26 deficiency on cytokine secretion of purified CD4 <sup>+</sup> cells up	-
	PWM stimulation	72

4.3	Establishment of inducible expression system of CD26/GFP fusion protein		
	in Jurkat cells	74	
4.3.1	Construction and expression of CD26/GFP fusion protein	75	
4.3.1.1	Construction of pEGFP-N1/CD26 recombinant plasmid	76	
4.3.1.2	Screening of clones containing correctly recombinant plasmid	78	
4.3.1.3	Expression of CD26/GFP fusion protein in CHO cells	79	
4.3.2	Construction of a recombinant plasmid pTRE2/CD26/GFP	81	
4.3.2.1	Cloning of CD26/GFP cDNA into response plasmid pTRE2	81	
4.3.2.2	Screening of clones containing recombinant plasmid pTRE2/CD26/GFP	83	
4.3.3	Establishment of inducible expression system of CD26 in Jukat cells	84	
5	DISCUSSION	86	
5.1	Purification and 3D-structure analysis of rat homogeneous dimeric	07	
	CD26/DPPIV	86	
5.2	The role of CD26 in immunoregulation	88	
5.2.1	Influence of CD26 deficiency on the development, maturation, and distribu of lymphocyte subpopulation	tion 88	
5.2.2	Involvement of CD26 in the regulation of PWM-stimulated cytokine and	00	
5.2.2	immunoglobulin secretion <i>in vitro</i> and <i>in vivo</i>	89	
5.2.2.1	Influence of CD26-deficiency on cytokine production in vitro and in vivo	89	
5.2.2.2	Influence of CD26-deficiency on immunoglobulin production in vivo	93	
5.2.3	Impaired immunoglobulin secretion and enhanced lung inflammation in CI mice upon OVA (Ovalbumin) immunization	D26 <sup>-/-</sup> 94	
5.2.3.1	Immunoglobulin production in sera of mice immunized with OVA	95	
5.2.3.2	Eosinophila and local Th2 cytokines	96	
5.2.4	Influence of DPPIV activity on lymphocyte proliferation and cytokine production	99	
6	REFERENCES	101	
7	SUMMARY	120	
8	OUTLOOKS	122	
9	ABBREVIATIONS	123	
10	CURRICULUM VITAE	125	
11	PUBLICATIONS	126	
12	ACKNOWLEDGEMENTS	128	